



Microsoft

Exam Questions 70-698

Installing and Configuring Windows 10

NEW QUESTION 1

You have four computers configured as shown in the following table:

Computer name	Trusted Platform Module (TPM) version	Wi-Fi Direct support	Second Level Address Translation (SLAT)-capable processor support	Camera type
Computer1	None	No	Yes	Webcam and illuminated infrared camera
Computer2	1.2	Yes	Yes	illuminated infrared camera
Computer3	2.0	No	Yes	Webcam
Computer4	2.0	Yes	No	Webcam

You need to deploy Windows 10 Enterprise. The deployment must support Miracast, BitLocker Drive Encryption (BitLocker), and Windows Hello with facial recognition.

On which computer should you install Windows 10?

- A. Computer1
- B. Computer2
- C. Computer3
- D. Computer4

Answer: B

Explanation: <https://www.microsoft.com/en-za/windows/windows-10-specifications#sysreqs>

NEW QUESTION 2

A user has a laptop named Computer 1 that runs Windows 10 and has a 64-bit application named App1 installed. App1 fails to launch and generates an error message indicating that the application is not supported on this version of Windows. You need to ensure that App1 can run successfully. What should you do?

- A. Create a package that includes App1 by using the Windows Imaging and Configuration Designer (Windows ICD).
- B. Create a fix in the Compatibility Administrator.
- C. Run App1 in the Standard User Analyzer (SUA).
- D. Use the Application Compatibility Manager (ACM) to create an inventory package.

Answer: B

Explanation: [https://msdn.microsoft.com/en-us/library/windows/desktop/dd744763\(v=vs.85\).aspx](https://msdn.microsoft.com/en-us/library/windows/desktop/dd744763(v=vs.85).aspx)

NEW QUESTION 3

Group Policy is a set of rules which control the working environment of user accounts and computer accounts. Group Policy provides the centralized management and configuration of operating systems, applications and users' settings in an Active Directory environment.

In other words, Group Policy in part controls what users can and can't do on a computer system. Which one of these policies requires a reboot?

- A. Turn off Windows Defender
- B. Turn off Autoplay for non-volume devices
- C. Disable Active Desktop
- D. Turn off Data Execution Prevention for Explorer

Answer: D

Explanation: A reboot is REQUIRED when turning off Data Execution Prevention (DEP) for Explorer.

NEW QUESTION 4

You are the administrator for a company. All devices run Windows 10 Pro. File and printer sharing is turned on. Users report that files in the Public folder are being modified and changed by other users on the network. You need to ensure that only specific users and groups can access files in the Public folder share. What should you do?

- A. Turn off Public folder sharing.
- B. Turn off file and printer sharing.
- C. Turn on Public folder sharing.
- D. Deny the Everyone Group Full Control to the Public folder share.

Answer: B

Explanation: References: <https://technet.microsoft.com/en-us/library/dd277411.aspx>

NEW QUESTION 5

You deploy a new computer named Computer1.

You have a file named Data.docx that is stored in Microsoft OneDrive.

From File Explorer, you attempt to open Data.docx, but you discover that the file is corrupt. You need to access a previous version of Data.docx. What should you use?

- A. File History
- B. the Recycle Bin
- C. One Drive online
- D. Backup and Restore (Windows 7)

Answer: A

NEW QUESTION 6

You are the administrator for a company. All devices run Windows 10 Enterprise and are joined to an Active Directory Domain Services domain.

Administrators are unable to test network connectivity to Windows 10 devices because ping is being blocked. You need to be able to ping the devices.

Solution: Turn on File and Printer Sharing in the Advanced Sharing settings. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 7

A company has client computers that run Windows 10. The client computer systems frequently use IPSec tunnels to securely transmit data.

You need to configure the IPSec tunnels to use 256-bit encryption keys. Which encryption type should you use?

- A. 3DES
- B. DES
- C. RSA
- D. AES

Answer: D

Explanation: https://en.wikipedia.org/wiki/Advanced_Encryption_Standard

NEW QUESTION 8

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise.

On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the start menu layout to a file named contoso.xml.

You install Client Hyper-V on a computer named Computer6. You identify the following requirements.

- Install the Hyper V feature on a computer named Computer1.
- Use virtual smart card authentication on a computer named Computer2.
- Enable Secure Boot on a computer named Computer3.
- Connect a computer named Computer4 to a projector by using Miracast.
- Ensure that a user named User 1 can use keyboard shortcuts by pressing one key at a time.
- Ensure that you can share the clipboard between Computer6 and the virtual machines running on Computer6.
- Add the Contoso Apps group to the Start menu of a computer named Computer7.

End of repeated scenario.

You install all of the Contoso apps on Computer7. You need to meet the requirements of Computer7. What should you do?

- A. Run the Import-StartLayout cmdlet.
- B. Copy Contoso.xml to the C:\Users\Default\Start menu folder.
- C. Configure the Start Menu and Taskbar settings in a Group Policy.
- D. Copy Contos
- E. xml to the C:\ProgramData\Microsoft\Windows\Start Menu folder.


Answer: A

Explanation: <https://blogs.technet.microsoft.com/deploymentguys/2016/03/07/windows-10-start-layout-customization/#Expor>

NEW QUESTION 9

You have a standalone computer that runs Windows 10 Enterprise. The computer is configured to automatically back up files by using File History. The user of the computer uses the OneDrive desktop app to sync files.

The Previous Versions settings from the local group policy of the computer are shown in the following graphic.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

If a user deletes a file from OneDrive by using File Explorer, the file [answer choice].

If a user deletes a file from a local drive by using File Explorer, the file [answer choice].



Answer Area

If a user deletes a file from OneDrive by using File Explorer, the file [answer choice].

- cannot be restored
- can be restored from onedrive.com
- can be restored by using the Previous Versions tab

If a user deletes a file from a local drive by using File Explorer, the file [answer choice].

- cannot be restored
- can be restored from onedrive.com
- can be restored by using Previous Versions tab

Answer:

Explanation: When a file is deleted from the local OneDrive folder with File Explorer, the deletion is replicated to Onedrive.com and the file is moved to the OneDrive recycle bin. The deleted file can therefore be recovered from the Recycle Bin on Onedrive.com. If a user deletes a file from a local drive by using File Explorer, the file cannot be restored. If the file is not in the OneDrive folder, it will not be a file that is synced to onedrive.com. We could use Previous Versions to restore the file but this is prevented by the Group Policy settings. The "Prevent restoring local previous versions" – Enabled group policy setting would prevent the previous version from being restored.

References:
<http://www.groovypost.com/howto/restore-deleted-files-local-onedrive-folder/>

NEW QUESTION 10

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. You have a computer named Computer1 that has storage configured as shown in the following table:

Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB. Pool3 contains a storage space named Space2 that is 100 GB. Pool2 is empty. You need to add a storage space to Pool2. What should you use?

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk
- F. Set-StoragePool
- G. Subst

H. Update-Disk

Answer: A

Explanation: [https://technet.microsoft.com/en-us/library/hh848702\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/hh848702(v=wps.630).aspx)

NEW QUESTION 10

You have a computer named Computer1 that runs Windows 10. You need to register Computer1 with Microsoft Intune. What should you do?

- A. From Accounts in the Settings app, click enroll in to device management.
- B. From a command prompt, run the djoin command and specify the /psite parameter.
- C. From System in Control Panel, modify the domain membership.
- D. From Accounts in the Settings app, add a Microsoft account.

Answer: A

Explanation: <http://henkhoogendoorn.blogspot.co.za/2016/04/enroll-in-to-device-management-in.html>

NEW QUESTION 11

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named adatum.com. The network contains five servers configured as shown in the following table:

Server name	Domain/workgroup	Role
DC1	Adatum.com	Domain controller
DC2	Adatum.com	Domain controller
Server1	Adatum.com	Member server
Server2	Adatum.com	Member server
Test Server	Workgroup	File server

All of the servers run Windows Server 2012 R2.

Test_Server has a shared folder named ShareA. Only local users have permissions to ShareA. The network contains a mainframe computer that is administered by using the Telnet protocol. The domain contains four client computers configured as shown in the following table:

Computer name	Primary user
Computer1	User1
Computer2	User2
Computer3	User3
Computer4	User4

All of the client computers run the 64-bit version of Windows. User3 frequently accesses ShareA. Remote Desktop is enabled on Computer4.

Your company identifies the following requirements.

- Ensure that you can test unsigned device drivers on Computer1
- Enable Credential Guard on Computer2.
- Run commands and cmdlets remotely on computer2.
- Configure User Account control (UAC) on Computer3 to prompt administrators for credentials when elevated privileges are required.
- Ensure that User1 can view and interact with a desktop session of User3.
- Ensure that User2 can use Telnet to manage the mainframe.
- Ensure that User4 can use Remote Desktop to access Computer4 remotely.

End of repeated scenario.

On Test_Server, you reset the password for User3. You need to ensure that User3 can access ShareA.

Which tool should you instruct User3 to use on Computer3?

- A. the Get-Credential cmdlet
- B. Credential Manager
- C. Authorization Manager
- D. Active Directory Users and Computers

Answer: B

Explanation: <http://www.digitalcitizen.life/credential-manager-where-windows-stores-passwords-other-login-details>

NEW QUESTION 13

You have a custom Microsoft Management Console (MMC) named Console 1 that contains several snapins. Users use Console1 to manage specific computer settings. Users report that every time they close Console1, they are prompted to save the MMC.

You need to prevent the prompts to save Console1. What should you do?

- A. From the Details settings of the MMC file, modify the Authors property.
- B. From the File menu, click Add/Remove Snap-i
- C. and then click Edit Extensions.
- D. From the File menu, click Options and then modify the console mode.
- E. Horn the Security settings of the MMC file, modify the permissions.

Answer: C

Explanation: <http://www.tech-recipes.com/rx/9467/how-to-create-custom-microsoft-management-consoles-mmcs-for-managi>

NEW QUESTION 14

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. You have a computer that has a dual-boot configuration. Windows 10 Pro is installed on the local disk. Windows 10 Enterprise is installed in a VHDX file named Disk1.vhdx.

You start the computer to Windows 10 Pro, and then you download a driver package.

You need to ensure that the next time the Windows 10 Enterprise installation starts, the driver is installed already.

What should you run first?

- A. Add-WindowsImage
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe
- G. diskpart.exe
- H. Expand-WindowsImage

Answer: G

Explanation: [https://technet.microsoft.com/en-us/library/dd799267\(v=ws.10\).aspx#BKMK_addDrivers](https://technet.microsoft.com/en-us/library/dd799267(v=ws.10).aspx#BKMK_addDrivers)

NEW QUESTION 16

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. Your network contains a single Active Directory domain. The domain contains computers that run Windows 10 Enterprise.

The computers are configured as shown in the following table:

Computer name	Primary user	Computer type
PC_User1	User1	Laptop
PC_User2	User2	Laptop
PC_User3	User3	Tablet

When User1 works remotely, the user fails to access shared folders on the corporate network.

When User 2 and User3 work remotely, they successfully connect to the shared folders on the corporate network.

You need to ensure that User1 can connect to the shared folders without user interaction. What should you do?

- A. Click Turn on password protected sharing.
- B. Disable Network Discovery.
- C. Modify the Profile settings of an incoming firewall rule.
- D. Run the Add-VpnConnectionTriggerApplication cmdlet.
- E. Run the New-NetFirewallRule cmdlet and specify the -Direction Outbound parameter.
- F. Run the Ncw-VpnConnection cmdlet.
- G. Run the Set-NetConnectionProfile cmdlet.
- H. Run the Set-VPNConnection cmdlet

Answer: D

Explanation: [https://technet.microsoft.com/en-us/library/dn296460\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/dn296460(v=wps.630).aspx)

NEW QUESTION 19

You have a computer that runs the 32-bit version of Windows 7 Professional. You need to perform an in-place upgrade to Windows 10. Which two editions of Windows 10 can you upgrade the computer? Each correct answer presents a complete solution.

- A. the 32-bit version of Windows 10 Pro
- B. the 64-bit version of Windows 10 Pro
- C. the 32-bit version of Windows 10 Enterprise
- D. the 64-bit version of Windows 10 Enterprise
- E. the 32-bit version of Windows 10 Home

Answer: AB

Explanation: <https://www.microsoft.com/en-us/software-download/windows10/>

NEW QUESTION 23

Your network contains a single Active Directory domain named contoso.com. In contoso.com, you create an organizational unit (OU) named OU1.

You need to use a provisioning package to perform the following:
 Configure the computer names as "Station", followed by a random three-digit number.
 Join the computers to contoso.com, and then create an account for the computers in OU1.
 How should you configure the provisioning package? To answer, select the appropriate options in the answer area.

Answer Area

Value of the AccountOU property:

▼

Contoso.com/OU1
 Ldap://contoso.com/OU1
 OU=OU1, AD=contoso.com
 OU=OU1, DC=contoso, DC=com

Value of the ComputerName property:

▼

Station#Num 3
 Station\$NNN\$
 Station%RAND:3%
 Station [!D:3]

Answer:

Explanation: *Box 1*

OU=OU1, DC=contoso, DC=com

Box 2 Station%RAND:3%

<https://technet.microsoft.com/en-us/itpro/windows/deploy/provision-pcs-for-initial-deployment>

NEW QUESTION 28

In this section, you will see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem.

Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You have a computer named Computer1 that runs Windows 10. File History is turned on.

The user of Computer1 reports that previous versions of D:\Folder\File1.doc are unavailable from the Previous Versions tab.

You need to ensure that the previous versions of the file are created. Solution: Add D:\Folder\to the Documents library.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation: <https://support.microsoft.com/en-us/help/17128/windows-8-file-history>

NEW QUESTION 32

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

While performing maintenance on a computer, you open Indexing Options, and then you click Pause. You complete the computer maintenance.

You need to resume indexing.

Solution: From the Services console, you restart the Storage Service service. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation: <http://www.techbuzz.in/restart-or-resume-windows-indexing-services-after-pausing.php>

NEW QUESTION 36

You are the administrator for a company. All devices run Windows 10 Enterprise and are joined to an Active Directory Domain Services domain.

Administrators are unable to test network connectivity to Windows 10 devices because ping is being blocked. You need to be able to ping the devices.

Solution: Create and enable an ICMPv4 Echo Request In allow rule for the Private profile. Does the solution meet the goal?

- A. Yes

B. No

Answer: A

Explanation: References:

<https://www.howtogeek.com/howto/windows-vista/allow-pings-icmp-echo-request-through-your-windows-vista>

NEW QUESTION 41

You have a reference computer named Computer1 that runs Windows 10. You plan to run sysprep.exe several times on Computer1. You need to prevent the Windows Product Activation clock from being reset on Computer1. What should you do?

- A. Set the ProductKey option in Sysprep.inf to XXXXX-XXXXX-XXXXX-XXXXX-XXXXX
- B. Set the SkipRearm option in Unattend.xml to 0.
- C. Set the ProductKey option in Sysprep.inf to 00000-00000-00000-00000-00000
- D. Set the SkipRearm option in Unattend.xml to 1.

Answer: D

Explanation: SkipRearm is a registry entry which specifies whether to run the Windows Software Licensing Rearm program. Rearming a computer restores Windows Vista and later, to the original licensing state. All licensing and registry data related to activation is either removed or reset. Any grace period timers are reset as well.

0 : Specifies that the computer will be rearmed & any grace period timers will be reset

1 : Specifies that the computer will not be rearmed & grace period timers will not be reset. References:

<https://www.thewindowsclub.com/legally-use-windows-without-activating>

NEW QUESTION 46

You are the desktop administrator for a company. You plan to deploy Windows 10 Pro. You configure a single existing deployment image to use for all devices. You purchase a newer device hardware model. You deploy the company image to a new device. You observe that there is no network connectivity and the device displays a stop error.

You need to prevent the stop error to continue troubleshooting the issue. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Find the Network Controller device.

Right-click the device and disable it.

Right-click the device and roll back the device driver.

Open Device Manager

Answer:

Explanation:

Actions

Answer Area

- Find the Network Controller device.
- Right-click the device and disable it.
- Right-click the device and roll back the device driver.
- Open Device Manager

- Open Device Manager
- Find the Network Controller device.
- Right-click the device and disable it.

NEW QUESTION 47

HOTSPOT



You have a computer that has a shared printer named Printer1. The Advanced settings for Printer1 are configured as shown in the Advanced exhibit. (Click the Advanced button.)

The Security settings for Printer1 are configured as shown in the Security exhibit. (Click the Security button.) You run the Get-PrintJob cmdlet and you receive the following output.

```

JobStatus           : Normal
Caption             :
Description         :
ElementName        :
InstanceID         :
CommunicationStatus :
DetailedStatus     :
HealthState        :
InstallDate        :
Name               :
OperatingStatus    :
OperationalStatus  :
PrimaryStatus      :
Status             :
StatusDescriptions :
ComputerName       :
DataType           : RAW
DocumentName       : Untitled - Notepad
Id                 : 5
JobTime            : 0
PagesPrinted       : 0
Position           : 1
PrinterName        : Printer1
Priority            : 70
Size               : 47152
SubmittedTime      : 12/4/2016 20:00:00
TotalPages         : 1
UserName           : administrator
PSComputerName     :
CimClass           : ROOT/StandardCimV2:MSFT_PrintJob
CimInstanceProperties : {Caption, Description, ElementName, InstanceID, ...}
CimSystemProperties : Microsoft.Management.Infrastructure.CimSystemProperties
    
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.



Answer Area

Statements	Yes	No
The job in the print queue will be printed immediately.	<input type="radio"/>	<input type="radio"/>
If a new print job is sent to Printer1 the new print job will be printed before the print job that is in the queue already.	<input type="radio"/>	<input type="radio"/>
A domain user named User1 can cancel a print job in the print queue.	<input type="radio"/>	<input type="radio"/>

Answer:

Explanation:

- Box1. Yes
- Box2.No
- Box3. Yes

NEW QUESTION 50

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are the administrator for a company. All devices run Windows 10 Enterprise and are members of the Adatum.com domain. All drives on the devices are formatted with the NTFS file system and have the default permissions assigned. You have a device which is used by multiple users and stores information for a specific project. The project team members are members of a group named ProjectX.

The system is also used by other people that are not members of the ProjectX team. All files for ProjectX are stored in a folder with the path E:\ProjectX.

You have the following requirements:

*Only members of the ProjectX group must have all permissions on the folder and all of the files in it.

*ProjectX members should not be granted any specific rights to any other folders.

You need to meet the requirements.

Solution: You disable inheritance on the E:\ProjectX folder and specify the Copy option. You assign the Full Control permission to the Project X group.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 52

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1 that has a dual-boot configuration. Computer1 has Windows 8.1 and Windows 10 installed.

You need to configure Computer1 to use only 4 GB of RAM when the computer starts in Windows 10. What should you run?

- A. Add-WindowsImage
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe
- G. diskpart.exe
- H. Expand-WindowsImage

Answer: C

Explanation: [https://technet.microsoft.com/en-us/library/cc709667\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/cc709667(v=ws.10).aspx)

NEW QUESTION 57

You are the administrator for a company. All devices run Windows 10 Enterprise. You receive reports about network configuration issues. You run the ipconfig command and receive the following results.

```

Ethernet adapter Ethernet 2:

Connection-specific DNS Suffix . . : home
Description . . . . . : Realtek PCIe GBE Family Controller Flight
Physical Address. . . . . : 6C-62-6D-8C-ED-97
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
Link-local IPv6 Address . . . . . : fe80::25b2:47c2:d952:5a58%3(Preferred)
IPv4 Address. . . . . : 192.168.1.12(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Lease Obtained. . . . . : Friday, October 20, 2017 4:17:33 PM
Lease Expires . . . . . : Saturday, October 21, 2017 4:17:29 PM
Default Gateway . . . . . : 192.168.1.1
DHCP Server . . . . . : 192.168.1.1
DHCPv6 IAID . . . . . : 74211949
DHCPv6 Client DUID. . . . . : 00-01-00-01-14-C0-E2-88-6C-62-6D-8C-ED-97
DNS Servers . . . . . : 192.168.1.1
    
```

Use the drop-down menus to select the answer choice that answers each question. NOTE: Each correct selection is worth one point.

Will the client be able to use IPv6 to connect directly to the internet without using a NAT server?

When will the client attempt to renew the IPv4 DHCP address for the first time?

Which IPv4 address with the client receive if the DHCP address expires and it is unable to obtain a new lease?

Answer:

Explanation:

Will the client be able to use IPv6 to connect directly to the internet without using a NAT server?

When will the client attempt to renew the IPv4 DHCP address for the first time?

Which IPv4 address with the client receive if the DHCP address expires and it is unable to obtain a new lease?

NEW QUESTION 60

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. You have a computer named Computer1 that has storage configured as shown in the following table.

Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB. Pool3 contains a storage space named Space2 that is 100 GB. Pool2 is empty. You discover that Disk2 experiences physical errors.

You need to ensure that all of the data in Space1 is stored on other disks in the storage pool only. What should you use?

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk
- F. Set-StoragePool
- G. Subst
- H. Update-Disk

Answer: F

Explanation: [https://technet.microsoft.com/en-us/library/hh848697\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/hh848697(v=wps.630).aspx)

NEW QUESTION 62

A user reports that a computer was slower than expect during the last week. You need to identify any application failures that occurred during the last week. Which tool should you use?

- A. Performance Monitor
- B. Task Manager
- C. Resource Monitor
- D. Reliability Monitor

Answer: D

Explanation: <http://www.pcworld.com/article/2999237/windows/how-to-use-windows-10s-reliability-monitor-to-fix-and-fine>

NEW QUESTION 67

You have a computer named Computer1.

You obtain a new driver for a device installed on Computer1. The driver package is stored in C:\Drivers and includes the following files:

- *Driver.inf
- *Driver.dil
- *Drivet.sys
- *Driver.cat

You need to install the driver on Computer1 by using File Explorer. Which file should you use to initiate the installation?

- A. Driver.sys
- B. Driver.dll
- C. Driver.cat
- D. Driver.inf

Answer: B

Explanation: <http://lifehacker.com/269063/install-a-dll-file-in-windows>

NEW QUESTION 70

You have a computer named Computer1 that runs Windows 10.

Computer1 has two volumes named C and D. Volume C is formatted NTFS and volume D is formatted exFAT.

You need to ensure that you can recover files stored in D:\Data. What should you use?

- A. System Restore points
- B. File History
- C. wbadmin.exe
- D. Backup and Restore (Windows 7)

Answer: B

Explanation: <http://www.digitalcitizen.life/introducing-windows-8-how-backup-data-file-history>

NEW QUESTION 72

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise.

On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the start menu layout to a file named contoso.xml.

You install Client Hyper-V on a computer named Computer6. You identify the following requirements.

- Install the Hyper V feature on a computer named Computer1.
- Use virtual smart card authentication on a computer named Computer2.
- Enable Secure Boot on a computer named Computer3.
- Connect a computer named Computer4 to a projector by using Miracast.
- Ensure that a user named User 1 can use keyboard shortcuts by pressing one key at a time.
- Ensure that you can share the clipboard between Computer6 and the virtual machines running on Computer6.
- Add the Contoso Apps group to the Start menu of a computer named Computer7.

End of repeated scenario.

Which hardware feature must Computer2 support?

- A. a smart card reader
- B. Second Level Address Translation (SLAT)
- C. Trusted Platform Module (TPM)
- D. Unified Extensible Firmware Interface (UEFI)

Answer: C

Explanation: <https://blogs.technet.microsoft.com/askds/2016/05/11/setting-up-virtual-smart-card-logon-using-virtual-tpm-for->

NEW QUESTION 76

Your company is developing a Universal Windows Platform (UWP) app named App1. App1 is not published in the Windows Store. You are provided with an AppX package for App1. You need to install App1 locally. What should you do first?

- A. From a Group Policy object (GPO), add a software installation package.
- B. From the Settings app, modify the for developers setting.
- C. Set the AppX Deployment Service (AppXSVC) to Automatic and restart the computer.
- D. Disable User Account Control (UAC).

Answer: B

Explanation: <https://msdn.microsoft.com/windows/uwp/get-started/enable-your-device-for-development>

NEW QUESTION 80

You have five computers that run Windows 8.1 Pro. You need to perform an upgrade installation of Windows 10 on the computers. What should you do?

- A. Apply an image of Windows 10 by running imagex.exe.
- B. Start the computers from Windows PE, and then run setup.exe from a network share that contains the Windows 10 installation source files.
- C. While signed in to Windows 8.1 Pro
- D. run setup.exe from a network share that contains the Windows 10 installation source files.
- E. Start the computers from a bootable USB drive that contains the Windows 10 source files.

Answer: C

Explanation: References:
<http://www.laptopmag.com/articles/how-to-upgrade-windows-10> <https://www.groovypost.com/howto/upgrade-windows-8-1-to-windows-10/>

NEW QUESTION 83

You are the administrator for a company. All devices run Windows 10 Enterprise. You issue all users corporate-owned phones that sync with Windows 10 by using Bluetooth. You need to ensure that Windows 10 systems automatically secure devices when a user leaves their desk. What should you do?

- A. Configure the Lock the machine when smart card is removed setting.
- B. Implement Windows Hello for Business.
- C. Use a locked screen saver that has a five minute timeout.
- D. Implement Dynamic Lock.

Answer: B

Explanation: References:
<https://support.microsoft.com/en-za/help/4028111/windows-lock-your-windows-10-pc-automatically-when-you->

NEW QUESTION 84

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. Your network contains a single Active Directory domain. The domain contains a VPN server that supports all of the VPN protocols. From a computer that runs Windows 10 Pro, a user named User1 creates an SSTP VPN connection to a network named VPN1. User1 successfully connects to the VPN server. When User1 roams between different Wi-Fi access points, the user loses the connection to the corporate network and must manually re-establish the VPN connection. You need to ensure that VPN1 automatically maintains the connection while the user roams between Wi-Fi access points. What should you do?

- A. Click Turn on password protected sharing.
- B. Disable Network Discovery.
- C. Modify the Profile settings of an incoming firewall rule.
- D. Run the Add-VpnConnectionTriggerApplication cmdlet.
- E. Run the New-NetFirewallRule cmdlet and specify the- Direction Outbound parameter.
- F. Run the New-VpnConnection cmdlet.
- G. Run the Set-NetConnectionProfile cmdlet.
- H. Run the Set-VPNConnection cmdlet.

Answer: D

Explanation: [https://technet.microsoft.com/en-us/library/dn296460\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/dn296460(v=wps.630).aspx)

NEW QUESTION 88

You have a computer named Computer1 that runs Windows 10. Computer1 runs the Current Branch servicing option. Microsoft releases an upgrade to the Current Branch. The upgrade is installed on Computer1. You need to revert Computer1 to the previous version of the Current Branch. Which tool should you use?

- A. Programs and Features from Control Panel
- B. Windows Update from the Settings app

- C. Recovery from the Settings app
- D. System from Control Panel

Answer: C

Explanation: <http://www.howtogeek.com/235474/how-to-roll-back-builds-and-uninstall-updates-on-windows-10/>

NEW QUESTION 89

You are the administrator for a company. Devices run Windows 8.1 Pro or Windows 10 Pro. You have an on-premises Active Directory Domain Services (AD DS) domain and a Microsoft Azure Active Directory (Azure AD) environment.

You must deploy the Microsoft Store for Business.

You need to ensure that the environment meets the minimum requirements for the store. Which two options should you recommend? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Upgrade the Windows 8.1 Pro machines to Windows 10 Pro.
- B. Ensure all employees have an Azure AD account.
- C. Ensure all employees have an AD DS account.
- D. Run the Enable-AppV Windows PowerShell cmdlet on all computers.

Answer: AB

Explanation: References: <https://docs.microsoft.com/en-us/microsoft-store/microsoft-store-for-business-overview>

NEW QUESTION 94

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

A user named User1 is a member of the local Administrators group on Computer1 and Computer2. User1 fails to access the Event Viewer logs on Computer 2 from Computer 1.

User1 can connect to Computer2 remotely by using Computer Management.

You need to ensure that User1 can use Event Viewer on Computer1 to remotely view the Event Viewer logs on Computer 2.

Solution: You run winrm quick config on Computer2. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation: <https://technet.microsoft.com/en-us/library/ff700227.aspx>

NEW QUESTION 96

A user fails to connect a mouse to a computer. The user sends you the following output:

PS C:\> Get-PnpDevice -Class Bluetooth

Status	Class	FriendlyName
Unknown	Bluetooth	Device Identification Service
Unknown	Bluetooth	Dell BT Travel Mouse
Unknown	Bluetooth	Microsoft Bluetooth LE Enumerator
Error	Bluetooth	Intel(R) Wireless Bluetooth(R)
Unknown	Bluetooth	Microsoft Bluetooth Enumerator

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in output:

A Bluetooth mouse is [answer choice]

▼

ready to pair

paired and working

paired and unresponsive

The error occurs because [answer area]

▼

the computer is in Airplane mode

Bluetooth is turned off in the Settings app

the Bluetooth adapter is disabled in Device Manager

Answer:

Explanation: Box1: paired and working

Box2: Bluetooth is turned off in the Settings app

NEW QUESTION 101

You administer a Windows 10 Enterprise computer. The computer has File History turned on, and system protection turned on for drive C. You accidentally delete a folder named Libraries\Customers by using the Shift+Delete keyboard shortcut. You need to restore the most recent version of the folder to its original location. Which approach should you use to restore the folder?

- A. Recycle Bin
- B. the latest restore point
- C. File History
- D. a manually selected restore point

Answer: C

Explanation: File History is similar to Previous Versions in previous versions of Windows. It takes regular backups of your data and saves them to a separate disk volume or external drive. When File History is enabled, it backs up all the system libraries and your custom libraries by default. To restore a deleted folder, you can browse to the parent folder or library and select Restore Previous Versions. The Previous Versions tab will list the previous versions that can be restored to its original location or restored to an alternative location.

NEW QUESTION 106

You have an image of Windows 10 that is mounted to C:\Mount. You create a provisioning package that is stored in C:\Folder. You need to customize the image by using the provisioning package. What command should you run? To answer, select the appropriate options in the answer area.

Answer Area

Dism /Image: /Add-ProvisioningPackage /PackagePath:C:\Folder1\


Answer:

Explanation:

Box1:C:\Mount Box2: Custom.ppkg
 Dism /Image=C:\Mount /Add-ProvisioningPackage /PackagePath:C:\Folder1\Custom.ppkg <https://blogs.msdn.microsoft.com/beanexpert/2015/09/10/add-a-provisioning-package-in-an-offline-image-using>

NEW QUESTION 109

You have a computer named Computer1. A user named User1 is a member of two groups named Group1 and Group2. You have a file named Doc1.docx that is located in E:\Data. The file permissions for E:\Data\Doc1.docx are configured as shown in the exhibit. (Click the Exhibit button.)



You need to provide User1 with Write access to Doc1.docx. What should you do?


- A. Grant User1 Full control access to folder E:\Data.
- B. Remove User1 from Group2 and instruct the user to sign out, and then sign back in.
- C. Grant User1 Full control access to the E:\Data\Doc1.docx file, disable inheritance for the file, and then convert the inherited permissions to explicit permissions for the file.
- D. Grant User1 Write access to folder E.

Answer: D

Explanation: <https://msdn.microsoft.com/en-us/library/bb727008.aspx>

NEW QUESTION 112

You have a computer named Computer1 that runs Windows 10.
 You run the Get-VMHost | fl* cmdlet on Computer1, and you receive the following output:



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the output.

Answer Area

You [answer choice] storage migrations on Computer1.

▼

cannot perform
 can perform a maximum of two concurrent
 can perform a maximum of four concurrent
 can perform a maximum of eight concurrent

You [answer choice] virtual machine migrations from Computer1 to another Hyper-V host.

▼

cannot perform
 can perform a maximum of two concurrent
 can perform a maximum of four concurrent
 can perform a maximum of eight concurrent

Answer:

Explanation: *Box 1*

can perform a maximum of two concurrent

Box 2

can perform a maximum of two concurrent <https://technet.microsoft.com/de-de/library/hh848524.aspx>

NEW QUESTION 113

You manage the Windows 10 Enterprise devices for a company. All devices are a part of the Semi-Annual Channel and have an active connection to the Internet. Employees use the Microsoft OneDrive for Business website for file storage needs.

Employees must be able to browse all of their files and folders in OneDrive by using File Explorer. You must minimize the storage space that is used for local OneDrive files.

You need to configure the devices.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Enable **Make all files available under the choose folders** options and click **OK**.

Select **Settings** on the OneDrive systray icon.

Enable the **Save space and download files as you use them** option.

Log on to the OneDrive sync client.

Select **Settings** on the portal page.

Log on to the OneDrive portal website.

Answer:

Explanation:

Actions

Answer Area

- Enable **Make all files available under the choose folders** options and click **OK**.
- Select **Settings** on the OneDrive systray icon.
- Enable the **Save space and download files as you use them** option.
- Log on to the OneDrive sync client.
- Select **Settings** on the portal page.
- Log on to the OneDrive portal website.

- Log on to the OneDrive sync client.
- Select **Settings** on the OneDrive systray icon.
- Enable **Make all files available under the choose folders** options and click **OK**.
- Enable the **Save space and download files as you use them** option.

NEW QUESTION 114

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named adatum.com. The network contains five servers configured as shown in the following table.

Server name	Domain/workgroup	Role
DC1	Adatum.com	Domain controller
DC2	Adatum.com	Domain controller
Server1	Adatum.com	Member server
Server2	Adatum.com	Member server
Test_Server	Workgroup	File server

All of the servers run Windows Server 2012 R2.

Test_Server has a shared folder named ShareA. Only local users have permissions to ShareA. The network contains a mainframe computer that is administered by using the Telnet protocol. The domain contains four client computers configured as shown in the following table.

Computer name	Primary user
Computer1	User1
Computer2	User2
Computer3	User3
Computer4	User4

All of the client computers run the 64-bit version of Windows. User3 frequently accesses ShareA. Remote Desktop is enabled on Computer4.

Your company identifies the following requirements.

- Ensure that you can test unsigned device drivers on Computer1
- Enable Credential Guard on Computer2.
- Run commands and cmdlets remotely on computer2.
- Configure User Account control (UAC) on Computer3 to prompt administrators for credentials when elevated privileges are required.
- Ensure that User1 can view and interact with a desktop session of User3.
- Ensure that User2 can use Telnet to manage the mainframe.
- Ensure that User4 can use Remote Desktop to access Computer4 remotely.

End of repeated scenario.

You need to meet the requirement of Computer1. Which tool should you use on Computer1?

- A. BCDEdit
- B. Device Manager
- C. Bootcfg


D. System Properties

Answer: A

Explanation: <http://www.drivethelife.com/windows-drivers/how-to-disable-driver-signature-enforcement-on-windows-10-8-7>

NEW QUESTION 116

You have a computer that runs Windows 10 Enterprise that has a local group policy as shown in the following graphic.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

Windows updates will be downloaded from [answer choice].

If a user is logged into the computer and an update requires a restart, the computer will [answer choice].

Answer:

Explanation: Windows Updates will be downloaded from Windows Server Update Services only. This is determined by the "Specify Intranet Microsoft Update Service Location" setting and the "Do not connect to any Windows Update Internet locations" setting both being 'Enabled'. In the "Specify Intranet Microsoft Update Service Location" setting, you can specify the name of the Windows Server Updates Services server. If a user is logged into the computer and an update requires a restart, the computer will restart when the user signs out. This is determined by the "No auto-restart with logged on users for schedule automatic updates" setting being enabled. This group policy setting creates a registry key named NoAutoRebootWithLoggedOnUsers and sets the value of the key to 1 (enabled). With this setting enabled, you should be aware that the computer should be restarted at the earliest opportunity in order to complete the installation of the Windows Updates.

NEW QUESTION 121

Your networks contain a single Active Directory domain. On a domain controller, an administrator creates a custom Microsoft Management Console (MMC) that uses the Active Directory Users and Computer snap-in. The domain contains a computer named Computer1 that runs Windows 10. You use the computer to perform management tasks. You copy the custom MMC to the computer. You need to ensure that you can use MMC and all of the features of the MMC. What should you do on Computer1?

- A. Enable the Sideload apps developer feature.
- B. Install the Remote Server Administration Tools (RSAT).

- C. Install the Microsoft Application Compatibility Toolkit (ACT).
- D. Disable User Account Control (UAC).

Answer: B

Explanation: <http://blogs.msmvps.com/acefekay/2012/08/24/delegate-active-directory-users-and-computers-aduc-then-create->

NEW QUESTION 126

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. Your network contains a single Active Directory domain. The domain contains a VPN server that supports all of the VPN protocols. You have mobile devices that run Windows 10 and have VPN connection to the VPN server. You need to ensure that when users work remotely and Connect to the VPN, only traffic for the corporate network is sent through the VPN server. What should you do?

- A. Click Turn on password protected sharing.
- B. Disable Network Discovery.
- C. Modify the Profile settings of an incoming firewall rule.
- D. Run the Add-VpnConnectionTriggerApplication cmdlet.
- E. Run the New-NetFirewallRule cmdlet and specify the-Direction Outbound parameter.
- F. Run the New-VpnConnection cmdlet.
- G. Run the Set-NetConnectionProfile cmdlet.
- H. Run the Set-VPNConnection cmdlet.

Answer: H

Explanation: [https://technet.microsoft.com/en-us/library/jj554823\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/jj554823(v=wps.630).aspx)

NEW QUESTION 130

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise.

On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the start menu layout to a file named contoso.xml.

You install Client Hyper-V on a computer named Computer6. You identify the following requirements.

- Install the Hyper V feature on a computer named Computer1.
- Use virtual smart card authentication on a computer named Computer2.
- Enable Secure Boot on a computer named Computer3.
- Connect a computer named Computer4 to a projector by using Miracast.
- Ensure that a user named User 1 can use keyboard shortcuts by pressing one key at a time.
- Ensure that you can share the clipboard between Computer6 and the virtual machines running on Computer6.
- Add the Contoso Apps group to the Start menu of a computer named Computer7.

End of repeated scenario.

You need to meet the requirement of Computer6. What should you configure?

- A. NUMA spanning
- B. enhanced session mode
- C. Hyper-V Guest Service Interface
- D. RemoteFX

Answer: B

Explanation: <https://technet.microsoft.com/en-us/windows-server-docs/compute/hyper-v/learn-more/use-local-resources-on-h>

NEW QUESTION 131

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

While performing maintenance on a computer, you open Indexing Options, and then you click Pause. You complete the computer maintenance.

You need to resume indexing.

Solution: From the Services console, you restart the Windows Search service. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation: <http://kb.ischool.uw.edu/how-to-startrestart-the-windows-search-service/>

NEW QUESTION 134

Note: This question is part of a series of a questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You have a computer named Computer1 that has storage configured as shown in the following table.

Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB. Pool3 contains a storage space named Space2 that is 100 GB. Pool2 is empty. Disk8 fails. You add a new disk named Disk9 to Pool3. You need to remove Disk8 from Pool3. What should you use?

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk
- F. Set-StoragePool
- G. Subst
- H. Update-Disk

Answer: D

Explanation: [https://technet.microsoft.com/en-us/library/dn782852\(v=ws.11\).aspx#BKMK_Step6RemoveOldDisk](https://technet.microsoft.com/en-us/library/dn782852(v=ws.11).aspx#BKMK_Step6RemoveOldDisk)

NEW QUESTION 139

You have a computer named Computer1 that has a shared folder named Share1. Share1 has the permissions configured as shown in the following table:

Service principal name (SPN)	NTFS permission	Share permission
User1	Read	Change
User2	Modify	Full control
User3	Modify	None

You need to ensure that User1 can change files in Share1. User1 must be prevented from deleting files created by other users. How should you configure the permissions? To answer, select the appropriate options in the answer area.

Permission type that must be configured for User1: NTFS
Share

Permission to grant to User1: Change
Full control
Modify
Read and Write

Answer:

Explanation: Box1: NTFS
 Box2: Modify

NEW QUESTION 142

Your network contains a single Active Directory domain named contoso.com. The domain contains a computer named Computer1. You have five users configured as shown in the following table:

User name	Member of
Computer1\User1	Guests
Computer1\User2	Users
Computer1\User3	Users Administrators
Contoso\User4	Domain Users
Contoso\User5	Domain Users Domain Admins

Which two users can add a Microsoft account to their Windows account, and then sign in to Computer1 by using the Microsoft account?

- A. User1
- B. User2
- C. User3
- D. User4
- E. User5

Answer: DE

Explanation: <http://blog.thefullcircle.com/2015/07/win10-ad-and-microsoft-account-synchronisation/>

NEW QUESTION 143

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise.

On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the start menu layout to a file named contoso.xml.

You install Client Hyper-V on a computer named Computer6.

You identify the following requirements.

- Install the Hyper V feature on a computer named Computer1.
- Use virtual smart card authentication on a computer named Computer2.
- Enable Secure Boot on a computer named Computer3.
- Connect a computer named Computer4 to a projector by using Miracast.
- Ensure that a user named User 1 can use keyboard shortcuts by pressing one key at a time.
- Ensure that you can share the clipboard between Computer6 and the virtual machines running on Computer6.
- Add the Contoso Apps group to the Start menu of a computer named Computer7.

End of repeated scenario.

Which hardware feature must Computer4 must support?

- A. a Wi-Fi adapter
- B. a Bluetooth adapter
- C. an HDMI port
- D. a MiniDisplayPort connector

Answer: A

Explanation: <https://www.microsoft.com/en-za/windows/windows-10-specifications#sysreqs>

NEW QUESTION 146

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

Your network contains a single Active Directory domain named contoso.com. The domain contains two computers named Computer1 and Computer2.

A user named User1 is a member of the local Administrators group on Computer1 and Computer2. User1 fails to remotely manage the devices on Computer2 by using Device Manager on Computer1. User1 can connect to Computer2 remotely by using Computer Management.

You need to ensure that User1 can disable a device on Computer2 remotely.

Solution: You start the Plug and play and Remote Registry services on Computer2. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation: http://winintro.com/?Category=Windows_10_2016&Policy=Microsoft.Policies.DeviceInstallation%3A%3ADeviceManagement_RPCInterface_Allow

NEW QUESTION 148

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than once correct solution, while others might not have a correct solution.

A company has a client device that runs Windows 10 Pro. The device has a folder named Folder1. The folder is configured using the following settings:

Permission type	Group	Action
Share	Administrators	Full Control
Share	Users	Read
Share	Everyone	Modify
NTFS	Administrators	Full Control
NTFS	Users	Modify

A user reports that they cannot change documents when accessing them over the network. You need to ensure that the users can change documents in the folder. Solution: You set the Everyone group share permission to Full Control. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 149

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. You have a computer named Computer1. Computer1 has a virtual hard disk (VHD) named Disk1.vhcx. Windows is installed on Disk1.vhdx. disk1.vhdx is visible in File Explorer as drive E.

You need to configure Computer1 to start from VHDX. Hardware virtualization must not be available when Computer1 starts from VHDX.

What should you run?

- A. Add-Windows Image
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe
- G. diskpart.exe
- H. Expand-Windows Image

Answer: B

Explanation: <https://msdn.microsoft.com/en-us/windows/hardware/commercialize/manufacture/desktop/boot-to-vhd--native-b>

NEW QUESTION 154

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. You have 10 computers that run Windows 10 Pro. The computers are in a workgroup.

A computer named PC_User1 has shared folder named Share1. Users are not prompted for credentials when they access Share1.

You modify the permissions on Share1 so that the share is shared only to a user named User1.

You need to ensure that when users from other computers in the workgroup access Share1, they must authenticate by using the credentials of User1.

What should you do?

- A. Click Turn on password protected sharing.
- B. Disable Network Discovery.
- C. Modify the Profile settings of an incoming firewall rule.
- D. Run the Add-VpnConnectionTriggerApplication cmdlet.
- E. Run the New-NetFirewallRule cmdlet and specify the- Direction Outbound parameter.
- F. Run the New-VpnConnection You modify to ensure thta cmdlet.
- G. Run the Set-NetConnectionProfile cmdlet.
- H. Run the Set-VPNConnection cmdlet.

Answer: A

Explanation: <http://www.isunshare.com/windows-10/turn-off-or-on-password-protected-sharing-in-windows-10.html>

NEW QUESTION 156

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. You have a computer that has a dual-boot configuration. Windows 10 Enterprise is installed on the local disk. Windows 10 Pro is installed in a VHDX file named Disk1.vhdx. Both of the installations are 64-bit versions.

You start the computer to Windows 10 Enterprise.

You need to ensure that you can install an unsigned driver to Windows 10 Pro when the computer starts in Windows 10 Pro.

What should you run?

- A. Add-WindowsImage
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe
- G. diskpart.exe
- H. Expand-WindowsImage

Answer: C

Explanation: <http://www.drivethelife.com/windows-drivers/how-to-disable-driver-signature-enforcement-on-windows-10-8-7>

NEW QUESTION 161

A user has a computer that runs Windows 10.
 The user reports that it takes a very long time to start the computer.
 You need to identify which user applications cause the greatest delays when starting the computer. Which tool should you use?

- A. Performance Monitor
- B. System Configuration
- C. Resource Monitor
- D. Task Manager

Answer: D

Explanation: <http://www.pcadvisor.co.uk/how-to/windows/how-change-windows-10-startup-programs-stop-apps-opening-36>

NEW QUESTION 165

In this section, you will see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem.

Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You have a computer named Computer1 that runs Windows 10.

File History is turned on.

The user of Computer1 reports that previous versions of D:\Folder\File1.doc are unavailable from the Previous Versions tab.

You need to ensure that the previous versions of the file are created. Solution: Modify the Backup settings in the Settings app.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation: <http://www.pcworld.com/article/2974385/windows/how-to-use-windows-10s-file-history-backup-feature.html>

NEW QUESTION 169

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.
 You have a computer named Computer1 that has storage configured as shown in the following table:

Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB. Pool3 contains a storage space named Space2 that is 100 GB. Pool2 is empty.
 You need to add Disk7 to Pool1. What should you use first?

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk
- F. Set-StoragePool
- G. Subst
- H. Update-Disk

Answer: D

Explanation: [https://technet.microsoft.com/en-us/library/hh848697\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/hh848697(v=wps.630).aspx)

NEW QUESTION 172

A company has client computers that run Windows 10. Each computer has two hard drives. You need to create a dynamic volume on each computer that maximizes write performance with data fault tolerance. Which kind of dynamic volume should you create?

- A. Striped Volume
- B. RAID 5 Volume
- C. Spanned Volume
- D. Mirrored Volume

Answer: D

Explanation: [https://technet.microsoft.com/en-us/library/cc737048\(v=ws.10\).aspx#w2k3tr_ddisk_what_zcub](https://technet.microsoft.com/en-us/library/cc737048(v=ws.10).aspx#w2k3tr_ddisk_what_zcub).

NEW QUESTION 174

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than once correct solution, while others might not have a correct solution.

A company has a client device that runs Windows 10 Pro. The device has a folder named Folder1. The folder is configured using the following settings:

Permission type	Group	Action
Share	Administrators	Full Control
Share	Users	Read
Share	Everyone	Modify
NTFS	Administrators	Full Control
NTFS	Users	Modify

A user reports that they cannot change documents when accessing them over the network. You need to ensure that the users can change documents in the folder. Solution: You set the Users group NTFS permission to Full Control. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 177

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are the administrator for a company. All devices run Windows 10 Enterprise and are members of the Adatum.com domain. All drives on the devices are formatted with the NTFS file system and have the default permissions assigned. You have a device which is used by multiple users and stores information for a specific

project. The project team members are members of a group named ProjectX.

The system is also used by other people that are not members of the ProjectX team. All files for ProjectX are stored in a folder with the path E:\ProjectX.

You have the following requirements:

*Only members of the ProjectX group must have all permissions on the folder and all of the files in it.

*ProjectX members should not be granted any specific rights to any other folders. You need to meet the requirements.

Solution: You disable inheritance on the E:\ProjectX with the remove option. You assign the Full Control permission to the Adatum\ProjectX group.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 181

Your company uses a Windows Store for Business that contains an app named App1. You have three computers that are prevented from accessing the Internet. You need to distribute App1 to the three computers.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

- A. a provisioning package created by using Windows Imaging and Configuration Designer
- B. A deployment from Microsoft Intune.
- C. A deployment from Windows Deployment Services (WDS)
- D. an AppX package deployed by using Deployment Imaging Servicing and Management (DISM)
- E. an answer file created by using Windows System Image Manager (Windows SIM)

Answer: DE

Explanation: <https://technet.microsoft.com/en-us/itpro/windows/deploy/windows-deployment-scenarios-and-tools>

NEW QUESTION 184

IPv6 has a vastly larger address space than IPv4. This expansion provides flexibility in allocating addresses and routing traffic and eliminates the primary need for network address translation (NAT).

Do you know how many more bits there are in an IPv4 address compared to an IPv6 address?

- A. 4 times more
- B. 6 times more
- C. Twice as many
- D. 8 times more

Answer: A

Explanation: <https://techlog360.com/ipv4-vs-ipv6/>

NEW QUESTION 188

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named adatum.com. The network contains five servers configured as shown in the following table.

Server name	Domain/workgroup	Role
DC1	Adatum.com	Domain controller
DC2	Adatum.com	Domain controller
Server1	Adatum.com	Member server
Server2	Adatum.com	Member server
Test_Server	Workgroup	File server

All of the servers run Windows Server 2012 R2.

Test_Server has a shared folder named ShareA. Only local users have permissions to ShareA. The network contains a mainframe computer that is administered by using the Telnet protocol.

The domain contains four client computers configured as shown in the following table.

Computer name	Primary user
Computer1	User1
Computer2	User2
Computer3	User3
Computer4	User4

All of the client computers run the 64-bit version of Windows. User3 frequently accesses ShareA. Remote Desktop is enabled on Computer4.

Your company identifies the following requirements.

- Ensure that you can test unsigned device drivers on Computer1
- Enable Credential Guard on Computer2.
- Run commands and cmdlets remotely on computer2.
- Configure User Account control (UAC) on Computer3 to prompt administrators for credentials when elevated privileges are required.
- Ensure that User1 can view and interact with a desktop session of User3.
- Ensure that User2 can use Telnet to manage the mainframe.
- Ensure that User4 can use Remote Desktop to access Computer4 remotely.

End of repeated scenario.

You need to meet the requirement for administering Computers remotely. Which remote management technology should you use?

- A. Windows PowerShell remoting
- B. Telnet
- C. C.Ps Exec
- D. Remote Desktop

Answer: B

Explanation: <https://technet.microsoft.com/en-us/library/bb491013.aspx>

NEW QUESTION 190

company has client devices that run Windows 7 Professional with Service Pack 1 or Windows 8 Pro. The company plans to use Windows telemetry and Upgrade Readiness to upgrade all devices to Windows 10 Pro.

You need to ensure that you can collect the Upgrade Readiness inventory and telemetry data. What should you do first?

- A. Enable data sharing on the client computers.. Enable connection settings on the client computers.
- B. Upgrade the Windows 8 Pro computers to Windows 8.1 Pro.
- C. Change the Windows 8 Pro computers to Windows 8 Enterprise.

Answer: C

Explanation: References: <https://docs.microsoft.com/en-us/windows/deployment/upgrade/upgrade-readiness-requirements>

NEW QUESTION 194

A company has a client computer that runs Windows 10 Pro. The following storage space has been configured on the computer.



Manage Storage Spaces

Use Storage Spaces to save files to two or more drives to help protect you from a drive failure. Storage Spaces also lets you easily add more drives if you run low on capacity. If you don't see task links, click [Change settings](#).

[Change settings](#)

Storage pool
OK

Using 805GB of 1.43 TB pool capacity

- Create a storage space
- Add drives
- Rename pool
- Optimize drive usage

▼ Storage spaces

Stripe (E:)
 Simple (no resiliency)
 1.54 TB
 Using 803 GB pool capacity

OK

[View files](#)
[Change](#)
[Delete](#)

▼ Physical drives

Samsung SSD 840 EVO 25...
 SN: S1DBNSAFS179198
 Attached via SATA
 54.9 % used
 Providing 232 GB pool capacity

OK

[Rename](#)
[Prepare for removal](#)

Samsung SSD 840 EVO 25...
 SN: S1DBNSAF517961V
 Attached via SATA
 57.6 % used
 Providing 232 GB pool capacity

OK

[Rename](#)
[Prepare for removal](#)

CT480BX200SSD1
 SN: 1602F0153EA0
 Attached via SATA
 53.6 % used
 Providing 446 GB pool capacity

OK

[Rename](#)
[Prepare for removal](#)

CT480BX200SSD1
 SN: 1602F0153E54
 Attached via SATA
 53.2 % used
 Providing 446 GB pool capacity

OK

[Rename](#)
[Prepare for removal](#)

Use the drop-down menus to select the answer choice that answers each question. NOTE: Each correct selection is worth one point.

All data will be lost with [answer choice].

▼
a single drive failure
two drive failures
three drive failures

The [answer choice] of the existing storage space can be modified.

▼
resiliency type
maximum size
available pool capacity

Answer:

Explanation:

All data will be lost with [answer choice].

▼
a single drive failure
two drive failures
three drive failures

The [answer choice] of the existing storage space can be modified.

▼
resiliency type
maximum size
available pool capacity

NEW QUESTION 195

You are the administrator for a company. All devices turn Windows 10 Enterprise. You have a group of devices in the human resources (HR) department that use a local D. drive to slot sensitive information.

You plan to upgrade all HR devices to increase the local storage capacity by adding a new E: drive. You have the following new requirements:

All sensitive documents must be stored locally on a virtual hard disk (VHD).

Data migration must be quick and have no data loss.

Minimize impacts to the user experience. You need to meet the requirements.

What should you do?

- A. Download the tool, and run the disk2vhd command.
- B. Run the diskpart command.
- C. Run the New-VirtualDisk Windows PowerShell cmdlet.

D. Use the Disk Management MMC snap-in.

Answer: A

Explanation: References: <http://www.intowindows.com/how-to-create-vhd-from-physical-windows-10-disk/>

NEW QUESTION 197

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

Your network contains a single Active Directory domain named contoso.com. The domain contains two computers named Computer1 and Computer2.

A user named User1 is a member of the local Administrators group on Computer1 and Computer2. User1 fails to remotely manage the devices on Computer2 by using Device Manager on Computer1. User1 can connect to Computer2 remotely by using Computer Management.

You need to ensure that User1 can disable a device on Computer2 remotely.

Solution: You enable the Allow remote access to the Plug and Play interface Group Policy setting on Computer2.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation: http://winintro.com/?Category=Windows_10_2016&Policy=Microsoft.Policies.DeviceInstallation%3A%3ADeviceManagement_RPCInterface_Allow

NEW QUESTION 201

You are the administrator for a company. All devices run Windows 10 Enterprise. Users report that their Windows 10 systems are taking longer than normal to boot up.

You need to configure the Windows 10 systems to record the processes and services that are loaded and running during the boot process.

What should you do?

- A. Use the Task Manager tool to enable a boot log.
- B. Use the Task Manager Startup tab to list the process and services that run at startup.
- C. Use the Task Manager Services tab to list the services that start at boot.
- D. Use the System Configuration tool to enable a boot log.

Answer: D

Explanation: References: <https://winaero.com/blog/enable-boot-log-windows-10/>

NEW QUESTION 206

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

While performing maintenance on a computer, you open Indexing Options, and then you click Pause. You complete the computer maintenance.

You need to resume indexing.

Solution: You sign out of Windows, and the you sign back in. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation: <http://www.techbuzz.in/restart-or-resume-windows-indexing-services-after-pausing.php>

NEW QUESTION 210

A company has client devices that run Windows 10 Enterprise. A line-of-business (LOB) app requires that Windows feature updates are tested for up to one year before being deployed. Company policy states that all devices must be updated at least once per year.

You need to ensure that Windows feature updates meet the LOB app requirements. Which update path should you configure on client devices?

- A. Long-Term Servicing Channel ?. Slow Ring?. Semi-Annual Channel
- B. Release Preview Ring

Answer: B

Explanation: References: <https://docs.microsoft.com/en-us/windows/deployment/update/waas-overview#servicing-tools>

NEW QUESTION 214

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. You have a computer named Computer1.

Computer1 has a virtual hard disk (VHD) named Disk1.vhdx. Disk1.vhdx has an NTFS partition, which is visible in File Explorer as drive E.

You need to provision Windows 10 on Disk1.vhdx. What should you run?

- A. Add-WindowsImage

- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe
- G. Gdiskpart.exe
- H. Expand-WindowsImage

Answer: H

Explanation: <https://bcrawfordjr.wordpress.com/2014/10/05/install-windows-10-tech-preview-in-a-bootable-vhd/>

NEW QUESTION 216

You have five computers that run Windows 8.
You need to perform an upgrade installation of Windows 10 on the computers.
What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

- A. Apply an image of Windows 10 by running imagex.exe.
- B. Start the computers from Windows PE, and then run setup.exe from a network share that contains the Windows 10 installation source files.
- C. While signed in to Windows 8, run setup.exe from a network share that contains the Windows 10 installation source files.
- D. Start the computers from a bootable USB drive that contains the Windows 10 source files.
- E. Apply updates by using Windows Update.

Answer: D

Explanation: <http://www.laptopmag.com/articles/how-to-upgrade-windows-10>

NEW QUESTION 217

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

Your network contains a single Active Directory domain named contoso.com. All computers are members of the domain and run the 64-bit version of Windows 10 Enterprise.

On a test computer named Computer_Test1, you pin several company-specific applications in a group named Contoso Apps, and then you export the start menu layout to a file named contoso.xml.

You install Client Hyper-V on a computer named Computer6. You identify the following requirements.

- Install the Hyper V feature on a computer named Computer1.
- Use virtual smart card authentication on a computer named Computer2.
- Enable Secure Boot on a computer named Computer3.
- Connect a computer named Computer4 to a projector by using Miracast.
- Ensure that a user named User 1 can use keyboard shortcuts by pressing one key at a time.
- Ensure that you can share the clipboard between Computer6 and the virtual machines running on Computer6.
- Add the Contoso Apps group to the Start menu of a computer named Computer7.

End of repeated scenario.

You need to meet the requirement of User1.

Which Ease of Access setting should you configure?

- A. Toggle Keys
- B. Sticky Keys
- C. Filter Keys
- D. Mouse Keys

Answer: B

Explanation: <http://www.pcmec.com/article/how-to-manage-ease-of-access-features-in-windows-10/>

NEW QUESTION 221

You have a computer named Computer1 that runs Windows 10.

On Computer1, C:\Folder1 has the permissions configured as shown in the following table. You share C:\Folder1 as Folder1 and you grant access to the Everyone group.

Folder1 has the following share settings:

```

ShareState           : Online
AvailabilityType     : NonClustered
ShareType            : FileSystemDirectory
FolderEnumerationMode : AccessBased
CachingMode          : Manual
SmbInstance          : Default
CATimeout            : 0
ConcurrentUserLimit  : 0
EncryptData          : False
Name                 : Folder1
Path                 : C:\Folder1
Scoped               : False
ScopeName            : *
SecurityDescriptor   : O:BAD:DUD:(A;;0x1200a9;;;WD)
    
```

What level of access does User1 have to Folder1?

- A. User1 cannot see the Folder1 share on the network and cannot connect to Folder1.
- B. User1 can see the Folder1 share on the network and can connect to Folder1.
- C. User1 cannot see the Folder1 share on the network but can connect to Folder1.
- D. User1 can see the Folder1 share on the network but cannot connect to Folder1.

Answer: B

NEW QUESTION 222

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. You have a computer named Computer1 that has storage configured as shown in the following table:

Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB. Pool3 contains a storage space named Space2 that is 100 GB. Pool2 is empty. Space1 contains 10 folders.

You need to access each folder as a separate drive from Windows Explorer. What should you use?

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk
- F. Set-StoragePool
- G. Subst
- H. Update-Disk

Answer: G

Explanation: <http://www.howtogeek.com/howto/windows-vista/map-a-drive-letter-to-a-folder-the-easy-way-in-windows/>

NEW QUESTION 226

You run the Get-Service cmdlet and you receive the following output:

```

Name           : Service1
RequiredServices : {}
CanPauseAndContinue : False
CanShutdown    : False
CanStop        : False
DisplayName    : Service1
DependentServices : {Service2}
MachineName    : .
ServiceName    : Service1
ServicesDependedOn : {}
ServiceHandle  :
Status        : Stopped
ServiceType    : Win32ShareProcess
StartType      : Manual
Site          :
Container      :

Name           : Service2
RequiredServices : {Service1}
CanPauseAndContinue : False
CanShutdown    : False
CanStop        : False
DisplayName    : Service2
DependentServices : {Service3}
MachineName    : .
ServiceName    : Service2
ServicesDependedOn : {Service1}
ServiceHandle  :
Status        : Stopped
ServiceType    : Win32ShareProcess
StartType      : Automatic
Site          :
Container      :

Name           : Service3
RequiredServices : {Service2}
CanPauseAndContinue : False
CanShutdown    : False
CanStop        : False
DisplayName    : Service3
DependentServices : {}
MachineName    : .
ServiceName    : Service3
ServicesDependedOn : {Service2}
ServiceHandle  :
Status        : Stopped
ServiceType    : Win32ShareProcess
StartType      : Manual
Site          :
Container      :
    
```

You need to identify what occurs when the status of the services changes.
 What should you identify? To answer, select the appropriate options in the answer area.

Answer Area

If Service3 starts, the Service1 service:	<div style="text-align: right; border-bottom: 1px solid black; margin-bottom: 5px;"><input type="checkbox"/> <input checked="" type="checkbox"/></div> <div style="border-bottom: 1px solid black; margin-bottom: 5px;">remains stopped</div> <div>starts</div>
If Service1 starts, the Service3 service:	<div style="text-align: right; border-bottom: 1px solid black; margin-bottom: 5px;"><input type="checkbox"/> <input checked="" type="checkbox"/></div> <div style="border-bottom: 1px solid black; margin-bottom: 5px;">remains stopped</div> <div>starts</div>
If Service2 starts, the Service3 service:	<div style="text-align: right; border-bottom: 1px solid black; margin-bottom: 5px;"><input type="checkbox"/> <input checked="" type="checkbox"/></div> <div style="border-bottom: 1px solid black; margin-bottom: 5px;">remains stopped</div> <div>starts</div>

You need to identify what occurs when the status of the services changes.
 What should you identify? To answer, select the appropriate options in the answer area.

Answer:

Explanation: *Box 1* starts

Box 2 remains stopped

Box 3 remains stopped

[https://msdn.microsoft.com/en-us/library/system.serviceprocess.servicecontroller.servicesdependenton\(v=vs.110](https://msdn.microsoft.com/en-us/library/system.serviceprocess.servicecontroller.servicesdependenton(v=vs.110)

NEW QUESTION 229

Your network contains a single Active Directory domain. The domain contains a laptop named Compute1 I that runs Windows 10.

A user named User1 uses Computer1. Computer1 connects to two shared printers named Printer1 and Printer2. Printer1 is located at the office and Pnnter2 is located at the home of User1.

User1 frequently reports that when attempting to print, the default printer is set to Printer2. You need to ensure that Printer1 is the default printer always.

What should you do?

- A. Add Printer 2 to a home group.
- B. Disable Let Windows manage my default printer.
- C. Change the priority of Printer1 to 1.
- D. Change the priority of Printer2 to 1.

Answer: B

Explanation: <http://www.tenforums.com/tutorials/26138-printer-turn-off-let-windows-10-manage-default-printer.html>

NEW QUESTION 234

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all.

You purchase a new USB drive. You apply a custom image of Windows to the USB drive.

You plan to modify the BIOS setting on a computer so that the computer can start from the USB drive. You need to ensure that you can start the computer by using the USB drive.

What should you run?

- A. Add-Windows Image
- B. bcdboot.exe
- C. bcdedit.exe
- D. bootcfg.exe
- E. bootim.exe
- F. bootsect.exe
- G. diskpart.exe
- H. Expand-Windows Image

Answer: D


Explanation: <https://support.microsoft.com/en-us/help/317521/description-of-the-bootcfg-command-and-its-uses>

NEW QUESTION 237

You manage an Active Directory Domain Service (AD DS) domain for a company. All employee devices are joined to the domain. You have the following four domain controllers: DC01, DC02, DC03 and DC04. All employee devices are joined to the domain. You deploy Windows 10 Pro to all devices.


You are currently using volume activation. You experience Windows licensing activation issues with a computer named Computer01. You need to investigate the licensing issues for the problem computer. What should you do? To answer, configure the appropriate options in the dialog box in the answer area.

NOTE: Each correct selection is worth one point.




Answer:

Explanation:



NEW QUESTION 241

You configure a Group Policy on a computer that runs Windows 10 Enterprise as shown in the following graphic:



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Answer Area

To sign in to the computer, the user [answer choice].

must always enter a PIN
 can use a PIN or a hardware security device
 must always use a hardware security device

For this configuration, a [answer choice] is required.

USB key protector
 Trusted Platform Module (TPM) chip
 Second Level Address Translation (SLAT) -capable processor

Answer:

Explanation: *Box 1*
 must always use a PIN

Box 2
 Trusted Platform Module (TPM) chip <https://redmondmag.com/articles/2016/05/01/active-directory.aspx>

NEW QUESTION 243

You have a laptop named Computer1 that runs Windows 10. Computer1 connects to a wireless network named WiFi1 and a wireless network named WiFi2. WiFi1 has poor signal and the connection drops frequently. WiFi2 is available only during certain times of the day. WiFi2 has a stronger signal that is more reliable than WiFi1. You need to configure Computer1 to use WiFi2 whenever possible. WiFi1 should be used when WiFi2 is unavailable. Which three settings should you configure? Each correct answer presents part of the solution.

- A. From the properties of WiFi2, select Connect even if the network is not broadcasting its name (SSID)
- B. From the properties of WiFi1, select Connect automatically when this network is in range.
- C. From the properties of WiFi1, select Enable WLAN connection settings.
- D. From the properties of WiFi2, select Connect automatically when this network is in range.
- E. From the properties of WiFi1, select Look for other wireless networks while connected to this network.
- F. From the properties of WiFi2, select Look for other wireless networks while connected to this network.

Answer: CDF

NEW QUESTION 248

You have a computer named Computer1 that runs Windows 10. Computer1 has a printer named Printer1 installed. You need to configure the settings of Printer1 remotely from another computer. Which tool should you use on the remote computer?

- A. Device Manager from Control Panel
- B. Print Management from Administrative Tools
- C. Printers & scanners from the Setting app
- D. Devices and Printers from Control Panel

Answer: B

Explanation: [https://technet.microsoft.com/en-us/library/cc753109\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/cc753109(v=ws.10).aspx)
<http://www.howto-connect.com/print-management-tool-in-windows-10/>

NEW QUESTION 252

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. You have a computer named Computer1 that has storage configured as shown in the following table:

Disk name	Size	Storage pool name
Disk1	200 GB	Pool1
Disk2	100 GB	Pool1
Disk3	500 GB	Pool1
Disk4	500 GB	Pool2
Disk5	500 GB	Pool2
Disk6	800 GB	None
Disk7	100 GB	Pool3
Disk8	100 GB	Pool3

Pool1 contains a storage space named Space1 that is 300 GB. Pool3 contains a storage space named Space2 that is 100 GB. Pool2 is empty. You need to add Disk6 to Pool1. What should you use?

- A. Add-PhysicalDisk
- B. Diskpart
- C. New-VirtualDisk
- D. Remove-PhysicalDisk
- E. Resize-VirtualDisk
- F. Set-StoragePool
- G. Subst
- H. Update-Disk

Answer: A

Explanation: [https://technet.microsoft.com/en-us/library/hh848702\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/hh848702(v=wps.630).aspx)

NEW QUESTION 254

You are the administrator for a company. All devices run Windows 10 Enterprise. You must deploy a custom application to one specific device. The device does not have a RAID controller installed and only has one internal drive. The application has the following requirements:
 USB drives must be used for additional storage.
 Minimize costs.
 You add three USB drives to the system. You need to configure fault tolerant storage.
 Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Select Three-way mirror resiliency.	
Select Parity resiliency.	
Create a RAID 5 array from the USB drives.	➔
Create a new pool using the USB drives.	⬅
Create a mirror using two of the USB drives.	⬆
Run the Storage Spaces Settings tool.	⬇
Select Two-way mirror resiliency.	

Answer:

Explanation: References: <https://www.windowscentral.com/how-use-storage-spaces-windows-10>

NEW QUESTION 259

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are the administrator for a company. All devices run Windows 10 Enterprise and are members of the Adatum.com domain. All drives on the devices are formatted with the NTFS file system and have the default permissions assigned. You have a device which is used by multiple users and stores information for a

specific project. The project team members are members of a group named ProjectX. The system is also used by other people that are not members of the ProjectX team. All files for ProjectX are stored in a folder with the path E:\ProjectX. You have the following requirements:
*Only members of the ProjectX group must have all permissions on the folder and all of the files in it.
*ProjectX members should not be granted any specific rights to any other folders. You need to meet the requirements.
Solution: You disable inheritance on the E:\ drive and specify the remove option. You assign the Full Control permission to the Project X group. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 262

You are the administrator for a company. All devices run Windows 10 Enterprise and are joined to an Active Directory Domain Services domain. Administrators are unable to test network connectivity to Windows 10 devices because ping is being blocked. You need to be able to ping the devices. Solution: Create and enable an ICMPv4 Echo Request In allow rule for the Public profile. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation: References:

<https://www.howtogeek.com/howto/windows-vista/allow-pings-icmp-echo-request-through-your-windows-vista>

NEW QUESTION 264

A company manages Windows 8.1 Pro and Windows 10 Pro client devices by using Group Policy objects (GPOs). The company plans to migrate from GPOs to mobile device management (MDM) policies. You need to create an HTML report of the GPO settings that are cross-referenced with supported MDM policies. Solution: You enroll the client computers in the Operations Management Suite. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 267

Note: This question is part of a series of questions that use the same set of answer choices. Each answer choice may be used once, more than once, or not at all. A user connects to a wireless network and receives the following message: "Do you want to allow your PC to be discoverable by other PCs and devices on this network?" The user clicks No. The user is unable to browse to the shared folders of other computers on the network by using File Explorer. You need to ensure that the user can browse to the other computers. What should you do?

- A. Click Turn on password protected sharing.
- B. Disable Network Discovery.
- C. Modify the Profile settings of an incoming firewall rule.
- D. Run the Add-VpnConnectionTriggerApplicationcmdlet.
- E. Run the New-NetFirewallRule cmdlet and specify the -Direction Outbound parameter.
- F. Run the New-VpnConnection cmdlet.
- G. Run the Set-NetConnectionProfile cmdlet.
- H. Run the Set-VPNConnection cmdlet.

Answer: G

Explanation: [https://technet.microsoft.com/en-us/library/jj899565\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/jj899565(v=wps.630).aspx) <https://www.itechtics.com/change-network-type-windows-10/>

NEW QUESTION 269

You have a computer named Computer1 that is configured to install updates from Windows Server Update Services (WSUS). Microsoft releases a new Windows update that is not approved in WSUS. You need to install the update on Computer1. What should you do?

- A. From a command prompt, run gpupdate /force /sync.
- B. Click Check online for updates from Microsoft Updates, and then check for updates.
- C. Clear the defer upgrades check box, and then check for updates.
- D. From Windows PowerShell, run the Get-WindowsUpdateLog cmdlet, and then run the Update-Module cmdlet.

Answer: C

Explanation: <http://www.howtogeek.com/223083/what-does-%E2%80%9Cdefer-upgrades%E2%80%9D-in-windows-10-mean/>

NEW QUESTION 273

You are reconfiguring storage on a computer running Windows 10.

You need to add an existing disk that is already installed in the computer to an existing storage pool. Which Windows utility or Windows PowerShell cmdlet should you use?

- A. Set-StoragePool
- B. Diskpart
- C. Resize-StorageTier
- D. Add-PhysicalDisk

Answer: D

Explanation: You should use the Add-PhysicalDisk cmdlet.

The Add-PhysicalDisk cmdlet lets you add a physical disk to the specified storage pool.

You should not use the Diskpart tool. This tool enables you to manage disk objects (disks, partitions, or volumes) by using scripts or direct input at a command prompt. However, it does not support the ability to add a hard disk to a storage pool.

You should not use the Set-StoragePool cmdlet. The Set-StoragePool cmdlet modifies the properties of a specified storage pool, but not the disks assigned to the storage pool.

You should not use the Set-StorageTier cmdlet. This cmdlet is used to increase the size of a storage tier created from a storage pool. It does not let you modify the storage pool.

References:

<https://docs.microsoft.com/en-us/powershell/module/storage/add-physicaldisk?view=win10-ps>

NEW QUESTION 275

A user named User1 has a laptop that runs Windows 10 Pro.

At home, User1 connects to the home network by using an Ethernet connection. User1 reports that he sometimes exceeds his Internet data limit.

You need to prevent the laptop from downloading Windows updates automatically. What should you do?

- A. From a local Group Policy, modify the Windows Update settings.
- B. From a local Group Policy, modify the Network Connections settings.
- C. From the Settings app.
- D. configure a metered connection.
- E. From the Settings app, select Defer upgrades.

Answer: C

Explanation: <http://www.pcworld.com/article/3085136/windows/two-ways-to-control-or-stop-windows-10-updates.html>

NEW QUESTION 276

In this section, you will see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem.

Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You have a computer named Computer1 that runs Windows 10. File History is turned on.

The user of Computer1 reports that previous versions of D:\Folder\File1.doc are unavailable from the Previous Versions tab.

You need to ensure that the previous versions of the file are created.

Solution: Create a backup of drive D by using Backup and Restore (Windows 7). Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation: <http://www.howtogeek.com/209080/how-to-restore-previous-versions-of-a-file-on-any-operating-system/>

NEW QUESTION 279

You are using sysprep to prepare a system for imaging.

You want to reset the security ID (SID) and clear the event logs. Which option should you use?

- A. /generalize
- B. /oobe
- C. /audit
- D. /unattend

Answer: A

Explanation: <https://msdn.microsoft.com/en-us/windows/hardware/commercialize/manufacture/desktop/sysprep-command-line>

NEW QUESTION 282

In this section, you will see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem.

Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

Your network contains a single Active Directory domain named contoso.com. The domain contains two computers named Computer1 and Computer2. A user named User1 is a member of the local Administrators group on Computer1 and Computer2. User1 fails to access the Event Viewer logs on Computer2 from Computer1. User1 can connect to Computer2 remotely by using Computer Management. You need to ensure that User1 can use Event Viewer on Computer1 to remotely view the Event Viewer logs on Computer2. Solution: You run Enable-PSRemoting on Computer1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation: <http://www.howtogeek.com/117192/how-to-run-powershell-commands-on-remote-computers/>

NEW QUESTION 285

You have computers that run Windows 10. You need to identify both active malware instances and past malware instances from the last three months. Which command should you run?

- A. Get-EventSubscriber
- B. Get-MpThreatCatalog
- C. Get-WindowsErrorReporting
- D. Get-MpThreatDetection

Answer: D

Explanation: <https://technet.microsoft.com/en-us/library/dn433290.aspx>

NEW QUESTION 289

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

70-698 Practice Exam Features:

- * 70-698 Questions and Answers Updated Frequently
- * 70-698 Practice Questions Verified by Expert Senior Certified Staff
- * 70-698 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 70-698 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 70-698 Practice Test Here](#)