



Cisco

Exam Questions 300-815

Implementing Cisco Advanced Call Control and Mobility Services (CLACCM)

NEW QUESTION 1

Which two extended capabilities must be configured on dial peers for fast start-to-early media scenarios (H.323 to SIP interworking)? (Choose two.)

- A. DTMF
- B. BFCP
- C. VIDEO
- D. FAX
- E. AUDIO

Answer: AB

NEW QUESTION 2

When you troubleshoot H.323 call setup, which message informs you that the called party is being notified about the call?

- A. ALERTING
- B. PROCEEDING
- C. CONNECT
- D. RINGING

Answer: C

NEW QUESTION 3

An administrator is troubleshooting call failures on an H.323 gateway via the CLI. To see signaling for media and call setup, which debug must the Administrator turn on?

- A. debug H.323 messages
- B. debug H.225 asn1
- C. debug H.246 asn 1
- D. debug H.225 media
- E. debug H.323 asn 1

Answer: B


NEW QUESTION 4

Cisco SIP IP telephony is implemented on two floors of your company. Afterward, users report intermittent voice issues in calls established between floors. All calls are established, and sometimes they work well, but sometimes there is oneway audio or no audio. You determine that there is a firewall between the floors, and the administrator reports that it is allowing SIP signaling and UDP ports from 20000 to 22000 bidirectionally. What are two possible solutions? (Choose two.)

- A. Go to the SIP profile assigned to these IP phones in Cisco Unified CM and change the range of media ports to 16384-32767
- B. Ask the firewall administrator to change the ports to TCP.
- C. Ask the firewall administrator to change the range of UDP ports to 16384-32767.
- D. Go to the SIP profile assigned to these IP phones in Cisco Unified CM and change the range of media ports to 20000-22000.
- E. Go to System Parameters in Cisco Unified Communications Manager and change the range of media ports to 20000-22000.

Answer: AC

NEW QUESTION 5



Refer to the exhibit. A user reports that when they call a specific phone number, no one answers the call, but when they call from a mobile phone, the call is answered. The engineer troubleshooting the issue is expecting the far-end gateway to cut through audio on the 183 Session Progress SIP message. Which SIP Profile configuration element is necessary for the Cisco Unified Communications Manager to send acknowledgement of provisional responses?

- A. Allow Passthrough of Configured Line Device Caller Information must be enabled.
- B. Accept Audio Codec Preferences in Received Offer must be set to On.
- C. On the SIP Profile, the configuration parameter SIP Rel1XX Options must be set to Send PRACK for all 1xx Messages.
- D. Early Offer for G Clear Calls must be enabled.

Answer: C

NEW QUESTION 6

Which configuration must an administrator perform to display Translation Pattern operations in Cisco Unified Communications Manager SDL traces?

- A. Enable the Detailed Call Analysis option under Enterprise Parameters for Unified CM.
- B. Set up the Digit Analysis Complexity in Service Parameters for Cisco Unified CM to TranslationAndAlternatePatternAnalysis.
- C. Check the Translation Patterns Analysis check box in Micro Traces on the Cisco Unified CM Serviceability page.
- D. By default, the Translation Patterns operations are printed in SDL traces, so no additional configuration is necessary.

Answer: A

NEW QUESTION 7



Refer to the exhibit. An administrator is troubleshooting a situation where a call placed from a phone registered to Cisco Unified Communications Manager does not complete. The administrator wants to use the Dialed Number Analyzer on Cisco Unified CM to check which translation pattern the call is matching. However, when logging in to Cisco Unified Serviceability there is no option for Dialed Number Analyzer under the tool menu. Which two steps must be performed to resolve this issue? (Choose two.)

- A. Restart the subscriber
- B. Activate the Cisco Extended Functions service.
- C. Activate the Cisco CallManager service.
- D. Activate the Cisco Dialed Number Analyzer service.
- E. Activate the Cisco Dialed Number Analyzer Server service.

Answer: DE

NEW QUESTION 8

In Cisco Unified Communications Manager globalized call routing is implemented and must confirm that it is correctly implemented without making a call. Which tool do you use for verification?

- A. Dialed Number Analyzer
- B. Real-Time Monitoring Tool
- C. SDI trace
- D. SDL trace

Answer: A

NEW QUESTION 9

How does an engineer globalize routing for ingress calls coming from the PSTN to internal DNs?

- A. At the PSTN gateway, put the calling number in PSTN format and the called number in DN format.
- B. At Cisco Unified CM, put the calling number in E.164 format and the called number in PSTN format.
- C. At the PSTN gateway, put the calling number in E.164 format and the called number in localized (DN) format.
- D. At Cisco Unified Communications Manager, put the calling number in E.164 format and the called number in E.164 format.

Answer: B

NEW QUESTION 10

When locations-based Call Admission Control denies the call, which two masks can AAR apply when routing the call through the PSTN? (Choose two.)

- A. AAR destination mask
- B. called party transform mask
- C. external phone number mask

- D. +E.164 alternate number mask
- E. enterrise alternate number mask

Answer: AC

NEW QUESTION 10

When configuring hunt groups, where do you add the individual directory numbers that will be part of the group?

- A. route group
- B. line group
- C. hunt list
- D. hunt pilot

Answer: B

NEW QUESTION 14

Which services are needed to successfully implement Cisco Extension Mobility in a standalone Cisco Unified Communications Manager server?

- A. Cisco Extended Functions, Cisco Extension Mobility, and Cisco AXL Web Service
- B. Cisco CallManager, Cisco TFTP, and Cisco CallManager SNMP Service
- C. Cisco CallManager, Cisco TFTP, and Cisco Extension Mobility
- D. Cisco TAPS Service, Cisco TFTP, and Cisco Extension Mobility

Answer: C

NEW QUESTION 19

.....

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Which two extended capabilities must be configured on dial peers for fast start-to-early media scenarios (H.323 to SIP interworking)? (Choose two.)

- A. DTMF
- B. BFCP
- C. VIDEO
- D. FAX
- E. AUDIO

Answer: AB

NEW QUESTION 2

When you troubleshoot H.323 call setup, which message informs you that the called party is being notified about the call?

- A. ALERTING
- B. PROCEEDING
- C. CONNECT
- D. RINGING

Answer: C

NEW QUESTION 3

An administrator is troubleshooting call failures on an H.323 gateway via the CLI. To see signaling for media and call setup, which debug must the Administrator turn on?

- A. debug H.323 messages
- B. debug H.225 asn1
- C. debug H.246 asn 1
- D. debug H.225 media
- E. debug H.323 asn 1

Answer: B


NEW QUESTION 4

Cisco SIP IP telephony is implemented on two floors of your company. Afterward, users report intermittent voice issues in calls established between floors. All calls are established, and sometimes they work well, but sometimes there is oneway audio or no audio. You determine that there is a firewall between the floors, and the administrator reports that it is allowing SIP signaling and UDP ports from 20000 to 22000 bidirectionally. What are two possible solutions? (Choose two.)

- A. Go to the SIP profile assigned to these IP phones in Cisco Unified CM and change the range of media ports to 16384-32767
- B. Ask the firewall administrator to change the ports to TCP.
- C. Ask the firewall administrator to change the range of UDP ports to 16384-32767.
- D. Go to the SIP profile assigned to these IP phones in Cisco Unified CM and change the range of media ports to 20000-22000.
- E. Go to System Parameters in Cisco Unified Communications Manager and change the range of media ports to 20000-22000.

Answer: AC

NEW QUESTION 5



Refer to the exhibit. A user reports that when they call a specific phone number, no one answers the call, but when they call from a mobile phone, the call is answered. The engineer troubleshooting the issue is expecting the far-end gateway to cut through audio on the 183 Session Progress SIP message. Which SIP Profile configuration element is necessary for the Cisco Unified Communications Manager to send acknowledgement of provisional responses?

- A. Allow Passthrough of Configured Line Device Caller Information must be enabled.
- B. Accept Audio Codec Preferences in Received Offer must be set to On.
- C. On the SIP Profile, the configuration parameter SIP Rel1XX Options must be set to Send PRACK for all 1xx Messages.
- D. Early Offer for G Clear Calls must be enabled.

Answer: C

NEW QUESTION 6

Which configuration must an administrator perform to display Translation Pattern operations in Cisco Unified Communications Manager SDL traces?

- A. Enable the Detailed Call Analysis option under Enterprise Parameters for Unified CM.
- B. Set up the Digit Analysis Complexity in Service Parameters for Cisco Unified CM to TranslationAndAlternatePatternAnalysis.
- C. Check the Translation Patterns Analysis check box in Micro Traces on the Cisco Unified CM Serviceability page.
- D. By default, the Translation Patterns operations are printed in SDL traces, so no additional configuration is necessary.

Answer: A

NEW QUESTION 7



Refer to the exhibit. An administrator is troubleshooting a situation where a call placed from a phone registered to Cisco Unified Communications Manager does not complete. The administrator wants to use the Dialed Number Analyzer on Cisco Unified CM to check which translation pattern the call is matching. However, when logging in to Cisco Unified Serviceability there is no option for Dialed Number Analyzer under the tool menu. Which two steps must be performed to resolve this issue? (Choose two.)

- A. Restart the subscriber
- B. Activate the Cisco Extended Functions service.
- C. Activate the Cisco CallManager service.
- D. Activate the Cisco Dialed Number Analyzer service.
- E. Activate the Cisco Dialed Number Analyzer Server service.

Answer: DE

NEW QUESTION 8

In Cisco Unified Communications Manager globalized call routing is implemented and must confirm that it is correctly implemented without making a call. Which tool do you use for verification?

- A. Dialed Number Analyzer
- B. Real-Time Monitoring Tool
- C. SDI trace
- D. SDL trace

Answer: A

NEW QUESTION 9

How does an engineer globalize routing for ingress calls coming from the PSTN to internal DNs?

- A. At the PSTN gateway, put the calling number in PSTN format and the called number in DN format.
- B. At Cisco Unified CM, put the calling number in E.164 format and the called number in PSTN format.
- C. At the PSTN gateway, put the calling number in E.164 format and the called number in localized (DN) format.
- D. At Cisco Unified Communications Manager, put the calling number in E.164 format and the called number in E.164 format.

Answer: B

NEW QUESTION 10

When locations-based Call Admission Control denies the call, which two masks can AAR apply when routing the call through the PSTN? (Choose two.)

- A. AAR destination mask
- B. called party transform mask
- C. external phone number mask

- D. +E.164 alternate number mask
- E. enterrise alternate number mask

Answer: AC

NEW QUESTION 10

When configuring hunt groups, where do you add the individual directory numbers that will be part of the group?

- A. route group
- B. line group
- C. hunt list
- D. hunt pilot

Answer: B

NEW QUESTION 14

Which services are needed to successfully implement Cisco Extension Mobility in a standalone Cisco Unified Communications Manager server?

- A. Cisco Extended Functions, Cisco Extension Mobility, and Cisco AXL Web Service
- B. Cisco CallManager, Cisco TFTP, and Cisco CallManager SNMP Service
- C. Cisco CallManager, Cisco TFTP, and Cisco Extension Mobility
- D. Cisco TAPS Service, Cisco TFTP, and Cisco Extension Mobility

Answer: C

NEW QUESTION 19

.....

Relate Links

100% Pass Your 300-815 Exam with ExamBible Prep Materials

<https://www.exambible.com/300-815-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>