

1z0-900 Dumps

Java EE 7 Application Developer

<https://www.certleader.com/1z0-900-dumps.html>



NEW QUESTION 1

Identify two statements that are true about the cost-organization relationship.

- A. Costing Item Validation Organization can only be Item Master Organization of the underlying inventory organizations.
- B. Only Inventory organizations belonging to different Item Master Organizations can be part of a cost organization.
- C. Costing Item Validation Organization is used to default the Unit of Measure for costing calculations.
- D. The inventory organizations that are assigned to a cost organization must all belong to the same legal entity.

Answer: CD

NEW QUESTION 2

Your organization is planning for a periodic counting of individual items automatically throughout the course of the year. As part of this activity, the user has loaded items to the cycle count but some of the items are not being considered when count schedules and count sequences are not generated. Identify two reasons that explain why the items are not being considered.

- A. The ABC assignment group is not defined.
- B. The Include in Schedule option is not selected to include the item for auto-scheduling.
- C. The Cycle Count Enabled flag is not selected for the inventory organization.
- D. The Cycle Count Enabled flag is not selected for the item.
- E. The approval controls are not set up.

Answer: DE

NEW QUESTION 3

Which two statements are true in regard to using the Enterprise Structures Configuration? (Choose two.)

- A. It recommends job and position structures.
- B. It allows you to create your Enterprise, Business Units, and Warehouses in a single step.
- C. You cannot modify the recommendation from the too
- D. You must do it after you perform the initial configuration.
- E. The guided interview-based process helps you set up the enterprise with best practices.
- F. It creates the chart of accounts.

Answer: BD

NEW QUESTION 4

A user is performing a material return transaction against access stock in an Inventory organization; however, the user fails to select the Physical Material Return Required check box. What happens?

- A. It is considered as accounting-only return.
- B. Stock is reserved.
- C. A transfer order line remains open.
- D. Shipment lines are created.

Answer: A

NEW QUESTION 5

Your customer has received 50 boxes of item A (priced at \$10 per box) and these items are transferred to the asset Inventory organization. There are no additional quantities in any of the inventory organizations apart from the received 50 boxes. After running all the necessary cost accounting and receipt accounting processes successfully, the item valuation for item A is still zero. What is the reason?

- A. Items are not consigned items but ownership is still with the supplier.
- B. Items are consigned items and ownership lies with the supplier.
- C. Items are consigned and ownership is transferred to "owned".
- D. Items are not consigned items and ownership is with the organization.

Answer: B

NEW QUESTION 6

Which execution document is created by supply chain orchestration when a make request is received?

- A. Transfer Order
- B. Work Order
- C. Routing Create
- D. Movement Request
- E. Purchase Order

Answer: B

NEW QUESTION 7

Which class do you use to handle an incoming JSON Message as a stream?

- A. JsonReader

- B. JsonObjectBuilder
- C. JsonParser
- D. JsonObject

Answer: A

NEW QUESTION 8

Which two options constitute the rights and responsibilities of a legal Entity?

- A. Account for themselves to regulations, taxation authorities, and owners according to rules specified in the relevant legislation
- B. Facilitate resource allocation
- C. Manage warehouses
- D. Create opportunities for new business
- E. Own property

Answer: AE

NEW QUESTION 9

Your customer wants you to restrict the values of Receivables Transaction Type for their three business units. You created three reference data sets for each business unit. However, the user is still able to see the values in the Transaction Type list of values which are not defined in the business unit data set. What is the reason for this behavior?

- A. The user is seeing the values defined in the common set
- B. The values should be removed from the common set.
- C. Receivables Transaction Types are common across business units.
- D. Reference Data Sets cannot be used uniquely across business unit
- E. They can only be used at the Legal Entity level.
- F. The user has multiple Business Unit Roles and, therefore, is able to see additional values.

Answer: A

NEW QUESTION 10

What does the system do if you have not entered a count for a tag during physical inventory process?

- A. It will adjust your on-hand balances down to zero quantity.
- B. You will not be able to post without a quantity for every tag.
- C. Any adjustment will be rejected.
- D. It will consider the current system quantity.
- E. A warehouse person will be notified.

Answer: A

NEW QUESTION 10

How can you inject a target web service into an EJB?

- A. Define service as an injectable resource by using the <resource-ref> declaration.
- B. Use a HandlerChain.
- C. Use a java.xml.ws.WebServiceRef annotation.
- D. Use a java.xml.ws.WebServiceContext annotation.

Answer: A

NEW QUESTION 11

Your customer has defined three business units: two of the them require the same set of receivables payment terms whereas the third needs a separate set of receivables payment terms.

How will you receive this requirement?

- A. Define one data set with common payment terms and exclude the payment terms feature from the third business unit.
- B. Define one reference data set and modify the business unit security.
- C. Define two reference data sets, assign the first set to the two business units which will share the same payment terms and second set to the business unit which need separate payment terms.
- D. Define three reference data sets and assign each data set to each business unit.

Answer: C

NEW QUESTION 13

While creating the consignment agreement, you have set the consumption advice frequency to “monthly” and the billing cycle close date to “31st August, 2020”. What will happen when you run the consumption advice process on 31st August, 2020?

- A. No consumption advice is created.
- B. Consumption advice is created and the next closing date is set to 30th October, 2020.
- C. Consumption advice is created and the next closing date is set to 7th September, 2020.
- D. Consumption advice is created and the next closing date is set to 30th September, 2020.

Answer: D

NEW QUESTION 15

Given:

```
@Path("Employees")
@Produces({MediaType.APPLICATION_JSON})
public class EmployeesResource {
    @Inject
    private EmployeeManager em;
    @GET
    public List<Employee> findAll() {
        return em.findAllEmployees();
    }
}
```

What will be the response to a HEAD request?

- A. The findAll() method will be called and the employee list will be returned.
- B. The findAll() method will be called and no employees will be returned.
- C. No method will be invoked and no error will be returned.
- D. No method will be invoked and a 404 error will be returned.

Answer: C

NEW QUESTION 20

How can a servlet indicate to the browser that cookie data should be sent over a secure connection?

- A. Call the getSecure(true) method on the cookie object.
- B. Encrypt the cookie dat
- C. The browser automatically sends encrypted data over a secure connection.
- D. Set the ENCRYPT header in the response.
- E. Configure SessionTrackingMode.SSL on the ServletContext object.

Answer: A

NEW QUESTION 22

Java EE's support for WS-Security includes handling which two types of security credentials? (Choose two.)

- A. X.509 certificates
- B. SAML tokens
- C. OAuth Bearer tokens
- D. Two-factor authentication tokens

Answer: AB

NEW QUESTION 24

Your client is about to define their primary ledger.

Which set of three primary attributes do they need to know in order to complete this?

- A. Chart of Accounts, Description, and Accounting Method
- B. Chart of Accounts, Ledger Balance, and Accounting Method
- C. Chart of Accounts, Accounting Calendar, and Currency
- D. Currency, Description, and Accounting Method

Answer: C

NEW QUESTION 28

On the Supply Lines Overview page, the deviations in supply type chart show a supply line status of exception.

What action must you take?

- A. This indicates that supply line quantities are available but the quality is not up to the mark, so the quality issue must be resolved.
- B. The indicates that supply line has an exception in manufacturing goods, so the supply line must be changed.
- C. This indicates that supply line quantities are less than required, so additional quantities must be procured to meet the requirement.
- D. This indicates that supply line quantities are not available, so inventory must be procured.

Answer: C

NEW QUESTION 30

Which of these can be a JPA entity?

- A. Enum type
- B. Abstract class
- C. Interface type
- D. Final class

Answer: A

NEW QUESTION 35

Given the code fragment:

```
@Resource(lookup = "java:comp/DefaultJMSConnectionFactory")
private ConnectionFactory cf;
@Resource(lookup = "jms/MyTopic")
private Topic topic;
public void action() {
    try (JMSContext ctx =
        cf.createContext(JMSContext.SESSION_TRANSACTED);) {
        JMSConsumer c1 = ctx.createConsumer(topic, "(grade > 50)");
        JMSConsumer c2 = ctx.createConsumer(topic, "(grade <= 50)");
    }
}
```

How are transactions managed?

- A. through a single shared transaction across the connection factory
- B. through a separate transaction per JMS Consumer
- C. through a single transaction for the entire JMS Topic
- D. through a single shared transaction in the JMS Context

Answer: D

NEW QUESTION 40

Given the code fragment:

```
<servlet-mapping>
    <servlet-name>firstServlet</servlet-name>
    <url-pattern>/*</url-pattern>
</servlet-mapping>

<servlet-mapping>
    <servlet-name>secondServlet</servlet-name>
    <url-pattern>/</url-pattern>
</servlet-mapping>

<servlet-mapping>
    <servlet-name>thirdServlet</servlet-name>
    <url-pattern>/</url-pattern>
</servlet-mapping>
```

When the context root is requested `http://host:port/context`, how does the container resolve this mapping?

- A. thirdServlet handles the request.
- B. firstServlet handles the request.
- C. The container throws an error at startup.
- D. secondServlet handles the request.

Answer: C

NEW QUESTION 45

Your customer is a very large organization spanning across multiple countries. Their legal requirements, Human Resource Policies, and Functional Currencies for Ledger are different for each country. Your customer wants to maintain 10 different companies in the system.

Which combination meets this requirement?

- A. 1 Enterprise, 10 Divisions, where each division has its own ledger with common legal entity across all divisions
- B. 10 Enterprises, 10 Divisions, where each division has its own legal entity and ledger
- C. 1 Enterprise, 10 Divisions, where each division has its own legal entity and ledger
- D. 10 Enterprises, 1 Division, where each division has 10 legal entities and 1 ledger

Answer: C

NEW QUESTION 50

When handling a JSF request, your application code decided to redirect the call to another URL by using HTTP redirect. Which action should you take to correctly complete the handling of the JSF life cycle?

- A. Set the `immediate="true"` attribute on the command button that was used to perform this call.
- B. Invoke the `dispatch()` method on the `ExternalContext` object.
- C. Invoke the `setCurrentPhaseId(RENDER_RESPONSE)` method on the `FacesContext` object.
- D. Invoke the `responseComplete()` method on the `FacesContext` object.

Answer: C

NEW QUESTION 51

Given the code fragment:


```
1. JAXBContext jc = JAXBContext.newInstance( "com.oracle.foo" );
2. Unmarshaller u = jc.createUnmarshaller();
3.
4. InputStream in = new FileInputStream("fooStuff.xml");
5. Object o = u.unmarshal ( in );
```

Which method should be used on line 3 to enable default validation mechanism?

- A. u.setProperty(String, Object)
- B. u.setProperty(Schema)
- C. u.setEventHandler(ValidationEventHandler)
- D. u.setAdapter(XmlAdapter)

Answer: D

NEW QUESTION 56

Given the code sample:

```
public interface GenericMessenger (
    public void handleMessage(Message msg) { }
)
```

And:

```
@Default
public class MsgHandler implements GenericMessenger (
    public void handleMessage(Message msg) { }
)
```

And:

```
@Alternative
public class SmsHandler implements GenericMessenger (
    public void handleMessage(Message msg) { }
)
```

And the next fragment from beans.xml:

```
<alternatives>
    <class>com.acme.SmsHandler</class>
</alternatives>
```

And this injection point:

@Inject GenericMessenger messageHandler;

Which type would be injected at run time and referenced by the messageHandler variable?

- A. SmsHandler
- B. MsgHandler
- C. None of the above
- D. An exception would be thrown due to ambiguous bean references.
- E. GenericMessenger

Answer: D

NEW QUESTION 59

Given a JSL document describing a batch job:

```
<job id="ProductLoadJob"
xmlns=http://xmlns.jcp.org/xml/ns/javaee version="1.0">
    <step id="ProcessProduct">
        <chunk item-count="10">
            <reader ref="ProductReader"/>
            <processor ref="ProductProcessor"/>
            <writer ref="ProductWriter"/>
        </chunk>
    </step>
</job>
```

How do you initiate a batch job?

- A. Get the JobExecution object from BatchRuntime and call its start() method.
- B. Get the JobExecution object from BatchRuntime and set its status to JobStatus.INITIATED.
- C. Get the JobOperator object from BatchRuntime and call its start() method.
- D. Call BatchRunTime.initialize("ProductLoadJob");

Answer: A

NEW QUESTION 62

Your customer has two warehouses (Inventory organizations) located in two different regions. They have a consigned agreement in place with the supplier. Your customer requests that whenever consumption advice is created, it should be created separately for each inventory organization.

What setup is required to achieve this requirement?

- A. Set Consumption Advice Summary in Consignment Agreement to “Organization”.
- B. Set Consumption Advice Summary in Consignment Agreement to “All Organizations with items”.
- C. This cannot be achieved because only one common consumption advice is created regardless of other parameters.
- D. Set Consumption Advice Summary in Consignment Agreement to “All Organizations”.

Answer: A

NEW QUESTION 66

Which URL represents an invalid approach to pass a parameter to a REST resource?

- A. <base-url>/Employees?value=1
- B. <base-url>/Employees&value=1
- C. <base-url>/Employees/1
- D. <base-url>/Employees;value=1

Answer: D

NEW QUESTION 70

Your supplier sent you stock against a consigned agreement. You transferred at the stock to owned and generated a consumption advice. An invoice was raised by the supplier and the payment made. A few days after using some of the quantities of the stock, you realized that some of the stock sent by the supplier is not of suitable quality and you need to send the stock back.

What is the process of returning the material?

- A. You have to cancel the invoice and send the material back without changing the ownership.
- B. Return the material and create a debit memo for the supplier.
- C. You cannot return consigned items that are invoiced and paid.
- D. Treat the material as scrap.
- E. You have to transfer the ownership of item and perform the return transaction.

Answer: B

NEW QUESTION 75

For an Item to be enabled for back-to-back order process, which attribute do you need to set?

- A. Item attribute: Allow purchase orders off of sales orders
- B. Organization attribute: Allow Back to Back Processing
- C. Organization attribute: Allow Reservations
- D. Item attribute: Back-To-Back Enabled
- E. Item attribute: Reservations Enabled

Answer: D

NEW QUESTION 76

How do you specify a default error page in your web.xml file?

- A. <on-error><location>/general-error.html</location></on-error>
- B. <error-page><error-code>*</error-code><location>/general-error.html</location></error-page>
- C. <on-error><error-code>*</error-code><location>/general-error.html</location></on-error>
- D. <error-page><location>/general-error.html</location></error-page>

Answer: B

NEW QUESTION 80

You have been asked to implement internationalization in your JSF web application. Where do you configure the supported locales?

- A. in the <f:view> tag of the Facelet page
- B. in the web.xml file
- C. in the faces-config.xml file
- D. in the src folder

Answer: A

NEW QUESTION 85

Material is transferred between the Subinventories within an organization via transfer order. The setup is complete and the transfer order is created through the FBDI process.

What is the primary interface data that needs to be completed in the template?

- A. CST_I_INCOMING_TXN_COSTS
- B. INV_SUBINVENTORY_TRANSFER
- C. INV_TRANSACTION_LOTS_INTERFACE
- D. INV_SERIAL_NUMBERS_INTERFACE
- E. INV_TRANSACTIONS_INTERFACE

Answer: E

NEW QUESTION 87

A shipment has not yet been created for a pick that you are running. How is the due date calculated?

- A. request date from the order line
- B. schedule ship date from the order line
- C. promise date from the order line
- D. system date
- E. earliest acceptable date from the order line

Answer: B

NEW QUESTION 91

Given the set of navigation rules:

```
<navigation-rule>
  <from-view-id>list-widgets</from-view-id>
  <navigation-case>
    <from-outcome>add</from-outcome>
    <to-view-id>add-widget</to-view-id>
  </navigation-case>
</navigation-rule>
<navigation-rule>
  <from-view-id>*</from-view-id>
  <navigation-case>
    <from-outcome>home</from-outcome>
    <to-view-id>home</to-view-id>
  </navigation-case>
  <navigation-case>
    <from-outcome>logout</from-outcome>
    <to-view-id>goodbye</to-view-id>
  </navigation-case>
</navigation-rule>
<navigation-rule>
  <from-view-id>home</from-view-id>
  <navigation-case>
    <from-outcome>dashboard</from-outcome>
    <to-view-id>dashboard</to-view-id>
  </navigation-case>
  <navigation-case>
    <from-outcome>list</from-outcome>
    <to-view-id>list-widgets</to-view-id>
  </navigation-case>
</navigation-rule>
```

Which two define a valid flow of view IDs through the application? (Choose two.)

- A. home > goodbye > list-widgets
- B. dashboard > home > add-widget > list-widgets
- C. list-widgets > add-widget > home > dashboard > home
- D. home > list-widgets > add-widget > goodbye

Answer: CD

NEW QUESTION 92

A customer has one Business Unit, two Legal Entities, and each have eight warehouses (defined as Inventory Orgs). While trying to set up Cost Organizations for each of these Legal Entities you were unable to perform the mandatory step of assigning the Profit Center Business Unit for one set of eight Inventory Organizations; however, you could do it for the other set.

What is the reason for this?

- A. The Legal Entity Setup is incomplete.
- B. There is no Inventory Validation Organization defined.
- C. The General Ledger is not associated with Business Unit.
- D. The Business Unit is not enabled for Costing.
- E. There is no Business Unit associated with the Legal Entity.

Answer: E

NEW QUESTION 93

You are currently implementing Oracle Cloud for the Singapore entity of your multinational customer. Their head office is located in Japan. Apart from Singapore, their other entities are using a legacy system.

Their requirement is to implement Oracle Cloud in such a way that at the end of the financial year, all their financial reporting should be in Japanese Yen.

How will you fulfill the above requirement?

- A. Define one primary ledger with Japanese Yen currency so that all the subledger data gets converted to Japanese Yen automatically.
- B. Define one primary ledger with SGD (Singapore Dollars) as primary currency and use the reporting currency functionality to provide the necessary data in

Japanese Yen currency.

C. This requirement cannot be fulfilled.

D. Define two ledgers one in SGD (Singapore Dollars) and one in Japanese Yen and transfer data of all the subledgers in these two primary ledgers.

Answer: B

NEW QUESTION 94

When should a JPA entity implement the Serializable interface?

A. when JPA entities are used in the EJB Full container

B. when JPA entities are used outside of the EJB Lite container

C. always, because JPA entities are required to implement the Serializable interface

D. when JPA entities are used as parameters or return values by the remote EJB operations

Answer: D

NEW QUESTION 95

You face a supply request exception due to some reason. You realize that you need to make some changes to the Manage Supply Request Exceptions page. Which action will you perform?

A. The supply request cannot be update

B. The only way is to resolve the error in the source application and resubmit the request.

C. The supply request can be updated using a third-party application only.

D. Update the supply request and submit i

E. The errors will be resolved automatically.

F. Update the supply request and make sure errors are resolved before resubmitting it.

Answer: A

NEW QUESTION 97

Given the following class definition with numbered lines:

```
@Alternative
public class ShoppingCartMock implements ShoppingCart {
    @Override
    public void checkout() {...}
}
```

How do you specify to use this mock CDI bean implementation instead of the regular implementation class?

A. Use the alternatives element in the beans.xml file and specify the class name in the class element within it.

B. Start up the server with the optional –alternative command-line option, specifying any alternative class names in a comma-separated list.

C. Reorder the implementation names in the beans.xml file such that the desired alternative is listed earlier.

D. Delete the regular implementation class from the WAR.

Answer: B

NEW QUESTION 98

Given the code fragment:

```
protected void service(HttpServletRequest req, HttpServletResponse res)
    throws ServletException, IOException {
    PrintWriter out = res.getWriter();
    out.print("Service() method called.");

    protected void doGet(HttpServletRequest req, HttpServletResponse res)
    throws ServletException, IOException {
    PrintWriter out = res.getWriter();
    out.print("Get() method called.");
}
```

What output will be returned when this servlet is called a GET request?

A. Service() method called.

B. Service() method called.Get() method called.

C. An HTTP error

D. GET() method called.

Answer: A

NEW QUESTION 102

Your client has not been managing Supply Request Exceptions on a regular basis. What issue does this cause?

A. No issues would be caused; these are just warnings.

B. After the errors reach a set threshold in profile options, no new supply requests can be created.

C. If exceptions are nor resolved within a set threshold days, it alerts the manager and continues to escalate up the Supply Request Exception Chain.

D. The request will be denied automatically if not resolved within two days.

Answer: C

NEW QUESTION 107

Your company has multiple inventory organizations where goods are transferred internally. A user has created a new organization but new organization is unavailable when creating an interorganization transfer.

What is the missing setup?

- A. Inventory organization data access for users is not set up.
- B. Interorganization Parameters are not set up between the organizations.
- C. The destination organization transfer type is In Transit.
- D. The source and destination organization doesn't belong to the same legal entity.

Answer: D

NEW QUESTION 110

Given:

```
// line 1
public class Mymapper {
    @PrePassivate
    public void setPinDrop() {}
    @PostActivate
    public void checkLocation() {}
}
```

What code needs to be added to line 1 for MyMapper bean instances to be correctly passivated?

- A. @Stateless @PassivationCapable
- B. @Stateless
- C. @Stateful @PassivationCapable
- D. @Stateful

Answer: D

NEW QUESTION 114

A Persistence application locks entity x with a LockModeType.PESSIMISTIC_READ lock type. Which statement is true?

- A. LockModeType.PESSIMISTIC_READ is the synonym of LockModeType.READ
- B. This operation will force serialization among transactions attempting to read the entity data.
- C. This operation will result in a TransactionRolledbackException if the lock cannot be obtained.
- D. If the application updates the entity later, and the changes are flushed to the database, the lock will be converted to an exclusive lock.

Answer: B

NEW QUESTION 115

You have been assigned to the Widget Editor portion of an application. It contains a Widget Editor Facelet page, the Widget class, and a simple WidgetEditor backing bean, which contains a reference to the current Widget instance.

Given the code fragment from the Widget class:

```
public class Widget implements Serializable {
    private String name;
    private Date createdDate;
    private boolean approved;
}
```

Given the code fragment from the Facelet page:

```
<h:messages id="messages" />
<h:form id="widgetForm">
    <h:outputLabel for="name" value="Name:" />
    <h:inputText id="name" value="#{widgetEditor.widget.name}" />
    <h:outputLabel for="createdDate" value="Created Date:" />
    <h:inputText id="createdDate"
        value="#{widgetEditor.widget.createdDate}" /> <!-- Line 1 -->
    <h:outputLabel for="approved" value="Approved:" />
    <h:selectBooleanCheckbox id="approved"
        value="#{widgetEditor.widget.approved}" />
    <h:commandButton value="Save" action="#{widgetEditor.save}" />
</h:form>
```

The page displays Conversion Error when a user fills out all the form fields and clicks the Save button. Which step do you perform to fix this problem?

- A. Replace Line 1 with: <h:inputText id="createDate" value="#{widgetEditor.widget.createdDate}" converter="java.util.Date" />
- B. Enclose the code fragment within the <f:view/> tag
- C. Insert <f:convertDateTime/> at Line 1
- D. Replace Line 1 with: <h:inputText id="createDate" value="#{widgetEditor.widget.createdDate}"><f:convertDateTime pattern="dd-mm-yyyy"/></h:inputText>

Answer: D

NEW QUESTION 116

Your organization has lot controlled and nonlot controlled material and stores all defective material in a subinventory called "Defect". The organization does not want defective material to be available for reservations or for subsequent shipping to customers.

Which option satisfies this requirement?

- A. Tag the lot as defective product.
- B. Disallow all inventory transactions for the subinventory "Defect".
- C. Put a hold on the lot.
- D. Assign the subinventory a material status that disallows reservations and allows subinventory transfers and issues to scrap.
- E. Assign the lot a material status that disallows reservations and allows subinventory transfers and issues to scrap.

Answer: D

NEW QUESTION 121

Give the code fragment:

```
1: @Stateless
2:
3: public class Warehouse {
4:     public void sendConfirmation(String msg) {}
5:     public String reserve(Product pro) {}
6: }
7:
```

And the code fragment:

```
8: @Stateless
9:
10: public class Shop {
11:     @EJB private Warehouse war;
12:
13:     public void purchase(Product pro) {
14:         String confirmationCode = war.reserve(pro);
15:         war.sendConfirmation(confirmationCode);
16:     }
17: }
```

The sendConfirmation() and reserve() methods should be executed in the same transactional context. Which transaction attributes do you ensure this?

- A. Add annotations: @TransactionAttribute (TransactionAttributeType.REQUIRES_NEW) at line 2, @Transactional at line 9 and @TransactionAttribute ((TransactionAttributeType.MANDATORY) at line 12
- B. No additional annotations are required.
- C. Add annotations: @TransactionAttribute (TransactionAttributeType.REQUIRED) at line 2, @Transactional at line 9 and @TransactionAttribute ((TransactionAttributeType.REQUIRES_NEW) at line 12
- D. Add annotations: @TransactionAttribute (TransactionAttributeType.MANDATORY) at line 2, @Transactional at line 9 and @TransactionAttribute ((TransactionAttributeType.REQUIRES_NEW) at line 12

Answer: D

NEW QUESTION 123

Your client wants the purchasers to be able to run the min-max for items under their control and then manage the POs created out of these.

Which parameters can they use to be able to do this?

- A. Planning Level
- B. Sort by
- C. From Item to Item
- D. From Buyer to Buyer
- E. From Planner to Planner

Answer: C

NEW QUESTION 127

Which three types of jurisdictions should be considered while designing the Enterprise Structure?

- A. Labor Jurisdiction
- B. Obligatory Jurisdiction
- C. Local Jurisdiction
- D. Income Tax Jurisdiction
- E. Transaction Tax Jurisdiction
- F. Identifying Jurisdiction

Answer: DEF

NEW QUESTION 131

Your customer is managing a large sales team divided in two different geographies in the USA. They have the Est Coast sales team and the Central sales team. Both teams are handled by one manager and perform the same function.

Your customer wants to track the expenses of the two teams separately; however, they do not consider them different as they are handled by one manager only. How will you fulfill the requirement?

- A. Define them as a single department and two separate cost centers.
- B. Define them as two separate departments and a single cost center.
- C. Define them as one department and one cost center.
- D. It is not possible to fulfill the requirement.

Answer: A

NEW QUESTION 135

You want to allow one set of roles to POST to a resource and another set of roles to GET it. Which two configuration options should you use? (Choose two.)

- A. two separate `@HttpMethodConstraints` annotations and sets of roles
- B. a single `@HttpMethodConstraint` annotation and a map of method to roles
- C. two `<web-resource-collection>` with different `<http-method>` in the deployment descriptor
- D. a single `<web-resource-collection>` with two `<auth-constraint>` with different `<http-method>` in the deployment descriptor

Answer: BD

NEW QUESTION 140

Given the code fragment:

```
public class Bean {  
}  
  
@SessionScoped  
public class Service {  
    @Inject  
    private Bean bean;  
}
```

Assuming this bean is used only in the code fragment above, how long will the injected Bean instance be available?

- A. for the lifetime of the enterprise application
- B. for the lifetime of the request
- C. for the lifetime of the session
- D. for the lifetime of the Service object

Answer: D

NEW QUESTION 145

Which code snippet prints the exception error message as part of the page output?

- A. `<%= exception.message %>`
- B. `<c:out value='${requestScope['javax.servlet.error.exception']}'/>`
- C. `<% exception.getMessage(); %>`
- D. `<% System.out.println(e.getMessage()) %>`

Answer: D

NEW QUESTION 147

Given:

```
URI uri = new URI("ws://www.example.com/api/employee");  
WebSocketContainer container = ContainerProvider.getWebSocketContainer();  
Session session = container.connectToServer(new SocketHandler(), uri);  
RemoteEndpoint.Async remote = session.getAsyncRemote();  
Employee employee = new Employee("Nancy Taube");  
employee.setStatus(Status.FULLTIME);  
// send employee object  
session.close(new CloseReason(CloseReason.CloseCodes.NORMAL_CLOSURE, "Goodbye");
```

Which client-side Java method will send the employee object to the WebSocket Server Endpoint?

- A. `session.post(employee);`
- B. `container.send(employee);. session.send(employee);`
- C. `remote.sendObject(employee);`

Answer: A

NEW QUESTION 150

You created two filters for your web application by using the `@WebFilter` annotation, one for authorization and the other for narrowing results by the provided search criteria. The authorization filter must be invoked first. How can you specify this?

- A. setting the priority attribute of the `@WebFilter` annotation for each of the filters
- B. placing the filter mapping elements in the required order in the web.xml deployment descriptor
- C. placing `@WebFilterMapping` annotations in the required order

D. specifying the filter precedence order by using the @Priority annotation

Answer: A

NEW QUESTION 151

Given the code fragment:

```
Cookie cookie = new Cookie ("key","value");
cookie.setMaxAge (-1);
```

How long does this cookie persist?

- A. until server shutdown
- B. until garbage collection in the servlet instance
- C. this request
- D. until browser shutdown

Answer: D

NEW QUESTION 152

You are a shop floor manager and you have received an order which is a back-to-back order in nature. You need to reserve 100 pieces of an item in order to finish your order. However, there are only 50 pieces available for reservation.

If you process this request, how many pieces are provided as the fulfillment for the order?

- A. 50 pieces, because full 100 quantities are not available.
- B. 25 pieces, only half of the quantities can be reserved.
- C. 0 pieces, because partial fulfillment of reservation not supported.
- D. 100 pieces, 50 from on-hand and 50 in the form of a purchase order.

Answer: C

NEW QUESTION 156

Given the code fragment:

```
public void onMessage(Message msg) {
    try {
        // get property names
    } catch (Exception e) {
    }
}
```

How can you get all property names of a JMS message in the JMS consumer onMessage operation?

- A. String [] props = msg.getPropertyNames();
- B. Enumeration props = msg.getPropertyNames();. Iterator props = msg.getPropertyNames();
- C. List<String> props = msg.getProperties();

Answer: A

NEW QUESTION 159

Which three values are applicable for the profile option - "Transaction Processing Mode" for subinventory transfer and interorganization transfer?

- A. Background Processing
- B. Sequential Processing
- C. Concurrent Processing
- D. Online Processing
- E. Offline Processing
- F. Blind Processing

Answer: ACD

NEW QUESTION 163

Your class requires multiple resources defined, as shown in the following:

```
@<XXXX> ( {
    @Resource(name="aFactory",
               type="javax.jms.ConnectionFactory"),
    @Resource(name="aSession",
               type="javax.mail.Session">
})
```

Which annotation do you use to group multiple @Resource declarations together for class-based injection, replacing <XXXX> in the code above?

- A. @Resources
- B. @Resource
- C. @ResourceGroup
- D. @ResourceCollection

Answer: B

NEW QUESTION 164

You need to exchange large binary messages using chunks in a WebSocket application. Identify two ways in which you can receive partial messages. (Choose two.)

- A. Define an @OnMessage method with a single MimePart parameter.
- B. Use a ChunkListener interface implementation.
- C. Use a MessageHandler.Partial<ByteBuffer> interface implementation.
- D. Define an @OnMessage method with byte [] as the first parameter and a boolean as the second parameter.

Answer: CD

NEW QUESTION 165

Which is a valid description of REST?

- A. REST provides the same architectural properties as SOAP.
- B. REST is a library that is part of JEE called JAX-RS.
- C. REST is the conventional way of interacting with information resources.
- D. REST is a Web Services standard supported by JEE and JAX-RS.

Answer: D

NEW QUESTION 170

Which annotation allows a request to be executed with another Principal's identity?

- A. It is not possible to execute a request with another Principal's identity.
- B. @UseIdentity
- C. @RolesAllowed
- D. @Runs

Answer: C

NEW QUESTION 171

Your customer is setting up serial control. The requirement is that if item A has serial 123, then they don't want item B to also have serial 123 within the same inventory organization.

Which serial control setting must be used to meet this requirement?

- A. Unique across Enterprise
- B. Unique within items
- C. Unique within organization
- D. Unique across organizations
- E. Unique within Item and organization

Answer: C

NEW QUESTION 176

In the Back-to-Back (B2B) Order to Cash flow, ordered items are purchased from a supplier. The Sourcing Rules have been defined for the item and the buy flow has been initiated. The sales order line is shown as Awaiting Shipping and the supply line status is in "Purchasing" with the supply order generated but the purchase requisition not generating.

What is the reason?

- A. The sourcing rule is incorrect.
- B. Supply order is generated with exceptions.
- C. Prepare is not valid.
- D. No Blanket Purchase Agreement (BPA) exists for this supplier-item combination.
- E. Buy requests originate from Order Management.

Answer: A

NEW QUESTION 179

A third-party service equipment is used for various purposes in a manufacturing facility and needs to be overhauled once a year. This equipment is charged based on its consumption without a project dependency.

At this point, it should be transferred out of the vendor's warehouse for maintenance and then returned back in the future depending upon the requirement.

The material stock transfer should happen with an offline approval and with an account alias as a logical reference.

What is the ideal way to handle this process?

- A. Transfer Order
- B. Requisitions
- C. Move Request
- D. Miscellaneous Transaction
- E. Subinventory Transfer

Answer: D

NEW QUESTION 181

How can you configure, in a portable way, the number of threads used by a ManagedExecutorService?

- A. programmatically, using a ManagedExecutorService
- B. using the ManagedExecutors utility class to define the execution properties
- C. This cannot be done because this configuration is dependent on the Java EE Product Provider.
- D. configuring the thread pool info in the deployment descriptor

Answer: A

NEW QUESTION 184

You have an organization that runs both its domestic and international business from the same offices. However, the organization does not want the domestic side of the business to be able to transact on the international side, even though they are selling the same material.

How do you configure your enterprise to meet this requirement?

- A. Set up the domestic and international businesses as separate operating units.
- B. Set up the domestic and international businesses as separate projects.
- C. Set up the domestic and international businesses as separate business units.
- D. Use data access security to separate what each customer can control.
- E. Set up the domestic and international businesses as separate cost centers.

Answer: C

NEW QUESTION 189

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1z0-900 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1z0-900-dumps.html>