



Cisco

Exam Questions 300-435

Automating and Programming Cisco Enterprise Solutions (ENAUTO)

NEW QUESTION 1

Which two actions do Python virtual environments allow users to perform? (Choose two.)

- A. Simplify the CI/CD pipeline when checking a project into a version control system, such as Git.
- B. Efficiently port code between different languages, such as JavaScript and Python.
- C. Run and simulate other operating systems within a development environment.
- D. Quickly create any Python environment for testing and debugging purposes.
- E. Quickly create an isolated Python environment with module dependencies.

Answer: DE

NEW QUESTION 2

```
neighbors = ['s1', 's2', 's3']
switch = {'hostname': 'nexus', 'os': '7.0.3', 'neighbors': neighbors}
print(switch['neighbors'][1])
```

Refer to the exhibit. What is the result when running the Python scripts?

- A. s1
- B. s2
- C. s1, s2, s3
- D. s3

Answer: B

NEW QUESTION 3

```
{
  "Cisco-IOS-XR-ifmgr-cfg:interface-configurations": {
    "interface-configuration": [
      {
        "active": "act",
        "interface-name": "Loopback0",
        "description": "PRIMARY ROUTER LOOPBACK"
      }
    ]
  }
}
```

Refer to the exhibit. Which type of YANG container is described by the JSON instance provided?

- A. interface-configurations
- B. active
- C. interface-name
- D. description

Answer: A

NEW QUESTION 4

```
<rpc xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" message-id="101">
  <get>
    <filter>
      <native xmlns="http://cisco.com/ns/yang/Cisco-IOS-XE-native">
        <ntp>
          <server xmlns="http://cisco.com/ns/yang/Cisco-IOS-XE-ntp">
            <server-list>
              <ip-address>10.11.10.65</ip-address>
            </server-list>
          <server>
        </ntp>
      </native>
      <ntp-oper-data xmlns="http://cisco.com/ns/yang/Cisco-IOS-XE-ntp-oper">
        <ntp-status-info>
          <ntp-associations>
            <peer-stratum/>
          </ntp-associations>
        </ntp-status-info>
      </ntp-oper-data>
    </filter>
  </get>
</rpc>
```

Refer to the exhibit. How many YANG models does the NETCONF <get> operation interact with?

- A. one
- B. two
- C. three
- D. four

Answer: A

NEW QUESTION 5

```
import requests
import sys

requests.package.urllib3.disable_warnings()

HOST = '10.1.2.3'
PORT = 9443
USER = 'user'
PASS = 'password'

def main():
    url = "https://{h}:{p}/restconf/data/Cisco-IOS-XE-native:native/hostname".format(h=HOST, p=PORT)

    headers = {'Content-Type': 'application/ [redacted] ',
              'Accept': 'application/[redacted]'}
    response = requests.get(url, auth=(USER,PASS),
                           headers=headers, verify=False)
    print(response.text)

if __name__ == '__main__':
    sys.exit(main())
```

Refer to the exhibit. An engineer creates a Python script using RESTCONF to display hostname information. The code must be completed so that it can be tested. Which string completes the highlighted areas in the exhibit?

- A. yang-data+json
- B. yang +json
- C. yang.data+json
- D. json

Answer: A

NEW QUESTION 6

The automation engineer must replace device configuration using RESTCONF. How is this configured using the Python library Requests?

- A. delete()
- B. post()
- C. put()
- D. patch()

Answer: C

NEW QUESTION 7

The Cisco DNA Center Sites API must be used to add a device to a site, but only the site name is available. Which API call must be used to retrieve the site identifier so that the device can be properly added to the network?

- A. /dna/intent/api/site/siteId
- B. /dna/intent/api/site
- C. /dna/intent/api/v1/site
- D. /dna/intent/api/v1/site/siteName

Answer: C

NEW QUESTION 8

DRAG DROP

A Cisco DNA Center script must be written to retrieve a list of interfaces on a switch. Drag and drop the API calls that are needed to return the list of interfaces using the Command Running APIs from the left into the correct sequence on the right. Select and Place:

Answer Area

Get task by ID.	run 1
Get file by ID.	run 2
Run read-only commands on devices.	run 3
Get device list.	run 4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Get task by ID.	Run read-only commands on devices.
Get file by ID.	Get device list.
Run read-only commands on devices.	Get file by ID.
Get device list.	Get task by ID.

NEW QUESTION 9

```

1 {
2   'data':
3     [
4       {
5         'count': 4,
6         'detailsURL': '',
7         'name': 'vEdge Hardware Health',
8         'status': 'error',
9         'statusList':
10          [
11            {
12              'count': 4,
13              'detailsURL': '/dataservice/device/hardwarehealth/detail?state=normal',
14              'message': '4 {normal=4, warning=0, error=0}',
15              'name': 'normal',
16              'status': 'up'
17            }
18          ]
19       }
20     ]
21   }

```

Refer to the exhibit. Cisco SD-WAN deployment must be troubleshooted using vManage APIs. A call to vEdge Hardware Health API returns the data in the exhibit (only a portion is shown). If this JSON is converted to a Python dictionary and assigned to the variable "d", how the status is accessed that is indicated on line 16?

- A. d[data][0][statusList][0][status]
- B. d['data']['statusList']['status']
- C. d{'data'}[0]['statusList'][0]['status']
- D. d['data'][0]['statusList'][0]['status']

Answer: B

NEW QUESTION 10

What is the purpose of using the Cisco SD-WAN vManage Certificate Management API?

- A. to generate a CSR
- B. to allocate resources to the certificate server
- C. to request a certificate from the certificate server
- D. to enable vManage Center

Answer: A

NEW QUESTION 10

FILL BLANK

Fill in the blank to complete the URL for the Cisco SD-WAN API that retrieves a list of users that are logged into a device.

`http://<vmanage-ip-address>/dataservice/device/ deviceid=<deviceid>>`

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

interface?

NEW QUESTION 15

During a network outage, a network administrator used the Cisco SD-WAN vManage Troubleshooting Dashboard APIs to troubleshoot the cause of the issue. Which detail is captured during troubleshooting with these APIs?

- A. VPN health
- B. public cloud resources
- C. connections summary
- D. OMP connection health

Answer: C

NEW QUESTION 18

Which URI with the request body of Request body: {"name":"Test","organizationId":<org_id>,"type":"appliance"} creates a new Meraki network called "Test", when using APIs?

- A. PUT https://api.meraki.com/api/v0/organizations/<org_id>/networks
- B. POST <https://api.meraki.com/api/v0/networks>
- C. POST https://api.meraki.com/api/v0/organizations/<org_id>/networks/<net_id>
- D. POST https://api.meraki.com/api/v0/organizations/<org_id>/networks

Answer: D

NEW QUESTION 23

With the MV Sense API, which REST endpoint provides LUX level?

- A. [/merakimv/XXXX-XXXX-XXXX/light](#)
- B. [/merakimv/XXXX-XXXX-XXXX/raw_detections](#)
- C. [/merakimv/XXXX-XXXX-XXXX/0](#)
- D. [/merakimv/XXXX-XXXX-XXXX/zones](#)

Answer: A

NEW QUESTION 27

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

300-435 Practice Exam Features:

- * 300-435 Questions and Answers Updated Frequently
- * 300-435 Practice Questions Verified by Expert Senior Certified Staff
- * 300-435 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 300-435 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 300-435 Practice Test Here](#)