

HPE2-T36 Dumps

Using HPE OneView

<https://www.certleader.com/HPE2-T36-dumps.html>



NEW QUESTION 1

What are Benefits of using HPE OneView along with 3rd Party integrations? (Select two)

- A. Standardized templates to optimize industry standard applications
- B. Faster application development
- C. Simplified Infrastructure lifecycle operations
- D. Integrated management of 3rd Party software licenses
- E. Extensive management of 3rd Party server and storage devices

Answer: BE

NEW QUESTION 2

Match the HPE OneView element to its function.

| Element | Function | |
|----------------------------|---|--|
| enclosure group | conceptual view of a single enclosure within a group. | |
| logical enclosure | | |
| logical interconnect | provides fabric configurations which are pre-selected before enclosures are added. | |
| logical interconnect group | template that defines a consistent configuration for a logical enclosure. | |
| | represents the available networks, uplink sets, and stacking links for a set of physical interconnects. | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Element | Function | |
|----------------------------|---|----------------------------|
| enclosure group | conceptual view of a single enclosure within a group. | logical enclosure |
| logical enclosure | | |
| logical interconnect | provides fabric configurations which are pre-selected before enclosures are added | logical interconnect group |
| logical interconnect group | template that defines a consistent configuration for a logical enclosure. | enclosure group |
| | represents the available networks, uplink sets, and stacking links for a set of physical interconnects. | logical interconnect |

NEW QUESTION 3

You have a new HPE BladeSystem C7000 enclosure to add to your existing HPE OneView appliance as a managed resource. What is the proper PowerShell Cmdlet to achieve this task?

- A. Add-HPOVEnclosure –Hostname 192.168.1.100 –Username Administrator –Password MyP@ssw0rd
- B. Add-HPOVServer –Hostname 192.122.8.189 –Username Administrator –Password MyP@ssw0rd
- C. New-HPOVLogicalEnclosure –Name 192.122.8.189
- D. Add-HPOVPowerDevice –Hostname 192.168.1.100 –Username admin –Password MyP@ssw0rd

Answer: A

NEW QUESTION 4

Which enhanced security feature is unavailable within HPE OneView?

- A. configure firewall rules
- B. role-based access control
- C. two-factor authentication
- D. SNMP v3

Answer: A

NEW QUESTION 5

A server administrator needs to expand a VMware vSphere farm and use an already existing server profile as a baseline. Click the area where new server profile templates can be created from a selected server profile.

The screenshot shows the HPE OneView web interface. At the top, there's a navigation bar with the 'OneView' logo, a search bar, and icons for notifications, user profile, and help. Below the navigation bar, there's a breadcrumb trail: 'Server Profiles 5' > 'All statuses' > 'All tables' > 'All resources'. A status indicator shows '5 matches out of 5'. The main content area is divided into three sections: a left sidebar, a middle section for the selected profile, and a right section for actions. The left sidebar has a '+ Create profile' button at the top, followed by a list of server profiles: 'Name ESX 3', '• ESX 4' (selected), 'HYPERV 1', 'HYPERV 2', and 'HYPERV FARM_D'. The middle section shows the 'Overview' tab for the selected 'ESX 4' profile. It displays a 'General' section with various attributes and their values: Description (not set), Server profile template (none), Server hardware (Encl1, bay 4), Server hardware type (BL460c Gen10.1), Enclosure group (default), Affinity (Device bay), Server power (Off), Serial number (v) (VCG0EEI001), UUID (v) (51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3), and iSCSI initiator name (v) (iqn.2015-02.com.hpe:oneview-vcgoeei001). The right section has an 'Actions' button with a dropdown arrow.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The screenshot shows the HPE OneView web interface. At the top, there's a navigation bar with the 'OneView' logo, a search bar, and user icons. Below this, a breadcrumb trail reads 'Server Profiles 5' > 'All statuses' > 'All tables' > 'All resources'. A search filter shows '5 matches out of 5'. On the left, a list of server profiles is displayed: 'ESX 3', 'ESX 4' (selected), 'HYPERV 1', 'HYPERV 2', and 'HYPERV FARM_D'. The main area shows the details for 'ESX 4' in the 'Overview' tab. A 'Create profile' button is visible at the top left of the main area. The 'General' tab is active, displaying a table of attributes:

| General | |
|--------------------------|--|
| Description | not set |
| Server profile template | none |
| Server hardware | Encl1, bay 4 |
| Server hardware type | BL460c Gen10.1 |
| Enclosure group | default |
| Affinity | Device bay |
| Server power | Off |
| Serial number (v) | VCG0EEI001 |
| UUID (v) | 51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3 |
| ISCSI initiator name (v) | iqn.2015-02.com.hpe:oneview-vcgoeei001 |

NEW QUESTION 6

Your environment consists of HPE Proliant rack servers and an HPE 3PAR StoreServ array. The HPE OneView appliance running on an ESXi hypervisor had a catastrophic failure. What recovery method should you choose to restore your appliance?

- A. Restore virtual appliance from the latest VMware snapshot.
- B. Restore virtual appliance from the most recent RMC-V copy.
- C. Restore virtual appliance from the most recent backup file.
- D. Restore virtual appliance from the latest 3PAR snapshot.

Answer: C

Explanation:

You can recover from a catastrophic failure by restoring your appliance from the backup file.

NEW QUESTION 7

You want to get a list of all servers and their serial number from every Synergy enclosure in the "OneView-Prod" Instance. You decide to use the HPE OneView PowerShell Library. What is the first command you should run?

- A. Get-HPOVDataCenter
- B. Get-HPOVEnclosure
- C. Connect-HPOVMgmt
- D. Get-HPOVEnclosureGroup

Answer: C

NEW QUESTION 8

A customer has deployed the HPE OneView virtual appliance and is getting an error message when they attempt to import a Synergy frame for management. What is the most likely cause of the problem?

- A. Synergy frames require additional HA requirements for the virtual appliance.
- B. Synergy frames are managed by the HPE Composer.
- C. The backup IPv6 address of the Frame Link module was used during the import.
- D. The HPE OneView virtual appliance has the wrong database size.

Answer: B

NEW QUESTION 9

Where would a user click to get a Map View that will easily allow them to see the objects within HPE OneView that are associated with a specific enclosure?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 10

What is required when creating an Ethernet Network in HPE OneView? (Choose two.)

- A. Network Name
- B. VLAN Type
- C. CHAP Password
- D. association with subnet ID
- E. WWP

Answer: AB

NEW QUESTION 10

When deploying an HPE OneView virtual appliance in a Microsoft Hyper-V environment, what is the HPE recommendation related to virtual machine disk properties?

- A. Convert the disk to fixed size.
- B. Create the disk as fixed size.

- C. Create the disk as dynamically expanding.
- D. Convert the disk to dynamically expanding.

Answer: B

NEW QUESTION 14

How can HPE OneView help with power management within a datacenter?

- A. by automatically adjusting cooling devices based on calculated heat generation
- B. by disabling servers which are consuming too much power
- C. by providing data center thermal visualization
- D. by enabling power source selection for a specific frame

Answer: C

NEW QUESTION 15

Your customer is planning to use HPE OneView to manage the following environment:

- 4 HPE BladeSystem c7000 enclosures with BL460c Gen10 and Virtual Connect modules
- 20 HPE ProLiant DL380 Gen10 servers
- 1 HPE 3PAR StoreServ array

Which components will need an HPE OneView license? (Choose two.)

- A. 3PAR array
- B. DL380 Gen10 servers
- C. BL460c Gen10 server blades
- D. c7000 enclosures
- E. Virtual Connect modules

Answer: BC

NEW QUESTION 17

You remove an HPE SY480 compute module from its bay and install a host bus adapter (HBA) into the compute module. When you install the module back into its original bay you notice that the server profile in HPE OneView is showing “unassigned”. What is the reason for this?

- A. There is no connection configured for the HBA in the “Connections” section of the Server profile.
- B. The server hardware type is invalid.
- C. The Server Profile is inconsistent with its Server Profile Template.
- D. The Affinity is configured to “Device bay + hardware”.

Answer: B

NEW QUESTION 18

Which HPE OneView feature enables the detection of lost Ethernet connectivity on interconnect uplink ports?

- A. QoS
- B. M-LAG
- C. Smart Link
- D. VxLAN

Answer: C

NEW QUESTION 19

Click where the server administrator can see the server profiles using the selected firmware Bundle.

The screenshot displays the HPE OneView interface. At the top, there is a search bar and a navigation menu. Below the navigation menu, there is a section for 'Firmware Bundles'. A table lists the bundles, with the first one selected: 'Service Pack for ProLiant, 2017.04.0'. The table columns are Name, Version, Size, and Type. The selected bundle has a size of 6.57 GB and is of type SPP. To the right of the table, there is a detailed view of the selected bundle. The 'General' tab is active, showing the bundle's name, version, size, type, and description. The description states: 'The Service Pack for ProLiant (SPP) is a comprehensive systems software and firmware update solution, which is delivered as a single ISO image. This solution uses HP Smart Update Manager (HP SUM) as the deployment tool and is tested on all HPE ProLiant Gen9, Gen8 and earlier servers as defined in the Service Pack for ProLiant Server Support Guide found at www.hpe.com/servers/spp/documentation.' Below the description, the 'Used by' field shows '16 server profiles' and '2 server profile templates'. The 'Locations' field shows 'Internal'. The 'Release Date' is 8/30/18.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
16 server profiles

NEW QUESTION 21

An administrator is creating a volume template in HPE OneView to manage storage volumes on an HPE 3PAR StoreServ storage system. In addition to the file storage pool and capacity, which parameters in the template must the administrator specify? (Choose two.)

- A. provisioning type
- B. drive type
- C. sharing mode
- D. storage type
- E. deduplication method

Answer: AC

NEW QUESTION 25


You decide to take advantage of HPE OneView's ability to virtualize unique identifiers. Which physical hardware identifiers are you able to virtualize? (Choose two.)

- A. MAC address
- B. interconnect serial number
- C. CPU serial number
- D. enclosure serial number
- E. World Wide Name

Answer: AE

NEW QUESTION 30


A solution architect needs to review the warning statuses before progressing their Synergy deployment. Where should the solution architect click on the HPE OneView interface to view the outstanding server alerts?



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 33

A systems administrator needs to add a VLAN to a network set to support a new application. They have added the network to the upstream switch and the Logical Interconnect Group in HPE OneView but traffic is not passing. What is the most likely cause of the problem?

- A. Intelligent Management Center (IMG) has not been updated via REST.
- B. The administrator failed to update the state change message bus.
- C. The administrator needs to update the Logical Interconnects from the Logical Interconnect Group.
- D. The upstream switch doesn't have the VLAN enabled.

Answer: D

NEW QUESTION 38

Which functionality is enabled when a supported SAN Manager is added to HPE OneView?

- A. local storage management
- B. VSA monitoring
- C. storage replication
- D. automated zoning

Answer: D

NEW QUESTION 42

Which HPE and VMware integration are you licensed to use with the HPE OneView Advanced license? (Choose two.)

- A. VMware vRealize Log Insight

- B. VMware vRealize Operations Manager
- C. VMware vRealize Network Insight
- D. VMware ACE
- E. VMware NSX

Answer: AB

NEW QUESTION 45

What public resource is available to help administrators who want to automate operations by using the PowerShell interface to the HPE OneView REST API and the Synergy Composable API?

- A. HPE OneView server templates
- B. GitHub library
- C. HPE Support Center
- D. HPE Software Depot

Answer: C

NEW QUESTION 49

Which component of HPE OneView provides information about temperature and CPU utilization for managed resources?

- A. insight online (IO)
- B. integrated lights out (iLO)
- C. state change message bus (SCMB)
- D. metric streaming message bus (MSMB)

Answer: C

NEW QUESTION 50

Where would you go in the HPE OneView Main Menu to access information about the environment status that can be exported to csv?

- A. Reports
- B. Dashboard
- C. Data Centers
- D. Activity

Answer: A

NEW QUESTION 53

What tool can you use to provision hosts using server profiles to create or grow a Hyper-V cluster?

- A. HPE Insight Control Server Provisioning
- B. HPE OneView for Microsoft System Center
- C. HPE iLO Virtual Media
- D. Microsoft Operations Manager

Answer: B

NEW QUESTION 54

Refer to the exhibit.

The screenshot shows the HPE OneView interface. At the top, there's a search bar and navigation tabs for 'Server Hardware', 'All statuses', 'All scopes', and 'All labels'. Below this, there's a '+ Add server hardware' button and a status indicator '172.18.6.16 Hardware'. A table lists several server hardware entries. The entry for '172.18.6.16' is highlighted, showing it has a 'not set' server name, 'none' server profile, and 'DL380p Gen8' model. To the right of the table, a detailed view for the selected server is shown, including fields for 'Server name' (not set), 'State' (No Profile Applied), 'Server profile' (Create profile), 'Server power' (On), 'Model' (ProLiant DL380p Gen8), 'Server hardware type' (DL380p Gen8 1), 'Product ID' (603718-G21), 'Serial number' (MXQ1000307), 'License' (HPE OneView Advanced), 'UUID' (37333036-3831-584D-5131-303030333037), and 'iLO' settings (Host name: 172.18.6.16, IPv4: 172.18.6.16, IPv6: fe80:0:0:2::fe03:10 Link-local).

| Name | Server Name | Server Profile | Model |
|-------------|-------------|----------------|-------------|
| 172.18.6.15 | not set | n/a | DL360p Gen8 |
| 172.18.6.16 | not set | none | DL380p Gen8 |
| 172.18.6.31 | not set | n/a | DL360 Gen9 |
| 172.18.6.32 | not set | none | DL380p Gen8 |
| Enc1, bay1 | not set | Splunk 1 | BL660c Gen9 |
| Enc1, bay2 | not set | Splunk 2 | BL660c Gen9 |
| Enc1, bay3 | not set | none | BL460c Gen8 |
| Enc1, bay4 | not set | none | BL460c Gen8 |
| Enc1, bay5 | not set | none | BL460c Gen8 |

A customer is having issues assigning a server profile to a DL380 Gen8. Using the following figure, what is the most likely cause preventing the server profile from being assigned?

- A. The server name is not set.
- B. The server is in monitored mode.
- C. Server Profiles are not supported on DL servers.
- D. The server is powered on.

Answer: D

NEW QUESTION 55

Which HPE OneView function can be used on HPE ProLiant DL Gen10 servers with HPE OneView Advanced license applied? (Choose two.)

- A. MAC address virtualization
- B. OS deployment
- C. network connection definition
- D. BIOS configuration
- E. firmware update

Answer: BE

NEW QUESTION 60

Which attributes are required to create a blade server profile? (Choose two.)

- A. BIOS settings
- B. Enclosure Group
- C. local storage configuration
- D. uplink set
- E. server hardware type

Answer: AC

Explanation:

You can assign an unassigned profile only to server hardware that matches the server hardware type and enclosure group. After the profile is created, you cannot change the server hardware type and enclosure group.

NEW QUESTION 61

Which HPE product would you recommend to a customer who is running multiple HPE OneView appliances and Hyper Converged Systems to monitor their entire environment in a single application?

- A. Insight Control
- B. Central Management Console
- C. iLO Amplifier Pack
- D. Global Dashboard

Answer: D

NEW QUESTION 64

Match the HPE OneView element to its definition.

| Element | Definition | |
|-------------------------------|--|--|
| HPE OneView dashboard | HPE OneView hardware appliance. | |
| HPE OneView Global Dashboard | HPE OneView components that publish state changes and respond to REST API calls. | |
| HPE OneView OVF | Information aggregation point for multiple HPE OneView environments. | |
| HPE OneView resource managers | Customizable graphical representation of the health and capacity of data center resources. | |
| HPE Synergy Composer | | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Element | Definition | |
|-------------------------------|--|-------------------------------|
| HPE OneView dashboard | HPE OneView hardware appliance. | HPE Synergy Composer |
| HPE OneView Global Dashboard | HPE OneView components that publish state changes and respond to REST API calls. | HPE OneView resource managers |
| HPE OneView OVF | Information aggregation point for multiple HPE OneView environments. | HPE OneView Global Dashboard |
| HPE OneView resource managers | Customizable graphical representation of the health and capacity of data center resources. | HPE OneView dashboard |
| HPE Synergy Composer | | |

NEW QUESTION 68

For each REST API operation, match the appropriate HTTP method to accomplish each task.

| Method | Task | |
|--------|-----------------|--|
| DELETE | Create resource | |
| GET | Delete resource | |
| POST | Read resource | |
| PUT | Update resource | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Method | Task |
|--------|------------------------|
| DELETE | Create resource POST |
| GET | Delete resource DELETE |
| POST | Read resource GET |
| PUT | Update resource PUT |

NEW QUESTION 73
Refer to the exhibit.

Create Logical Interconnect Group

General

?

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 40Gb F8 Module for Synergy

Enclosure count

1

Interconnect bay set

3

Redundancy

Redundant

Non-redundant (A-side only)

Non-redundant (B-side only)

Select interconnects

Redundancy choice recommends/limits choices and bay locations. [Learn.](#)

Create

Create +

Cancel

A solution architect is setting up a Synergy configuration for a customer. The customer wants their redundancy level to be Highly Available. What is preventing this option from being available for the customer?

- A. Synergy doesn't support an HA fabric configuration on the Virtual Connect SE 40GB F8 module for Synergy.
- B. HA is not supported in Interconnect Bay set 3.
- C. HA requires multiple frames in the fabric domain.
- D. HA is only supported in mixed speed environments.

Answer: C

NEW QUESTION 77
What information is required to complete a first time setup of an HPE OneView appliance? (Select two.)

- A. Frame Link Module IP address subnet mask for Frame 1
- B. Onboard Administrator IP address/subnet mask
- C. appliance IP address/subnet mask
- D. appliance host name

E. Virtual Connect IP address/subnet mask

Answer: CD

NEW QUESTION 78

Your customer would like to manage HPE BladeSystems and some rack servers using HPE OneView and is concerned about system availability. How should you respond to this concerned customer?

- A. HPE OneView has a built-in high availability mechanism that can be enabled with an additional license
- B. HPE Global Dashboard can be used to enable HPE OneView high availability
- C. HPE OneView can be deployed to a hypervisor cluster to provide high availability
- D. HPE OneView can be connected to two different databases to provide high availability

Answer: C

NEW QUESTION 81

Why is HPE OneView periodic polling important?

- A. Because a “SNMP Get” request cannot read the management information base (MIB).
- B. To support different SNMP versions.
- C. To prevent SNMP trap storms.
- D. Because SNMP traps can be unreliable.

Answer: C

NEW QUESTION 84

You need to remove 25 unassigned Server Profiles from HPE OneView. What’s the most efficient way to accomplish this?

- A. Use REST API with the POST method
- B. Use REST API with the DELETE method
- C. Select the Server Profile Template for each server and click “Delete” from the “Actions” menu
- D. Edit each Server Profile and change the Server Profile Template to “none”

Answer: B

NEW QUESTION 88

Your customer is running ESXi on an HPE BladeSystem managed by HPE OneView. They want to be able to add networks to the ESXi system without modifying the Virtual Connect configuration. Which type of network should be used?

- A. mapped
- B. tagged
- C. tunnel
- D. untagged

Answer: C

NEW QUESTION 93

Match the HPE OneView interconnect module state to its definition. (Not all states will be used.)

| STATE | DEFINITION |
|-------------|--|
| Configured | <input type="text"/> The interconnect module is undergoing a procedure and any configuration changes are queued for later application. |
| Configuring | <input type="text"/> The module in the interconnect bay is not configured |
| Unmanaged | <input type="text"/> The module in the interconnect bay is not supported |
| Inventory | |

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

| STATE | DEFINITION |
|-------------|--|
| Configured | <input type="text"/> The interconnect module is undergoing a procedure and any configuration changes are queued for later application. |
| Configuring | <input type="text"/> The module in the interconnect bay is not configured |
| Unmanaged | <input type="text"/> The module in the interconnect bay is not supported |
| Inventory | |

NEW QUESTION 95


Click the area where you find WWN's and MAC addresses that are pre-configured or user-defined from the settings menu.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 100

What are benefits of the RESTful API for HPE OneView? (Choose two.)

- A. REST is a heavyweight toolkit that can create and modify just about any type of resource
- B. REST enables automating anything that can be done from the UI using a favorite scripting or programming language

- C. REST enables developers and users to create their own apps, or provide integration with other applications
- D. REST is an HPE invention built into HPE OneView and iLO that enables management of devices through the Red Fish standard

Answer: BC

NEW QUESTION 105

What does HPE OneView use to define the network connectivity for an Enclosure Group?

- A. Logical Switch Group
- B. Logical Interconnect Group
- C. Smart Link
- D. network set

Answer: B

NEW QUESTION 107

Which REST API headers are recommended when creating a new Ethernet network? (Choose two.)

- A. Content-Type
- B. X-API-Version
- C. Accept-Language
- D. Accept-CharSet

Answer: AD

NEW QUESTION 111

What tool provides a unified view of aggregated information from multiple OneView appliances?

- A. Redfish management
- B. Intelligent Management Console
- C. Global Dashboard
- D. Integrated Lights Out

Answer: C

NEW QUESTION 113

Which option from the HPE OneView main menu provides the utilization data for a server?

- A. Server Hardware
- B. Data Centers
- C. Settings
- D. Power Delivery Devices

Answer: A

NEW QUESTION 116

What package type is used for HPE OneView Virtual Appliance deployment in a Red Hat Linux KVM hypervisor environment?

- A. rpm
- B. yum
- C. DNF
- D. qcow2

Answer: D

NEW QUESTION 121

In addition to the REST client what is another way to access the HPE REST APIs? (Select two.)

- A. cURL command line utility
- B. Unified Extensible Firmware Interface (UEFI)
- C. Windows PowerShell D Native BASH Linux shell
- D. PuTTY client

Answer: AC

NEW QUESTION 122

Refer to the exhibit.

Add Alert Email Filter

As alerts arrive, if they match the filter search criteria, they are sent to the destination email addresses.

Name

Alert email ☒ Enabled

Alert criteria ☐ Pre-defined ☐ Guided ☒ Advanced

Resource scope

☒ Match any ☐ Match all

Email addresses

Changed: Email addresses to "admin-dayshift..."

A server administrator wants to receive all the critical and warning alerts related to server using the profile “APPSRV 2”. What needs to be entered into the “Alert criteria” textbox to receive the right email alerts?

- A. status: critical or status: warning profile:”APPSRV 2”
- B. status:critical status:warning “APPSRV 2”
- C. status: critical or warning “APPSRV 2”
- D. “APPSRV 2:.” needs attention”

Answer: B

NEW QUESTION 125

Before applying server profiles to a group of servers. What is the first thing you should check?

- A. The servers are powered down.
- B. The servers have the correct firmware installed.
- C. The servers are all Synergy compute modules.
- D. The servers are all the same server hardware type.

Answer: D

NEW QUESTION 130

Your customer temporarily has to move the profile from a BL460C Gen9 machine to a BL460C Gen10. What does the customer have to do to complete this task?

- A. delete Gen9 profile and crate a complete new server profile specific to Gen10
- B. check “force installation” option when assigning the server profile to the new machine
- C. disable hardware validation when assigning the server profile to the new server
- D. edit the server profile and change the server hardware type

Answer: A

NEW QUESTION 134

A server administrator wants to prevent excessive unknown destination frames from affecting the network performance of Synergy compute modules. Which HPE OneView setting at the Logical Interconnect Group level can help?

- A. SNMPv3
- B. loop protection
- C. storm control
- D. IGMP snooping

Answer: C

NEW QUESTION 135

How does HPE OneView simplify infrastructure management? (Choose two.)

- A. Provides unified platform that supports management across compute, storage, and fabric
- B. Provides industry leading infrastructure security through hardware root of trust
- C. Manages physical servers and virtual machines
- D. Provides integrations with 3rd party infrastructure automation tools through an API driven interface

Answer: AD

NEW QUESTION 136

Which actions can be taken on alerts in the Activity page in HPE OneView?

- A. re-send email notification for specific alerts
- B. delete alerts
- C. assigning alerts to a specific user
- D. mark an alert as fixed

Answer: C

NEW QUESTION 138

Which HPE OneView logical resource is used to define default server connectivity characteristics, such as the preferred and maximum bandwidth?

- A. networks
- B. uplink set
- C. server profiles
- D. logical interconnect groups

Answer: A

NEW QUESTION 141

An administrator needs to add multiple BladeSystem c7000 enclosures to a new instance of HPE OneView. The enclosures are currently being monitored by a different instance of HPE OneView. What must the administrator do before beginning importing the enclosure to the new HPE OneView appliance?

- A. Delete the enclosure from the current OneView Appliance
- B. Edit the Enclosure license to be OneView Advanced
- C. Add Frame Link Module
- D. Add enclosure for management

Answer: C

NEW QUESTION 143

You need to add an HPE ProLiant DL380 Gen10 server to the HPE OneView appliance for monitoring. Which information is required to complete this task? (Choose two.)

- A. HPE OneView Advanced license
- B. firmware baseline
- C. iLO IP address
- D. Enclosure Group name
- E. iLO credentials

Answer: AB

NEW QUESTION 148

Which REST API method is used to create an authentication session ID?

- A. POST
- B. GET
- C. PATCH
- D. PUT

Answer: A

NEW QUESTION 153

A customer has HPE OneView 1.2 and wants to upgrade to 4.0. What is the correct procedure?

- A. import all virtual connect manager environments and then upgrade directly to 4.0
- B. upgrade directly to 4.0
- C. upgrade to 3.1, import all virtual connect manager environments, then upgrade to 4.0
- D. upgrade to 3.1 and then upgrade to 4.0

Answer: B

NEW QUESTION 157

What permissions are included with the user role: "Server profile operator"?

- A. update server profile templates
- B. delete server profiles
- C. create new server profiles
- D. update server profiles

Answer: D

NEW QUESTION 158

The administrator has configured Server Profile Templates to use Virtual serial numbers. Where can you go in HPE OneView to see hardware-based serial numbers? (Choose two.)

- A. Server Profile Templates page
- B. Server Hardware page
- C. Server Profile page
- D. Server Hardware Types page
- E. Reports > Server inventory page.

Answer: BC

NEW QUESTION 163

A customer is performing lifecycle management on their existing ESXi cluster. They edit the Server Profile Template for the ESXi cluster.

Edit ESXi on BL460c Gen9 Server Profile

Server Profile

Affinity Device bay

Firmware

Firmware baseline managed manually

Service Pack for ProLiant version 2017.04.0

Service Pack for ProLiant version 2017.07.1

Installation Method

- ☒ Firmware and OS Drivers using Smart Update Tools
- ☐ Firmware only using Smart Update Tools
- ☐ Firmware only

Activate firmware

- ☒ Immediately
- ☐ At a scheduled date and time
- ☐ Not scheduled

Connections

Changed: Firmware baseline to "Service Pack for ProLiant version 2017.04.0"

OK Cancel

What will happen to all of the server profiles associated with the template after selecting the "Service Pack for HPE ProLiant 2017.07.1" and clicking OK?

- A. All server hardware associated with the profiles will immediately do a graceful shutdown and boot into Intelligent Provisioning to update the firmware.
- B. The Smart Update Tools will immediately begin to update the firmware and drivers on the systems while the ESXi hosts are still online.
- C. All server profiles associated with the template will be marked as inconsistent with the template.
- D. HPE OneView for vCenter will launch vCenter Update manager to begin updating the systems within the ESXi cluster.

Answer: B

NEW QUESTION 168

Which license is required to remotely access the DL server console and event logs?

- A. HPE OneView Advanced
- B. Insight Remote Support
- C. iLO Amplifier pack
- D. Global Dashboard

Answer: C

NEW QUESTION 172

Which security feature would you configure to delegate responsibility for a subset of resources to a junior administrator group?

- A. No Password for admin account
- B. RBAC (Role Based Access Control)
- C. SBAC (Scope Based Access Control)
- D. CLI Only Access

Answer: C

NEW QUESTION 174

An administrator needs to customize the BIOS and local RAID configuration for a collection of HPE ProLiant servers. What should the administrator use to accomplish this task?

- A. Server Profile Template
- B. Server hardware
- C. Smart Start Scripting Toolkit
- D. Global Dashboard

Answer: D

NEW QUESTION 176

A customer is interested in monitoring the hardware health of server blades in a c7000 enclosure equipped with Comware switches, and also wants to use iLO remote console. Which licensing option can you recommend as the lowest price level?

- A. HPE OneView Advanced without iLO Advanced
- B. HPE OneView Standard and iLO Advanced
- C. HPE OneView Advanced with iLO Advanced
- D. HPE OneView Standard and iLO Standard for BladeSystem

Answer: C

NEW QUESTION 179

What types of activities can be displayed in the Activity section of the HPE OneView UI? (Choose two.)

- A. tasks
- B. alerts
- C. connections
- D. deployments
- E. email notifications

Answer: AB

NEW QUESTION 181

A company wants to integrate an acquired company's infrastructure into their existing Synergy 3 frame environment. They currently have 286 VLANs in their operational network set. They want to add 153 new VLANs into the configuration. What would you recommend?

- A. Integrate the new networks into the existing network set.
- B. Purchase a second three frame configuration for the new company.
- C. Create a second network set for the new VLANs.
- D. Add a second fabric domain to the existing configuration to support the new networks.

Answer: A

NEW QUESTION 182

You added an iPDU to an environment managed by HPE OneView. How will servers that are connected to this iPDU be added to HPE OneView?

- A. in an unmanaged state
- B. with the same state (monitored or managed) as the iPDU
- C. as managed devices if they have iLO Advanced license applied
- D. as monitored devices

Answer: C

NEW QUESTION 186

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your HPE2-T36 Exam with Our Prep Materials Via below:

<https://www.certleader.com/HPE2-T36-dumps.html>