



VEEAM

Exam Questions VMCE2020

Veeam Certified Engineer 2020

NEW QUESTION 1

A customer currently has one backup job that runs every four hours to backup their VMs in a transaction consistent state. Which job configuration will keep all restore points safe in case the primary site and backups go down while still being able to do a point-in-time recovery of a SQL database from the backups on the second site?

- A. Configure a second VM backup job and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- B. Configure a backup copy job in mirror mode, to a repository on the second site
- C. Configure a backup copy job in pruning mode and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- D. Configure a backup copy job in pruning mode and have it copy data every day, starting at midnight, to a repository on the second site

Answer: A

NEW QUESTION 2

A company needs to recover a domain controller from a backup file they have on premises which was created by the Veeam Agent for Microsoft Windows. Which of the following would provide the fastest access to the domain controller?

- A. Use the Veeam Explorer for Active Directory to recover the domain controller
- B. Perform an Instant VM Recovery to recover the domain controller to a VM on their VMware host
- C. Perform a bare metal recovery of their domain controller back to the original system
- D. Recover the domain controller to an AWS EC2 instance using the restore to Amazon EC2

Answer: B

NEW QUESTION 3

A company has the following requirements:

Mission-critical VMs: hourly replication to disaster recovery site, daily backups of these VMs should be available at the disaster recovery site when required, the mission critical applications need to be available within 20 minutes. Business-important VMs: daily backups should be stored at the disaster recovery site. When required, the business-important applications need to be available within four hours.

Define the RPO and RTO for the company's disaster recovery site.

- A. Mission-critical VMs: RPO = 60 minutes, RTO = one hour; business-important VMs: RPO = 60 minutes, RTO = four hours
- B. Mission-critical VMs: RPO = 24 hours, RTO = 20 minutes; business-important VMs: RPO = 24 hours, RTO = four hours
- C. Mission-critical VMs: RPO = 60 minutes, RTO = 20 minutes; business-important VMs: RPO = 24 hours, RTO = four hours
- D. Mission-critical VMs: RPO = 24 hours, RTO = four hours; business-important VMs: RPO = 24 hours, RTO = four hours

Answer: A

NEW QUESTION 4

When configuring a SureBackup job, what are some of the criteria for adding servers to an application group? (Choose two.)

- A. VMs cannot be encrypted
- B. VM backups must reside on the same repository
- C. VMs cannot be added to an application group twice
- D. VMs must be running the same OS version
- E. VMs must have at least one valid restore point

Answer: CE

NEW QUESTION 5

An SMB customer installed Veeam Backup & Replication in a simple deployment. How can the customer comply with the 3-2-1 rule?

- A. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging copy mode
- B. Create a backup to tape job to a local virtual tape library
- C. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging move mode
- D. Copy the backups to a separate local NAS device

Answer: D

NEW QUESTION 6

A company has outgrown their current data center and plans to use the second data center as the new primary and needs to migrate their workloads. They are running VMware in both data centers. Which steps would allow this migration to occur without any data loss?

- A. 1. Replication job2. Failover plan3. Permanent failover
- B. 1. Backup job2. Instant VM Recovery3. Finalize the Instant VM Recovery
- C. 1. Replication job2. Failback3. Commit failback
- D. 1. Replication job2. Planned failover3. Permanent failover

Answer: A

NEW QUESTION 7

The backup administrator configured replication for a VM from Data Center 1 to Data Center 2, which runs every day at 1 a.m. A power surge takes out Data Center 1 at 7 a.m. and the administrator fails over the replica at 8 a.m. When the power comes back on, the administrator performs the ??failback?? action at 2 p.m. and checks the state of the original VM. They recognize that not all data is available. What is missing?

- A. Data from 1 a.

- B. to 7 a.
- C. Data from 1 a.
- D. to 2 p.
- E. Data from 8 a.
- F. to 2 p.m.
- G. Data from 7 a.
- H. to 8 a.m.

Answer: B

NEW QUESTION 8

When a replication job is configured to use the replica mapping feature (no seeding), what will happen during the first run of the job?

- A. The replication job creates a clone of the mapped replica to preserve the original state before synchronizing the changes from the source infrastructure
- B. The replication job calculates the differences between the original and mapped VM; only the incremental changes will be synchronized
- C. The replication job will first restore the VM from the most recent restore point and then start to synchronize the incremental changes from the source infrastructure
- D. If a VM within the replication job is not mapped, the job will fail

Answer: B

NEW QUESTION 9

A company wants to leverage Veeam DataLabs to automate the creation of a test environment. As testing one large, multi-VM application could require more than a single host, a dedicated VMware ESXi cluster has been identified. The sandbox is to be refreshed weekly or on demand. Select the benefits of using replication jobs in this environment. (Choose two.)

- A. There are additional tests available in DataLabs when replicas are the source
- B. Replication jobs do not stop the sandbox, unlike backup jobs
- C. The VMs are running directly on a high performance datastore, uncompressed
- D. There is a bigger number of VMs supported for multi-VM application tests when replicas are used
- E. Replicas can take advantage of advanced multi-host virtual labs

Answer: CE

NEW QUESTION 10

If you need to run a script to stop a service in order to get an application-consistent backup on a Windows server, where can the script be run?

- A. In the guest processing setting of the job, enable application-aware processing and add a pre-freeze script to the VM
- B. Configure the script to run on the Veeam Backup & Replication server using the Windows Task Scheduler
- C. Copy the script to the VM and schedule the script to run prior to the start of the backup job using the Windows Task Scheduler in the VM
- D. In the virtual machines setting of the job, add a script in the scripts tab under ??Run the following script before the job:??

Answer: C

NEW QUESTION 10

.....

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

A customer currently has one backup job that runs every four hours to backup their VMs in a transaction consistent state. Which job configuration will keep all restore points safe in case the primary site and backups go down while still being able to do a point-in-time recovery of a SQL database from the backups on the second site?

- A. Configure a second VM backup job and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- B. Configure a backup copy job in mirror mode, to a repository on the second site
- C. Configure a backup copy job in pruning mode and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- D. Configure a backup copy job in pruning mode and have it copy data every day, starting at midnight, to a repository on the second site

Answer: A

NEW QUESTION 2

A company needs to recover a domain controller from a backup file they have on premises which was created by the Veeam Agent for Microsoft Windows. Which of the following would provide the fastest access to the domain controller?

- A. Use the Veeam Explorer for Active Directory to recover the domain controller
- B. Perform an Instant VM Recovery to recover the domain controller to a VM on their VMware host
- C. Perform a bare metal recovery of their domain controller back to the original system
- D. Recover the domain controller to an AWS EC2 instance using the restore to Amazon EC2

Answer: B

NEW QUESTION 3

A company has the following requirements:

Mission-critical VMs: hourly replication to disaster recovery site, daily backups of these VMs should be available at the disaster recovery site when required, the mission critical applications need to be available within 20 minutes. Business-important VMs: daily backups should be stored at the disaster recovery site. When required, the business-important applications need to be available within four hours.

Define the RPO and RTO for the company's disaster recovery site.

- A. Mission-critical VMs: RPO = 60 minutes, RTO = one hour; business-important VMs: RPO = 60 minutes, RTO = four hours
- B. Mission-critical VMs: RPO = 24 hours, RTO = 20 minutes; business-important VMs: RPO = 24 hours, RTO = four hours
- C. Mission-critical VMs: RPO = 60 minutes, RTO = 20 minutes; business-important VMs: RPO = 24 hours, RTO = four hours
- D. Mission-critical VMs: RPO = 24 hours, RTO = four hours; business-important VMs: RPO = 24 hours, RTO = four hours

Answer: A

NEW QUESTION 4

When configuring a SureBackup job, what are some of the criteria for adding servers to an application group? (Choose two.)

- A. VMs cannot be encrypted
- B. VM backups must reside on the same repository
- C. VMs cannot be added to an application group twice
- D. VMs must be running the same OS version
- E. VMs must have at least one valid restore point

Answer: CE

NEW QUESTION 5

An SMB customer installed Veeam Backup & Replication in a simple deployment. How can the customer comply with the 3-2-1 rule?

- A. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging copy mode
- B. Create a backup to tape job to a local virtual tape library
- C. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging move mode
- D. Copy the backups to a separate local NAS device

Answer: D

NEW QUESTION 6

A company has outgrown their current data center and plans to use the second data center as the new primary and needs to migrate their workloads. They are running VMware in both data centers. Which steps would allow this migration to occur without any data loss?

- A. 1. Replication job2. Failover plan3. Permanent failover
- B. 1. Backup job2. Instant VM Recovery3. Finalize the Instant VM Recovery
- C. 1. Replication job2. Failback3. Commit failback
- D. 1. Replication job2. Planned failover3. Permanent failover

Answer: A

NEW QUESTION 7

The backup administrator configured replication for a VM from Data Center 1 to Data Center 2, which runs every day at 1 a.m. A power surge takes out Data Center 1 at 7 a.m. and the administrator fails over the replica at 8 a.m. When the power comes back on, the administrator performs the ??failback?? action at 2 p.m. and checks the state of the original VM. They recognize that not all data is available. What is missing?

- A. Data from 1 a.

- B. to 7 a.
- C. Data from 1 a.
- D. to 2 p.
- E. Data from 8 a.
- F. to 2 p.m.
- G. Data from 7 a.
- H. to 8 a.m.

Answer: B

NEW QUESTION 8

When a replication job is configured to use the replica mapping feature (no seeding), what will happen during the first run of the job?

- A. The replication job creates a clone of the mapped replica to preserve the original state before synchronizing the changes from the source infrastructure
- B. The replication job calculates the differences between the original and mapped VM; only the incremental changes will be synchronized
- C. The replication job will first restore the VM from the most recent restore point and then start to synchronize the incremental changes from the source infrastructure
- D. If a VM within the replication job is not mapped, the job will fail

Answer: B

NEW QUESTION 9

A company wants to leverage Veeam DataLabs to automate the creation of a test environment. As testing one large, multi-VM application could require more than a single host, a dedicated VMware ESXi cluster has been identified. The sandbox is to be refreshed weekly or on demand. Select the benefits of using replication jobs in this environment. (Choose two.)

- A. There are additional tests available in DataLabs when replicas are the source
- B. Replication jobs do not stop the sandbox, unlike backup jobs
- C. The VMs are running directly on a high performance datastore, uncompressed
- D. There is a bigger number of VMs supported for multi-VM application tests when replicas are used
- E. Replicas can take advantage of advanced multi-host virtual labs

Answer: CE

NEW QUESTION 10

If you need to run a script to stop a service in order to get an application-consistent backup on a Windows server, where can the script be run?

- A. In the guest processing setting of the job, enable application-aware processing and add a pre-freeze script to the VM
- B. Configure the script to run on the Veeam Backup & Replication server using the Windows Task Scheduler
- C. Copy the script to the VM and schedule the script to run prior to the start of the backup job using the Windows Task Scheduler in the VM
- D. In the virtual machines setting of the job, add a script in the scripts tab under ??Run the following script before the job:??

Answer: C

NEW QUESTION 10

.....

Relate Links

100% Pass Your VMCE2020 Exam with ExamBible Prep Materials

<https://www.exambible.com/VMCE2020-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>