



HP

Exam Questions HPE0-S57

Designing HPE Hybrid IT Solutions

NEW QUESTION 1

A customer has the following design requirements:

- support for 16Gb Fibre Channel
- The management console must be HPE OneView

Which component must be included in the design to meet the customer's requirements?

- A. HPE Virtual Connect SE 40Gb F8 Module for HPE Synergy
- B. Brocade 16Gb Fibre Channel SAN Switch Module for HPE Synergy
- C. HPE Virtual Connect SE 16Gb FC Module for HPE Synergy
- D. HPE Synergy 8Gb FC License Upgrade

Answer: C

NEW QUESTION 2

Which Synergy Composer key feature allows deployment at cloud-like speeds?

- A. direct access to the FLM
- B. built-in OneView
- C. built-in 100 Gb network
- D. integration with IMC

Answer: B

NEW QUESTION 3

You are designing a network topology for a customer. The customer is looking for a large-scale Layer 2 fabric, with redundant links and load balancing, while avoiding traditional STP, RSTP, and MSTP protocols.

Which switch will support these features with industry standard technology?

- A. HPE FlexFabric 5980
- B. HPE FlexFabric 12902E
- C. Aruba 8325
- D. HPE FlexFabric 5710

Answer: A

NEW QUESTION 4

You have been asked to architect an HPE 3PAR storage solution and integrate it into a customers existing multi-vendor SAN

Which tools should you consult to verify interoperability of your proposed solution? (Select two)

- A. HPE InfoSight
- B. HPE Single Point of Connectivity Knowledge
- C. HPE SAN Design Guide
- D. HPE Product Bulletin
- E. HPE Ianamark

Answer: CD

NEW QUESTION 5

A customer is thinking about a new solution to run their Line of Business (LOB) application. They are considering an HPE SimpliVity solution.

Which deployment requirement should be communicated to the customer?

- A. The application has to run virtualized.
- B. The solution only supports HPE switches.
- C. The solution requires a minimum of three nodes.
- D. The solution requires FC connectivity

Answer: A

NEW QUESTION 6

A customer is planning a data center expansion consisting of 2,000 physical servers supporting up to 70 VMs per server.

They require a modular networking solution that provides:

- high bandwidth
- high availability
- high performance
- the ability to scale beyond 2,000 servers

Which HPE solution should you recommend?

- A. HPE FlexFabric 12904E
- B. HPE Aruba 5400
- C. HPE OfficeConnect 1950
- D. HPE FlexFabric 5940

Answer: C

NEW QUESTION 7

A customer wants to implement a Microsoft Exchange 2016 solution. Why should the customer choose HPE?

- A. HPE employs Microsoft MVPs
- B. HPE is a Microsoft Silver partner in messaging and collaboration
- C. HPE has more than five years of joint development with Microsoft
- D. HPE has a proven reference architecture

Answer: C

NEW QUESTION 8

A customer is building a new Hybrid Infrastructure data center to support private, public, and hybrid cloud workloads. The customer needs to be able to optimize the performance of East-West network traffic.
Which technology should you recommend?

- A. Access/Aggregation/Core
- B. Leaf/Spine
- C. VXLAN/NVGRE
- D. STP/RSTP

Answer: B

NEW QUESTION 9

A large print shop customer is looking for a new SAN for their VMware cluster that is also able to directly provide file shares for their Apple Mac OS X desktops.
Which tool should you use to determine which SANs will natively support the customer's need?

- A. HPE Product Bulletin
- B. HPE One Config Advanced
- C. HPE Assessment Foundry
- D. HPE Single Point of Connectivity Knowledge

Answer: D

NEW QUESTION 10

A customer is considering a refresh of their ToR switches because they need 25 GbE connectivity. Which switch should you recommend?

- A. FlexFabric 5940
- B. FlexFabric 5945
- C. FlexFabric 5980
- D. FlexFabric 5710

Answer: A

NEW QUESTION 10

You need to architect a SQL Database consolidation solution, based on the HPE reference architecture for SQL 2017. The customer is moving from Oracle on Linux and wants to stay on Linux and migrate to a lower-cost solution.
Which server should you recommend?

- A. HPE DL560 Gen10 running Red Hat Linux Server
- B. HPE DL380 Gen10 running Red Hat Linux Server
- C. HPE DL380 Gen10 running Microsoft Windows Server 2016
- D. HPE DL560 Gen10 running CentOS Linux Server

Answer: B

NEW QUESTION 14

A customer needs a VMware Horizon VDI solution for a space-constrained remote office. The solution must include deduplication and compression, and be simple to implement and manage.
Which platform should you recommend?

- A. HPE SimpliVity 380
- B. HPE DL380 Gen 10
- C. HPE SimpliVity 2600
- D. HPE DL380 Gen10

Answer: C

NEW QUESTION 15

A customer needs a right-mix strategy and roadmap for hybrid-IT delivery that covers platform, operations, and brokering.
Which HPE service should be recommended to meet the customer's requirements?

- A. Professional Services
- B. Advisory & Transformation Services
- C. Operational Services
- D. Proactive Services

Answer:

B

NEW QUESTION 16

Based on the scenario provided, which service should you recommend*?

- A. HPE 3PAR StoreServ Data Migration Service
- B. HPE File Data Migration Service
- C. HPE Migration Service for Exchange
- D. HPE Migration Service for Office 365

Answer: D

NEW QUESTION 17

Which tool supports HPE 3PAR, EMC VMAX, and VNX arrays, and is used to identify customer storage needs'?

- A. HPE SAF Collector
- B. HPE NinjaSTARS
- C. HPE SPOCK
- D. HPE Storage Sizer

Answer: A

NEW QUESTION 18

A customer has the following design requirements:

- Support for 16Gb Fibre Channel
- All SAN elements must be managed by the SAN team
- All SAN elements need to be managed by the existing tools

Which component must be included in the design to meet the customer's requirements?

- A. HPE Virtual Connect SE 16Gb FC Module for HPE Synergy
- B. HPE Virtual Connect SE 40Gb FC Module for HPE Synergy
- C. HPE Synergy 8Gb FC License Upgrade
- D. Brocade 16Gb Fibre Channel SAN Switch Module for HPE Synergy

Answer: D

NEW QUESTION 22

HPE OneView can be used to provision volumes on which HPE solutions'? (Select two)

- A. HPE 3PAR StoreServ
- B. HPE MSA
- C. HPEXP
- D. HPE SimpliVrt
- E. HPE Nimble

Answer: CE

NEW QUESTION 26

A customer needs a cloud-like experience for infrastructure on premises that includes:

- variable payments based on actual metered usage
- rapid scalability using an onsite buffer of extra capacity
- enterprise-grade support

Which HPE Service meets the customer needs?

- A. HPE GreenLake Service
- B. HPE Pointnext Services
- C. HPE Digital Transformation Services
- D. HPE Datacenter Care Services

Answer: B

NEW QUESTION 28

A customer is looking for a new platform to support their AI research projects. Which technology should you recommend?

- A. Peer Persistence
- B. Multi-core GPUs
- C. Availability clustering
- D. Persistent memory

Answer: A

NEW QUESTION 31

A cloud provider customer needs a new storage array and wants a solution with built-in multi-tenancy features. Why should you propose HPE 3PAR StoreServ to this customer?

- A. It Includes the virtual domains feature as part of all-inclusive licensing
- B. It divides controller nodes into groups for multiple tenants.
- C. It Includes the NPARs feature for physical separation of the array into tenant areas
- D. it divides drives into separate pools for multiple tenants

Answer: C

NEW QUESTION 34

A customer is looking to virtualize desktops and application access to provide better business continuance and disaster recovery. They also need simplified deployment and the ability to scale out in the future.
 Which HPE platform should you recommend?

- A. Edgeline
- B. ProLiant DL
- C. Superdome Flex
- D. SimpliVity

Answer: D

NEW QUESTION 36

You are validating a solution that has customer requirements for both Ethernet and Fibre Channel connectivity.
 Match the cables and adapters to the supported technology.

Answer Area

	Supported Technology	Cables and Adapters
Ethernet only		HPE FlexNetwork X240 40G QSFP+ to 4x10G SFP+ 1m Direct Attach Copper Splitter Cable
Fibre Channel only		HPE Multi Fiber Push On to 4 x Lucent Connector 5m Cable
Ethernet or Fibre Channel		HPE B-series 4x16 Short Wave QSFP Transceiver
		HPE B-series SFP+ to SFP+ Active Copper 3.0m Direct Attach Cable

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

	Supported Technology	Cables and Adapters
Ethernet only	Ethernet or Fibre Channel	HPE FlexNetwork X240 40G QSFP+ to 4x10G SFP+ 1m Direct Attach Copper Splitter Cable
Fibre Channel only	Ethernet only	HPE Multi Fiber Push On to 4 x Lucent Connector 5m Cable
Ethernet or Fibre Channel	Fibre Channel only	HPE B-series 4x16 Short Wave QSFP Transceiver
	Ethernet only	HPE B-series SFP+ to SFP+ Active Copper 3.0m Direct Attach Cable

NEW QUESTION 37

Which two metrics are key to guiding data placement decisions? (Choose two.)

- A. capacity
- B. cache utilization

- C. power consumption
- D. jitter
- E. response time

Answer: AB

NEW QUESTION 42

You are designing a highly-available SQL database solution, following HPE reference architectures for Microsoft SQL 2017 on Linux. Which HA design factors should be considered? (Choose two.)

- A. Real-Time Operational Analytics
- B. Transparent Data Encryption
- C. Always On Failover Cluster Instance (FCI)
- D. Read-Scale Availability Groups

Answer: CD

NEW QUESTION 47

You are creating a Bill of Materials with the HPE Synergy Planning Tool The solution includes:

- 30 Synergy 480 Compute Modules
- 6 D3940 Storage Modules - 40 GD uplink ports
- 20 Gb downlink ports
- Image Streamers for stateless computing

How many Composers and Image Streamers are needed in this solution'?

- A. 2 pairs of Composers /1 pair of Image Streamers
- B. 2 pairs of Composers / 2 pairs of Image Streamers
- C. 1 pair of Composers /1 pair of Image Streamers
- D. 1 pair of Composers / 2 pairs of Image Streamers

Answer: C

NEW QUESTION 50

A customer is interested in a Synergy solution. They need 100 compute modules and expect the workload to double in two years. They ask for the minimum number of management ports they will need to connect Synergy frames into their management network. How should you reply?

- A. FLMs from all frames connect into a management ring, and the management ring connects into their management network with two uplinks.
- B. FLMs from all frames connect to two external switches, and these two switches connect into their management network.
- C. Synergy solution only allows 15 frames to be interconnected, so growth in customer's workload is not supported.
- D. The RJ-45 ports on the front of each frame are connected to an external switch, which is connected into their management network.

Answer: A

NEW QUESTION 55

When determining the storage lifecycle requirements for a new customer solution, which criteria should you use to optimize data placement?

- A. How many users are online simultaneously?
- B. Which backup technology will the customer use?
- C. Which operating system and version will be used in the solution?
- D. What are the underlying business value availability and long-term retention needs?

Answer: A

NEW QUESTION 59

During an HPE SimpliVity solution presentation, a potential customer asks about the HPE SimpliVity RapidDR option in the Bill of Material. How should you respond?

- A. it allows configuring a high-availability solution between two sites for automatic failover and fallback in disaster recovery situations.
- B. It is a requirement to guarantee the 1 -minute restore of a 1TB virtual machine
- C. It is required for a multi-site HPE SimpliVity configuration to send VM backups to remote clusters.
- D. It enables orchestration for site-to-site recovery to improve application availability during planned or unplanned events

Answer: B

NEW QUESTION 60

Refer to the Exhibit:

Refer to the exhibit.



You are presenting an HPE SimpliVity solution to a customer. When looking at the hardware details, the customer asks about the connectivity options at the back of the HPE SimpliVity node
Which answer should you give about the port highlighted in the exhibit?

- A. This port is used for the Storage network and should be connected to the dedicated storage network switches
- B. This port is the iLO port and should be connected to the management network
- C. This port is used for diagnostics and should not be used for daily operations
- D. This port is used for the Federation traffic between the HPE SimpliVity nodes.

Answer: A

NEW QUESTION 65

After meeting with a customer and gathering basic capacity and performance metrics, you are ready to recommend an HPE 3PAR storage solution.
Which HPE sizing tool should be used to architect the solution, create a ready-to-order bill of materials, and present the customer with a graphic representation of the solution being proposed?

- A. HPE Storage Sizer Tool
- B. HPE NinjaSTARS
- C. HPE InfoSight
- D. HPE 3PAR STaTs

Answer: A

NEW QUESTION 69

You propose a Nimble HF40 solution with 4x 10GbaseT ports to a customer. The raw capacity is 500 TiB. The customer's growth expectations have changed, and they now request the solution to support 1000 TiB of raw storage instead.
Match the possible update to the solution with the description.

You propose a Nimble HF40 solution with 4x 10GbaseT ports to a customer. The raw capacity is 500 TiB.

The customer's growth expectations have changed, and they now request the solution to support 1000 TiB of raw storage instead.

Match the possible update to the solution with the description.

Update		Description
HPE Nimble Storage HF20C		Increasing both capacity and max IOPS
HPE Nimble Storage HF40C		Increasing the raw capacity only
HPE Nimble Storage HF60		Increasing the capacity and decreasing IOPS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You propose a Nimble HF40 solution with 4x 10GbseT ports to a customer. The raw capacity is 500 TiB.

The customer's growth expectations have changed, and they now request the solution to support 1000 TiB of raw storage instead.

Match the possible update to the solution with the description.

Update	Description
HPE Nimble Storage HF20C	Increasing both capacity and max IOPS
HPE Nimble Storage HF40C	Increasing the raw capacity only
HPE Nimble Storage HF60	Increasing the capacity and decreasing IOPS

NEW QUESTION 74

A customer Is considering purchasing an application that requires a highly-available NUMA platform that will scale up to 16 processors They ask you which HPE compute solution will meet the their needs
 Which solution should you recommend?

- A. HPE Superdome Flex
- B. HPE Synergy
- C. HPE BladeSystem
- D. HPE ProLiant DL

Answer: D

NEW QUESTION 77

A customer has expressed concerns about the security of using RESTful API to do a survey against their existing infrastructure.
 What should you say about the REST client to alleviate the customer's concerns?

- A. It uses SNMP v2.
- B. It uses HTTPS.
- C. It uses SNMP v3
- D. It uses WBEM

Answer: B

NEW QUESTION 79


Which HPE Apollo platform Is recommended for Big Data and scale-out storage workloads*?

- A. HPE Apollo 35
- B. HPE Apollo 2000
- C. HPE Apollo 6000
- D. HPE Apollo 4200

Answer: C

NEW QUESTION 84

During Synergy solution on boarding, the customer asks about a firmware overview of all the compute modules at once. Click where you can access the information.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 87

A customer is concerned about high availability for the company's Exchange 2016 messaging environment using local storage. Which technology should they use to enable high availability and site resilience?

- A. Database Resilience Group
- B. Continuous Cluster Replication
- C. Database Availability Group
- D. Peer Persistence

Answer: B

NEW QUESTION 88

A customer is considering a new multi-tier storage platform. The customer likes the easy management of the Nimble platform. Which question should you ask to select an appropriate Nimble model?

- A. Are you using FC or iSCSI host connectivity?
- B. What is the estimated IOPS required?
- C. Do you need to support multiple RAID levels?
- D. Do you require mainframe connectivity?

Answer: D

NEW QUESTION 91

A customer has some extra budget that they would like to use to expand their existing 3PAR array additional drives. The array is sending remote support data, but is not configured in HPE InfoSight. Which tool should you use to examine the current configuration of the array to make balanced drive expansion recommendations to your customer?

- A. HPE NinjaSTARS
- B. HPE Storage Sizer
- C. HPE 3PAR STaTs
- D. HPE 3PAR SSMC

Answer: D

NEW QUESTION 95

Which service technology has the highest cost and lowest latency?

- A. DDR-4 Memory
- B. NVDIMM
- C. NVMe
- D. SAS SSD

Answer: B

NEW QUESTION 98

A customer needs to replace aging Infrastructure. The CIO wants to put everything in the cloud because the Company does not want to own hardware. Analysis has shown that several applications cannot be housed in the public cloud due to compliance issues. Which HPE solution should be recommended? (Select two)

- A. HPE Datacenter Care

- B. a capital lease
- C. an operating lease
- D. a Green Lake solution

Answer: CD

NEW QUESTION 99

You are validating a solution that has customer requirements for both Ethernet and Fibre Channel connectivity.
Match the cables and adapters to the supported technology.

Answer Area

Ethernet only

Fibre Channel only

Ethernet or Fibre Channel

Supported Technology	Cables and Adapters
	HPE FlexNetwork X240 40G QSFP+ to 4x10G SFP+ 1m Direct Attach Copper Splitter Cable
	HPE Multi Fiber Push On to 4 x Lucent Connector 5m Cable
	HPE B-series 4x16 Short Wave QSFP Transceiver
	HPE B-series SFP+ to SFP+ Active Copper 3.0m Direct Attach Cable

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Ethernet only

Fibre Channel only

Ethernet or Fibre Channel

Supported Technology	Cables and Adapters
Ethernet or Fibre Channel	HPE FlexNetwork X240 40G QSFP+ to 4x10G SFP+ 1m Direct Attach Copper Splitter Cable
Ethernet only	HPE Multi Fiber Push On to 4 x Lucent Connector 5m Cable
Fibre Channel only	HPE B-series 4x16 Short Wave QSFP Transceiver
Ethernet only	HPE B-series SFP+ to SFP+ Active Copper 3.0m Direct Attach Cable

NEW QUESTION 100

Match the HPE Service to the service it provides. (Choose all that apply.)

Answer Area

HPE Service

Data Center Facilities Consulting Services

Intelligent Edge Practice

Platform Consulting Services

Professional Services

Description

drives business value from mobility and IoT, and transforms work spaces through intelligent Spaces and Intelligent Venues

helps in determining the best strategy to provide right-sized requirements and the right mix of Hybrid IT

provides assistance in developing IT strategies to modernize and migrate to an on-premises automated infrastructure

takes a strategic plan and functional design and moves it into production, with a focus of Hybrid IT and Intelligent Edge

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

HPE Service

Data Center Facilities Consulting Services

Intelligent Edge Practice

Platform Consulting Services

Professional Services

Intelligent Edge Practice

Platform Consulting Services

Professional Services

Data Center Facilities Consulting Services

Description

drives business value from mobility and IoT, and transforms work spaces through intelligent Spaces and Intelligent Venues

helps in determining the best strategy to provide right-sized requirements and the right mix of Hybrid IT

provides assistance in developing IT strategies to modernize and migrate to an on-premises automated infrastructure

takes a strategic plan and functional design and moves it into production, with a focus of Hybrid IT and Intelligent Edge

NEW QUESTION 103

A customer contacts you for assistance to expand an HPE Synergy environment. The existing environment contains:

- one Synergy 12000 frame
- two Composers
- eight SY480 Compute Modules -1 CPU - 384GB RAM - 3820C 10/20GbE CNA
- one D3940 Storage Module

The new requirement is 16 Gb FC connectivity to a newly-deployed 3PAR storage array
Which components should you include? (Select two.)

- A. HPE Synergy FC License Upgrade per Composer pair
B. an additional Virtual Connect SE 40 Gb F8
C. two QSFP+ AOC/DAC cables for ICM clustering
D. a second CPU per Compute Module
E. Synergy 3830C Host Bus Adapter

Answer: CD

NEW QUESTION 105

While discussing data reduction technologies, a customer is concerned their data may not compress or deduplicate well.

Which tools should you use to read actual customer data and assess the amount of data reduction savings they may achieve? (Choose two.)

- A. NinjaCrawler
B. Nimble Space Savings Estimator
C. NinjaSTARS for Nimble
D. NinjaSTARS

Answer: BD

NEW QUESTION 108

You proposed a Nimble AF60 solution with 8x 10GbaseT ports to a customer. The raw capacity is 167 TiB. The customer's growth expectations have changed, and they now request a solution that supports 334 TiB of raw storage instead.

Which benefit is gained by each proposed solution? (Choose all that apply.)

Answer Area

Solution		Benefit
HPE 3PAR StoreServ 9450		adding multi-tenancy to the solution
HPE Nimble Storage AF80		increasing capacity only
HPE Nimble Storage AFS3		increasing max IOPS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Solution		Benefit
HPE 3PAR StoreServ 9450	HPE Nimble Storage AFS3	adding multi-tenancy to the solution
HPE Nimble Storage AF80	HPE 3PAR StoreServ 9450	increasing capacity only
HPE Nimble Storage AFS3	HPE Nimble Storage AF80	increasing max IOPS

NEW QUESTION 113

A customer requires front panel access for their Gen10 servers. What is required to meet this need?

- A. a USB 2.0 Ethernet adapter
- B. an installed iLo Advance license
- C. Secure Boot enabled
- D. Two-factor authentication enabled

Answer: B

NEW QUESTION 118

A customer runs a virtualized application with the data stored on the servers local storage. They back up the virtual machines to an external tape drive, but backup and recovery takes too long They would like to make their VM backup and recovery as fast as possible. Which solution should you recommend?

- A. Data Protector
- B. HPE MSA 2052
- C. HPE SimpliVity 380
- D. HPE StoreOnce

Answer: C

NEW QUESTION 119

A customer asks you about the features of the HPE SimpliVity, such as performance, availability, efficiency, and protection. Which statement is correct about an HPE SimpliVity solution that enables these features?

- A. The OmniStack Accelerator Card (OAC) contains a FPGA programmed with HPE SimpliVity deduplication, compression, and optimization algorithms.
- B. The OmniStack Accelerator Card (OAC) connects directly to the iSCSI VIP address enabled by the OVC.
- C. The OmniStack Accelerator Card (OAC) has direct hardware access to the two PCIe cards through VM direct path IO.
- D. The OmniStack Virtual Controller(OVC) creates an iSCSI datastore where the hypervisor stores the workload VMs.

Answer: A

NEW QUESTION 121

Match each use case to its networking platform.

Aruba

FlexFabric

Composable Fabric

Answer Area

Networking Platform	Use Case
	campus and branch networking
	Hyper Converged Networking
	integration with SimpliVity
	traditional data center networking

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Aruba

FlexFabric

Composable Fabric

Answer Area

Networking Platform	Use Case
Composable Fabric	campus and branch networking
Composable Fabric	Hyper Converged Networking
FlexFabric	integration with SimpliVity
Aruba	traditional data center networking

NEW QUESTION 124

A customer needs a VMware Horizon VDI solution with accelerated GPU support. They need the highest density GPU solution available. Which solution should you recommend?

- A. HPE WS460c Gen9 Graphics Server Blade with graphics expansion
- B. HPE Apollo r2600 with RCM Module
- C. HPE Synergy SY 480 with multi-MXM expansion module
- D. HPE DL360 Gen10 with primary GPU riser

Answer: C

NEW QUESTION 129

Which HPE solution uses Integrated Lights Out (iLO) and Integrated Systems Manager (iSM) for an optimal infrastructure management experience?

- A. HPE Synergy 12000 Frame
- B. HPE Edgeline 4000
- C. HPE Apollo 8000 series
- D. HPE SimpliVity 2600

Answer: B

NEW QUESTION 131

Which HPE tool combines performance metrics from multiple arrays?

- A. NinjaStars
- B. SAF Analyze

- C. NinjaCrawler
- D. SAF Collect

Answer: D

NEW QUESTION 132

In preparation for a customer presentation, you need to provide meaningful estimates of cooling requirements for HPE ProLiant, HPE Apollo, and HPE Synergy servers.
What should you use?

- A. HPE Synergy Planning Tool
- B. HPE Proposal Web
- C. HPE Server Memory Configurator
- D. HPE Power Advisor

Answer: D

NEW QUESTION 134

Match the appropriate server, storage, or networking platform to the workload. (Choose all that apply.)

Answer Area

HPE Service		Description
HPE Apollo		The customer requires an integrated solution, with storage, network, computer, and virtualization.
HPE ProLiant ML/DL		The customer requires a traditional infrastructure and fewer servers.
HPE SimpliVity		The customer requires modular infrastructure and many servers.
HPE Synergy		The customer requires purpose-built platform for HPC workloads.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

HPE Service		Description
HPE Apollo	HPE Synergy	The customer requires an integrated solution, with storage, network, computer, and virtualization.
HPE ProLiant ML/DL	HPE ProLiant ML/DL	The customer requires a traditional infrastructure and fewer servers.
HPE SimpliVity	HPE SimpliVity	The customer requires modular infrastructure and many servers.
HPE Synergy	HPE Apollo	The customer requires purpose-built platform for HPC workloads.

NEW QUESTION 138

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

HPE0-S57 Practice Exam Features:

- * HPE0-S57 Questions and Answers Updated Frequently
- * HPE0-S57 Practice Questions Verified by Expert Senior Certified Staff
- * HPE0-S57 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE0-S57 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The HPE0-S57 Practice Test Here](#)