

Exam Questions HPE0-V14

Building HPE Hybrid IT Solutions

<https://www.2passeasy.com/dumps/HPE0-V14/>



NEW QUESTION 1

- (Exam Topic 1)

You have configured a port on an HPE FlexFabric 5900 series switch that is connected to a VMware ESXi server to support multiple VLANs.

```
interface Ten-GigabitEthernet 1/0/11 description server ESXi01 -eth1 port link-type trunk
port trunk permit vlan 50 port trunk permit vlan 2 port trunk pvid vlan 50
```

Given the configuration above, what should happen to any of the untagged traffic coming from the VMware ESXi host?

- A. The untagged traffic with be dropped.
- B. The untagged traffic will be transmitted in vlan 2.
- C. The untagged traffic will be transmitted in vlan 50.
- D. The untagged traffic will be transmitted in vlan 1.

Answer: C

NEW QUESTION 2

- (Exam Topic 1)

Match the speed and protocol with the appropriate component.

Component

SFP+

QSFP28

Mini-SAS HD 4x

Speed and Protocol

10GbE

12Gb SAS

100GbE

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Component

SFP+

QSFP28

Mini-SAS HD 4x

Speed and Protocol

10GbE

12Gb SAS

100GbE

NEW QUESTION 3

- (Exam Topic 1)

Refer to the exhibit.

```

172.16.5.1 - PuTTY
K11-S14-A: admin> portshow 0/0/1
portIndex:      1
portName: port1
portHealth:      Fabric vision license not present. Please install the license and retry the operation.

Authentication: None
portDisableReason: None
portCFlags: 0x1
portFlags: 0x20b03 PRESENT ACTIVE F_PORT G_PORT U_PORT LOGICAL_ONLINE LOGIN NOELP ACCEPT FLOGI
LocalSwcFlags: 0x0
portType: 18.0
PDP Port: Port is licensed
portState: 1 Online
Protocol: FC
portPhys: 6 In_Sync portScn: 32 F_Port
port generation number: 0
state transition count: 1

portId: 010100
portIfId: 43020015
portWwn: 20:01:c4:f5:7c:b3:25:e1
portWwn of device(s) connected:
    56:c9:ce:90:20:50:68:01
Distance: normal
portSpeed: N8Gbps

Credit Recovery: Inactive
Aoq: Inactive
FAA: Inactive
F_Trunk: Inactive
LE domain: 0
Peer beacon: Off
    
```

The information shown is displayed for a Nimble array you are installing. The customer's administrator has asked you for the speed at which the Nimble ports are connecting to their SAN switches, and you have run the command shown to determine the number of gigabits per second used by this port connection. What speed does the exhibit indicate is in use?


- A. 18
- B. 32
- C. 6
- D. 8

Answer: C

NEW QUESTION 4

- (Exam Topic 1)

Drag the correct protocols from the left to their appropriate area on the topology.




A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 5

- (Exam Topic 1)

An HPE customer wants to perform a simplified update of firmware and drivers among their 100 HPE Gen9 and Gen10 racked servers. Which HPE software tool should the customer use to minimize the time required to perform this activity.

- A. HPE Smart Update Manager
- B. HPE OneView Standard
- C. HPE ProLiant Support Pack
- D. HPE iLO Amplifier Pack

Answer: A

NEW QUESTION 6

- (Exam Topic 1)

A customer has a new virtual environment. They selected HPE servers for the environment in order to achieve better performance for their applications. Which HPE feature enables the customer to achieve this server performance improvement?

- A. embedded application
- B. workload performance advisor
- C. workload profile
- D. Active Health System

Answer: B

NEW QUESTION 7

- (Exam Topic 1)

What should you configure to limit the scope of broadcast domains in an Ethernet network?

- A. Trunks
- B. VSAN
- C. Static ARP
- D. VLAN

Answer: D

NEW QUESTION 8

- (Exam Topic 1)

A customer is considering an upgrade of their networking infrastructure with HPE FlexFabric 5940 series switch. Match the fan tray option with the airflow direction.

Answer Area

	<input type="text"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
Front to back	<input type="text"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
Back to front	<input type="text"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
	<input type="text"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

	<input type="text"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
Front to back	<input type="text"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
Back to front	<input type="text"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
	<input type="text"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

NEW QUESTION 9

- (Exam Topic 1)

HPE Support asks you to generate an SSD wear gauge report for local storage on an HPE DL360 Gen10 server running VMware. Which procedure will ensure that the server will boot directly into a maintenance state so you can generate the requested report?

- A. Changing the one-time boot option to Smart Storage Administrator in iLO web-based user interface
 B. Use Always On functionality of Intelligent Provisioning
 C. Changing the one-time boot option to Intelligent Provisioning in iLO web-based user interface
 D. Click Boot to System Setup Utilities in iLO web-based user interface
 E. Changing the one-time boot option to Intelligent Provisioning in HPE OneView

Answer: A

NEW QUESTION 10

- (Exam Topic 1)

A customer has two HPE ProLiant Gen10 servers. They both require firmware installation. Which HPE tool should you recommend for performing this task?

- A. OneView Advanced
 B. iLO Amplifier Pack
 C. Smart Update Manager
 D. OneView Standard

Answer: C

NEW QUESTION 10

- (Exam Topic 1)

A customer is planning to deploy a new Top of Rack solution. They plan to use a stacking technology that meets the following requirements:
 Support for Multi Chassis Link Aggregation in an active-active mode. The control plane must not be a single point of failure.
 Rapid Fail-over. Unified Management.
 They require a maximum of two switches per stack.
 Which stacking technology meets the customer's requirements?

- A. HPE Intelligent Resilient Framework (IRF)
 B. HPE Distributed Trunking
 C. Aruba Virtual Switching Extension (VSX)
 D. Aruba Virtual Switching Framework (VSF)

Answer: C

NEW QUESTION 13

- (Exam Topic 1)

Match each HPE solution to its optimal use case.

Select and Place:

Answer Area

HPE Solution		Use Case
HPE Proliant Microserver		General Purpose Computing, Virtualization Clusters, Enterprise Applications
HPE Proliant ML/DL		NAS Storage, File Sync and Share for Remote/Mobile users
HPE StoreEasy		Remote Office, Low Cost, Quiet Operation, Office environment
HPE StoreOnce		Space-efficient Backups, Backup Replication, Cloud-based Archiving

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Select and Place:

Answer Area

HPE Solution		Use Case
HPE Proliant Microserver	HPE Proliant ML/DL	General Purpose Computing, Virtualization Clusters, Enterprise Applications
HPE Proliant ML/DL	HPE StoreEasy	NAS Storage, File Sync and Share for Remote/Mobile users
HPE StoreEasy	HPE Proliant Microserver	Remote Office, Low Cost, Quiet Operation, Office environment
HPE StoreOnce	HPE StoreOnce	Space-efficient Backups, Backup Replication, Cloud-based Archiving

NEW QUESTION 14

- (Exam Topic 1)

Match each HPE solution to its corresponding technology usage.

Answer Area

HPE Solution		Usage
HPE OneView Advanced		single-pane management and monitoring for selected HPE devices
HPE ProLiant		industry-leading server platform for a broad range of workloads
HPE Simplivity		purpose-built hyperconverged solution

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

HPE Solution		Usage
HPE OneView Advanced	HPE OneView Advanced	single-pane management and monitoring for selected HPE devices
HPE ProLiant	HPE ProLiant	industry-leading server platform for a broad range of workloads
HPE Simplivity	HPE Simplivity	purpose-built hyperconverged solution

NEW QUESTION 15

- (Exam Topic 1)

A customer needs a new environment to support an ERP system. The sizing information you received shows the following requirements:

3 servers with dual AMD processors, 256GB RAM, and 10Gb network connectivity


10TB of high performance shared storage

Cloud-based performance monitoring and analytics

The customer prefers rack mounted equipment.

Identify the components that will meet the customer requirements, then drag the correct components on the left to their appropriate location in the environment on the right.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 19

- (Exam Topic 1)

An administrator is using 4k block sizes on an iSCSI array. The administrator wants to optimize that packet size to decrease the header overhead in the IP traffic flow.

What feature should be enabled on the entire Layer 2 domain?

- A. Jumbo Frames
- B. Data Center Bridging
- C. RDMA over converged Ethernet
- D. Intelligent Resilient Framework (IRF)

Answer: A

NEW QUESTION 23

- (Exam Topic 1)

A security client needs a surveillance solution to support 239 Cameras. They expect to generate 2PB of data and require a 10Gb network infrastructure in a single rack.

Which solution should you recommend to meet the customer requirements?

- A. HPE Moonshot
- B. HPE MSA
- C. HPE Apollo Servers
- D. HPE SimpliVity 380

Answer: C

NEW QUESTION 24

- (Exam Topic 1)

What is the most important difference between an HPE ProLiant DL380 Gen10 server and an HPE ProLiant DL385 Gen10 server?

- A. Disk Drives
- B. Power Supplies
- C. Network Cards
- D. Processors

Answer: A

NEW QUESTION 25

- (Exam Topic 1)

Which backup targets are available from an HPE StoreOnce backup system? (Choose two.)

- A. VTL
- B. Catalyst
- C. NVMe
- D. S3
- E. iSCSI

Answer: AB

NEW QUESTION 26

- (Exam Topic 1)

A solution integrator is installing new equipment to the rack.

Click the recommended location for HPE R/T3000 Extended Runtime Module.


Hot Area:



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 27

- (Exam Topic 1)

A customer needs a virtual desktop infrastructure environment to quickly deploy new desktop images to more than 70 onsite contractors. They plan to use HPE ProLiant DL360 Gen10 servers running VMware ESXi connected to a shared storage device. The customer requires deduplication because they are concerned about the required storage capacity for the full clone images.

Which storage device would best address their concerns?

- A. HPE MSA 1040
- B. HPE MSA 2052
- C. HPE Nimble AF20
- D. HPE Nimble HF20C

Answer: D

NEW QUESTION 32

- (Exam Topic 1)

A client complains about systems reliability issues caused by their staff's inability to identify the root cause of failures. The client's lead administrator wants to automatically send data from HPE OneView to additional listeners in the network.

What should you configure in HPE OneView to enable the external monitoring of the managed devices?

- A. Configure a scope to include the listener.
- B. Configure SNMP Trap Forwarding.
- C. Configure scheduled reports to export the data to the listener.
- D. Configure the listener as a managed device.

Answer: B

NEW QUESTION 36

- (Exam Topic 1)

A customer just purchased a ProLiant 300 series Gen10 server and wants to install the latest version of Windows. Which feature of this server will assist the customer with the initial Windows installation?

- A. HPE SSA Diagnostics
- B. HPE SmartStart
- C. Smart Storage Administrator
- D. Intelligent Provisioning

Answer: D

NEW QUESTION 37

- (Exam Topic 1)

What is a feature of the MSA 1050 that will help your Storage Customer better utilize storage resources?

- A. block, file, and object access
- B. Triple+ parity RAID
- C. Automated Tiering
- D. 99.9999% guaranteed availability

Answer: C

NEW QUESTION 41

- (Exam Topic 1)

A customer needs a new VMware environment for a critical stock trading application and will need high performance compute and low latency storage. Identify the correct component configurations on the left and drag them to the answer area on the right. (Choose two.)

Select and Place:

Options

Two HPE DL380 Gen10 servers with two Intel Xeon-Bronze 3104 processors, 64GB of memory, two dual 10Gb NICs, dual 800W power supplies, and high temperature fan kit.

Two HPE DL380 Gen10 servers with two Intel Xeon-Platinum 8270 processors, 256GB of memory, two dual 10Gb NICs, dual 800W power supplies, and high temperature fan kit.

HPE Nimble HF20H with 11TB storage, 960GB of cache, and dual port 10GbE NIC

HPE Nimble AF20 with 11TB storage, and dual port 10GbE NIC

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Select and Place:

Options

Two HPE DL380 Gen10 servers with two Intel Xeon-Bronze 3104 processors, 64GB of memory, two dual 10Gb NICs, dual 800W power supplies, and high temperature fan kit.

Two HPE DL380 Gen10 servers with two Intel Xeon-Platinum 8270 processors, 256GB of memory, two dual 10Gb NICs, dual 800W power supplies, and high temperature fan kit.

HPE Nimble HF20H with 11TB storage, 960GB of cache, and dual port 10GbE NIC

HPE Nimble AF20 with 11TB storage, and dual port 10GbE NIC

Answer Area

NEW QUESTION 43

- (Exam Topic 1)

What is an access port on an Ethernet switch?

- A. A port that carries FCP frames inside the network
- B. A port that carries mulitple VLANs
- C. A port that is connected to an FCF
- D. A port that carries untagged frames inside the network

Answer: D

NEW QUESTION 46

- (Exam Topic 1)

A customer has requested that you provide them with an architecture and bill-of-materials for a stack of top-of-rack switches. The customer has 34 HPE DL360 servers in the rack, each with four 1GBASE-T Ethernet ports which need to be connected to the network. The customer is upgrading 50% of the 1GBASE-T Ethernet ports on the servers to 10GBASE-T Ethernet ports and needs the switching to support the upgraded servers. They are opposed to a chassis switch, and want to keep their number of managed devices on the network to a minimum. Which architecture meets the customer requirements?

- A. One VSX stack of four Aruba 8320 48-port 1/10GBASE-T switches
- B. Two IRF stacks of two HPE 5710 48-port 1/10GBASE-T switches
- C. One IRF stack of four HPE 5710 48-port 1/10GBASE-T switches
- D. Two VSX stacks of two Aruba 8320 48-port 1/10GBASE-T switches

Answer: A

NEW QUESTION 49

- (Exam Topic 1)

A customer is planning to deploy a branch office server rack. The environment will have the following requirements: Single rack with 20 HPE ProLiant DL360 Gen10 Servers. Each Server will have 6 x 10G SFP+ Ports. Each Server will have a dedicated iLO port. The customer requires that only two switches be used. The customer requires separate control planes. Which switch configuration can meet these requirements?

- A. 2 x HPE 5945 Series switch with IRF
- B. 2 x Aruba 8325 Series switches with VSX
- C. 2 x HPE 5945 Series switches standalone
- D. 2 x Aruba 8325 Series switches with backplane stacking

Answer: A

NEW QUESTION 53

- (Exam Topic 2)

A customer has a small branch office that requires a tower-based server solution. The customer runs office-based applications and wants lights-out management capability. Which HPE server family meets the customer's needs?

- A. ProLiant ML
- B. ProLiant DL
- C. ProLiant BL
- D. ProLiant MicroServer

Answer: A

NEW QUESTION 54

- (Exam Topic 2)

A customer is building out their rack of servers and storage systems. They need a high-performance network with a simple centralized management capability and deep buffer support for iSCSI. They expect high growth in their virtualization environment. Which solution will best meet the customer's needs?

- A. Aruba
- B. Altoline
- C. Arista
- D. FlexFabric

Answer: D

NEW QUESTION 59

- (Exam Topic 2)

Match each workload profile description with the corresponding profile. (Select all that apply.)

Profile		Description
Mission Critical	<input type="text"/>	Maximizes processor speed
Transactional Application Processing	<input type="text"/>	Large number of database operations
General Peak Frequency Compute	<input type="text"/>	Trades performance for reliability

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Missing Critical - Large number of database operations

Transactional Application Processing - Trades performance for reliability

General Peak Frequency Compute - Maximize processor speed

NEW QUESTION 61

- (Exam Topic 2)

A customer needs a video archive repository initially starting at 30TB internal storage. The repository is expected to grow at 20% annually and should have a lifespan of 3 years.

Which HPE ProLiant server solution meets the customer's requirements?

- A. HPE ProLiant DL560 Gen10 with LFF SAS drives
- B. HPE ProLiant DL380 Gen10 with LFF SAS drives
- C. HPE ProLiant ML110 with SFF SAS drives
- D. HPE ProLiant DL560 Gen9 with SFF SAS drives

Answer: B

NEW QUESTION 63

- (Exam Topic 2)

You are configuring a FlexFabric switch for a customer environment. The customer has requested specific SFP+ transceivers, power options, and cables.

Which HPE tool enables you to select and configure a switch according to precise specifications?


- A. Single Point of Connectivity Knowledge (SPOCK)
- B. Networking Online Configurator
- C. One Config Simple (OCS)
- D. Switch Selector

Answer: C

NEW QUESTION 64

- (Exam Topic 2)

Exhibit:



- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 66

- (Exam Topic 2)

A customer needs to enable HPE Proactive Care and automated case creation for server hardware failures in their OneView environment. Which step do you need to complete in OneView to accomplish these tasks?

- A. Enable remote support from the Settings page.
- B. Apply the OneView Advanced monitoring license.
- C. Add the hosts to the managed devices group.
- D. Configure proactive scan reports.

Answer: A

NEW QUESTION 70

- (Exam Topic 2)

A customer is considering an HPE ProLiant DL380 Gen10 server for their data center. The customer runs a large Oracle database. They need to increase performance and reduce their licensing costs.

Which feature of HPE Gen10 servers offers these benefits?

- A. workload profile matching
- B. agentless management
- C. jitter smoothing
- D. core boosting

Answer: D

NEW QUESTION 74

- (Exam Topic 2)

A customer needs a solution that will maintain data availability in their campus location. They require a multi-node system that can sustain multiple failures, including a full building outage.

Which HPE storage platform meets the customer's needs?

- A. Nimble
- B. StoreVirtual
- C. StoreEasy
- D. MSA

Answer: D

NEW QUESTION 75

- (Exam Topic 2)

Match the storage technology to the storage type.

Block

File

Technology

Type

iSCSI

CIFS

SAN

NFS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

BLOCK = iSCSi

File = CIFS BLOCK = SAN

File = NFS

NEW QUESTION 76

- (Exam Topic 2)

You are installing a data center switch.

Which methods are recommended to configure the switch? (Choose two.)

- A. Use out-of-band management with a dedicated management connection
- B. Use in-band management with an IP address and subnet mask that is reachable on the management network

- C. Use out-of-band management and keep the default settings
- D. Use in-band management and configure the AUX0 interface for scheme authentication

Answer: AB

NEW QUESTION 81

- (Exam Topic 2)

A customer requires a storage platform for their department data. They have a limited budget and will be sharing files among their Microsoft Windows environment. Which HPE storage platform meets the customer's needs?

- A. Nimble
- B. StoreOnce
- C. 3PAR StoreServ
- D. StoreEasy

Answer: D

NEW QUESTION 85

- (Exam Topic 2)

A customer needs to support both network and storage traffic on their network, which includes Ethernet, iSCSi, and Fibre Channel devices. The customer is concerned about the large amount of cables coming from the various cards inserted in their rack servers, as well as the operational costs in their data center. Which component addresses these issues?

- A. Converged network adapter
- B. Dual-port 10 GbE FlexLOM
- C. Dynamic Smart Array controller
- D. Fibre Channel host bus adapter

Answer: A

NEW QUESTION 90

- (Exam Topic 2)

A customer needs to share files cost-effectively among their Microsoft Windows server over a local network. Which storage solution meets this requirement?

- A. Storage Area Network (SAN)
- B. Network File System (NFS)
- C. Direct Attached Storage (DAS)
- D. Network Attached Storage (NAS)

Answer: D

NEW QUESTION 91

- (Exam Topic 2)

A customer needs to know if the storage solution you proposed contains components that are compatible with existing products currently in the data center. Which HPE resource should you use to provide this information?

- A. Storage Size
- B. One Config Advance (OCA)
- C. One Config Simple (OCS)
- D. Single Point of Connectivity Knowledge (SPOCK)

Answer: D

NEW QUESTION 94

- (Exam Topic 2)

A customer is upgrading their network infrastructure to provide the best performance for IP storage. Which technologies in a network switch meet the customer's needs? (Choose three.)

- A. Jumbo Frames
- B. Deep Packet Buffers
- C. LLDP Support
- D. MLAG Support
- E. Fibre Channel Support
- F. Static Routing

Answer: ABD

NEW QUESTION 97

- (Exam Topic 2)

You are installing an HPE ProLiant server that has a shared network port for iLO and NIC teaming. You need to ensure that you can still access iLO after configuring the NIC team. Which teaming technology should you configure?

- A. round robin
- B. switch-assisted load balancing
- C. receive load balancing
- D. network fault tolerance

Answer: D

NEW QUESTION 102

- (Exam Topic 2)

You are troubleshooting a POST error on a HPE ProLiant rack-mount server. HPE support has directed you to test a minimum hardware configuration. Which components should you remove? (Choose two.)

- A. CMOS battery
- B. all cooling fans
- C. all expansion boards
- D. all external storage media
- E. redundant processors

Answer: DE

NEW QUESTION 103

- (Exam Topic 2)

Which two HPE applications are installed on Windows operating systems with intelligent Provisioning? (Choose two.)

- A. Lights-Out Online Configuration Utility
- B. OneView
- C. UEFI Control Suite
- D. Intelligent Management Center
- E. Smart Storage Administrator

Answer: AE

NEW QUESTION 107

- (Exam Topic 2)

You are creating a logical array on an HPE ProLiant server. The customer asks you to use drives with different capacities in a single array. What should you explain to this customer?

- A. Using drives with different capacities in a single array increases the chance of disk failure
- B. The extra capacity of the larger drives will not be utilized
- C. The process to create the array will fail, and the server will not boot
- D. The RAID level will be set at RAID 0 automatically

Answer: B

NEW QUESTION 108

- (Exam Topic 2)

A customer needs to share files among their Microsoft Windows servers cost-effectively and requires disaster support. Which native StoreEasy features will address the customer's need? (select two) recovery

- A. Dual controller architecture
- B. DFS-Replication
- C. Microsoft Azure support
- D. Enhanced data deduplication
- E. File classification infrastructure

Answer: CD

NEW QUESTION 112

- (Exam Topic 2)

You are installing a rack at customer site.

How can you ensure redundant power to the rack?

- A. Install two power distribution units (PDUs) with each one connected to a power socket supplied by an independent electrical power source.
- B. Ensure 3-phase power is available in the data center.
- C. Connect an uninterruptible power supply (UPS) to redundant circuit breakers at the facility power source.
- D. Use two different power cords to connect the server to the power grid at the customer site.

Answer: C

NEW QUESTION 117

- (Exam Topic 2)

A customer needs a solution that supports rapid provisioning changes on physical bare-metal servers and on a virtualization hypervisor. They are considering migrating to a new solution that supports software-defined storage.

Which HPE compute platform should the customer implement?

- A. ProLiant DL
- B. BladeSystem
- C. Synergy
- D. SimpliVity

Answer: C

NEW QUESTION 119

- (Exam Topic 2)

A customer needs to virtualize their storage across physical servers and storage environments. Which HPE solution meets the customer's needs?

- A. Nimble CS3000
- B. StoreVirtual 4335
- C. StoreVirtual VSA
- D. MSA 2050

Answer: C

NEW QUESTION 123

- (Exam Topic 2)

Match the feature to the lowest iLO5 license in which it is available

	Answer Area	
	License	Feature
HPE iLO Essentials		Automatic Secure Recovery of firmware
HPE iLO Scale-Out		Common Access Card (CAC) 2-factor authentication
HPE iLO Advanced		Virtual Media
HPE iLO Advanced Premium Security Edition		Secure Erase of NAND Data: Sanitization of flash parts to ensure a pristine server configuration for redeployment

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Last - last 3-2

1-1

3-3

NEW QUESTION 125

- (Exam Topic 2)

A customer requires a recovery strategy that provides multiple rollback points during the day for their Microsoft SQL database. The customer needs to be able to recover data instantly.

Which method meets this requirement?

- A. offsite log shipping
- B. tape copy
- C. storage replication
- D. snapshot

Answer: D

NEW QUESTION 126

- (Exam Topic 2)

You are installing a HPE MSA storage system and need to connect the power cooling module (PCM). What should you do to ensure power redundancy?

- A. Ensure that a physical service processor is properly connected to each PCM
- B. Verify that each cooling fan is cabled to a separate controller
- C. Connect each PCM within a shelf to a different power distribution unit (PDU)
- D. Connect redundant power cords from the PCM controller to independent power supplies

Answer: C

NEW QUESTION 129

- (Exam Topic 2)

You are discussing storage types with a customer that is configuring their NAS solution. The company's application developers use user-generated media and image files.

For which type of data should this customer use file storage?

- A. Mass storage
- B. Microsoft Exchange database
- C. Server boot volumes
- D. VDI applications

Answer: A

NEW QUESTION 132

- (Exam Topic 2)

While troubleshooting a HPE ProLiant Gen10 rack-mount server, you determine that the current and backup system ROMs are corrupt. What should be the next step to fix the server?

- A. Restore the system firmware from a USB drive
- B. Restore the system firmware from a UEFI shell prompt
- C. Replace the CMOS battery
- D. Restore the system firmware from the iLO repository
- E. Replace the system board

Answer: E

NEW QUESTION 136

- (Exam Topic 2)

A customer needs to deploy an application on a newly-installed HPE ProLiant server, but they report that the server is not online. They call you for remote support. The IP address on the production network cannot be reached. You are evaluating the probable root causes of this issue. According to the troubleshooting methodology, what are next two steps? (Select two)

- A. Remote console into the ToR switch to check the server's port configuration.
- B. Log in to iLO to see if the server hardware and NIC are online and configured correctly.
- C. Use OneView to see if the server firmware is up-to-date
- D. Run insight Diagnostics on the Server
- E. Use Microsoft Remote Desktop or VNC to check the server's NIC and IP address configuration

Answer: BD

NEW QUESTION 140

- (Exam Topic 2)

You are designing a system for a customer that has a contract with a government agency. The contract requires the highest level of security algorithms possible. Which HPE ProLiant Gen10 feature set will address this customer's needs?

- A. CNSA mode
- B. FIPS 140-2 mode
- C. high security mode
- D. production mode

Answer: A

NEW QUESTION 144

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual HPE0-V14 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the HPE0-V14 Product From:

<https://www.2passeasy.com/dumps/HPE0-V14/>

Money Back Guarantee

HPE0-V14 Practice Exam Features:

- * HPE0-V14 Questions and Answers Updated Frequently
- * HPE0-V14 Practice Questions Verified by Expert Senior Certified Staff
- * HPE0-V14 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE0-V14 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year