

1z0-082 Dumps

Oracle Database Administration I

<https://www.certleader.com/1z0-082-dumps.html>



NEW QUESTION 1

Table EMPLOYEES contains columns including EMPLOYEE_ID, JOB_ID and SALARY. Only the EMPLOYEE_ID column is indexed. Rows exist for employees 100 and 200. Examine this statement:

```
UPDATE employees
   SET (job_id, salary) =
      (SELECT job_id, salary
       FROM employees
       WHERE employee_id = 200)
 WHERE employee_id = 100;
```

Which two statements are true? (Choose two.)

- A. Employee 100 will have SALARY set to the same value as the SALARY of employee 200
- B. Employee 200 will have JOB_ID set to the same value as the JOB_ID of employee 100
- C. Employee 200 will have SALARY set to the same value as the SALARY of employee 100
- D. Employee 100 will have JOB_ID set to the same value as the JOB_ID of employee 200
- E. Employees 100 and 200 will have the same JOB_ID as before the update command
- F. Employees 100 and 200 will have the same SALARY as before the update command

Answer: AB

NEW QUESTION 2

Examine this description of the TRANSACTIONS table:

Name	Null?	Type
TRANSACTION_ID	NOT NULL	VARCHAR2 (6)
TRANSACTION_DATE		DATE
AMOUNT		NUMBER (10, 2)
CUSTOMER_ID		VARCHAR2 (6)

Which two SQL statements execute successfully? (Choose two.)

- A. SELECT customer_id AS "CUSTOMER-ID", transaction_date AS DATE, amount + 100 "DUES" FROM transactions;
- B. SELECT customer_id AS "CUSTOMER-ID", transaction_date AS "DATE", amount + 100 DUES FROM transactions;
- C. SELECT customer_id AS CUSTOMER-ID, transaction_date AS TRANS_DATE, amount + 100 "DUES AMOUNT" FROM transactions;
- D. SELECT customer_id CUSTID, transaction_date TRANS_DATE, amount + 100 DUES FROM transactions;
- E. SELECT customer_id AS 'CUSTOMER-ID', transaction_date AS DATE, amount + 100 'DUES AMOUNT' FROM transactions;

Answer: BD

NEW QUESTION 3

Which three statements are true about views in an Oracle database? (Choose three.)

- A. Views can be updated without the need to re-grant privileges on the view
- B. Tables in the defining query of a view must always exist in order to create the view
- C. The WITH CHECK clause prevents certain rows from being displayed when querying the view
- D. Data Manipulation Language (DML) can always be used on views
- E. Inserting one or more rows using a view whose defining query contains a GROUP BY clause will cause an error
- F. Deleting one or more rows using a view whose defining query contains a GROUP BY clause will cause an error
- G. The WITH CHECK clause prevents certain rows from being updated or inserted

Answer: BDE

NEW QUESTION 4

Which two statements are true about the Automatic Diagnostic Repository (ADR)? (Choose two.)

- A. The ADR base defaults to \$ORACLE_HOME/rdbms/admin if neither DIAGNOSTIC_DEST nor ORACLE_BASE is set
- B. The ADR base defaults to \$ORACLE_HOME/dbs if the DIAGNOSTIC_DEST parameter and the ORACLE_BASE environment variable are not set
- C. It supports diagnostics for Automatic Storage Management (ASM)
- D. It supports diagnostics for Oracle Clusterware
- E. It is held inside an Oracle database schema

Answer: AE

NEW QUESTION 5

Which two statements are true about date/time functions in a session where NLS_DATE_FORMAT is set to DD-MON-YYYY HH24:MI:SS? (Choose two.)

- A. CURRENT_TIMESTAMP returns the same date and time as SYSDATE with additional details of fractional seconds
- B. SYSDATE can be queried only from the DUAL table
- C. CURRENT_DATE returns the current date and time as per the session time zone

- D. SYSDATE can be used in expressions only if the default date format is DD-MON-RR
E. SYSDATE and CURRENT_DATE return the current date and time set for the operating system of the database server
F. CURRENT_TIMESTAMP returns the same date as CURRENT_DATE

Answer: BC

NEW QUESTION 6

In the ORCL database, UNDOTBS1 is the active undo tablespace with these properties:

- \1. A size of 100 MB
\2. AUTOEXTEND is off
\3. UNDO_RETENTION is set to 15 minutes
\4. It has RETENTION GUARANTEE

UNDOTBS1 fills with uncommitted undo 10 minutes after the database opens. What will happen when the next update is attempted by any transaction?

- A. It succeeds and the generated undo is stored in SYSTEM.
B. It fails and returns the error message "ORA-30036: unable to extend segment by 8 in undo tablespace 'UNDOTBS1' ".
C. It succeeds and the least recently written undo block of UNDOTBS1 is overwritten by the generated undo.
D. It succeeds and the generated undo is stored in SYSAUX.
E. It succeeds and the least recently read undo block of UNDOTBS1 is overwritten by the generated undo.

Answer: C

NEW QUESTION 7

In your data center, Oracle Managed Files (OMF) is used for all databases. All tablespaces are smallfile tablespaces.

SALES_Q1 is a permanent user-defined tablespace in the SALES database.

Examine this command which is about to be issued by a DBA logged in to the SALES database: ALTER TABLESPACE sales_q1 ADD DATAFILE;

Which are two actions, either one of which you could take to ensure that the command executes successfully? (Choose two.)

- A. Ensure that DB_RECOVERY_FILE_DEST and DB_CREATE_FILE_DEST each specify with at least 50 Mb of available space.
B. Specify a path in the DATAFILE clause of the command specifying a location with at least 100M of available space.
C. Ensure that DB_CREATE_FILE_DEST specifies a location with at least 100 Mb of available space.
D. Add the AUTOEXTEND ON clause with NEXT set to 100M.
E. Ensure that DB_RECOVERY_FILE_DEST and DB_CREATE_FILE_DEST each specify locations with at least 50 Mb of available space.

Answer: BD

NEW QUESTION 8

Which two statements are true about the PMON background process? (Choose two.)

- A. It registers database services with all local and remote listeners known to the database instance
B. It frees resources held by abnormally terminated processes
C. It records checkpoint information in the control file
D. It frees unused temporary segments
E. It kills sessions that exceed idle time

Answer: AB

NEW QUESTION 9

Which four statements are true regarding primary and foreign key constraints and the effect they can have on table data? (Choose four.)

- A. A table can have only one primary key but multiple foreign keys
B. A table can have only one primary key and foreign key
C. The foreign key columns and parent table primary key columns must have the same names
D. It is possible for child rows that have a foreign key to remain in the child table at the time the parent row is deleted
E. It is possible for child rows that have a foreign key to be deleted automatically from the child table at the time the parent row is deleted
F. Only the primary key can be defined at the column and table level
G. Primary key and foreign key constraints can be defined at both the column and table level

Answer: ACEG

NEW QUESTION 10

Examine the description of the BOOKS table:

Name	Null?	Type
-----	-----	-----
TRANSACTION_ID	NOT NULL	VARCHAR2 (6)
TRANSACTION_DATE		DATE
AMOUNT		NUMBER (10, 2)
CUSTOMER_ID		VARCHAR2 (6)

The table has 100 rows.

Examine this sequence of statements issued in a new session:

INSERT INTO books VALUES ('ADV112', 'Adventures of Tom Sawyer', NULL, NULL); SAVEPOINT a;

DELETE FROM books; ROLLBACK TO SAVEPOINT a; ROLLBACK;

Which two statements are true? (Choose two.)

- A. The second ROLLBACK command does nothing
- B. The second ROLLBACK command replays the delete
- C. The first ROLLBACK command restores the 101 rows that were deleted, leaving the inserted row still to be committed
- D. The second ROLLBACK command undoes the insert
- E. The first ROLLBACK command restores the 101 rows that were deleted and commits the inserted row

Answer: DE

NEW QUESTION 10

Which three statements are true about Oracle synonyms? (Choose three.)

- A. A synonym cannot be created for a PL/SQL package
- B. A synonym can be available to all users
- C. A SEQUENCE can have a synonym
- D. A synonym created by one user can refer to an object belonging to another user
- E. Any user can drop a PUBLIC synonym

Answer: BCD

NEW QUESTION 14

Examine this command and some partial output:

```
LSNRCTL> start LISTENER_1

Listening Endpoints Summary...
  (DESCRIPTION=(ADDRESS=PROTOCOL=tcp) (HOST=host01.abc.com) (PORT=1562)))
Services Summary...
Service "DB01.abc.com " has 1 instance(s).
  Instance "DB01", status UNKNOWN, has 1 handler(s) for this service...
The command completed successfully
```

Why does the DB01.abc.com service show unknown status?

- A. The service DB01.abc.com is dynamically registered
- B. The LOCAL_LISTENER database parameter is not set to a service name that refers to LISTENER_1
- C. The service DB01.abc.com is statically registered
- D. The listener is not listening on the default port 1521
- E. The SID_LIST_LISTENER section is not contained in the LISTENER.ORA file

Answer: B

NEW QUESTION 17

Which three statements are true about undo segments and the use of undo by transactions in an Oracle database instance? (Choose three.)

- A. An undo segment may be used by multiple transactions simultaneously
- B. Undo segments can wrap around to the first extent when a transaction fills the last extent of the undo segment
- C. Undo segments have a minimum of three extents
- D. Undo segments can extend when a transaction fills the last extent of the undo segment
- E. A single transaction may use multiple undo segments simultaneously
- F. Undo segments must be stored in a BIGFILE tablespace
- G. Undo segments must be stored in a SMALLFILE tablespace

Answer: ADG

NEW QUESTION 22

In the SALES database, DEFERRED_SEGMENT_CREATION is TRUE. Examine this command:

```
SQL> CREATE TABLE T1(c1 INT PRIMARY KEY, c2 CLOB);
```

Which segment or segments, if any, are created as a result of executing the command?

- A. T1, an index segment for the primary key, a LOB segment, and a lobindex segment
- B. no segments are created
- C. T1 only
- D. T1 and an index segment created for the primary key only
- E. T1, an index segment for the primary key, and a LOB segment only

Answer: C

NEW QUESTION 24

Which three statements are true about the Oracle join and ANSI join syntax? (Choose three.)

- A. The Oracle join syntax supports creation of a Cartesian product of two tables
- B. The Oracle join syntax performs better than the SQL:1999 compliant ANSI join syntax
- C. The SQL:1999 compliant ANSI join syntax supports natural joins
- D. The SQL:1999 compliant ANSI join syntax supports creation of a Cartesian product of two tables
- E. The Oracle join syntax only supports right outer joins

- F. The Oracle join syntax supports natural joins
G. The Oracle join syntax performs less well than the SQL:1999 compliant ANSI join syntax

Answer: CDF

NEW QUESTION 28

Which statement is true about aggregate functions?

- A. Aggregate functions can be nested to any number of levels
B. The AVG function implicitly converts NULLS to zero
C. Aggregate functions can be used in any clause of a SELECT statement
D. The MAX and MIN functions can be used on columns with character data types

Answer: A

NEW QUESTION 33

Which three statements are true about a self-join? (Choose three.)

- A. The ON clause must be used
B. The query must use two different aliases for the table
C. It must be an equi join
D. It must be an inner join
E. The ON clause can be used
F. It can be an outer join

Answer: BDE

NEW QUESTION 38

Which two statements are true about the DUAL table? (Choose two.)

- A. It can be accessed only by the SYS user
B. It consists of a single row and single column of VARCHAR2 data type
C. It can display multiple rows but only a single column
D. It can be used to display only constants or pseudo columns
E. It can be accessed by any user who has the SELECT privilege in any schema
F. It can display multiple rows and columns

Answer: AB

NEW QUESTION 42

Examine the description of the PROMOTIONS table:

Name	Null?	Type

PROMO_ID	NOT NULL	NUMBER(6)
PROMO_NAME	NOT NULL	VARCHAR2(30)
PROMO_CATEGORY	NOT NULL	VARCHAR2(30)
PROMO_COST	NOT NULL	NUMBER(10,2)

You want to display the unique promotion costs in each promotion category. Which two queries can be used? (Choose two.)

- A. SELECT promo_cost, promo_category FROM promotions ORDER BY 1;
B. SELECT DISTINCT promo_cost || ' in ' || DISTINCT promo_category FROM promotions ORDER BY 1;
C. SELECT DISTINCT promo_category || ' has ' || promo_cost AS COSTS FROM promotions ORDER BY 1;
D. SELECT promo_category, DISTINCT promo_cost FROM promotions ORDER BY 2;
E. SELECT DISTINCT promo_category, promo_cost FROM promotions ORDER BY 1;

Answer: DE

NEW QUESTION 47

Which three statements are true about time zones, date data types, and timestamp data types in an Oracle database? (Choose three.)

- A. The CURRENT_TIMESTAMP function returns data without time zone information
B. A TIMESTAMP WITH LOCAL TIMEZONE data type column is stored in the database using the time zone of the session that inserted the row
C. A TIMESTAMP data type column contains information about year, month, and day
D. The DBTIMEZONE function can return an offset from Universal Coordinated Time (UTC)
E. The SESSIONTIMEZONE function can return an offset from Universal Coordinated Time (UTC)

Answer: ADE

NEW QUESTION 48

What is true about non-equijoin statement performance? (Choose two.)

- A. Table aliases can improve performance

- B. The BETWEEN condition always performs better than using the >= and <= conditions
- C. The join syntax used makes no difference to performance
- D. The BETWEEN condition always performs less well than using the >= and <= conditions
- E. The Oracle join syntax performs better than the SQL:1999 compliant ANSI join syntax

Answer: AE

NEW QUESTION 51

In one of your databases, the user HR has the password HRMGR.

You want to connect to a database instance whose listener listens on port 1531 by using this statement: CONNECT HR/HRMGR@orcl

No name server is used.

Which statement is true about ORCL?

- A. It must be the value of the SERVICE_NAMES parameter on the client side
- B. It must resolve to a valid connect descriptor in the server's tnsnames.ora file
- C. It must resolve to a valid connect descriptor in the client's tnsnames.ora file
- D. It must be the name of the database to whose instance HR wishes to connect
- E. It must be the name of the server running the database to whose instance HR wishes to connect

Answer: E

NEW QUESTION 55

View the Exhibit and examine the structure of the PRODUCTS table. Which two tasks require subqueries? (Choose two.)

Table PRODUCTS		
Name	Null?	Type
PROD_ID	NOT NULL	NUMBER(6)
PROD_NAME	NOT NULL	VARCHAR2(50)
PROD_DESC	NOT NULL	VARCHAR2(4000)
PROD_CATEGORY	NOT NULL	VARCHAR2(50)
PROD_CATEGORY_ID	NOT NULL	NUMBER
PROD_UNIT_OF_MEASURE		VARCHAR2(20)
SUPPLIER_ID	NOT NULL	NUMBER(6)
PROD_STATUS	NOT NULL	VARCHAR2(20)
PROD_LIST_PRICE	NOT NULL	NUMBER(8,2)
PROD_MIN_PRICE	NOT NULL	NUMBER(8,2)

- A. Display the number of products whose PROD_LIST_PRICE is more than the average PROD_LIST_PRICE
- B. Display suppliers whose PROD_LIST_PRICE is less than 1000
- C. Display products whose PROD_MIN_PRICE is more than the average PROD_LIST_PRICE of all products, and whose status is orderable
- D. Display the total number of products supplied by supplier 102 which have a product status of obsolete
- E. Display the minimum PROD_LIST_PRICE for each product status

Answer: AC

NEW QUESTION 57

Examine the description of the CUSTOMERS table:

Name	Null?	Type
-----	-----	-----
CUST_ID	NOT NULL	VARCHAR2(6)
FIRST_NAME		VARCHAR2(50)
LAST_NAME	NOT NULL	VARCHAR2(50)
ADDRESS		VARCHAR2(50)
CITY		VARCHAR2(25)

You want to display details of all customers who reside in cities starting with the letter D followed by at least two characters.

Which query can be used?

- A. SELECT * FROM customers WHERE city LIKE 'D_%';
- B. SELECT * FROM customers WHERE city = '%D_%';
- C. SELECT * FROM customers WHERE city LIKE 'D_';
- D. SELECT * FROM customers WHERE city = 'D_%';

Answer: A

NEW QUESTION 59

Which three statements are true about external tables in Oracle 18c and later releases? (Choose three.)

- A. External table files can be used for other external tables in a different database
- B. The ORACLE_LOADER access driver can be used to unload data from a database into an external table
- C. The ORACLE_DATAPUMP access driver can be used to unload data from a database into an external table
- D. They cannot be partitioned
- E. The ORACLE_DATAPUMP access driver can be used to load data into a database from an external table
- F. They support UPDATES but not INSERTs and DELETES

Answer: ABF

NEW QUESTION 61

Which two statements are true about UNDO and REDO? (Choose two.)

- A. The generation of UNDO generates REDO
- B. DML modifies Oracle database objects and only generates UNDO
- C. The generation of REDO generates UNDO
- D. DML modifies Oracle database objects and only generates REDO

Answer: AC

NEW QUESTION 63

Evaluate these commands which execute successfully:

```
CREATE SEQUENCE ord_seq
  INCREMENT BY 1
  START WITH 1
  MAXVALUE 100000
  CYCLE
  CACHE 5000;
```

```
CREATE TABLE ord_items (
  ord_no      NUMBER(4) DEFAULT ord_seq.NEXTVAL NOT NULL,
  item_no     NUMBER(3),
  qty         NUMBER(3),
  expiry_date DATE,
  CONSTRAINT it_pk PRIMARY KEY (ord_no, item_no),
  CONSTRAINT ord_fk FOREIGN KEY (ord_no) REFERENCES orders (ord_no));
```

Which two statements are true about the ORD_ITEMS table and the ORD_SEQ sequence? (Choose two.)

- A. If sequence ORD_SEQ is dropped then the default value for column ORD_NO will be NULL for rows inserted into ORD_ITEMS
- B. Any user inserting rows into table ORD_ITEMS must have been granted access to sequence ORD_SEQ
- C. Column ORD_NO gets the next number from sequence ORD_SEQ whenever a row is inserted into ORD_ITEMS and no explicit value is given for ORD_NO
- D. Sequence ORD_SEQ cycles back to 1 after every 5000 numbers and can cycle 20 times
- E. Sequence ORD_SEQ is guaranteed not to generate duplicate numbers

Answer: BE

NEW QUESTION 66

Which three statements are true about the Oracle Data Dictionary? (Choose three.)

- A. Data dictionary views are created by joins of dictionary base tables and DBA-defined tables
- B. The data dictionary is created and maintained by the database administrator
- C. Views with the same name but different prefixes, such as CDB, DBA, ALL and USER, reference the same base tables from the data dictionary
- D. Base tables can be queried directly
- E. It is owned by the SYSTEM user
- F. Usernames of all users including database administrators are stored in the data dictionary

Answer: CDF

NEW QUESTION 70

In which three situations does a new transaction always start? (Choose three.)

- A. when issuing a SELECT FOR UPDATE statement after a CREATE TABLE AS SELECT statement was issued in the same session
- B. when issuing a TRUNCATE statement after a SELECT statement was issued in the same session

- C. when issuing a CREATE TABLE statement after a SELECT statement was issued in the same session
- D. when issuing the first Data Manipulation Language (DML) statement after a COMMIT OR ROLLBACK statement was issued in the same session
- E. when issuing a CREATE INDEX statement after a CREATE TABLE statement completed successfully in the same session
- F. when issuing a DML statement after a DML statement failed in the same session

Answer: ADF

NEW QUESTION 73

Which three Oracle database space management features will work with both Dictionary and Locally managed tablespaces? (Choose three.)

- A. Oracle Managed Files (OMF)
- B. Online table segment shrink
- C. Online index segment shrink
- D. Automatic data file extension (AUTOEXTEND)
- E. Capacity planning growth reports based on historical data in the Automatic Workload Repository (AWR)

Answer: ADE

NEW QUESTION 78

Which two are true about a SQL statement using SET operators such as UNION? (Choose two.)

- A. The data type group of each column returned by the second query must match the data type group of the corresponding column returned by the first query.
- B. The number, but not names, of columns must be identical for all SELECT statements in the query.
- C. The data type of each column returned by the second query must exactly match the data type of the corresponding column returned by the first query.
- D. The names and number of columns must be identical for all SELECT statements in the query.
- E. The data type of each column returned by the second query must be implicitly convertible to the data type of the corresponding column returned by the first query.

Answer: AC

NEW QUESTION 83

You want to apply the principle of Least Privilege in all your live databases.

One of your requirements is to revoke unnecessary privileges from all users who have them using Privilege Analysis.

Which three types of analyses can be done using the DBMS_PRIVILEGE_CAPTURE package? (Choose three.)

- A. analysis of all privileges used by all users including administrative users in the database
- B. analysis of all privileges used by all users but excluding administrative users in the database
- C. analysis of privileges that a user has on their own schema objects that they did not use
- D. analysis of privileges that a user has on their own schema objects that they did use
- E. analysis of privileges granted directly to a role that are then used by a user who has been granted that role
- F. analysis of privileges granted indirectly to a role that are then used by a user who has been granted that role

Answer: ACF

NEW QUESTION 87

Which three are types of segments in an Oracle Database? (Choose three.)

- A. undo
- B. index
- C. stored procedures
- D. sequences
- E. tables
- F. clusters

Answer: BEF

NEW QUESTION 92

In one of your databases, user KING is:

\1. Not a DBA user

\2. An operating system (OS) user Examine this command and its output:

```
SHOW PARAMETER OS_AUTHENT_PREFIX
```

NAME	TYPE	VALUE
os_authent_prefix	string	

What must you do so that KING is authenticated by the OS when connecting to the database instance?

- A. Set OS_AUTHENT_PREFIX to OPS\$
- B. Have the OS administrator add KING to the OSDBA group
- C. Grant DBA to KING
- D. Unset REMOTE_LOGIN_PASSWORDFILE
- E. Alter user KING to be IDENTIFIED EXTERNALLY

Answer: D

NEW QUESTION 95

Which three statements are true concerning logical and physical database structures? (Choose three.)

- A. All tablespaces may have one or more data files
- B. The extents of a segment must always reside in the same datafile
- C. A smallfile tablespace might be bigger than a bigfile tablespace
- D. A segment can span multiple data files in some tablespaces
- E. A segment's blocks can be of different sizes
- F. A segment might have only one extent
- G. Segments can span multiple tablespaces

Answer: CFG

NEW QUESTION 99

Your database instance is started with a PFILE.

Examine these parameters:

NAME	TYPE	VALUE
-----	-----	-----
memory_max_target	big integer	0
memory_target	big integer	0
sga_max_size	big integer	2G
sga_target	big integer	2G

You want to increase the size of the buffer cache.

Free memory is available to increase the size of the buffer cache. You execute the command:

```
SQL> ALTER SYSTEM SET DB_CACHE_SIZE=1024M;
```

What is the outcome?

- A. The value is changed only in the PFILE and takes effect at the next instance startup
- B. The value is changed for the current instance and in the PFILE
- C. It fails because the SCOPE clause is missing
- D. Change is applied to the current instance, but does not persist after instance restart

Answer: D

NEW QUESTION 101

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1z0-082 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1z0-082-dumps.html>