

Exam Questions AZ-304

Microsoft Azure Architect Design (beta)

<https://www.2passeasy.com/dumps/AZ-304/>



NEW QUESTION 1

- (Exam Topic 2)

You need to design a solution for securing access to the historical transaction data.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

The Azure Cosmos DB account will be used to:

	▼
Create users and generate resource tokens	
Create users and request resource tokens	
Generate resource tokens and perform authentication	
Request resource tokens and perform authentication	

The .NET web service will be used to:

	▼
Create users and generate resource tokens	
Create users and request resource tokens	
Generate resource tokens and perform authentication	
Request resource tokens and perform authentication	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The Azure Cosmos DB account will be used to:

	▼
Create users and generate resource tokens	
Create users and request resource tokens	
Generate resource tokens and perform authentication	
Request resource tokens and perform authentication	

The .NET web service will be used to:

	▼
Create users and generate resource tokens	
Create users and request resource tokens	
Generate resource tokens and perform authentication	
Request resource tokens and perform authentication	

NEW QUESTION 2

- (Exam Topic 2)

You need to recommend a solution for protecting the content of the payment processing system. What should you include in the recommendation?

- A. Transparent Data Encryption (TDE)
- B. Azure Storage Service Encryption
- C. Always Encrypted with randomized encryption
- D. Always Encrypted with deterministic encryption

Answer: D

NEW QUESTION 3

- (Exam Topic 2)

You need to recommend a backup solution for the data store of the payment processing. What should you include in the recommendation?

- A. Microsoft System Center Data Protection Manager (DPM)
- B. long-term retention

- C. a Recovery Services vault
D. Azure Backup Server

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-long-term-backup-retention-configure>

NEW QUESTION 4

- (Exam Topic 2)

You need to recommend a solution for data of the historical transaction query system.

What should you include in the recommendation? To answer, Select the appropriate or options in the answer area.

NOTE: Each correct selection is worth one point

Answer Area

Sizing requirements:

	▼
A table that has unlimited capacity	
A table that has a fixed capacity	
Multiple tables that have unlimited capacity	
Multiple tables that have fixed capacity	

Resiliency:

	▼
An additional read region	
An availability set	
An availability zone	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Sizing requirements:

	▼
A table that has unlimited capacity	
A table that has a fixed capacity	
Multiple tables that have unlimited capacity	
Multiple tables that have fixed capacity	

Resiliency:

	▼
An additional read region	
An availability set	
An availability zone	

NEW QUESTION 5

- (Exam Topic 3)

Your company plans to publish APIs for its services by using Azure API Management. You discover that service responses include the ASP.NET-Version header.

You need to recommend a solution to remove ASP.NET-Version from the response of the published APIs. What should you include in the recommendation?

- A. a new product
B. a modification to the URL scheme
C. a new policy
D. a new revision

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/api-management/transform-api>

NEW QUESTION 6

- (Exam Topic 3)

You are building an application that will run in a virtual machine (VM). The application will use Azure Managed Identity.

The application uses Azure Key Vault, Azure SQL Database, and Azure Cosmos DB. You need to ensure the application can use secure credentials to access these services.

Which authentication method should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Functionality	Authorization method
Azure Key Vault	<div> Hash-based message authentication code (HMAC) Azure Managed Identity Role-Based Access Controls (RBAC) HTTPS encryption </div>
Azure SQL	<div> Hash-based message authentication code (HMAC) Azure Managed Identity Role-Based Access Controls (RBAC) HTTPS encryption </div>
Cosmos DB	<div> Hash-based message authentication code (HMAC) Azure Managed Identity Role-Based Access Controls (RBAC) HTTPS encryption </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Note: Managed identities for Azure resources is the new name for the service formerly known as Managed Service Identity (MSI). Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 7

- (Exam Topic 3)

You have an on-premises network to which you deploy a virtual appliance.

You plan to deploy several Azure virtual machines and connect the on-premises network to Azure by using a Site-to-Site connection.

All network traffic that will be directed from the Azure virtual machines to a specific subnet must flow through the virtual appliance.

You need to recommend solutions to manage network traffic.

Which two options should you recommend? Each correct answer presents a complete solution.

- A. Configure Azure Traffic Manager.
- B. Implement an Azure virtual network.
- C. Implement Azure ExpressRoute.
- D. Configure a routing table.

Answer: CD

Explanation:

Connectivity can be from an any-to-any (IP VPN) network, a point-to-point Ethernet network, or a virtual cross-connection through a connectivity provider at a co-location facility. ExpressRoute connections do not go over the public Internet. This allows ExpressRoute connections to offer more reliability, faster speeds, lower latencies, and higher security than typical connections over the Internet.

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-forced-tunneling-rm> <https://docs.microsoft.com/en-us/azure/expressroute/expressroute-introduction>

NEW QUESTION 8

- (Exam Topic 3)

You are designing a storage solution that will use Azure Blob storage. The data will be stored in a cool access tier or an archive access tier based on the access patterns of the data.

You identify the following types of infrequently accessed data: Telemetry data: Deleted after two years D18912E1457D5D1DDCBD40AB3BF70D5D

- Promotional material: Deleted after 14 days
- Virtual machine audit data: Deleted after 200 days
- A colleague recommends using the archive access tier to store the data. Which statement accurately describes the recommendation?

- A. Storage costs will be based on a minimum of 30 days.
- B. Access to the data is guaranteed within five minutes.
- C. Access to the data is guaranteed within 30 minutes.
- D. Storage costs will be based on a minimum of 180 days.

Answer: D

Explanation:

The following table shows a comparison of premium performance block blob storage, and the hot, cool, and archive access tiers.

	Premium performance	Hot tier	Cool tier	Archive tier
Availability	99.9%	99.9%	99%	Offline
Availability (RA-GRS reads)	N/A	99.99%	99.9%	Offline
Usage charges	Higher storage costs, lower access, and transaction cost	Higher storage costs, lower access, and transaction costs	Lower storage costs, higher access, and transaction costs	Lowest storage costs, highest access, and transaction costs
Minimum object size	N/A	N/A	N/A	N/A
Minimum storage duration	N/A	N/A	30 days ¹	180 days
Latency (Time to first byte)	Single-digit milliseconds	milliseconds	milliseconds	hours ²

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

NEW QUESTION 9

- (Exam Topic 3)

You have an on-premises network that uses an IP address space of 172.16.0.0/16. You plan to deploy 25 virtual machines to a new Azure subscription. You identify the following technical requirements.

- > All Azure virtual machines must be placed on the same subnet, subnet1.
- > All the Azure virtual machines must be able to communicate with all on-premises servers.
- > The servers must be able to communicate between the on-premises network and Azure by using a site-to-site VPN.

You need to recommend a subnet design that meets the technical requirements.

What should you include in the recommendation? To answer, drag the appropriate network addresses to the correct subnet. Each network address may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Network Addresses

172.16.0.0/16

172.16.1.0/28

192.168.0.0/24

192.168.1.0/28

Answer Area



Subnet1:

Network address




Gateway subnet:

Network address

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 10

- (Exam Topic 3)

You have an Azure subscription that is linked to an Azure Active Directory (Azure AD) tenant. The subscription contains 10 resource groups, one for each department at your company. Each department has a specific spending limit for its Azure resources.

You need to ensure that when a department reaches its spending limit, the compute resources of the department shut down automatically.

Which two features should you include in the solution? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Azure Logic Apps
- B. Azure Monitor alerts
- C. the spending limit of an Azure account
- D. Cost Management budgets
- E. Azure Log Analytics alerts

Answer: CD

Explanation:

C: The spending limit in Azure prevents spending over your credit amount. All new customers who sign up for an Azure free account or subscription types that include credits over multiple months have the spending limit turned on by default. The spending limit is equal to the amount of credit and it can't be changed.

D: Turn on the spending limit after removing

This feature is available only when the spending limit has been removed indefinitely for subscription types that include credits over multiple months. You can use this feature to turn on your spending limit automatically at the start of the next billing period.

- > Sign in to the Azure portal as the Account Administrator.
- > Search for Cost Management + Billing.
- > Etc.

Reference:

<https://docs.microsoft.com/en-us/azure/cost-management-billing/manage/spending-limit>

NEW QUESTION 10

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises Hyper-V cluster that hosts 20 virtual machines. Some virtual machines run Windows Server 2016 and some run Linux.

You plan to migrate the virtual machines to an Azure subscription.

You need to recommend a solution to replicate the disks of the virtual machines to Azure. The solution must ensure that the virtual machines remain available during the migration of the disks.

Solution: You recommend implementing an Azure Storage account and then running AzCopy. Does this meet the goal?

- A. Yes
- B. NO

Answer: B

Explanation:

AzCopy only copy files, not the disks. Instead use Azure Site Recovery. References:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-overview>

NEW QUESTION 15

- (Exam Topic 3)

You are designing an Azure resource deployment that will use Azure Resource Manager templates. The deployment will use Azure Key Vault to store secrets.

You need to recommend a solution to meet the following requirements:

Prevent the IT staff that will perform the deployment from retrieving the secrets directly from Key Vault. Use the principle of least privilege.

Which two actions should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a Key Vault access policy that allows all get key permissions, get secret permissions, and get certificate permissions.
- B. From Access policies in Key Vault, enable access to the Azure Resource Manager for template deployment.
- C. Create a Key Vault access policy that allows all list key permissions, list secret permissions, and list certificate permissions.

- D. Assign the IT staff a custom role that includes the Microsoft.KeyVault/Vaults/Deploy/Action permission.
 E. Assign the Key Vault Contributor role to the IT staff.

Answer: BD

Explanation:

B: To access a key vault during template deployment, set enabledForTemplateDeployment on the key vault to true.

D: The user who deploys the template must have the Microsoft.KeyVault/vaults/deploy/action permission for the scope of the resource group and key vault.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/templates/key-vault-parameter> <https://docs.microsoft.com/en-us/azure/key-vault/general/overview-security>

NEW QUESTION 18

- (Exam Topic 3)

You have an existing implementation of Microsoft SQL Server Integration Services (SSIS) packages stored in an SSISDB catalog on your on-premises network.

The on-premises network does not have hybrid connectivity to Azure by using Site-to-Site VPN or ExpressRoute.

You want to migrate the packages to Azure Data Factory.

You need to recommend a solution that facilitates the migration while minimizing changes to the existing packages. The solution must minimize costs.

What should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Store the SSISDB catalog by using:

Azure SQL Database
Azure Synapse Analytics
SQL Server on an Azure virtual machine
SQL Server on an on-premises computer

Implement a runtime engine for package execution by using:

Self-hosted integration runtime only
Azure-SQL Server Integration Services Integration Runtime (IR) only
Azure-SQL Server Integration Services Integration Runtime and self-hosted integration runtime

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: Azure SQL database

You can't create the SSISDB Catalog database on Azure SQL Database at this time independently of creating the Azure-SSIS Integration Runtime in Azure Data Factory. The Azure-SSIS IR is the runtime environment that runs SSIS packages on Azure.

Box 2: Azure-SQL Server Integration Service Integration Runtime and self-hosted integration runtime The Integration Runtime (IR) is the compute infrastructure used by Azure Data Factory to provide data

integration capabilities across different network environments. Azure-SSIS Integration Runtime (IR) in Azure Data Factory (ADF) supports running SSIS packages.

Self-hosted integration runtime can be used for data movement in this scenario. Reference:

<https://docs.microsoft.com/en-us/azure/data-factory/create-azure-integration-runtime> <https://docs.microsoft.com/en-us/sql/integration-services/lift-shift/ssis-azure-connect-to-catalog-database>

NEW QUESTION 20

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant.

You plan to provide users with access to shared files by using Azure Storage. The users will be provided with different levels of access to various Azure file shares based on their user account or their group membership.

You need to recommend which additional Azure services must be used to support the planned deployment. What should you include in the recommendation?

- A. an Azure AD enterprise application
 B. Azure Information Protection
 C. an Azure AD Domain Services (Azure AD DS) instance
 D. an Azure Front Door instance

Answer: C

Explanation:

Azure File supports identity-based authentication over Server Message Block (SMB) through two types of Domain Services: on-premises Active Directory Domain Services (AD DS) and Azure Active Directory Domain Services (Azure AD DS).

Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-identity-auth-active-directory-domain-service>

NEW QUESTION 22

- (Exam Topic 3)

You have an Azure subscription that contains resources in three Azure regions. You need to implement Azure Key Vault to meet the following requirements:

D18912E1457D5D1DDCBD40AB3BF70D5D

- In the event of a regional outage, all keys must be readable.

- All the resources in the subscription must be able to access Key Vault.
 - The number of Key Vault resources to be deployed and managed must be minimized. How many instances of Key Vault should you implement?
- A. 1
 B. 2
 C. 3
 D. 6

Answer: A

Explanation:

The contents of your key vault are replicated within the region and to a secondary region at least 150 miles away but within the same geography. This maintains high durability of your keys and secrets. See the Azure paired regions document for details on specific region pairs.
 Example: Secrets that must be shared by your application in both Europe West and Europe North. Minimize these as much as you can. Put these in a key vault in either of the two regions. Use the same URI from both regions. Microsoft will fail over the Key Vault service internally.
 Reference:
<https://docs.microsoft.com/en-us/azure/key-vault/general/disaster-recovery-guidance>

NEW QUESTION 25

- (Exam Topic 3)

Your company purchases an app named App1.

You plan to run App1 on seven Azure virtual machines in an Availability Set. The number of fault domains is set to 3. The number of update domains is set to 20. You need to identify how many App1 instances will remain available during a period of planned maintenance. How many App1 instances should you identify?

- A. 1
 B. 2
 C. 6
 D. 7

Answer: C

Explanation:

Only one update domain is rebooted at a time. Here there are 7 update domain with one VM each (and 13 update domain with no VM).
 Reference:
<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/manage-availability>

NEW QUESTION 27

- (Exam Topic 3)

You are designing an order processing system in Azure that will contain the Azure resources shown in the following table.

Name	Type	Purpose
App1	Web app	Processes customer orders
Function1	Function	Check product availability at vendor 1
Function2	Function	Check product availability at vendor 2
storage1	Storage account	Stores order processing logs

The order processing system will have the following transaction flow:

- A customer will place an order by using App1.
- When the order is received, App1 will generate a message to check for product availability at vendor 1 and vendor 2.
- An integration component will process the message, and then trigger either Function1 or Function2 depending on the type of order.
- Once a vendor confirms the product availability, a status message for App1 will be generated by Function1 or Function2.
- All the steps of the transaction will be logged to storage1.

Which type of resource should you recommend for the integration component? D18912E1457D5D1DDCBD40AB3BF70D5D

Which type of resource should you recommend for the integration component?

- A. an Azure Data Factory pipeline
 B. an Azure Service Bus queue
 C. an Azure Event Grid domain
 D. an Azure Event Hubs capture

Answer: A

Explanation:

A data factory can have one or more pipelines. A pipeline is a logical grouping of activities that together perform a task. The activities in a pipeline define actions to perform on your data.
 Data Factory has three groupings of activities: data movement activities, data transformation activities, and control activities. Azure Functions is now integrated with Azure Data Factory, allowing you to run an Azure function as a step in your data factory pipelines.
 Reference:
<https://docs.microsoft.com/en-us/azure/data-factory/concepts-pipelines-activities>

NEW QUESTION 32

- (Exam Topic 3)

You plan to deploy a network-intensive application to several Azure virtual machines. You need to recommend a solution that meets the following requirements:

- Minimizes the use of the virtual machine processors to transfer data
- Minimizes network latency

Which virtual machine size and feature should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Virtual machine size:

Compute optimized Standard_F8s
General purpose Standard_B8ms
High performance compute Standard_H16r
Memory optimized Standard_E16s_v3

Feature:

Receive side scaling (RSS)
Remote Direct Memory Access (RDMA)
Single root I/O virtualization (SR-IOV)
Virtual Machine Multi-Queue (VMMQ)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/sizes-hpc#h-series>

NEW QUESTION 34

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage v2 account named storage1. You plan to archive data to storage1.

You need to ensure that the archived data cannot be deleted for five years. The solution must prevent administrators from deleting the data.

Solution: You create an Azure Blob storage container, and you configure a legal hold access policy. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Use an Azure Blob storage container, but use a time-based retention policy instead of a legal hold. Note:

Immutable storage for Azure Blob storage enables users to store business-critical data objects in a WORM (Write Once, Read Many) state. This state makes the data non-erasable and non-modifiable for a user-specified interval. For the duration of the retention interval, blobs can be created and read, but cannot be modified or deleted. Immutable storage is available for general-purpose v2 and Blob storage accounts in all Azure regions.

Note: Set retention policies and legal holds

* 1. Create a new container or select an existing container to store the blobs that need to be kept in the immutable state. The container must be in a general-purpose v2 or Blob storage account.

* 2. Select Access policy in the container settings. Then select Add policy under Immutable blob storage. Either

* 3a. To enable legal holds, select Add Policy. Select Legal hold from the drop-down menu. Or

* 3b. To enable time-based retention, select Time-based retention from the drop-down menu.

* 4. Enter the retention interval in days (acceptable values are 1 to 146000 days). Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage> <https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutability-policies-manage>

NEW QUESTION 38

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AZ-304 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AZ-304 Product From:

<https://www.2passeasy.com/dumps/AZ-304/>

Money Back Guarantee

AZ-304 Practice Exam Features:

- * AZ-304 Questions and Answers Updated Frequently
- * AZ-304 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-304 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-304 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year