

DES-6322 Dumps

Specialist - Implementation Engineer-VxRail Exam

<https://www.certleader.com/DES-6322-dumps.html>



NEW QUESTION 1

An implementation engineer is configuring External SRS. Where can they find the installation files for SRS VE?

- A. VxRail Support Matrix
- B. VxRail Manager
- C. SolVe Online
- D. Dell Support Page

Answer: B

NEW QUESTION 2

What is the minimum number of VxRail nodes required for a vSAN storage policy with RAID-5 (Erasure Coding)?

- A. 3
- B. 4
- C. 5
- D. 6

Answer: B

NEW QUESTION 3

A VxRail cluster is being deployed in a DMZ environment. What is the recommended deployment option?

- A. External vCenter Server with customer-supplied VDS
- B. External vCenter Server with VxRail-deployed VDS
- C. Internal vCenter Server with internal DNS
- D. Internal vCenter Server with external DNS

Answer: D

NEW QUESTION 4

What setting is used for the object space reservation in the VXRAIL-SYSTEM-STORAGE-PROFILE?

- A. 50% Reservation
- B. Thick Provisioning
- C. 75% Reservation
- D. Thin Provisioning

Answer: D

NEW QUESTION 5

For which VxRail models must the iDRAC NIC Selection be set to Dedicated?

- A. D, G, P, S, and V Series
- B. E, P, S, and V Series only
- C. D, E, P, S, and V Series
- D. D, E, and G Series

Answer: D

NEW QUESTION 6

In addition to hardware monitoring, what is the purpose of the Dell PTAgent service on a VxRail node?

- A. Hardware discovery and firmware installation
- B. VxRail node discovery and software upgrades
- C. BOSS upgrade and firmware installation
- D. Hardware discovery and VxRail VIB installation

Answer: A

NEW QUESTION 7

A VxRail implementation engineer is validating the network environment with NVT. The proposed switch configuration is shown in the exhibit. The ToR Switch information file is available.

Use the VxRail simulator to set up NVT for switch validation. Import the switch Information and tag the ports based on the exhibit.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Send your suggestions for this question.

NEW QUESTION 8

A company has recently implemented a popular data center monitoring and reporting software solution. They plan to use the solution to consolidate reporting into a single platform.

What is an expected benefit of programmatically gathering VxRail information?

- A. Perform node shutdowns and specific operations
- B. Perform pre-checks for vSAN health
- C. Automate iDRAC firmware management and status
- D. Obtain status of all running operations on a cluster

Answer: B

NEW QUESTION 9

A systems engineer needs to check the health of the nodes and the system VMs to prevent complications or failures during VxRail upgrades. Which tool must be used to perform the task?

- A. VxVerify
- B. CloudIQ
- C. SolVe Online
- D. VxRail ACE

Answer: C

NEW QUESTION 10

What is the recommended format for host names when using the VxRail Deployment Wizard for an External vCenter solution?

- A. FQDN for vCenter Server/Host name for VxRail Manager
- B. Host name for both vCenter Server and for VxRail Manager
- C. FQDN for both vCenter Server and for VxRail Manager
- D. Host name for vCenter Server FQDN for VxRail Manager

Answer: A

NEW QUESTION 10

A company needs to enable vSphere GPU capabilities on their VxRail cluster. To do so, they need to purchase a specific entitlement.

What licensing satisfies this requirement?

- A. vSphere Enterprise Plus
- B. vSAN Enterprise Plus Edition
- C. vSAN Advanced Edition
- D. vSphere Standard

Answer: B

NEW QUESTION 11

Which command is used to restart the Loudmouth process on an ESXi node?

- A. /usr/lib/amiware/loudmouth/bin/loudmouthd restart
- B. systemctl restart loudmouth
- C. /etc/init.d/loudmouth restart
- D. systemctl restart vmware-loudmouth

Answer: C

NEW QUESTION 14

What is a consideration when expanding a VxRail cluster? (Choose two.)

- A. Mixing of All-Flash and all-NVMe nodes in a cluster is not allowed
- B. Expanding a cluster to 64 nodes requires a 25 GbE network
- C. G Series clusters can be expanded only with G Series nodes
- D. 1 GbE must be hybrid and single processor node type

Answer: BC

NEW QUESTION 19

How must node ports on Dell EMC ToR switches be configured when the Spanning Tree Protocol is enabled in an environment?

- A. In Port-Channel mode
- B. In Forwarding status
- C. As edge ports
- D. As access ports

Answer: C

NEW QUESTION 20

An implementation engineer is working with a customer to prepare an external vCenter Server for a new VxRail deployment with the VxRail-deployed VDS. What vCenter objects must exist for a successful VxRail deployment?

- A. Cluster and VxRail Management user only
- B. Datacenter Cluster, and VxRail Management user
- C. Datacenter and Cluster only
- D. Datacenter and VxRail Management user only

Answer: D

NEW QUESTION 22

Which vSAN rules are configured for the VXRAIL-SYSTEM-STORAGE-PROFILE?

- A. Failures to tolerate - 2 failures RAID-1 (Mirroring) Object space reservation - Thin provisioning
- B. Failures to tolerate - 1 failure RAID-1 (Mirroring) Object space reservation - Thin provisioning
- C. Failures to tolerate - 1 failure RAID-1 (Mirroring) Object space reservation - Thick provisioning
- D. Failures to tolerate - 1 failure RAID-5 (Erasure Coding) Object space reservation - Thick provisioning

Answer: A

NEW QUESTION 23

Which vSAN feature requires an All-Flash cluster?

- A. Deduplication and compression
- B. Data-at-Rest Encryption
- C. Data-in-Transit Encryption
- D. Storage Policy Based Management

Answer: A

NEW QUESTION 26

What must be used when deploying VxRail with a customer-supplied VDS?

- A. Deployment Wizard using the configuration file method
- B. Deployment Wizard using the step-by-step method
- C. VxRail API with configuration file
- D. VxRail PowerShell SysBringUp Module

Answer: B

NEW QUESTION 27

What is a valid 2-node VxRail cluster configuration?

- A. 2x 10 GbE and 2x 25 GbE in a switch configuration and external vCenter
- B. 2x 1 GbE and 2x 10 GbE in a direct-connect configuration and external vCenter
- C. 2x 1 GbE and 2x 10 GbE in a switch configuration and internal vCenter
- D. 2x 10 GbE and 2x 25 GbE in a direct-connect configuration and internal vCenter

Answer: B

NEW QUESTION 31

What is a benefit of using the VxRail REST API?

- A. Remote upgrades of iDRAC related software only
- B. Automated security audit of VxRail clusters
- C. Automated log collection for VxRail clusters
- D. Polling for vSAN performance statistics

Answer: C

NEW QUESTION 32

What is the maximum number of supported nodes in a VxRail Stretch Cluster?

- A. 16
- B. 30
- C. 32
- D. 64

Answer: B

NEW QUESTION 33

A VxRail Manager VM must be configured as follows:

* IP address: 192.168.10.16

* Net mask: 255.255.255.0

* Gateway: 192.168.10.254 Which command must be used?

A. vxrail-network-config --ip 192.168.10.16-netmask 255.255.255.0-gateway 192.168.10.254

B. vxrail-prrmay -config --ip 192.168.10.16 -netmask 255.255.255.0 -gateway 192.168.10.254

C. vxrail-primary -config --vxrail-address 192.168.10.16 --vxrail-netmask 255.255.255.0 -vxrail-gateway 192.168.10.254

D. vxrail-network -config --vxrail-address 192.168.10.16 --vxrail-netmask 255.255.255.0 --vxrail-gateway 192.168.10.254

Answer: C

NEW QUESTION 38

An implementation engineer is expanding an existing VxRail S Series cluster with an additional node. The version of the node is not at the current cluster level but is compatible.

What procedure would result in the quickest node addition?

A. RASR Factory Image Upgrade

B. Factory Reset

C. VxRail Node Imaging Management

D. Compute node expansion

Answer: D

NEW QUESTION 41

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your DES-6322 Exam with Our Prep Materials Via below:

<https://www.certleader.com/DES-6322-dumps.html>