Exam Questions 75940X

Avaya Converged Platform Integration Exam

https://www.2passeasy.com/dumps/75940X/

NEW QUESTION 1
With ACP 4200, what is mandatory to ensure Avaya Aura® High Availability across the two Data Centers?

A. A single vCenter Server that manages both Data Centers.
B. Network connectivity to and in between the two Data Centers.
C. Identical compute servers in both Data Centers.
D. The same VLANs in both Data Centers.

Answer: A

NEW QUESTION 2
Using VMware networking in ACP 4200, how are Virtual NICs mapped to physical NICs?

A. Via DRS rules
B. On a 1-to-1 basis
C. Via Virtual Switches and Port Groups
D. Via the VNIIC mapping tables

Answer: D

NEW QUESTION 3
Which three examples of hardware equipment redundancy are built into the ACP 4200? (Choose three.)

A. Redundant iLO connections to each HP server.
B. Redundant storage processors in the storage arrays.
C. Redundant hot swap switch CPU modules.
D. Redundant power supplies in all hardware components.
E. Redundant pairs of Power Distribution Units.

Answer: ACE

NEW QUESTION 4
What is the purpose of VMware vMotion as used in ACP 4200?

A. It enables an operational virtual machine to migrate from one ESXi host to another, which includes its running state and storage.
B. It dynamically allocated and balances computing capacity across the logical resource pools.
C. It provides monitoring of operating system and hardware failures, and also restarts virtual machines on other hosts within the resource pool.
D. It creates a pool of virtual disk space that can be shared by multiple virtual machines.

Answer: A

NEW QUESTION 5
An administrator is examining the Hosts monitored by Avaya Orchestrator. Which two are examples of these Hosts? (Choose two.)

A. Storage Devices
B. vCenter Server Appliance
C. Network Switches
D. System Manager

Answer: AC

NEW QUESTION 6
Which statement about System Manager (SMGR) and ACP 4200 is true?

A. SMGR is used to manage licensing, user account, and device credential management for Avaya Orchestrator.
B. SMGR is a management tool for the VM's within the ACP 4200.
C. SMGR is a management tool for the Hardware Infrastructure within the ACP 4200.
D. SMGR is used to manage the Avaya Aura® Applications within the ACP 4200.

Answer: C

NEW QUESTION 7
When new VMs are added the ACP 4200, which action is mandatory?

A. The new VMs must be configured to send SNMP Traps to Avaya Orchestrator.
B. CPU and Memory reservations must be manually configured to the application recommendations for the new VMs.
C. Avaya Orchestrator must be configured to recognize the new VMs.
D. ACP Configurator Tool must be used to calculate resource availability for the ACP to support the new VMs.

Answer: A

NEW QUESTION 8
Which three tasks must be completed in preparation of a site for an ACP 4200 installation? (Choose three.)

A. Determine the list of Customer Administrators who will require login access to the ACP 4200.
B. Install power connections for the ACP 4200.
C. Plan the path from the delivery location to the permanent site.
D. Determine a permanent location for the ACP 4200.
E. Enable SNMP management on the network devices that will be connected to the ACP 4200.

Answer: ABC

NEW QUESTION 9
An Avaya Orchestrator administrator is asked to check the CPU usage for the last 24 hours of one of the ESXi Hosts, as it has been performing erratically.
How can the administrator go about doing this?

A. By clicking on the Compute Group's Service State line.
B. By navigating to Quick View – All Host Problems.
C. By going to the Performance Graphs of the CPU Usage Service for the host.
D. By selecting the VM Group's Service State line.

Answer: A

NEW QUESTION 10
After implementing a new ACP 4200 solution, warnings about high temperatures on one of the host servers are reported by the Avaya Orchestrator.
To verify the temperature, fan speeds, and general hardware health of the HP Servers in the ACP 4200, which third party management tool can be used?

A. Nimble storage web interface
B. ESXi server client
C. HP iLO web interface
D. vSphere Web Client

Answer: C

NEW QUESTION 10
Which Extreme Networks switch model is used in a new ACP 4200 release 4.0?

A. VSP 4850
B. VSP 7254
C. VSP 8400
D. VSP 7024

Answer: B

NEW QUESTION 13
Refer to the exhibit.

An administrator is trying to add a new VSP to the ACP 4200 rack. However, when the Configuration Wizard is run and the 'Detect Hardware' button is clicked, the VSP cannot be detected.
What is potentially causing this to happen?

A. The VSP has not been configured with the correct slot in Configuration Wizard.
B. The VSP has not been configured with the correct Device Description in Configuration Wizard.
C. The VSP has not been configured with the correct Protocol in Configuration Wizard.
D. The VSP's device credentials has not been configured correctly in System Manager.

Answer: D

NEW QUESTION 18
......

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 75940X Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the
75940X Product From:

https://www.2passeasy.com/dumps/75940X/

Money Back Guarantee

75940X Practice Exam Features:

* 75940X Questions and Answers Updated Frequently

* 75940X Practice Questions Verified by Expert Senior Certified Staff

* 75940X Most Realistic Questions that Guarantee you a Pass on Your FirstTry

* 75940X Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year