



# Amazon-Web-Services

## Exam Questions DBS-C01

AWS Certified Database - Specialty

## About ExamBible

### *Your Partner of IT Exam*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### NEW QUESTION 1

An ecommerce company has tasked a Database Specialist with creating a reporting dashboard that visualizes critical business metrics that will be pulled from the core production database running on Amazon Aurora. Data that is read by the dashboard should be available within 100 milliseconds of an update. The Database Specialist needs to review the current configuration of the Aurora DB cluster and develop a cost-effective solution. The solution needs to accommodate the unpredictable read workload from the reporting dashboard without any impact on the write availability and performance of the DB cluster. Which solution meets these requirements?

- A. Turn on the serverless option in the DB cluster so it can automatically scale based on demand.
- B. Provision a clone of the existing DB cluster for the new Application team.
- C. Create a separate DB cluster for the new workload, refresh from the source DB cluster, and set up ongoing replication using AWS DMS change data capture (CDC).
- D. Add an automatic scaling policy to the DB cluster to add Aurora Replicas to the cluster based on CPU consumption.

**Answer: A**

#### NEW QUESTION 2

A company is writing a new survey application to be used with a weekly televised game show. The application will be available for 2 hours each week. The company expects to receive over 500,000 entries every week, with each survey asking 2-3 multiple choice questions of each user. A Database Specialist needs to select a platform that is highly scalable for a large number of concurrent writes to handle the anticipated volume. Which AWS services should the Database Specialist consider? (Choose two.)

- A. Amazon DynamoDB
- B. Amazon Redshift
- C. Amazon Neptune
- D. Amazon Elasticsearch Service
- E. Amazon ElastiCache

**Answer: AE**

#### NEW QUESTION 3

A team of Database Specialists is currently investigating performance issues on an Amazon RDS for MySQL DB instance and is reviewing related metrics. The team wants to narrow the possibilities down to specific database wait events to better understand the situation. How can the Database Specialists accomplish this?

- A. Enable the option to push all database logs to Amazon CloudWatch for advanced analysis
- B. Create appropriate Amazon CloudWatch dashboards to contain specific periods of time
- C. Enable Amazon RDS Performance Insights and review the appropriate dashboard
- D. Enable Enhanced Monitoring with the appropriate settings

**Answer: C**

#### NEW QUESTION 4

A Database Specialist is troubleshooting an application connection failure on an Amazon Aurora DB cluster with multiple Aurora Replicas that had been running with no issues for the past 2 months. The connection failure lasted for 5 minutes and corrected itself after that. The Database Specialist reviewed the Amazon RDS events and determined a failover event occurred at that time. The failover process took around 15 seconds to complete. What is the MOST likely cause of the 5-minute connection outage?

- A. After a database crash, Aurora needed to replay the redo log from the last database checkpoint
- B. The client-side application is caching the DNS data and its TTL is set too high
- C. After failover, the Aurora DB cluster needs time to warm up before accepting client connections
- D. There were no active Aurora Replicas in the Aurora DB cluster

**Answer: C**

#### NEW QUESTION 5

An AWS CloudFormation stack that included an Amazon RDS DB instance was accidentally deleted and recent data was lost. A Database Specialist needs to add RDS settings to the CloudFormation template to reduce the chance of accidental instance data loss in the future. Which settings will meet this requirement? (Choose three.)

- A. Set DeletionProtection to True
- B. Set MultiAZ to True
- C. Set TerminationProtection to True
- D. Set DeleteAutomatedBackups to False
- E. Set DeletionPolicy to Delete
- F. Set DeletionPolicy to Retain

**Answer: ACF**

#### NEW QUESTION 6

A retail company is about to migrate its online and mobile store to AWS. The company's CEO has strategic plans to grow the brand globally. A Database Specialist has been challenged to provide predictable read and write database performance with minimal operational overhead. What should the Database Specialist do to meet these requirements?

- A. Use Amazon DynamoDB global tables to synchronize transactions
- B. Use Amazon EMR to copy the orders table data across Regions
- C. Use Amazon Aurora Global Database to synchronize all transactions

D. Use Amazon DynamoDB Streams to replicate all DynamoDB transactions and sync them

**Answer:** A

#### NEW QUESTION 7

A company has migrated a single MySQL database to Amazon Aurora. The production data is hosted in a DB cluster in VPC\_PROD, and 12 testing environments are hosted in VPC\_TEST using the same AWS account. Testing results in minimal changes to the test data. The Development team wants each environment refreshed nightly so each test database contains fresh production data every day. Which migration approach will be the fastest and most cost-effective to implement?

- A. Run the master in Amazon Aurora MySQL
- B. Create 12 clones in VPC\_TEST, and script the clones to be deleted and re-created nightly.
- C. Run the master in Amazon Aurora MySQL
- D. Take a nightly snapshot, and restore it into 12 databases in VPC\_TEST using Aurora Serverless.
- E. Run the master in Amazon Aurora MySQL
- F. Create 12 Aurora Replicas in VPC\_TEST, and script the replicas to be deleted and re-created nightly.
- G. Run the master in Amazon Aurora MySQL using Aurora Serverless
- H. Create 12 clones in VPC\_TEST, and script the clones to be deleted and re-created nightly.

**Answer:** A

#### NEW QUESTION 8

A company has a production Amazon Aurora DB cluster that serves both online transaction processing (OLTP) transactions and compute-intensive reports. The reports run for 10% of the total cluster uptime while the OLTP transactions run all the time. The company has benchmarked its workload and determined that a six-node Aurora DB cluster is appropriate for the peak workload.

The company is now looking at cutting costs for this DB cluster, but needs to have a sufficient number of nodes in the cluster to support the workload at different times. The workload has not changed since the previous benchmarking exercise.

How can a Database Specialist address these requirements with minimal user involvement?

- A. Split up the DB cluster into two different clusters: one for OLTP and the other for reporting
- B. Monitor and set up replication between the two clusters to keep data consistent.
- C. Review and evaluate the peak combined workload
- D. Ensure that utilization of the DB cluster node is at an acceptable level
- E. Adjust the number of instances, if necessary.
- F. Use the stop cluster functionality to stop all the nodes of the DB cluster during times of minimal workload
- G. The cluster can be restarted again depending on the workload at the time.
- H. Set up automatic scaling on the DB cluster
- I. This will allow the number of reader nodes to adjust automatically to the reporting workload, when needed.

**Answer:** D

#### NEW QUESTION 9

A gaming company is designing a mobile gaming app that will be accessed by many users across the globe. The company wants to have replication and full support for multi-master writes. The company also wants to ensure low latency and consistent performance for app users. Which solution meets these requirements?

- A. Use Amazon DynamoDB global tables for storage and enable DynamoDB automatic scaling
- B. Use Amazon Aurora for storage and enable cross-Region Aurora Replicas
- C. Use Amazon Aurora for storage and cache the user content with Amazon ElastiCache
- D. Use Amazon Neptune for storage

**Answer:** A

#### NEW QUESTION 10

A company just migrated to Amazon Aurora PostgreSQL from an on-premises Oracle database. After the migration, the company discovered there is a period of time every day around 3:00 PM where the response time of the application is noticeably slower. The company has narrowed down the cause of this issue to the database and not the application.

Which set of steps should the Database Specialist take to most efficiently find the problematic PostgreSQL query?

- A. Create an Amazon CloudWatch dashboard to show the number of connections, CPU usage, and disk space consumption
- B. Watch these dashboards during the next slow period.
- C. Launch an Amazon EC2 instance, and install and configure an open-source PostgreSQL monitoring tool that will run reports based on the output error logs.
- D. Modify the logging database parameter to log all the queries related to locking in the database and then check the logs after the next slow period for this information.
- E. Enable Amazon RDS Performance Insights on the PostgreSQL database
- F. Use the metrics to identify any queries that are related to spikes in the graph during the next slow period.

**Answer:** D

#### NEW QUESTION 10

A large financial services company requires that all data be encrypted in transit. A Developer is attempting to connect to an Amazon RDS DB instance using the company VPC for the first time with credentials provided by a Database Specialist. Other members of the Development team can connect, but this user is consistently receiving an error indicating a communications link failure. The Developer asked the Database Specialist to reset the password a number of times, but the error persists.

Which step should be taken to troubleshoot this issue?

- A. Ensure that the database option group for the RDS DB instance allows ingress from the Developer machine's IP address
- B. Ensure that the RDS DB instance's subnet group includes a public subnet to allow the Developer to connect

- C. Ensure that the RDS DB instance has not reached its maximum connections limit
- D. Ensure that the connection is using SSL and is addressing the port where the RDS DB instance is listening for encrypted connections

**Answer:** B

#### NEW QUESTION 15

A Database Specialist is setting up a new Amazon Aurora DB cluster with one primary instance and three Aurora Replicas for a highly intensive, business-critical application. The Aurora DB cluster has one medium-sized primary instance, one large-sized replica, and two medium-sized replicas. The Database Specialist did not assign a promotion tier to the replicas.

In the event of a primary failure, what will occur?

- A. Aurora will promote an Aurora Replica that is of the same size as the primary instance
- B. Aurora will promote an arbitrary Aurora Replica
- C. Aurora will promote the largest-sized Aurora Replica
- D. Aurora will not promote an Aurora Replica

**Answer:** A

#### NEW QUESTION 19

A company developed an AWS CloudFormation template used to create all new Amazon DynamoDB tables in its AWS account. The template configures provisioned throughput capacity using hard-coded values. The company wants to change the template so that the tables it creates in the future have independently configurable read and write capacity units assigned.

Which solution will enable this change?

- A. Add values for the rcuCount and wcuCount parameters to the Mappings section of the template. Configure DynamoDB to provision throughput capacity using the stack's mappings.
- B. Add values for two Number parameters, rcuCount and wcuCount, to the template.
- C. Replace the hard-coded values with calls to the Ref intrinsic function, referencing the new parameters.
- D. Add values for the rcuCount and wcuCount parameters as outputs of the template.
- E. Configure DynamoDB to provision throughput capacity using the stack outputs.
- F. Add values for the rcuCount and wcuCount parameters to the Mappings section of the template. Replace the hard-coded values with calls to the Ref intrinsic function, referencing the new parameters.

**Answer:** B

#### NEW QUESTION 21

A Database Specialist migrated an existing production MySQL database from on-premises to an Amazon RDS for MySQL DB instance. However, after the migration, the database needed to be encrypted at rest using AWS KMS. Due to the size of the database, reloading the data into an encrypted database would be too time-consuming, so it is not an option.

How should the Database Specialist satisfy this new requirement?

- A. Create a snapshot of the unencrypted RDS DB instance
- B. Create an encrypted copy of the unencrypted snapshot
- C. Restore the encrypted snapshot copy.
- D. Modify the RDS DB instance
- E. Enable the AWS KMS encryption option that leverages the AWS CLI.
- F. Restore an unencrypted snapshot into a MySQL RDS DB instance that is encrypted.
- G. Create an encrypted read replica of the RDS DB instance
- H. Promote it to the master.

**Answer:** A

#### NEW QUESTION 25

A company has an on-premises system that tracks various database operations that occur over the lifetime of a database, including database shutdown, deletion, creation, and backup.

The company recently moved two databases to Amazon RDS and is looking at a solution that would satisfy these requirements. The data could be used by other systems within the company.

Which solution will meet these requirements with minimal effort?

- A. Create an Amazon CloudWatch Events rule with the operations that need to be tracked on Amazon RDS
- B. Create an AWS Lambda function to act on these rules and write the output to the tracking systems.
- C. Create an AWS Lambda function to trigger on AWS CloudTrail API call
- D. Filter on specific RDS API calls and write the output to the tracking systems.
- E. Create RDS event subscription
- F. Have the tracking systems subscribe to specific RDS event system notifications.
- G. Write RDS logs to Amazon Kinesis Data Firehose
- H. Create an AWS Lambda function to act on these rules and write the output to the tracking systems.

**Answer:** C

#### NEW QUESTION 30

The Development team recently executed a database script containing several data definition language (DDL) and data manipulation language (DML) statements on an Amazon Aurora MySQL DB cluster. The release accidentally deleted thousands of rows from an important table and broke some application functionality. This was discovered 4 hours after the release. Upon investigation, a Database Specialist tracked the issue to a DELETE command in the script with an incorrect WHERE clause filtering the wrong set of rows.

The Aurora DB cluster has Backtrack enabled with an 8-hour backtrack window. The Database Administrator also took a manual snapshot of the DB cluster before the release started. The database needs to be returned to the correct state as quickly as possible to resume full application functionality. Data loss must be minimal.

How can the Database Specialist accomplish this?

- A. Quickly rewind the DB cluster to a point in time before the release using Backtrack.
- B. Perform a point-in-time recovery (PITR) of the DB cluster to a time before the release and copy the deleted rows from the restored database to the original database.
- C. Restore the DB cluster using the manual backup snapshot created before the release and change the application configuration settings to point to the new DB cluster.
- D. Create a clone of the DB cluster with Backtrack enable
- E. Rewind the cloned cluster to a point in time before the release
- F. Copy deleted rows from the clone to the original database.

**Answer: D**

#### NEW QUESTION 31

A large ecommerce company uses Amazon DynamoDB to handle the transactions on its web portal. Traffic patterns throughout the year are usually stable; however, a large event is planned. The company knows that traffic will increase by up to 10 times the normal load over the 3-day event. When sale prices are published during the event, traffic will spike rapidly.

How should a Database Specialist ensure DynamoDB can handle the increased traffic?

- A. Ensure the table is always provisioned to meet peak needs
- B. Allow burst capacity to handle the additional load
- C. Set an AWS Application Auto Scaling policy for the table to handle the increase in traffic
- D. Preprovision additional capacity for the known peaks and then reduce the capacity after the event

**Answer: B**

#### NEW QUESTION 33

A Database Specialist is performing a proof of concept with Amazon Aurora using a small instance to confirm a simple database behavior. When loading a large dataset and creating the index, the Database Specialist encounters the following error message from Aurora:

ERROR: cloud not write block 7507718 of temporary file: No space left on device

What is the cause of this error and what should the Database Specialist do to resolve this issue?

- A. The scaling of Aurora storage cannot catch up with the data loadin
- B. The Database Specialist needs to modify the workload to load the data slowly.
- C. The scaling of Aurora storage cannot catch up with the data loadin
- D. The Database Specialist needs to enable Aurora storage scaling.
- E. The local storage used to store temporary tables is full
- F. The Database Specialist needs to scale up the instance.
- G. The local storage used to store temporary tables is full
- H. The Database Specialist needs to enable local storage scaling.

**Answer: C**

#### NEW QUESTION 36

A company is developing a multi-tier web application hosted on AWS using Amazon Aurora as the database.

The application needs to be deployed to production and other non-production environments. A Database Specialist needs to specify different MasterUsername and MasterUserPassword properties in the AWS CloudFormation templates used for automated deployment. The CloudFormation templates are version controlled in the company's code repository. The company also needs to meet compliance requirements by routinely rotating its database master password for production.

What is the most secure solution to store the master password?

- A. Store the master password in a parameter file in each environment
- B. Reference the environment-specific parameter file in the CloudFormation template.
- C. Encrypt the master password using an AWS KMS key
- D. Store the encrypted master password in the CloudFormation template.
- E. Use the secretsmanager dynamic reference to retrieve the master password stored in AWS SecretsManager and enable automatic rotation.
- F. Use the ssm dynamic reference to retrieve the master password stored in the AWS Systems Manager Parameter Store and enable automatic rotation.

**Answer: C**

#### NEW QUESTION 39

A Database Specialist is designing a new database infrastructure for a ride hailing application. The application data includes a ride tracking system that stores GPS coordinates for all rides. Real-time statistics and metadata lookups must be performed with high throughput and microsecond latency. The database should be fault tolerant with minimal operational overhead and development effort.

Which solution meets these requirements in the MOST efficient way?

- A. Use Amazon RDS for MySQL as the database and use Amazon ElastiCache
- B. Use Amazon DynamoDB as the database and use DynamoDB Accelerator
- C. Use Amazon Aurora MySQL as the database and use Aurora's buffer cache
- D. Use Amazon DynamoDB as the database and use Amazon API Gateway

**Answer: D**

#### NEW QUESTION 44

A company wants to migrate its existing on-premises Oracle database to Amazon Aurora PostgreSQL. The migration must be completed with minimal downtime using AWS DMS. A Database Specialist must validate that the data was migrated accurately from the source to the target before the cutover. The migration must have minimal impact on the performance of the source database.

Which approach will MOST effectively meet these requirements?

- A. Use the AWS Schema Conversion Tool (AWS SCT) to convert source Oracle database schemas to the target Aurora DB cluster.
- B. Verify the datatype of the columns.
- C. Use the table metrics of the AWS DMS task created for migrating the data to verify the statistics for the tables being migrated and to verify that the data definition language (DDL) statements are completed.
- D. Enable the AWS Schema Conversion Tool (AWS SCT) premigration validation and review the premigration checklist to make sure there are no issues with the conversion.
- E. Enable AWS DMS data validation on the task so the AWS DMS task compares the source and target records, and reports any mismatches.

**Answer: D**

#### NEW QUESTION 48

A user has a non-relational key-value database. The user is looking for a fully managed AWS service that will offload the administrative burdens of operating and scaling distributed databases. The solution must be cost-effective and able to handle unpredictable application traffic. What should a Database Specialist recommend for this user?

- A. Create an Amazon DynamoDB table with provisioned capacity mode
- B. Create an Amazon DocumentDB cluster
- C. Create an Amazon DynamoDB table with on-demand capacity mode
- D. Create an Amazon Aurora Serverless DB cluster

**Answer: C**

#### NEW QUESTION 51

A company is using Amazon RDS for MySQL to redesign its business application. A Database Specialist has noticed that the Development team is restoring their MySQL database multiple times a day when Developers make mistakes in their schema updates. The Developers sometimes need to wait hours to the restores to complete.

Multiple team members are working on the project, making it difficult to find the correct restore point for each mistake. Which approach should the Database Specialist take to reduce downtime?

- A. Deploy multiple read replicas and have the team members make changes to separate replica instances
- B. Migrate to Amazon RDS for SQL Server, take a snapshot, and restore from the snapshot
- C. Migrate to Amazon Aurora MySQL and enable the Aurora Backtrack feature
- D. Enable the Amazon RDS for MySQL Backtrack feature

**Answer: A**

#### NEW QUESTION 56

A company is running a two-tier ecommerce application in one AWS account. The web server is deployed using an Amazon RDS for MySQL Multi-AZ DB instance. A Developer mistakenly deleted the database in the production environment. The database has been restored, but this resulted in hours of downtime and lost revenue.

Which combination of changes in existing IAM policies should a Database Specialist make to prevent an error like this from happening in the future? (Choose three.)

- A. Grant least privilege to groups, users, and roles
- B. Allow all users to restore a database from a backup that will reduce the overall downtime to restore the database
- C. Enable multi-factor authentication for sensitive operations to access sensitive resources and API operations
- D. Use policy conditions to restrict access to selective IP addresses
- E. Use AccessList Controls policy type to restrict users for database instance deletion
- F. Enable AWS CloudTrail logging and Enhanced Monitoring

**Answer: ACD**

#### NEW QUESTION 60

A Database Specialist must create a read replica to isolate read-only queries for an Amazon RDS for MySQL DB instance. Immediately after creating the read replica, users that query it report slow response times.

What could be causing these slow response times?

- A. New volumes created from snapshots load lazily in the background
- B. Long-running statements on the master
- C. Insufficient resources on the master
- D. Overload of a single replication thread by excessive writes on the master

**Answer: B**

#### NEW QUESTION 64

A company has an Amazon RDS Multi-AZ DB instance that is 200 GB in size with an RPO of 6 hours. To meet the company's disaster recovery policies, the database backup needs to be copied into another Region. The company requires the solution to be cost-effective and operationally efficient.

What should a Database Specialist do to copy the database backup into a different Region?

- A. Use Amazon RDS automated snapshots and use AWS Lambda to copy the snapshot into another Region
- B. Use Amazon RDS automated snapshots every 6 hours and use Amazon S3 cross-Region replication to copy the snapshot into another Region
- C. Create an AWS Lambda function to take an Amazon RDS snapshot every 6 hours and use a second Lambda function to copy the snapshot into another Region
- D. Create a cross-Region read replica for Amazon RDS in another Region and take an automated snapshot of the read replica

**Answer: D**

#### NEW QUESTION 68

A company is running a finance application on an Amazon RDS for MySQL DB instance. The application is governed by multiple financial regulatory agencies. The RDS DB instance is set up with security groups to allow access to certain Amazon EC2 servers only. AWS KMS is used for encryption at rest. Which step will provide additional security?

- A. Set up NACLs that allow the entire EC2 subnet to access the DB instance
- B. Disable the master user account
- C. Set up a security group that blocks SSH to the DB instance
- D. Set up RDS to use SSL for data in transit

**Answer: D**

#### NEW QUESTION 72

A company is running its line of business application on AWS, which uses Amazon RDS for MySQL at the persistent data store. The company wants to minimize downtime when it migrates the database to Amazon Aurora. Which migration method should a Database Specialist use?

- A. Take a snapshot of the RDS for MySQL DB instance and create a new Aurora DB cluster with the option to migrate snapshots.
- B. Make a backup of the RDS for MySQL DB instance using the mysqldump utility, create a new Aurora DB cluster, and restore the backup.
- C. Create an Aurora Replica from the RDS for MySQL DB instance and promote the Aurora DB cluster.
- D. Create a clone of the RDS for MySQL DB instance and promote the Aurora DB cluster.

**Answer: A**

#### NEW QUESTION 77

An ecommerce company is using Amazon DynamoDB as the backend for its order-processing application. The steady increase in the number of orders is resulting in increased DynamoDB costs. Order verification and reporting perform many repeated GetItem functions that pull similar datasets, and this read activity is contributing to the increased costs. The company wants to control these costs without significant development efforts. How should a Database Specialist address these requirements?

- A. Use AWS DMS to migrate data from DynamoDB to Amazon DocumentDB
- B. Use Amazon DynamoDB Streams and Amazon Kinesis Data Firehose to push the data into AmazonRedshift
- C. Use an Amazon ElastiCache for Redis in front of DynamoDB to boost read performance
- D. Use DynamoDB Accelerator to offload the reads

**Answer: B**

#### NEW QUESTION 80

A company is running Amazon RDS for MySQL for its workloads. There is downtime when AWS operating system patches are applied during the Amazon RDS-specified maintenance window.

What is the MOST cost-effective action that should be taken to avoid downtime?

- A. Migrate the workloads from Amazon RDS for MySQL to Amazon DynamoDB
- B. Enable cross-Region read replicas and direct read traffic to them when Amazon RDS is down
- C. Enable a read replicas and direct read traffic to it when Amazon RDS is down
- D. Enable an Amazon RDS for MySQL Multi-AZ configuration

**Answer: C**

#### NEW QUESTION 82

A manufacturing company's website uses an Amazon Aurora PostgreSQL DB cluster.

Which configurations will result in the LEAST application downtime during a failover? (Choose three.)

- A. Use the provided read and write Aurora endpoints to establish a connection to the Aurora DB cluster.
- B. Create an Amazon CloudWatch alert triggering a restore in another Availability Zone when the primary Aurora DB cluster is unreachable.
- C. Edit and enable Aurora DB cluster cache management in parameter groups.
- D. Set TCP keepalive parameters to a high value.
- E. Set JDBC connection string timeout variables to a low value.
- F. Set Java DNS caching timeouts to a high value.

**Answer: ABC**

#### NEW QUESTION 84

An Amazon RDS EBS-optimized instance with Provisioned IOPS (PIOPS) storage is using less than half of its allocated IOPS over the course of several hours under constant load. The RDS instance exhibits multi-second read and write latency, and uses all of its maximum bandwidth for read throughput, yet the instance uses less than half of its CPU and RAM resources.

What should a Database Specialist do in this situation to increase performance and return latency to sub-second levels?

- A. Increase the size of the DB instance storage
- B. Change the underlying EBS storage type to General Purpose SSD (gp2)
- C. Disable EBS optimization on the DB instance
- D. Change the DB instance to an instance class with a higher maximum bandwidth

**Answer: B**

#### NEW QUESTION 89

A company is load testing its three-tier production web application deployed with an AWS CloudFormation template on AWS. The Application team is making changes to deploy additional Amazon EC2 and AWS Lambda resources to expand the load testing capacity. A Database Specialist wants to ensure that the

changes made by the Application team will not change the Amazon RDS database resources already deployed.  
Which combination of steps would allow the Database Specialist to accomplish this? (Choose two.)

- A. Review the stack drift before modifying the template
- B. Create and review a change set before applying it
- C. Export the database resources as stack outputs
- D. Define the database resources in a nested stack
- E. Set a stack policy for the database resources

**Answer:** AD

#### NEW QUESTION 92

A company has a web-based survey application that uses Amazon DynamoDB. During peak usage, when survey responses are being collected, a Database Specialist sees the ProvisionedThroughputExceededException error.  
What can the Database Specialist do to resolve this error? (Choose two.)

- A. Change the table to use Amazon DynamoDB Streams
- B. Purchase DynamoDB reserved capacity in the affected Region
- C. Increase the write capacity units for the specific table
- D. Change the table capacity mode to on-demand
- E. Change the table type to throughput optimized

**Answer:** CE

#### NEW QUESTION 95

A financial services company is developing a shared data service that supports different applications from throughout the company. A Database Specialist designed a solution to leverage Amazon ElastiCache for Redis with cluster mode enabled to enhance performance and scalability. The cluster is configured to listen on port 6379.

Which combination of steps should the Database Specialist take to secure the cache data and protect it from unauthorized access? (Choose three.)

- A. Enable in-transit and at-rest encryption on the ElastiCache cluster.
- B. Ensure that Amazon CloudWatch metrics are configured in the ElastiCache cluster.
- C. Ensure the security group for the ElastiCache cluster allows all inbound traffic from itself and inbound traffic on TCP port 6379 from trusted clients only.
- D. Create an IAM policy to allow the application service roles to access all ElastiCache API actions.
- E. Ensure the security group for the ElastiCache clients authorize inbound TCP port 6379 and port 22 traffic from the trusted ElastiCache cluster's security group.
- F. Ensure the cluster is created with the auth-token parameter and that the parameter is used in all subsequent commands.

**Answer:** ABE

#### NEW QUESTION 99

.....

## Relate Links

**100% Pass Your DBS-C01 Exam with Exam Bible Prep Materials**

<https://www.exambible.com/DBS-C01-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>