

DBS-C01 Dumps

AWS Certified Database - Specialty

<https://www.certleader.com/DBS-C01-dumps.html>



NEW QUESTION 1

A company is concerned about the cost of a large-scale, transactional application using Amazon DynamoDB that only needs to store data for 2 days before it is deleted. In looking at the tables, a Database Specialist notices that much of the data is months old, and goes back to when the application was first deployed. What can the Database Specialist do to reduce the overall cost?

- A. Create a new attribute in each table to track the expiration time and create an AWS Glue transformation to delete entries more than 2 days old.
- B. Create a new attribute in each table to track the expiration time and enable DynamoDB Streams on each table.
- C. Create a new attribute in each table to track the expiration time and enable time to live (TTL) on each table.
- D. Create an Amazon CloudWatch Events event to export the data to Amazon S3 daily using AWS Data Pipeline and then truncate the Amazon DynamoDB table.

Answer: A

NEW QUESTION 2

A company has deployed an e-commerce web application in a new AWS account. An Amazon RDS for MySQL Multi-AZ DB instance is part of this deployment with a database-1.xxxxxxxxxxx.us-east-1.rds.amazonaws.com endpoint listening on port 3306. The company's Database Specialist is able to log in to MySQL and run queries from the bastion host using these details.

When users try to utilize the application hosted in the AWS account, they are presented with a generic error message. The application servers are logging a "could not connect to server: Connection times out" error message to Amazon CloudWatch Logs.

What is the cause of this error?

- A. The user name and password the application is using are incorrect.
- B. The security group assigned to the application servers does not have the necessary rules to allow inbound connections from the DB instance.
- C. The security group assigned to the DB instance does not have the necessary rules to allow inbound connections from the application servers.
- D. The user name and password are correct, but the user is not authorized to use the DB instance.

Answer: C

NEW QUESTION 3

A Database Specialist is migrating a 2 TB Amazon RDS for Oracle DB instance to an RDS for PostgreSQL DB instance using AWS DMS. The source RDS Oracle DB instance is in a VPC in the us-east-1 Region. The target RDS for PostgreSQL DB instance is in a VPC in the use-west-2 Region.

Where should the AWS DMS replication instance be placed for the MOST optimal performance?

- A. In the same Region and VPC of the source DB instance
- B. In the same Region and VPC as the target DB instance
- C. In the same VPC and Availability Zone as the target DB instance
- D. In the same VPC and Availability Zone as the source DB instance

Answer: D

NEW QUESTION 4

An IT consulting company wants to reduce costs when operating its development environment databases. The company's workflow creates multiple Amazon Aurora MySQL DB clusters for each development group. The Aurora DB clusters are only used for 8 hours a day. The DB clusters can then be deleted at the end of the development cycle, which lasts 2 weeks.

Which of the following provides the MOST cost-effective solution?

- A. Use AWS CloudFormation template
- B. Deploy a stack with the DB cluster for each development group. Delete the stack at the end of the development cycle.
- C. Use the Aurora DB cloning feature
- D. Deploy a single development and test Aurora DB instance, and create clone instances for the development group
- E. Delete the clones at the end of the development cycle.
- F. Use Aurora Replica
- G. From the master automatic pause compute capacity option, create replicas for each development group, and promote each replica to master
- H. Delete the replicas at the end of the development cycle.
- I. Use Aurora Serverless
- J. Restore current Aurora snapshot and deploy to a serverless cluster for each development group
- K. Enable the option to pause the compute capacity on the cluster and set an appropriate timeout.

Answer: D

NEW QUESTION 5

A gaming company is designing a mobile gaming app that will be accessed by many users across the globe. The company wants to have replication and full support for multi-master writes. The company also wants to ensure low latency and consistent performance for app users.

Which solution meets these requirements?

- A. Use Amazon DynamoDB global tables for storage and enable DynamoDB automatic scaling
- B. Use Amazon Aurora for storage and enable cross-Region Aurora Replicas
- C. Use Amazon Aurora for storage and cache the user content with Amazon ElastiCache
- D. Use Amazon Neptune for storage

Answer: A

NEW QUESTION 6

A company maintains several databases using Amazon RDS for MySQL and PostgreSQL. Each RDS database generates log files with retention periods set to their default values. The company has now mandated that database logs be maintained for up to 90 days in a centralized repository to facilitate real-time and after-the-fact analyses.

What should a Database Specialist do to meet these requirements with minimal effort?

- A. Create an AWS Lambda function to pull logs from the RDS databases and consolidate the log files in an Amazon S3 bucket
- B. Set a lifecycle policy to expire the objects after 90 days.
- C. Modify the RDS databases to publish log to Amazon CloudWatch Log
- D. Change the log retention policy for each log group to expire the events after 90 days.
- E. Write a stored procedure in each RDS database to download the logs and consolidate the log files in an Amazon S3 bucket
- F. Set a lifecycle policy to expire the objects after 90 days.
- G. Create an AWS Lambda function to download the logs from the RDS databases and publish the logs to Amazon CloudWatch Log
- H. Change the log retention policy for the log group to expire the events after 90 days.

Answer: A

NEW QUESTION 7

A company is looking to migrate a 1 TB Oracle database from on-premises to an Amazon Aurora PostgreSQL DB cluster. The company's Database Specialist discovered that the Oracle database is storing 100 GB of large binary objects (LOBs) across multiple tables. The Oracle database has a maximum LOB size of 500 MB with an average LOB size of 350 MB. The Database Specialist has chosen AWS DMS to migrate the data with the largest replication instances. How should the Database Specialist optimize the database migration using AWS DMS?

- A. Create a single task using full LOB mode with a LOB chunk size of 500 MB to migrate the data and LOBs together
- B. Create two tasks: task1 with LOB tables using full LOB mode with a LOB chunk size of 500 MB and task2 without LOBs
- C. Create two tasks: task1 with LOB tables using limited LOB mode with a maximum LOB size of 500 MB and task 2 without LOBs
- D. Create a single task using limited LOB mode with a maximum LOB size of 500 MB to migrate data and LOBs together

Answer: C

NEW QUESTION 8

A gaming company has recently acquired a successful iOS game, which is particularly popular during the holiday season. The company has decided to add a leaderboard to the game that uses Amazon DynamoDB. The application load is expected to ramp up over the holiday season. Which solution will meet these requirements at the lowest cost?

- A. DynamoDB Streams
- B. DynamoDB with DynamoDB Accelerator
- C. DynamoDB with on-demand capacity mode
- D. DynamoDB with provisioned capacity mode with Auto Scaling

Answer: C

NEW QUESTION 9

An online gaming company is planning to launch a new game with Amazon DynamoDB as its data store. The database should be designated to support the following use cases:

- Update scores in real time whenever a player is playing the game.
- Retrieve a player's score details for a specific game session.

A Database Specialist decides to implement a DynamoDB table. Each player has a unique user_id and each game has a unique game_id. Which choice of keys is recommended for the DynamoDB table?

- A. Create a global secondary index with game_id as the partition key
- B. Create a global secondary index with user_id as the partition key
- C. Create a composite primary key with game_id as the partition key and user_id as the sort key
- D. Create a composite primary key with user_id as the partition key and game_id as the sort key

Answer: B

NEW QUESTION 10

A company just migrated to Amazon Aurora PostgreSQL from an on-premises Oracle database. After the migration, the company discovered there is a period of time every day around 3:00 PM where the response time of the application is noticeably slower. The company has narrowed down the cause of this issue to the database and not the application.

Which set of steps should the Database Specialist take to most efficiently find the problematic PostgreSQL query?

- A. Create an Amazon CloudWatch dashboard to show the number of connections, CPU usage, and disk space consumption
- B. Watch these dashboards during the next slow period.
- C. Launch an Amazon EC2 instance, and install and configure an open-source PostgreSQL monitoring tool that will run reports based on the output error logs.
- D. Modify the logging database parameter to log all the queries related to locking in the database and then check the logs after the next slow period for this information.
- E. Enable Amazon RDS Performance Insights on the PostgreSQL database
- F. Use the metrics to identify any queries that are related to spikes in the graph during the next slow period.

Answer: D

NEW QUESTION 10

A company developed an AWS CloudFormation template used to create all new Amazon DynamoDB tables in its AWS account. The template configures provisioned throughput capacity using hard-coded values. The company wants to change the template so that the tables it creates in the future have independently configurable read and write capacity units assigned.

Which solution will enable this change?

- A. Add values for the rcuCount and wcuCount parameters to the Mappings section of the template. Configure DynamoDB to provision throughput capacity using the stack's mappings.

- B. Add values for two Number parameters, rcuCount and wcuCount, to the template.
- C. Replace the hard-coded values with calls to the Ref intrinsic function, referencing the new parameters.
- D. Add values for the rcuCount and wcuCount parameters as outputs of the template.
- E. Configure DynamoDB to provision throughput capacity using the stack outputs.
- F. Add values for the rcuCount and wcuCount parameters to the Mappings section of the template. Replace the hard-coded values with calls to the Ref intrinsic function, referencing the new parameters.

Answer: B

NEW QUESTION 13

A company is planning to close for several days. A Database Specialist needs to stop all applications along with the DB instances to ensure employees do not have access to the systems during this time. All databases are running on Amazon RDS for MySQL.

The Database Specialist wrote and executed a script to stop all the DB instances. When reviewing the logs, the Database Specialist found that Amazon RDS DB instances with read replicas did not stop.

How should the Database Specialist edit the script to fix this issue?

- A. Stop the source instances before stopping their read replicas
- B. Delete each read replica before stopping its corresponding source instance
- C. Stop the read replicas before stopping their source instances
- D. Use the AWS CLI to stop each read replica and source instance at the same time

Answer: D

NEW QUESTION 18

A Database Specialist modified an existing parameter group currently associated with a production Amazon RDS for SQL Server Multi-AZ DB instance. The change is associated with a static parameter type, which controls the number of user connections allowed on the most critical RDS SQL Server DB instance for the company. This change has been approved for a specific maintenance window to help minimize the impact on users.

How should the Database Specialist apply the parameter group change for the DB instance?

- A. Select the option to apply the change immediately
- B. Allow the preconfigured RDS maintenance window for the given DB instance to control when the change is applied
- C. Apply the change manually by rebooting the DB instance during the approved maintenance window
- D. Reboot the secondary Multi-AZ DB instance

Answer: D

NEW QUESTION 21

A Database Specialist migrated an existing production MySQL database from on-premises to an Amazon RDS for MySQL DB instance. However, after the migration, the database needed to be encrypted at rest using AWS KMS. Due to the size of the database, reloading the data into an encrypted database would be too time-consuming, so it is not an option.

How should the Database Specialist satisfy this new requirement?

- A. Create a snapshot of the unencrypted RDS DB instance
- B. Create an encrypted copy of the unencrypted snapshot
- C. Restore the encrypted snapshot copy.
- D. Modify the RDS DB instance
- E. Enable the AWS KMS encryption option that leverages the AWS CLI.
- F. Restore an unencrypted snapshot into a MySQL RDS DB instance that is encrypted.
- G. Create an encrypted read replica of the RDS DB instance
- H. Promote it to the master.

Answer: A

NEW QUESTION 22

A financial company wants to store sensitive user data in an Amazon Aurora PostgreSQL DB cluster. The database will be accessed by multiple applications across the company. The company has mandated that all communications to the database be encrypted and the server identity must be validated. Any non-SSL-based connections should be disallowed access to the database.

Which solution addresses these requirements?

- A. Set the rds.force_ssl=0 parameter in DB parameter group
- B. Download and use the Amazon RDS certificate bundle and configure the PostgreSQL connection string with sslmode=allow.
- C. Set the rds.force_ssl=1 parameter in DB parameter group
- D. Download and use the Amazon RDS certificate bundle and configure the PostgreSQL connection string with sslmode=disable.
- E. Set the rds.force_ssl=0 parameter in DB parameter group
- F. Download and use the Amazon RDS certificate bundle and configure the PostgreSQL connection string with sslmode=verify-ca.
- G. Set the rds.force_ssl=1 parameter in DB parameter group
- H. Download and use the Amazon RDS certificate bundle and configure the PostgreSQL connection string with sslmode=verify-full.

Answer: D

NEW QUESTION 25

A Database Specialist is performing a proof of concept with Amazon Aurora using a small instance to confirm a simple database behavior. When loading a large dataset and creating the index, the Database Specialist encounters the following error message from Aurora:

ERROR: cloud not write block 7507718 of temporary file: No space left on device

What is the cause of this error and what should the Database Specialist do to resolve this issue?

- A. The scaling of Aurora storage cannot catch up with the data load
- B. The Database Specialist needs to modify the workload to load the data slowly.

- C. The scaling of Aurora storage cannot catch up with the data loadin
- D. The Database Specialist needs to enable Aurora storage scaling.
- E. The local storage used to store temporary tables is full
- F. The Database Specialist needs to scale up the instance.
- G. The local storage used to store temporary tables is full
- H. The Database Specialist needs to enable local storage scaling.

Answer: C

NEW QUESTION 28

A Database Specialist is designing a new database infrastructure for a ride hailing application. The application data includes a ride tracking system that stores GPS coordinates for all rides. Real-time statistics and metadata lookups must be performed with high throughput and microsecond latency. The database should be fault tolerant with minimal operational overhead and development effort. Which solution meets these requirements in the MOST efficient way?

- A. Use Amazon RDS for MySQL as the database and use Amazon ElastiCache
- B. Use Amazon DynamoDB as the database and use DynamoDB Accelerator
- C. Use Amazon Aurora MySQL as the database and use Aurora's buffer cache
- D. Use Amazon DynamoDB as the database and use Amazon API Gateway

Answer: D

NEW QUESTION 32

A company has a database monitoring solution that uses Amazon CloudWatch for its Amazon RDS for SQL Server environment. The cause of a recent spike in CPU utilization was not determined using the standard metrics that were collected. The CPU spike caused the application to perform poorly, impacting users. A Database Specialist needs to determine what caused the CPU spike. Which combination of steps should be taken to provide more visibility into the processes and queries running during an increase in CPU load? (Choose two.)

- A. Enable Amazon CloudWatch Events and view the incoming T-SQL statements causing the CPU to spike.
- B. Enable Enhanced Monitoring metrics to view CPU utilization at the RDS SQL Server DB instance level.
- C. Implement a caching layer to help with repeated queries on the RDS SQL Server DB instance.
- D. Use Amazon QuickSight to view the SQL statement being run.
- E. Enable Amazon RDS Performance Insights to view the database load and filter the load by waits, SQL statements, hosts, or users.

Answer: BE

NEW QUESTION 33

A user has a non-relational key-value database. The user is looking for a fully managed AWS service that will offload the administrative burdens of operating and scaling distributed databases. The solution must be cost-effective and able to handle unpredictable application traffic. What should a Database Specialist recommend for this user?

- A. Create an Amazon DynamoDB table with provisioned capacity mode
- B. Create an Amazon DocumentDB cluster
- C. Create an Amazon DynamoDB table with on-demand capacity mode
- D. Create an Amazon Aurora Serverless DB cluster

Answer: C

NEW QUESTION 34

A company is going to use an Amazon Aurora PostgreSQL DB cluster for an application backend. The DB cluster contains some tables with sensitive data. A Database Specialist needs to control the access privileges at the table level. How can the Database Specialist meet these requirements?

- A. Use AWS IAM database authentication and restrict access to the tables using an IAM policy.
- B. Configure the rules in a NACL to restrict outbound traffic from the Aurora DB cluster.
- C. Execute GRANT and REVOKE commands that restrict access to the tables containing sensitive data.
- D. Define access privileges to the tables containing sensitive data in the pg_hba.conf file.

Answer: C

NEW QUESTION 38

A company is about to launch a new product, and test databases must be re-created from production data. The company runs its production databases on an Amazon Aurora MySQL DB cluster. A Database Specialist needs to deploy a solution to create these test databases as quickly as possible with the least amount of administrative effort. What should the Database Specialist do to meet these requirements?

- A. Restore a snapshot from the production cluster into test clusters
- B. Create logical dumps of the production cluster and restore them into new test clusters
- C. Use database cloning to create clones of the production cluster
- D. Add an additional read replica to the production cluster and use that node for testing

Answer: D

NEW QUESTION 41

A company is running a finance application on an Amazon RDS for MySQL DB instance. The application is governed by multiple financial regulatory agencies. The RDS DB instance is set up with security groups to allow access to certain Amazon EC2 servers only. AWS KMS is used for encryption at rest. Which step will provide additional security?

- A. Set up NACLs that allow the entire EC2 subnet to access the DB instance
- B. Disable the master user account
- C. Set up a security group that blocks SSH to the DB instance
- D. Set up RDS to use SSL for data in transit

Answer: D

NEW QUESTION 46

A financial company has allocated an Amazon RDS MariaDB DB instance with large storage capacity to accommodate migration efforts. Post-migration, the company purged unwanted data from the instance. The company now want to downsize storage to save money. The solution must have the least impact on production and near-zero downtime.

Which solution would meet these requirements?

- A. Create a snapshot of the old databases and restore the snapshot with the required storage
- B. Create a new RDS DB instance with the required storage and move the databases from the old instance to the new instance using AWS DMS
- C. Create a new database using native backup and restore
- D. Create a new read replica and make it the primary by terminating the existing primary

Answer: A

NEW QUESTION 51

A Database Specialist is designing a disaster recovery strategy for a production Amazon DynamoDB table. The table uses provisioned read/write capacity mode, global secondary indexes, and time to live (TTL). The Database Specialist has restored the latest backup to a new table.

To prepare the new table with identical settings, which steps should be performed? (Choose two.)

- A. Re-create global secondary indexes in the new table
- B. Define IAM policies for access to the new table
- C. Define the TTL settings
- D. Encrypt the table from the AWS Management Console or use the update-table command
- E. Set the provisioned read and write capacity

Answer: AE

NEW QUESTION 52

A company needs a data warehouse solution that keeps data in a consistent, highly structured format. The company requires fast responses for end-user queries when looking at data from the current year, and users must have access to the full 15-year dataset, when needed. This solution also needs to handle a fluctuating number of incoming queries. Storage costs for the 100 TB of data must be kept low. Which solution meets these requirements?

- A. Leverage an Amazon Redshift data warehouse solution using a dense storage instance type while keeping all the data on local Amazon Redshift storage
- B. Provision enough instances to support high demand.
- C. Leverage an Amazon Redshift data warehouse solution using a dense storage instance to store the most recent data
- D. Keep historical data on Amazon S3 and access it using the Amazon Redshift Spectrum layer
- E. Provision enough instances to support high demand.
- F. Leverage an Amazon Redshift data warehouse solution using a dense storage instance to store the most recent data
- G. Keep historical data on Amazon S3 and access it using the Amazon Redshift Spectrum layer
- H. Enable Amazon Redshift Concurrency Scaling.
- I. Leverage an Amazon Redshift data warehouse solution using a dense storage instance to store the most recent data
- J. Keep historical data on Amazon S3 and access it using the Amazon Redshift Spectrum layer
- K. Leverage Amazon Redshift elastic resize.

Answer: C

NEW QUESTION 57

A Database Specialist is planning to create a read replica of an existing Amazon RDS for MySQL Multi-AZ DB instance. When using the AWS Management Console to conduct this task, the Database Specialist discovers that the source RDS DB instance does not appear in the read replica source selection box, so the read replica cannot be created.

What is the most likely reason for this?

- A. The source DB instance has to be converted to Single-AZ first to create a read replica from it.
- B. Enhanced Monitoring is not enabled on the source DB instance.
- C. The minor MySQL version in the source DB instance does not support read replicas.
- D. Automated backups are not enabled on the source DB instance.

Answer: D

NEW QUESTION 59

A manufacturing company's website uses an Amazon Aurora PostgreSQL DB cluster.

Which configurations will result in the LEAST application downtime during a failover? (Choose three.)

- A. Use the provided read and write Aurora endpoints to establish a connection to the Aurora DB cluster.
- B. Create an Amazon CloudWatch alert triggering a restore in another Availability Zone when the primary Aurora DB cluster is unreachable.
- C. Edit and enable Aurora DB cluster cache management in parameter groups.
- D. Set TCP keepalive parameters to a high value.
- E. Set JDBC connection string timeout variables to a low value.
- F. Set Java DNS caching timeouts to a high value.

Answer: ABC

NEW QUESTION 62

A company is load testing its three-tier production web application deployed with an AWS CloudFormation template on AWS. The Application team is making changes to deploy additional Amazon EC2 and AWS Lambda resources to expand the load testing capacity. A Database Specialist wants to ensure that the changes made by the Application team will not change the Amazon RDS database resources already deployed. Which combination of steps would allow the Database Specialist to accomplish this? (Choose two.)

- A. Review the stack drift before modifying the template
- B. Create and review a change set before applying it
- C. Export the database resources as stack outputs
- D. Define the database resources in a nested stack
- E. Set a stack policy for the database resources

Answer: AD

NEW QUESTION 65

A company is running an Amazon RDS for PostgreSQL DB instance and wants to migrate it to an Amazon Aurora PostgreSQL DB cluster. The current database is 1 TB in size. The migration needs to have minimal downtime. What is the FASTEST way to accomplish this?

- A. Create an Aurora PostgreSQL DB cluster
- B. Set up replication from the source RDS for PostgreSQL DB instance using AWS DMS to the target DB cluster.
- C. Use the pg_dump and pg_restore utilities to extract and restore the RDS for PostgreSQL DB instance to the Aurora PostgreSQL DB cluster.
- D. Create a database snapshot of the RDS for PostgreSQL DB instance and use this snapshot to create the Aurora PostgreSQL DB cluster.
- E. Migrate data from the RDS for PostgreSQL DB instance to an Aurora PostgreSQL DB cluster using an Aurora Replic
- F. Promote the replica during the cutover.

Answer: C

NEW QUESTION 66

A Database Specialist is creating Amazon DynamoDB tables, Amazon CloudWatch alarms, and associated infrastructure for an Application team using a development AWS account. The team wants a deployment method that will standardize the core solution components while managing environment-specific settings separately, and wants to minimize rework due to configuration errors. Which process should the Database Specialist recommend to meet these requirements?

- A. Organize common and environmental-specific parameters hierarchically in the AWS Systems ManagerParameter Store, then reference the parameters dynamically from an AWS CloudFormation template. Deploy the CloudFormation stack using the environment name as a parameter.
- B. Create a parameterized AWS CloudFormation template that builds the required object
- C. Keep separate environment parameter files in separate Amazon S3 bucket
- D. Provide an AWS CLI command that deploys the CloudFormation stack directly referencing the appropriate parameter bucket.
- E. Create a parameterized AWS CloudFormation template that builds the required object
- F. Import the template into the CloudFormation interface in the AWS Management Console
- G. Make the required changes to the parameters and deploy the CloudFormation stack.
- H. Create an AWS Lambda function that builds the required objects using an AWS SD
- I. Set the required parameter values in a test event in the Lambda console for each environment that the Application team can modify, as needed
- J. Deploy the infrastructure by triggering the test event in the console.

Answer: C

NEW QUESTION 70

A company has a web-based survey application that uses Amazon DynamoDB. During peak usage, when survey responses are being collected, a Database Specialist sees the ProvisionedThroughputExceededException error. What can the Database Specialist do to resolve this error? (Choose two.)

- A. Change the table to use Amazon DynamoDB Streams
- B. Purchase DynamoDB reserved capacity in the affected Region
- C. Increase the write capacity units for the specific table
- D. Change the table capacity mode to on-demand
- E. Change the table type to throughput optimized

Answer: CE

NEW QUESTION 74

A company runs online transaction processing (OLTP) workloads on an Amazon RDS for PostgreSQL Multi-AZ DB instance. Tests were run on the database after work hours, which generated additional database logs. The free storage of the RDS DB instance is low due to these additional logs. What should the company do to address this space constraint issue?

- A. Log in to the host and run the rm \$PGDATA/pg_logs/* command
- B. Modify the rds.log_retention_period parameter to 1440 and wait up to 24 hours for database logs to be deleted
- C. Create a ticket with AWS Support to have the logs deleted
- D. Run the SELECT rds_rotate_error_log() stored procedure to rotate the logs

Answer: B

NEW QUESTION 77

A company is using Amazon with Aurora Replicas for read-only workload scaling. A Database Specialist needs to split up two read-only applications so each application always connects to a dedicated replica. The Database Specialist wants to implement load balancing and high availability for the read-only applications. Which solution meets these requirements?

- A. Use a specific instance endpoint for each replica and add the instance endpoint to each read-onlyapplication connection string.
- B. Use reader endpoints for both the read-only workload applications.
- C. Use a reader endpoint for one read-only application and use an instance endpoint for the other read-onlyapplication.
- D. Use custom endpoints for the two read-only applications.

Answer: B

NEW QUESTION 81

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your DBS-C01 Exam with Our Prep Materials Via below:

<https://www.certleader.com/DBS-C01-dumps.html>