

Exam Questions PDII

Salesforce Certified Platform Developer II (PDII)

<https://www.2passeasy.com/dumps/PDII/>



NEW QUESTION 1

What is a technique to maximize code re-use within Visualforce pages? Choose 3 answers

- A. Referencing an existing page With .
- B. Creating Visualforce Templates With .
- C. Defining reusable page regions with .
- D. Creating reusable page sections with .
- E. Creating reusable Visualforce Components with .

Answer: ABE

NEW QUESTION 2

A developer has created an Order entry page that includes an <apex:outputLabel> tag for a field label. How can the developer ensure that the label text changes when the field label changes?

- A. Use FieldSetMember methods to control label text.
- B. Use the SObjectType variable to control label text.
- C. Use a custom label to manage the label text.
- D. Use the metadata API to update the label text.

Answer: B

NEW QUESTION 3

What is the correct order of execution for Visualforce Page "postback" requests (when user interaction requires a page update)

- A. 1: Decode View State2: Evaluate expressions and method calls for the main page and custom components 3: Upon successful completion, Evaluate the action that triggered the postback4: Upon successful completion, Update data and redirect user/update view state 5: HTML sent to browser
- B. 1: Evaluate expressions and method calls for the main page and custom components 2: Decode View State3v Upon successful completion, Update data and redirect user/update view state 4: Upon successful completion, Evaluate the action that triggered the postback 5: HTML sent to browser
- C. 1: Decode View State2: Evaluate expressions and method calls for the main page and custom components 3: Upon successful completion, Update data and redirect user/update view state4: Upon successful completion, Evaluate the action that triggered the postback 5: HTML sent to browser

Answer: A

NEW QUESTION 4

A developer has created a Visualforce page that uses a third-party JavaScript framework. The developer has decided to supply data to the JavaScript functions using JavaScript Remoting for Apex Controllers. What is the correct syntax to declare a remote method in Apex? Choose 2 answers

- A. @RemoteAction global static String getTable()
- B. @RemoteAction global String getTable()
- C. @RemoteAction public static String getTable()
- D. @Remoteobject global static String gettable AC

Answer: AC

NEW QUESTION 5

Which use case is an appropriate fit for the @future asynchronous Apex method? Choose 2 answers

- A. A developer has jobs that need larger query results than regular transactions allow.
- B. A developer needs to segregate DML operations and bypass the mixed save DML error.
- C. A developer has long-running jobs with large data volumes that need to be performed in batches-
- D. A developer has long-running methods and needs to prevent delaying an Apex transaction.

Answer: BD

NEW QUESTION 6

A developer is writing a Visualforce page to display a list of all of the checkbox fields found on a custom object. What is the recommended mechanism the developer should use to accomplish this?

- A. Schema class
- B. Apex API
- C. Schema Builder
- D. Metadata API

Answer: A

NEW QUESTION 7

What is the output of the following code snippet?

```
1 Contact con = new Contact( LastName = 'Smith', Department = 'Admin'); 2 insert con; 3 4 Savepoint sp_finance = Database.setSavepoint(); 5 con.Department = 'finance'; 6 update con; 7 8 Savepoint sp_hr = Database.setSavepoint(); 9 con.Department = 'HR'; 10 update con; 11 12 Database.rollback(sp_finance); 13 Database.rollback(sp_hr);
```

- A. The contact record will be saved ME department value HR.
- B. A runtime error will be thrown on line 12.
- C. A runtime error will be thrown on line 13.

D. The contact record will be saved with department value Finance.

Answer: C

NEW QUESTION 8

A developer writes the following Apex trigger so that when a Case is closed, a single Survey record is created for that Case. The issue is that multiple Survey-c records are being created per Case. trigger CaseTrigger on Case (after insert, after update) { List<Survey c> createSurveys = new List<Survey c>(); for (Case c : trigger.new) { if (c.IsClosed && (trigger.isInsert || trigger.isUpdate && trigger.oldMap.get(c.Id).IsClosed == false)) { createSurveys.add(new Survey c(Case c = c.Id)); insert createSurveys; } } What could be the cause of this issue?

- A. A user is creating the record as Closed
- B. A workflow rule is firing with a Create Task action.
- C. A workflow rule is firing with a Field Update action.
- D. A user is editing the record multiple times.

Answer: D

NEW QUESTION 9

A developer needs to design a custom object that will be integrated into a back-end system. What should the developer do to ensure good data quality and to ensure that data imports, integrations, and searches perform well? Choose 2 answers

- A. Configure a custom field as unique.
- B. Configure a custom field as indexed.
- C. Configure a custom field as external ID.
- D. Configure a custom field as Salesforce ID.

Answer: AC

NEW QUESTION 10

Invokable methods accept sObjects as parameters

- A. True
- B. False

Answer: B

NEW QUESTION 10

A company wants to create a dynamic survey that navigates users through a different series of questions based on their previous responses. What is the recommended solution to meet this requirement?

- A. Dynamic Record Choice
- B. Lightning Process Builder
- C. Visualforce and Apex
- D. Custom Lightning application

Answer: C

NEW QUESTION 12

When testing batch classes, what must a developer do?

- A. Use seeAllData=true
- B. Encapsulate code in Test.startTest() and Test.stopTest()
- C. Call the class' "execute" method
- D. Limit the amount of records you test to < 200

Answer: BD

NEW QUESTION 16

A developer wants to retrieve and deploy metadata, perform a simple CSV export of query results, and debug APEX Rest calls by viewing the JSON responses. Which tool should the developer use?

- A. Developer Console
- B. Force.com Migration Tool
- C. Workbench
- D. Force.com IDE

Answer: C

NEW QUESTION 21

How can Apex class functionality be exposed for invocation from a Lightning process? Choose 2 answers

- A. Expose the class as a custom REST API.
- B. Use the @InvocableMethod annotation.
- C. Extend the ProcessInvocable base class.
- D. Implement the Process.Plugin interface.

Answer: BD

NEW QUESTION 25

What is the <apex:actionSupport> tag used for in Visualforce pages?

- A. To provide help and support content for buttons and links.
- B. To trigger a second action when a button or link is clicked.
- C. To trigger controller actions in response to DOM element events.
- D. To create a Javascript function that can trigger a controller action

Answer: C

NEW QUESTION 27

Which of the following object types can be used with a Web Service?

- A. Maps
- B. Sets
- C. Pattern objects
- D. Matcher objects
- E. Lists
- F. Exception objects

Answer: E

NEW QUESTION 29

A developer writes the following code: `public with sharing class OrderController { public PageReference sendOrder() { Order c order = new Order c insert order; ExternalOrder externalOrder = new ExternalOrder (order); Http h = new Http(); HttpRequest req = new HttpRequest(); req.setEndpoint('https://www.example.org/v1/orders'); req.setMethod('POST'); req.setBody(JSON.serialize(externalOrder)); HttpResponse res = h.send(req); order = (ExternalOrder)JSON.deserialize(res.getBody(),ExternalOrder.class); } }` While testing the code, the developer receives the following error message: `System.CalloutException : You have uncommitted work pending` What should the developer do? Choose 2 answers

- A. Use the `asyncSend()` method of the HTTP class to send the request in async context.
- B. Ensure all callouts are completed prior to executing DML statements.
- C. Move the web service callout into an `@future` method.
- D. Use `Database.insert (order, true)` to immediately commit any database changes.

Answer: BC

NEW QUESTION 34

Which of the following standard fields are indexed? Choose three answers

- A. Name
- B. CreatedBy
- C. SystemModStamp
- D. LastModifiedDate
- E. RecordType

Answer: ACE

NEW QUESTION 37

A developer has written the following method: `static void processList(List<subject> input){` Which code block can be used to call the method?

- A. `ProcessList (acc)`
- B. `ProcessList ([FIND 'Acme' ' RETURNING Account])`
- C. `ProcessList([SELECT Id, Name FROM sObject WHERE Type = 'Account'`
- D. `For Account acc : [SELECT Id, Name FROM Account]`

Answer: D

NEW QUESTION 39

What is the correct order of execution for Visualforce Page "get" requests (initial page visit)

- A. 1: Evaluate constructors on controller and extensions 2: If there's a element, create the view state3: Evaluate expressions, attribute actions, and other method calls (getters/setters) on main page4: Evaluate constructors, extensions, and expression on attribute definitions on any custom components present5: Send HTML to Browser
- B. 1: Evaluate constructors on controller and extensions2: Evaluate constructors, extensions, and expression on attribute definitions on any custom components present3: Evaluate expressions, attribute actions, and other method calls (getters/setters) on main page 4: If there's a element, create the view state5: Send HTML to Browser
- C. 1: Evaluate constructors, extensions, and expression on attribute definitions on any custom components present2: Evaluate constructors on controller and extensions3: Evaluate expressions, attribute actions, and other method calls (getters/setters) on main page 4: If there's a element, create the view state5: Send HTML to Browser

Answer: B

NEW QUESTION 43

Which API can be used to execute unit tests? Choose 3 answers

- A. Streaming API
- B. Test API
- C. Tooling API
- D. SOAP API
- E. Metadata API

Answer: CDE

NEW QUESTION 48

The REST API...

- A. Is based on REST principles and is optimized for loading or deleting large sets of data
- B. You can use it to query, queryAll, insert, update, upsert, or delete many records asynchronously by submitting batches
- C. Provides a powerful, convenient, and simple REST-based web services interface for interacting with Salesforce
- D. Its advantages include ease of integration and development, and it's an excellent choice of technology for use with mobile applications and web projects
- E. Is used to create, retrieve, update or delete records, such as accounts, leads, and custom objects, and allows you to maintain passwords, perform searches, and much more
- F. Is used to retrieve, deploy, create, update, or delete customizations for your org
- G. The most common use is to migrate changes from a sandbox or testing org to your production environment

Answer: B

NEW QUESTION 49

What is the correct syntax for calling a controller action from a Visualforce page and updating part of the page once the action is completed? Choose 2 answers

- A. < apex: commandFunction action="{ !Save}" value="Save" rendered="thePageBlock"/>
- B. < apex:actionFunction action="{ !Save}" name="Save" rerender="thePageBlock"/>
- C. < apex:commandButton action="{ !Save}" value="Save" redraw="thePageBlock"/>
- D. < apex:actionSupport action="{ !Save}" event="" rerender="thePageBlock"/>

Answer: BD

NEW QUESTION 50

During the Visualforce Page execution, what step follows immediately after "Evaluate constructors on controller and extensions"?

- A. Create the view state
- B. Evaluate constructors, extensions, and expression on attribute definitions on any custom components present
- C. Evaluate expressions, <apex:page> attribute actions, and other method calls (getters/setters) on main page
- D. Send HTML to Browser

Answer: B

NEW QUESTION 55

Employee-c is a Child object of Company-c. The Company-c object has an external Id field Company_Id_c. How can a developer insert an Employee-c record linked to Company-c with a Company_Id_c of '999'?

- A. Employee-c emp = new Employee-C(Name='Developer'); emp.Company_r = ' 999' insert emp;
- B. Employee-c emp = new Employee-C(Name='Developer'); emp.Company_c = ' 999' insert emp;
- C. Employee-c emp = new Employee-C(Name='Developer'); em
- D. Company-c = new Company-c(Company_Id_c=' 999' insert emp;
- E. Employee-c emp = new Employee-C(Name='Developer'); emp.Company_r = new Company-r(Company_Id_c=' 999'); insert emp;

Answer: D

NEW QUESTION 59

A developer needs to write tests to ensure that code doesn't fail when it is deployed to a different organization. The developer also must ensure that the code works properly with organization sharing rules and ensure that the code mitigates errors due to limits. How can the developer meet these requirements? Choose 2 answers

- A. Create all test data before calling the Test
- B. startTest () and Test .stopTest () methods.
- C. Handle all exceptions that are caught by adding an empty catch (Exception e) statement.
- D. Use SeeAllData=true to avoid delaying tests due to creating test data.
- E. Use the runAs () method to test the application in different user contexts.

Answer: AD

NEW QUESTION 64

How would you test a web service?

- A. Use the @future annotation on the method
- B. Call the WebService interface
- C. Web Services do not need to be tested
- D. Create a class that implements the WebServiceMock interface

Answer: D

NEW QUESTION 68

A developer is building a Visualforce page that interacts with external services. Which interface should the developer implement to test this functionality? Choose 2 answers

- A. HTTPCalloutMock
- B. HTTPRequestMock
- C. HTTPResponseMock
- D. StaticResourceCalloutMock

Answer: AD

NEW QUESTION 71

The "action" attribute on <apex:page> is ONLY evaluated on which type of request?

- A. Get request
- B. Postback request

Answer: A

NEW QUESTION 75

What is the correct order of execution for Visualforce Page "get" requests (initial page visit)

- A. 1) Evaluate constructors on controller and extensions2) If there's a <apex:form> element, create the view state3) Evaluate expressions, <apex:page> attribute actions, and other method calls (getters/setters) on main page4) Evaluate constructors, extensions, and expression on attribute definitions on any custom components present5) Send HTML to Browser
- B. 1) Evaluate constructors, extensions, and expression on attribute definitions on any custom components present2) Evaluate constructors on controller and extensions3) Evaluate expressions, <apex:page> attribute actions, and other method calls (getters/setters) on main page4) If there's a <apex:form> element, create the view state5) Send HTML to Browser
- C. 1) Evaluate constructors on controller and extensions2) Evaluate constructors, extensions, and expression on attribute definitions on any custom components present3) Evaluate expressions, <apex:page> attribute actions, and other method calls (getters/setters) on main page4) If there's a <apex:form> element, create the view state5) Send HTML to Browser

Answer: C

NEW QUESTION 80

A developer has a Debug method within a class, which is invoked hundreds of times. What is the optimal functionality in the Developer Console to count the number of calls made to the method?

- A. The "Execution Log" Panel.
- B. The "Execution Stack" Panel.
- C. The "Executed Units" tab under the Execution Overview Panel.
- D. The "Execution Tree" tab under the Stack Tree Panel.

Answer: C

NEW QUESTION 85

Within the System.Limit class, what would you call to get the number of calls made in your transaction?

- A. Get[typeOfLimit] --> (E
- B. getDMLStatements())
- C. GetLimit[typeOfLimit] --> (E
- D. getLimitDMLStatements())

Answer: A

NEW QUESTION 86

A developer wants to retrieve and deploy metadata, perform simple CSV export of query results, and debug Apex REST calls by viewing JSON responses. Which tool should the developer use?

- A. Developer Console
- B. Force.com Migration Tool
- C. Workbench
- D. Force.com IDE

Answer: C

NEW QUESTION 90

What is a controller value that will NOT be saved in the viewstate of a Visualforce page? Choose 3 answers

- A. A variable declared with the Transient keyword.
- B. A variable of a type that is a collection of SObjects.
- C. A system-generated object such as a Schema Describe object.
- D. A variable declared with the Static keyword.

E. A variable of a type that is a custom Apex class.

Answer: ACD

NEW QUESTION 95

REST uses...

- A. The HTTP class
- B. The HTTPRequest class
- C. The HTTPResponse class
- D. All of the above

Answer: D

NEW QUESTION 98

What is the transaction limit for the number of records per DML statement?

- A. 5,000
- B. 20,000
- C. 50,000
- D. 10,000
- E. There is no limit

Answer: D

NEW QUESTION 103

In an Apex custom controller, how should a developer ensure that the current user has the relevant create and update' permissions for a particular object type?

- A. Call methods on the appropriate DescribeSObjectResult instance.
- B. Query the user's profile record and check what permissions the user has.
- C. Do nothing because the platform enforces CRUD permissions based on profiles.
- D. Add the with sharing keywords to the controller class definition.

Answer: A

NEW QUESTION 108

What is the transaction limit on the number of Apex jobs added to the queue?

- A. 100
- B. 150
- C. 50
- D. 200
- E. There is no limit

Answer: C

NEW QUESTION 109

A developer encounters an error that states that the Apex heap size is exceeded. Which technique may reduce heap size?

- A. Add the transient keyword to the variable definition.
- B. Move the variable definition inside the scope of the function.
- C. Use static variables instead of instance variables.
- D. Use SOQL for loops instead of standard SOQL queries.

Answer: D

NEW QUESTION 111

Which of the following variables are not transmitted in the view state? Choose two answers

- A. Private
- B. Transient
- C. Public
- D. Static

Answer: BD

NEW QUESTION 113

What is a valid request for the following REST method: @HttpPost global static void myPostMethod(String s1,Integer i1, Boolean b1, String b2) Choose 2 answers

- A. < request> < s1>my first string < i1>123 < s2>my second string < b1>false < /request>
- B. < request> < s1>"my first string" < i1>123 < s2>"my second string" < b1>false < /request>
- C. S1 : "my first string", i1 : "123", "b1" : "false", "S2" : "my second string"
- D. "i1" : 123, "S1" : "my first string", "S2" : "my second string", "b1" : false

Answer: BD

NEW QUESTION 116

A developer is working on code that requires a call to an external web service from a batch. How should the developer enable this functionality?

- A. Implement a custom System.CalloutException class.
- B. Include Database.AllowCallout() in the class definition.
- C. Implement an @future method for the callout, and invoke it from the batch.
- D. Specify "callout=true" in the batch implementation.

Answer: B

NEW QUESTION 118

Choose the correct definition for <apex:actionFunction>

- A. Allows for controller methods to be called directly from Javascript
- B. Must be encapsulated in tag
- C. Unlike actionSupport, these functions can be called directly from Javascript code
- D. Sends an AJAX request according to the time interval you specify
- E. If this ever gets re-rendered, it resets
- F. Adds AJAX support to another component (e.g. onClick, onMouseUp, onFocus, etc.)
- G. Can be associated with an AJAX request (actionFunction/actionSupport/actionPoller) and shows content conditionally depending on the status of the request (in progress/complete). Use the "id" field to specify name; use "status" field on related components to connect them
- I. Signifies which components should be processed by the server when an AJAX request is generated

Answer: C

NEW QUESTION 123

A developer needs to compile a list of 105 for all Accounts and Opportunities that have the word "Acme" in their name and are created today. Which statement provides the developer with the 105?

- A. FIND "Acme" IN NAME FIELDS RETURNING Account (Id), Opportunity (Id) WHERE CreatedDate = TODAY
- B. SELECT Id, AccountId FROM Opportunity WHERE CreatedDate = TODAY AND (Name LIKE '%Acme%' Account.Name LIKE '%Acme%')
- C. SELECT Id, (SELECT Id FROM Opportunities WHERE CreatedDate = TODAY) FROM Account WHERE " CreatedDate = TODAY AND Name LIKE '%Acme%'
- D. FIND "Acme" IN NAME FIELDS RETURNING Account (Id WHERE CreatedDate = TODAY), Opportunity (Id WHERE CreatedDate = TODAY)

Answer: D

NEW QUESTION 124

Which statement is true regarding both Flow and Lightning Process?

- A. Can use Apex methods with the @InvocableMethod annotation.
- B. Are both server-side considerations in the Order of Execution.
- C. Can use Apex that implements the Process
- D. Plugin interface.
- E. Are able to be embedded directly into Visualforce pages.

Answer: A

NEW QUESTION 126

The Bulk API...

- A. Is based on REST principles and is optimized for loading or deleting large sets of data
- B. You can use it to query, queryAll, insert, update, upsert, or delete many records asynchronously by submitting batches
- C. Provides a powerful, convenient, and simple REST-based web services interface for interacting with Salesforce
- D. Its advantages include ease of integration and development, and it's an excellent choice of technology for use with mobile applications and web projects
- E. Is used to create, retrieve, update or delete records, such as accounts, leads, and custom objects, and allows you to maintain passwords, perform searches, and much more
- F. Is used to retrieve, deploy, create, update, or delete customizations for your org
- G. The most common use is to migrate changes from a sandbox or testing org to your production environment

Answer: A

NEW QUESTION 129

The Metadata API...

- A. Is based on REST principles and is optimized for loading or deleting large sets of data
- B. You can use it to query, queryAll, insert, update, upsert, or delete many records asynchronously by submitting batches
- C. Provides a powerful, convenient, and simple REST-based web services interface for interacting with Salesforce
- D. Its advantages include ease of integration and development, and it's an excellent choice of technology for use with mobile applications and web projects
- E. Is used to create, retrieve, update or delete records, such as accounts, leads, and custom objects, and allows you to maintain passwords, perform searches, and much more
- F. Is used to retrieve, deploy, create, update, or delete customizations for your org
- G. The most common use is to migrate changes from a sandbox or testing org to your production environment

Answer: D

NEW QUESTION 131

What type of request and payload format can be received by a static method in a global Apex class that uses the webService keyword?

- A. REST/JSON
- B. SOAP/XML and SOAP/JSON
- C. SOAP/XML and REST/JSON
- D. SOAP/XML

Answer: D

NEW QUESTION 136

Which object can a developer use to programmatically determine who is following a specific User record in Chatter?

- A. EntitySubscription
- B. FollowHistory
- C. FollowSubscription
- D. Entityfiistory

Answer: A

NEW QUESTION 138

A developer wants to create a Visualforce page that allows a user to search for a given account by Name. If the account is found, the account details should be populated on screen. If no account is found, an error message should be displayed to the user. How can this be accomplished? Choose 2 answers

- A. Use the (apex: information) tag to display the error message.
- B. Use the ApexPage.addMessage () method to add the error message.
- C. Use the < apex:pageMessages > tag to display the error message.
- D. Use the account.addError() method to add the error message.

Answer: BC

NEW QUESTION 141

A user updates a number field on a record from the value of 1 to 2, and a workflow rule executes, incrementing the value to 3. Which statement is true regarding writing triggers in this case? Choose 2 answers

- A. Workflow rules will execute before triggers.
- B. Triggers will execute before and after workflow rules.
- C. Trigger.old will contain the user entered value of 2.
- D. Trigger.old will contain the initial value of 1.

Answer: BD

NEW QUESTION 143

What Visualforce tag can be used to display custom messages in pages using the Salesforce UI styling for errors, warnings, and other types of messages?

- A. < apex: customMessage>
- B. < apex:error>
- C. < apex:message>
- D. < apex:pageMessage>

Answer: D

NEW QUESTION 147

A developer has a page with two extensions overriding the Standard controller for Case. <apex:page standardController="Case" extension3="CaseExtensionOne,CaseExtension Two" showHeader="false"> Each extension has a method called Save. The page has a command button as defined: <apex:commandButton value="Save" action="{!save}"/> What will happen when a user clicks the command button?

- A. All of the three Save methods will be executed.
- B. Save from Case Standard Controller will be executed.
- C. Save from CaseExtensionTwo will be executed.
- D. Save from CaseExtensionOne will be executed.

Answer: D

NEW QUESTION 152

How can Apex be used with Visual Workflow?

- A. To set the version of a Flow being run.
- B. To start a Flow automatically.
- C. To add custom styling to a Flow.
- D. To control access to a Flow

Answer: B

NEW QUESTION 157

What is a benefit of using list custom settings?

- A. Ability to include more field type options than custom objects.
- B. Ability to control sharing and visibility of custom setting data.
- C. Ability to provide more efficient access than custom objects.
- D. Ability to delegate administrator rights to standard users.

Answer: C

NEW QUESTION 162

A Salesforce developer created a Contact validation rule so that the Email field cannot contain "abc.com." There is an active workflow rule that updates the Email field of a contact record to "test@abc.com" if the contact's First Name field contains the word "Test." A customer tries to create a Contact record with the first name "Test Contact" and the email "test@test.com." What behavior will be observed?

- A. The customer will receive a system error message.
- B. The contact record will be created with the email address "test@abc.com."
- C. The customer will receive a validation error message.
- D. The contact record will be created with the email address test@test.com.

Answer: B

NEW QUESTION 163

A developer must create a way for external partners to submit millions of leads into Salesforce per day. How should the developer meet this requirement?

- A. Create a web service on Heroku that uses Heroku Connect.
- B. Publicly expose a Visualforce page via Force.com Sites.
- C. Publicly expose an Apex Web Service via Force.com Sites.
- D. Host a Web-to-Lead form on the company website.

Answer: C

NEW QUESTION 165

Which statement is true about scheduled Apex? Choose 3 answers

- A. The schedule of an Active scheduled Apex class cannot be updated through the Salesforce User Interface.
- B. Scheduled Apex is executed only when system resources are available.
- C. Scheduled Apex only supports asynchronous callouts through the use of @future methods and Apex Batches.
- D. Scheduled Apex classes can only be defined by extending the Schedule base class.
- E. There is no limit on Scheduled Apex jobs because they are executed asynchronously

Answer: ABC

NEW QUESTION 170

Code must have X% overall code coverage

- A. X = 100
- B. X = 75
- C. X = 65
- D. X = 50

Answer: B

NEW QUESTION 174

A company has 20,000 rows in the Account object and 2 million rows in the Sales_Data_c object that is related to Account. All of the records in the Sales_Data_c object have a field that contains the string 'Le.' Which statement will throw a "Too many query rows" exception? Choose 2 answers

- A. List< List< sObject>> result= [FIND 'Le' IN ALL FIELDS RETURNING Sales_Data_c(Id)];
- B. List< Account> result = [SELECT Id, (SELECT Id FROM Sales_Data_r) FROM Account]
- C. List< sObject> result = Database.query('SELECT Id FROM Sales_Data_c LIMIT 50000');
- D. List< AggregateResult> result = [SELECT count(Id) total FROM Sales_Data_c];

Answer: AB

NEW QUESTION 178

What is the transaction limit on the max execution time?

- A. 5 minutes
- B. 10 minutes
- C. 15 minutes
- D. 20 minutes
- E. There is no limit

Answer: B

NEW QUESTION 180

Choose the correct definition for <apex:pageMessage>

- A. Standard Salesforce formatting, throws a specific message on a page
- B. Standard Salesforce formatting, shows all errors that occur on pag
- C. Can add more messages through the "ApexPages.addMessage" function
- D. A single message, without formatting, that can be associated with a specific component on the page
- E. No formatting; displays all errors on a page

Answer: B

NEW QUESTION 181

A developer has refactored an application and renamed an Apex class in a sandbox and now needs to deploy the changes to production. How can this be accomplished? Choose 2 answers

- A. Deploy the new Apex class with the Force.com Migration Tool and set the old name in destructiveChanges.xml.
- B. Use a changeset to both delete the old Apex class and deploy the new Apex class to production.
- C. Deploy the new Apex class, and then log in to the production environment and manually delete the class.
- D. Use the Force.com IDE to delete the old Apex class from the project and deploy the changes to production.

Answer: AD

NEW QUESTION 186

What is the transaction limit on the max Salesforce CPU time?

- A. 100 seconds
- B. 60 seconds
- C. 100 seconds (synchronous); 200 seconds (async)
- D. 10 seconds (synchronous); 60 seconds (async)
- E. There is no limit

Answer: D

NEW QUESTION 188

A developer has created a Batchable class that inserts Accounts. The Batchable class is running with batch size of 200, and is getting an error. The developer identifies the following code as problematic. trigger AccountTrigger on Account(after insert) { for(Account a : Trigger.new) { AccountHandler.insertPartnerAccount(a); } } public Class AccountHandler{ @future public static void insertPartnerAccount(Account a){ //perform processing if(a.Is_Partner c) { Account partnerAccount = new Account(); //set values insert partnerAccount; } } } What governor limit or system limitation is the developer most likely violating?

- A. Too many DML statements in the batch execution context.
- B. Maximum trigger depth exceeded on the Account insert.
- C. Too many future calls in the batch execution context.
- D. Future method cannot be called from a batch method.

Answer: D

NEW QUESTION 190

What is a valid return type for the following SOSL query? [FIND 'map'" IN ALL FIELDS RETURNING Account (Id, Name) , Contact, Opportunity,Lead]

- A. List< subject>
- B. List < List< sObject>>
- C. List< AggregateResult>
- D. List< Account>

Answer: B

NEW QUESTION 195

What Salesforce tool lets you deploy/retrieve metadata, check status of apex jobs, and check responses of REST calls?

- A. Force.com Migration Tool
- B. Developer Console
- C. Workbench
- D. Streaming API

Answer: C

NEW QUESTION 199

What is the top-level namespace that provides the ability to use Chatter in Apex?

- A. RestApi
- B. ChatterApi
- C. FeedApi
- D. ConnectApi

Answer: D

NEW QUESTION 204

Which statement is true regarding the use of user input as part of a dynamic SOQL query?

- A. Free text input should not be allowed, to avoid SOQL injection.
- B. The String.format () method should be used to prevent injection.
- C. Quotes should be escaped to protect against SOQL injection.
- D. The string should be URL encoded by the input form to prevent errors.

Answer: C

NEW QUESTION 209

What is the potential exception that can be thrown from this SOQL query: Account a = [SELECT Id, (SELECT Id FROM Contacts) FROM Account] Choose 2 answers

- A. QueryException if no records are returned.
- B. QueryException if more than one record is returned.
- C. TypeException if a Contact is returned as part of the query.
- D. NullPointerException if no records are returned.

Answer: AB

NEW QUESTION 214

If a developer wanted to display error messages with the standard Salesforce UI styling, what would they use?

- A. <apex:pageMessages>
- B. <apex:message>
- C. <apex:outputText>
- D. <apex:error>

Answer: A

NEW QUESTION 215

What is the value of "i" printed by the System.debug statement, if the value of "j" is 2 at the end of the transaction? insert new Account[] {new Account(Name = 'yyy'), new Account(Name = 'yyy')}; integer i = 0; integer j; for (Account[] tmp : [SELECT Id FROM Account WHERE Name = 'yyy']) j=tmp.size(); i++; System.debug(i);

- A. 1
- B. 2
- C. 3

Answer: B

NEW QUESTION 217

How long is field history retained?

- A. 6 months
- B. 12 months
- C. 18 months
- D. 24 months
- E. 36 months

Answer: C

NEW QUESTION 221

Where in a query can you use Geolocation and Distance?

- A. Select clause
- B. Filter clause
- C. Order By clause
- D. Group By clause

Answer: BC

NEW QUESTION 225

A developer has generated Apex code from a WSDL for an external web service. The web service requires Basic authentication. What code should the developer use to authenticate?

- A. Http
- B. setHeader ('Authorization' , 'Basic QthZGprjpchVulHNchFtZQ==');
- C. Stub . inpuhth-leader3_x.put ('Authorization' , 'Basic QthZGprjpchVulHIQchE'tZQ:'
- D. Http
- E. setAuthentication('Basic QthZGprjpchVulHNchFtZQ:'
- F. Stub.authentication.put ('Authorization' , 'Basic QthZGprjpchVulHNchFtZQ=='

Answer: B

NEW QUESTION 230

A company exposes a REST web service and wants to establish two-way SSL between Salesforce and the REST web service. A certificate signed by an appropriate certificate authority has been provided to the developer. What modification is necessary on the Salesforce side? Choose 2 answers

- A. Create an entry for the certificate in Certificate and Key Management.
- B. Update the code to use HttpRequest . setClientCertificateName
- C. Configure two-factor authentication with the provided certificate.
- D. Update the code to use HttpRequest.setHeader () to set an Authorization header.

Answer: AB

NEW QUESTION 231

A developer has been asked to prevent Accounts from being deleted if there is a related Contact that has the Do_Not_Delete_c checkbox checked. How can the developer accomplish this?

- A. Create a Validation Rule on the Contact object.
- B. Create a Before Delete Trigger on the Account object.
- C. Create a Validation Rule on the Account object.
- D. Create a Before Delete Trigger on the Contact object

Answer: B

NEW QUESTION 236

What is the transaction limit on the max timeout for all callouts?

- A. 120 seconds
- B. 60 seconds
- C. 120 seconds (synchronous); 200 seconds (async)
- D. 60 seconds (synchronous); 200 seconds (async)
- E. There is no limit

Answer: A

NEW QUESTION 240

What is the transaction limit for SOQL queries?

- A. 20 (synchronous), 200 (async)
- B. 150 (synchronous), 20 (async)
- C. 150 (synchronous), 200 (async)
- D. 100 (synchronous), 200 (async)
- E. 200 (synchronous), 100 (async)

Answer: D

NEW QUESTION 245

What is a consideration when testing batch Apex? Choose 2 answers

- A. Test methods must execute the batch with a scope size of less than 200 records.
- B. Test methods must call the batch execute () method once.
- C. Test methods must use the @isTest (SeeAllData=true) annotation.
- D. Test methods must run the batch between Test
- E. startTest () and Test.stopTest

Answer: AD

NEW QUESTION 250

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PDII Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PDII Product From:

<https://www.2passeasy.com/dumps/PDII/>

Money Back Guarantee

PDII Practice Exam Features:

- * PDII Questions and Answers Updated Frequently
- * PDII Practice Questions Verified by Expert Senior Certified Staff
- * PDII Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * PDII Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year