

300-710 Dumps

Securing Networks with Cisco Firepower (SNCF)

<https://www.certleader.com/300-710-dumps.html>



NEW QUESTION 1

What are the minimum requirements to deploy a managed device inline?

- A. inline interfaces, security zones, MTU, and mode
- B. passive interface, MTU, and mode
- C. inline interfaces, MTU, and mode
- D. passive interface, security zone, MTU, and mode

Answer: C

NEW QUESTION 2

What is the difference between inline and inline tap on Cisco Firepower?

- A. Inline tap mode can send a copy of the traffic to another device.
- B. Inline tap mode does full packet capture.
- C. Inline mode cannot do SSL decryption.
- D. Inline mode can drop malicious traffic.

Answer: D

NEW QUESTION 3

Which interface type allows packets to be dropped?

- A. passive
- B. inline
- C. ERSPAN
- D. TAP

Answer: B

NEW QUESTION 4

When creating a report template, how can the results be limited to show only the activity of a specific subnet?

- A. Create a custom search in Firepower Management Center and select it in each section of the report.
- B. Add an Input Parameter in the Advanced Settings of the report, and set the type to Network/IP.
- C. Add a Table View section to the report with the Search field defined as the network in CIDR format.
- D. Select IP Address as the X-Axis in each section of the report.

Answer: B

NEW QUESTION 5

Which two statements about bridge-group interfaces in Cisco FTD are true? (Choose two.)

- A. The BVI IP address must be in a separate subnet from the connected network.
- B. Bridge groups are supported in both transparent and routed firewall modes.
- C. Bridge groups are supported only in transparent firewall mode.
- D. Bidirectional Forwarding Detection echo packets are allowed through the FTD when using bridge-group members.
- E. Each directly connected network must be on the same subnet.

Answer: CD

NEW QUESTION 6

Which two actions can be used in an access control policy rule? (Choose two.)

- A. Block with Reset
- B. Monitor
- C. Analyze
- D. Discover
- E. Block ALL

Answer: AB

NEW QUESTION 7

Which two routing options are valid with Cisco Firepower Threat Defense? (Choose two.)

- A. BGPv6
- B. ECMP with up to three equal cost paths across multiple interfaces
- C. ECMP with up to three equal cost paths across a single interface
- D. BGPv4 in transparent firewall mode
- E. BGPv4 with nonstop forwarding

Answer: AC

NEW QUESTION 8

DRAG DROP

Drag and drop the steps to restore an automatic device registration failure on the standby Cisco FMC from the left into the correct order on the right. Not all options are used.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 9

Which command is entered in the Cisco FMC CLI to generate a troubleshooting file?

- A. show running-config
- B. show tech-support chassis
- C. system support diagnostic-cli
- D. sudo sf_troubleshoot.pl

Answer: D

Explanation:

41 Which CLI command is used to control special handling of ClientHello messages?

- A. system support ssl-client-hello-tuning
- B. system support ssl-client-hello-display
- C. system support ssl-client-hello-force-reset
- D. system support ssl-client-hello-enabled

NEW QUESTION 10

Within Cisco Firepower Management Center, where does a user add or modify widgets?

- A. dashboard
- B. reporting
- C. context explorer
- D. summary tool

Answer: A

NEW QUESTION 10

A network engineer is configuring URL Filtering on Firepower Threat Defense. Which two port requirements on the Firepower Management Center must be validated to allow communication with the cloud service? (Choose two.)

- A. outbound port TCP/443
- B. inbound port TCP/80
- C. outbound port TCP/8080
- D. inbound port TCP/443
- E. outbound port TCP/80

Answer: AE

NEW QUESTION 12

What is the maximum bit size that Cisco FMC supports for HTTPS certificates?

- A. 1024
- B. 8192
- C. 4096
- D. 2048

Answer: D

NEW QUESTION 15

What is a behavior of a Cisco FMC database purge?

- A. User login and history data are removed from the database if the User Activity check box is selected.
- B. Data can be recovered from the device.
- C. The appropriate process is restarted.
- D. The specified data is removed from Cisco FMC and kept for two weeks.

Answer: C

NEW QUESTION 16

Which two features of Cisco AMP for Endpoints allow for an uploaded file to be blocked? (Choose two.)

- A. application blocking
- B. simple custom detection
- C. file repository

- D. exclusions
- E. application whitelisting

Answer: AB

NEW QUESTION 17

Which Cisco Advanced Malware Protection for Endpoints policy is used only for monitoring endpoint actively?

- A. Windows domain controller
- B. audit
- C. triage
- D. protection

Answer: B

NEW QUESTION 21

In a Cisco AMP for Networks deployment, which disposition is returned if the cloud cannot be reached?

- A. unavailable
- B. unknown
- C. clean
- D. disconnected

Answer: A

NEW QUESTION 23

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 300-710 Exam with Our Prep Materials Via below:

<https://www.certleader.com/300-710-dumps.html>