

## Exam Questions AZ-801

Configuring Windows Server Hybrid Advanced Services

<https://www.2passeasy.com/dumps/AZ-801/>



### NEW QUESTION 1

#### HOTSPOT

You need to implement a security policy solution to authorize the applications. The solution must meet the security requirements.

Which service should you use to enforce the security policy, and what should you use to manage the policy settings? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-defender-application-control/wdacand-applockeroverview>

### NEW QUESTION 2

You are remediating the firewall security risks to meet the security requirements.

What should you configure to reduce the risks?

- A. a Group Policy Object (GPO)
- B. adaptive network hardening in Microsoft Defender for Cloud
- C. a network security group (NSG) in Sub1
- D. an Azure Firewall policy

**Answer:** A

#### Explanation:

Firewall rules configured in a Group Policy Object cannot be modified by local server administrators.

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-firewall/create-an-inbound-port-rule>

### NEW QUESTION 3

#### HOTSPOT

You need to configure BitLocker on Server4.

On which volumes can you turn on BitLocker, and on which volumes can you turn on auto-unlock? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/refs/refs-overview>

<https://docs.microsoft.com/enus/powershell/module/bitlocker/enable-bitlockerautounlock?view=windowsserver2022-ps>

**NEW QUESTION 4**

**HOTSPOT**

What is the effective minimum password length for User1 and Admin1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: 9

When multiple PSOs apply to a user, the PSO with the highest precedence (lowest precedence number) applies which in this case is PSO1.

Box 2: 8

There are no PSOs applied to Admin1 so the password policy from the Default Domain GPO applies.

The Minimum password length setting in GPO1 would only apply to local user accounts on computers in OU1. It does not apply to domain user accounts.

**NEW QUESTION 5**

**HOTSPOT**

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

#### **NEW QUESTION 6**

You need to meet the technical requirements for Cluster3.  
What should you include in the solution?

- A. Enable integration services on all the virtual machines.
- B. Add a Windows Server server role.
- C. Configure a fault domain for the cluster.
- D. Add a failover cluster role.

**Answer:** D

**Explanation:**

The Hyper-V replica broker role is required on the cluster.

Reference: <https://docs.microsoft.com/en-us/virtualization/community/team-blog/2012/20120327-why-is-the-hyper-v-replicabroker-required>

#### **NEW QUESTION 7**

**HOTSPOT**

You need to implement alerts for the domain controllers. The solution must meet the technical requirements.

What should you do on the domain controllers, and what should you create on Azure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/azure/azure-monitor/agents/azure-monitor-agentoverview?tabs=PowerShellWindows>

**NEW QUESTION 8**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server.

You need to ensure that only specific applications can modify the data in protected folders on Server1.

Solution: From App & browser control, you configure the Exploit protection settings.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-controlledfolders?view=o365-worldwide>

**NEW QUESTION 9**

DRAG DROP

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant.

The AD DS domain contains a domain controller named DC1. DC1 does NOT have internet access.

You need to configure password security for on-premises users. The solution must meet the following requirements:

Prevent the users from using known weak passwords.

Prevent the users from using the company name in passwords.

What should you do? To answer, drag the appropriate configurations to the correct targets. Each configuration may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premisesdeploy>

**NEW QUESTION 10**

DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain.

You need to implement a solution that meets the following requirements:

Ensures that the members of the Domain Admins group are allowed to sign in only to domain controllers Ensures that the lifetime of Kerberos

Ticket Granting Ticket (TGT) for the members of the Domain Admins group is limited to one hour Which three actions should you perform in sequence? To answer,

move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/manage/how-to-configure-protected-accounts>

**NEW QUESTION 10**

You have an Azure virtual machine named VM1 that runs Windows Server.

You plan to deploy a new line-of-business (LOB) application to VM1.

You need to ensure that the application can create child processes.

What should you configure on VM1?

- A. Microsoft Defender Credential Guard
- B. Microsoft Defender Application Control
- C. Microsoft Defender SmartScreen
- D. Exploit protection

**Answer:** D

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-exploitprotection?view=o365-worldwide>

**NEW QUESTION 12**

**HOTSPOT**

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains the organizational units (OUs) shown in the following table.

In the domain, you create the Group Policy Objects (GPOs) shown in the following table.

You need to implement IPsec authentication to ensure that only authenticated computer accounts can connect to the members in the domain.

The solution must minimize administrative effort.

Which GPOs should you apply to the Domain Controllers OU and the Domain Servers OU? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-firewall/configure-authenticationmethods>

**NEW QUESTION 13**

You have 100 Azure virtual machines that run Windows Server. The virtual machines are onboarded to Microsoft Defender for Cloud.

You need to shut down a virtual machine automatically if Microsoft Defender for Cloud generates the "Antimalware disabled in the virtual machine" alert for the virtual machine.

What should you use in Microsoft Defender for Cloud?

- A. a logic app
- B. a workbook
- C. a security policy
- D. adaptive network hardening

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/azure/defender-for-cloud/managing-and-responding-alerts>

#### NEW QUESTION 18

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant by using password hash synchronization.

You have a Microsoft 365 subscription.

All devices are hybrid Azure AD-joined.

Users report that they must enter their password manually when accessing Microsoft 365 applications.

You need to reduce the number of times the users are prompted for their password when they access Microsoft 365 and Azure services.

What should you do?

A. In Azure AD, configure a Conditional Access policy for the Microsoft Office 365 applications.

B. In the DNS zone of the AD DS domain, create an autodiscover record.

C. From Azure AD Connect, enable single sign-on (SSO).

D. From Azure AD Connect, configure pass-through authentication.

**Answer: C**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start>

#### NEW QUESTION 23

You have an Azure subscription that has Microsoft Defender for Cloud enabled.

You have 50 Azure virtual machines that run Windows Server.

You need to ensure that any security exploits detected on the virtual machines are forwarded to Defender for Cloud.

Which extension should you enable on the virtual machines?

A. Vulnerability assessment for machines

B. Microsoft Dependency agent

C. Log Analytics agent for Azure VMs

D. Guest Configuration agent

**Answer: A**

#### Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/defender-for-cloud/deploy-vulnerability-assessment-vm>

#### NEW QUESTION 28

##### HOTSPOT

Your network contains an Active Directory Domain Services (AD DS) forest. The forest contains the domains shown in the following table.

You are implementing Microsoft Defender for Identity sensors.

You need to install the sensors on the minimum number of domain controllers. The solution must ensure that Defender for Identity will detect all the security risks in both the domains.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

A. Mastered

B. Not Mastered

**Answer: A**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/defender-for-identity/technical-faq#deployment> <https://docs.microsoft.com/en-us/defenderforidentity/install-step4>

#### NEW QUESTION 29

You have an Azure virtual machine named VM1 that runs Windows Server.

You need to encrypt the contents of the disks on VM1 by using Azure Disk Encryption.

What is a prerequisite for implementing Azure Disk Encryption?

A. Customer Lockbox for Microsoft Azure

B. an Azure key vault

C. a BitLocker recovery key

D. data-link layer encryption in Azure

**Answer: B**

#### Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/virtual-machines/windows/disk-encryption-overview>

### NEW QUESTION 33

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains two servers named Server1 and Server2 that run Windows Server.

You need to ensure that you can use the Computer Management console to manage Server2. The solution must use the principle of least privilege.

Which two Windows Defender Firewall with Advanced Security rules should you enable on Server2? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the COM+ Network Access (DCOM-In) rule
- B. all the rules in the Remote Event Log Management group
- C. the Windows Management Instrumentation (WMI-In) rule
- D. the COM+ Remote Administration (DCOM-In) rule
- E. the Windows Management Instrumentation (DCOM-In) rule

**Answer:** AB

#### Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/administration/server-manager/configure-remote-managementin-servermanager>

### NEW QUESTION 34

You have a server that runs Windows Server. The server is configured to encrypt all incoming traffic by using a connection security rule.

You need to ensure that Server1 can respond to the unencrypted tracert commands initiated from computers on the same network.

What should you do from Windows Defender Firewall with Advanced Security?

- A. From the IPsec Settings, configure IPsec defaults.
- B. Create a new custom outbound rule that allows ICMPv4 protocol connections for all profiles.
- C. Change the Firewall state of the Private profile to Off.
- D. From the IPsec Settings, configure IPsec exemptions.

**Answer:** D

### NEW QUESTION 37

You are planning the migration of Archive1 to support the on-premises migration plan.

What is the minimum number of IP addresses required for the node and cluster roles on Cluster3?

- A. 2
- B. 3
- C. 4
- D. 5

**Answer:** B

#### Explanation:

One IP for each of the two nodes in the cluster and one IP for the cluster virtual IP (VIP).

### NEW QUESTION 39

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)

Server1 shuts down unexpectedly.

You need to ensure that when you start Server1, App1 continues to run on Server2.

Solution: From the Failover settings, you select Prevent failback.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

#### Explanation:

The Prevent failback setting will prevent the cluster failing back to Server1.

### NEW QUESTION 42

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)

Server1 shuts down unexpectedly.

You need to ensure that when you start Server1, App1 continues to run on Server2.

Solution: From the General settings, you move Server2 up.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Server1 and Server2 are both unticked so the order they are listed in has no effect on whether the cluster will fail back.

**NEW QUESTION 46**

You have a failover cluster named Cluster1 that has the following configurations:

Number of nodes: 6

Quorum: Dynamic quorum

Witness: File share, Dynamic witness

What is the maximum number of nodes that can fail simultaneously while maintaining quorum?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

**Answer:** C

**Explanation:**

Note this question is asking about nodes failing 'simultaneously', not nodes failing one after the other.

With six nodes and one witness, there are seven votes. To maintain quorum there needs to be four votes available (four votes is the majority of seven). This means that a minimum of three nodes plus the witness need to remain online for the cluster to function. Therefore, the maximum number of simultaneous failures is three.

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/understand-quorum>

**NEW QUESTION 50**

DRAG DROP

You have three servers named Server1, Server2, Server3 that run Windows Server and have the Hyper-V server role installed.

You plan to create a hyper-converged cluster to host Hyper-V virtual machines.

You need to ensure that you can store virtual machines in Storage Spaces Direct.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/system-center/vmm/s2d-hyper-converged?view=sc-vmm-2019>

**NEW QUESTION 54**

HOTSPOT

You have a Hyper-V failover cluster named Cluster1 at a main datacenter. Cluster1 contains two nodes that have the Hyper-V server role installed. Cluster1 hosts 10 highly available virtual machines.

You have a cluster named Cluster2 in a disaster recovery site. Cluster2 contains two nodes that have the Hyper-V server role installed.

You plan to use Hyper-V Replica to replicate the virtual machines from Cluster1 to Cluster2.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/virtualization/community/team-blog/2012/20120327-why-is-the-hyper-v-replicabroker-required>

**NEW QUESTION 58**

You have two servers named Server1 and Server2 that run Windows Server. Both servers have the Hyper-V server role installed. Server1 hosts three virtual machines named VM1, VM2, and VM3. The virtual machines replicate to Server2. Server1 experiences a hardware failure. You need to bring VM1, VM2, and VM3 back online as soon as possible. From the Hyper-V Manager console on Server2, what should you run for each virtual machine?

- A. Start
- B. Move
- C. Unplanned Failover
- D. Planned Failover

**Answer:** C

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/manage/set-up-hyper-v-replica>

**NEW QUESTION 63**

**HOTSPOT**

You have a Hyper-V failover cluster named Cluster1 that uses a cloud witness. Cluster1 hosts a virtual machine named VM1 that runs Windows Server. You need to fail over VM1 automatically to a different node when a service named Service1 on VM1 fails. What should you do on Cluster1 and VM1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point. Hot Area:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**NEW QUESTION 68**

You have three Azure virtual machines named VM1, VM2, and VM3 that host a multitier application. You plan to implement Azure Site Recovery. You need to ensure that VM1, VM2, and VM3 fail over as a group. What should you configure?

- A. an availability zone
- B. a recovery plan
- C. an availability set

**Answer:** B

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-overview>

**NEW QUESTION 71**

**DRAG DROP**

Your network contains an Active Directory Domain Services (AD DS) domain that has the Active Directory Recycle Bin enabled. The domain contains two domain controllers named DC1 and DC2. The system state of the domain controllers is backed up daily at 23:00 by using Windows Server Backup. You have an organizational unit (OU) named ParisUsers that contains 1,000 users. At 08:00, DC1 shuts down for hardware maintenance. The maintenance completes, but DC1 remains shut down. At 09:00, an administrative error causes the manager attribute of each user in ParisUsers to be deleted.

You need to recover the user account details as quickly as possible. The solution must minimize data loss.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

#### **NEW QUESTION 72**

DRAG DROP

You have a server that runs Windows Server.

You plan to back up the server to an Azure Recovery Services vault once per week starting on the next Saturday.

You need to schedule the weekly backup and perform the initial backup as soon as possible.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/azure/backup/install-mars-agent#download-the-mars-agent>  
<https://docs.microsoft.com/en-us/azure/backup/backup-windows-with-mars-agent>

**NEW QUESTION 74**

You have a server named Server1 that runs Windows Server and has the Hyper-V server role installed. You have a Hyper-V failover cluster named Cluster1. All servers are members of the same domain.

You need to ensure that you use Hyper-V Replica with Kerberos authentication on the default port to replicate virtual machines from Cluster1 to Server1. What should you do on Server1?

- A. Add primary servers to the Hyper-V Replica Broker configuration.
- B. From Hyper-V Settings, select Enable incoming and outgoing live migrations.
- C. From Windows Defender Firewall with Advanced Security, enable the Hyper-V Replica HTTPS Listener (TCP-In) rule.
- D. From Windows Defender Firewall with Advanced Security, enable the Hyper-V Replica HTTP Listener (TCP-In) rule.

**Answer:** D

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/manage/set-up-hyper-v-replica>

**NEW QUESTION 77**

DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The functional level of the forest and the domain is Windows Server 2012 R2. The domain contains the domain controllers shown in the following table.

You need to raise the forest functional level to Windows Server 2016. The solution must meet the following requirements:

Ensure that there are three domain controllers after you raises the level. Minimize how long the FSMO roles are unavailable.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**NEW QUESTION 82**

HOTSPOT

You have two servers that have the Web Server (IIS) server role installed. The servers are configured as shown in the following table.

Both servers are configured to enable website deployment by using the Web Deployment Tool. Server1 hosts a website named Site1 that has Web Deploy Publishing configured.

You plan to migrate Site1 to Server2.

You need to perform a pull synchronization of Site1 by using the Web Deployment Agent Service.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/iis/publish/using-web-deploy/synchronize-iis>

#### NEW QUESTION 85

DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains a print server named Server1. All printers are deployed to users by using a Group Policy Object (GPO) named GPO1.

You deploy a new server named Server2.

You need to decommission Server1. The solution must meet the following requirements:

Migrate the shared printers to Server2 by using the Printer Migration Wizard.

Ensure that the users use the printers on Server2. Minimize downtime for the users.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/archive/blogs/canitpro/step-by-step-migrating-print-servers-from-windowsserver-2008-towindowsserver-2012>

**NEW QUESTION 86**

You have two servers that run Windows Server as shown in the following table.

You need to copy the contents of volume E from Server1 to Server2. The solution must meet the following requirements:  
Ensure that files in-use are copied. Minimize administrative effort.  
What should you use?

- A. Storage Migration Service
- B. Azure File Sync
- C. Azure Backup
- D. Storage Replica

**Answer:** A

**NEW QUESTION 90**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains a single-domain Active Directory Domain Services (AD DS) forest named contoso.com. The functional level of the forest is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Syvol replicates by using the File Replication Service (FRS).

You plan to replace the existing domain controllers with new domain controllers that will run Windows Server 2022.

You need to ensure that you can add the first domain controller that runs Windows Server 2022.

Solution: You upgrade the PDC emulator.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 93**

You have an Azure virtual machine named VM1 that has the Web Server (IIS) server role installed. VM1 hosts a critical line-of-business (LOB) application.

After the security team at your company deploys a new security baseline to VM1, users begin reporting that the application is unresponsive.

You suspect that the security baseline has caused networking issues.

You need to perform a network trace on VM1.

What should you do?

- A. From VM1, run netstat.
- B. From Performance Monitor on VM1, create a Data Collector Set.
- C. From the Azure portal, configure the Diagnostics settings for VM1.
- D. From the Azure portal, configure the Performance diagnostics settings for VM1.

**Answer:** D

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/troubleshoot/azure/virtual-machines/performance-diagnostics>

**NEW QUESTION 95**

You have a server named Server1 that runs the Remote Desktop Session Host role service. Server1 has five custom applications installed. Users who sign in to Server1 report that the server is slow. Task Manager shows that the average CPU usage on Server1 is above 90 percent. You suspect that a custom application on Server1 is consuming excessive processor capacity. You plan to create a Data Collector Set in Performance Monitor to gather performance statistics from Server1. You need to view the resources used by each of the five applications. Which object should you add to the Data Collector Set?

- A. Processor information
- B. Processor
- C. Process
- D. Processor performance

**Answer:** C

**NEW QUESTION 100**

Your on-premises network contains two subnets. The subnets contain servers that run Windows Server as shown in the following table.

Server4 has the following IP configurations:

Ethernet adapter Ethernet:  
Connection-specific DNS Suffix . . . :  
IPv4 Address . . . . . : 192.168.0.10  
Subnet Mask . . . . . : 255.255.255.0  
Default Gateway . . . . . : 192.168.0.1

From Server4, you can ping Server1 and Server2 successfully. When you ping Server3, you get a Request timed out response. From Server2, you can ping Server1 and Server3 successfully.

The misconfiguration of which component on Server3 can cause the Request timed out response?

- A. default gateway
- B. IP address
- C. subnet mask
- D. DNS server

**Answer:** C

**NEW QUESTION 104**

You have five Azure virtual machines. You need to collect performance data and Windows Event logs from the virtual machines. The data collected must be sent to an Azure Storage account. What should you install on the virtual machines?

- A. the Azure Connected Machine agent
- B. the Azure Monitor agent
- C. the Dependency agent
- D. the Telegraf agent
- E. the Azure Diagnostics extension

**Answer:** E

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/azure/azure-monitor/agents/diagnostics-extension-overview>

**NEW QUESTION 109**

You have an Azure virtual machine named VM1. You install an application on VM1, and then restart the virtual machine. After the restart, you get the following error message: "Boot failure. Reboot and Select proper Boot Device or Insert Boot Media in selected Boot Device." You need to mount the operating system disk offline from VM1 to a temporary virtual machine to troubleshoot the issue. Which command should you run in Azure CLI?

- A. az vm repair create
- B. az vm boot-diagnostics enable
- C. az vm capture
- D. az vm disk attach

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/cli/azure/vm/repair?view=azure-cli-latest>

**NEW QUESTION 111**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AZ-801 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AZ-801 Product From:

<https://www.2passeasy.com/dumps/AZ-801/>

### Money Back Guarantee

#### **AZ-801 Practice Exam Features:**

- \* AZ-801 Questions and Answers Updated Frequently
- \* AZ-801 Practice Questions Verified by Expert Senior Certified Staff
- \* AZ-801 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* AZ-801 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year