

Exam Questions 202-450

LPIC-2 Exam 202 Part 2 of 2 version 4.5

<https://www.2passeasy.com/dumps/202-450/>



NEW QUESTION 1

What information can be found in the file specified by the status parameter in an OpenVPN server configuration file? (Choose two.)

- A. Errors and warnings generated by the openvpn daemon
- B. Routing information
- C. Statistical information regarding the currently running openvpn daemon
- D. A list of currently connected clients
- E. A history of all clients who have connected at some point

Answer: BD

NEW QUESTION 2

Which of the following nmap parameters scans a target for open TCP ports? (Choose two.)

- A. -sO
- B. -sZ
- C. -sT
- D. -sU
- E. -sS

Answer: CE

NEW QUESTION 3

Which of the following sshd configuration should be set to no in order to fully disable password based logins? (Choose two.)

- A. PAMAuthentication
- B. ChallengegeResponseAuthentication
- C. PermitPlaintextLogin
- D. UsePasswords
- E. PasswordAuthentication

Answer: BE

NEW QUESTION 4

The content of which local file has to be transmitted to a remote SSH server in order to be able to log into the remote server using SSH keys?

- A. ~/.ssh/authorized_keys
- B. ~/.ssh/config
- C. ~/.ssh/id_rsa.pub
- D. ~/.ssh/id_rsa
- E. ~/.ssh/known_hosts

Answer: A

NEW QUESTION 5

The program vsftpd, running in a chroot jail, gives the following error:

Which of the following actions would fix the error?

- A. The file /etc/ld.so.conf in the root filesystem must contain the path to the appropriate lib directory in the chroot jail
- B. Create a symbolic link that points to the required library outside the chroot jail
- C. Copy the required library to the appropriate lib directory in the chroot jail
- D. Run the program using the command chroot and the option--static_libs

Answer: C

NEW QUESTION 6

How must Samba be configured such that it can check CIFS passwords against those found in /etc/passwd and /etc/shadow?

- A. Set the parameters "encrypt passwords = yes" and "password file = /etc/passwd"
- B. Set the parameters "encrypt passwords = yes", "password file = /etc/passwd" and "password algorithm = crypt"
- C. Delete the smbpasswd file and create a symbolic link to the passwd and shadow file
- D. It is not possible for Samba to use /etc/passwd and /etc/shadow directly
- E. Run smbpasswd to convert /etc/passwd and /etc/shadow to a Samba password file

Answer: D

NEW QUESTION 7

Which of the following Samba services handles the membership of a file server in an Active Directory domain?

- A. winbindd
- B. nmbd
- C. msadd

- D. admemb
- E. samba

Answer: E

NEW QUESTION 8

Which of the following options are valid in /etc/exports? (Choose two.)

- A. rw
- B. ro
- C. rootsquash
- D. norootsquash
- E. uid

Answer: AB

NEW QUESTION 9

Performing a DNS lookup with dig results in this

- A. There is no . after linuserv.example.net in the PTR record in the forward lookup zone file
- B. There is no . after linuserv in the PTR record in the forward lookup zone file
- C. There is no . after linuserv.example.net in the PTR record in the reverse lookup zone file
- D. The . in the NS definition in the reverse lookup zone has to be removed

Answer: C

NEW QUESTION 10

What word is missing from the following excerpt of a named.conf file?

- A. networks
- B. net
- C. list
- D. acl
- E. group

Answer: D

NEW QUESTION 10

In a BIND zone file, what does the @ character indicate?

- A. It's the fully qualified host name of the DNS server
- B. It's an alias for the e-mail address of the zone master
- C. It's the name of the zone as defined in the zone statement in named.conf
- D. It's used to create an alias between two CNAME entries

Answer: C

NEW QUESTION 11

Which BIND option should be used to limit the IP addresses from which slave name servers may connect?

- A. allow-zone-transfer
- B. allow-transfer
- C. allow-secondary
- D. allow-slaves
- E. allow-queries

Answer: B

NEW QUESTION 13

In order to protect a directory on an Apache HTTPD web server with a password, this configuration was added to an .htaccess file in the respective directory:

Furthermore, a file /var/www/dir/.htpasswd was created with the following content: usera:S3cr3t

Given that all these files were correctly processed by the web server processes, which of the following statements is true about requests to the directory?

- A. The user usera can access the site using the password s3cr3t
- B. Accessing the directory as usera raises HTTP error code 442 (User Not Existent)
- C. Requests are answered with HTTP error code 500 (Internal Server Error)
- D. The browser prompts the visitor for a username and password but logins for usera do not seem to work
- E. The web server delivers the content of the directory without requesting authentication

Answer: A

NEW QUESTION 15

Which http_access directive for Squid allows users in the ACL named sales_net to only access the Internet at times specified in the time_acl named sales_time?

- A. http_access deny sales_time sales_net
- B. http_access allow sales_net sales_time
- C. http_access allow sales_net and sales-time
- D. allow http_access sales_net sales_time
- E. http_access sales_net sales_time

Answer: B

NEW QUESTION 20

Which global option in squid.conf sets the port number or numbers that Squid will use to listen for client requests?

- A. port
- B. client_port
- C. http_port
- D. server_port
- E. squid_port

Answer: C

NEW QUESTION 24

When using mod_authz_core, which of the following strings can be used as an argument to Require in an Apache HTTPD configuration file to specify the authentication provider? (Choose three.)

- A. method

- B. all
- C. regex
- D. header
- E. expr

Answer: ABE

NEW QUESTION 27

In response to a certificate signing request, a certification authority sent a web server certificate along with the certificate of an intermediate certification authority that signed the web server certificate. What should be done with the intermediate certificate in order to use the web server certificate with Apache HTTPD?

- A. The intermediate certificate should be merged with the web server's certificate into one file that is specified in SSLCertificateFile
- B. The intermediate certificate should be used to verify the certificate before its deployment on the web server and can be deleted
- C. The intermediate certificate should be stored in its own file which is referenced in SSLCaCertificateFile
- D. The intermediate certificate should be imported into the certificate store of the web browser used to test the correct operation of the web server
- E. The intermediate certificate should be archived and resent to the certification authority in order to request a renewal of the certificate

Answer: A

NEW QUESTION 32

CORRECT TEXT

Which directive in a Nginx server configuration block defines the TCP ports on which the virtual host will be available, and which protocols it will use? (Specify ONLY the option name without any values.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

listen

NEW QUESTION 33

If there is no access directive, what is the default setting for OpenLDAP?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 35

A host, called lpi, with the MAC address 08:00:2b:4c:59:23 should always be given the IP address of 192.168.1.2 by a DHCP server running ISC DHCPD. Which of the following configurations will achieve this?

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: D

NEW QUESTION 40

CORRECT TEXT

According to this LDIF excerpt, which organizational unit is Robert Smith part of? (Specify only the organizational unit.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
people

NEW QUESTION 42

CORRECT TEXT

What is the name of the root element of the LDAP tree holding the configuration of an OpenLDAP server that is using directory based configuration? (Specify ONLY the element's name without any additional information.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
slapd

NEW QUESTION 43

Which of the following statements in the ISC DHCPD configuration is used to specify whether or not an address pool can be used by nodes which have a corresponding host section in the configuration?

- A. identified-nodes
- B. unconfigured-hosts
- C. missing-peers
- D. unmatched-hwaddr
- E. unknown-clients

Answer: E

NEW QUESTION 48

CORRECT TEXT

In order to specify alterations to an LDAP entry, what keyword is missing from the following LDIF file excerpt?

Specify the keyword only and no other information.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
add

NEW QUESTION 51

When are Sieve filters usually applied to an email?

- A. When the email is delivered to a mailbox
- B. When the email is relayed by an SMTP server
- C. When the email is received by an SMTP smarthost
- D. When the email is sent to the first server by an MUA
- E. When the email is retrieved by an MUA

Answer: A

NEW QUESTION 52

After the installation of Dovecot, it is observed that the dovecot processes are shown in ps ax like this:

In order to associate the processes with users and peers, the username, IP address of the peer and the connection status, which of the following options must be set?

- A. --with-linux-extprocnames for ./configure when building Dovecot
- B. sys.ps.allow_descriptions = 1 in sysctl.conf or /proc
- C. proc.all.show_status = 1 in sysctl.conf or /proc
- D. verbose_proctitle = yes in the Dovecot configuration
- E. process_format = "%u %l %s" in the Dovecot configuration

Answer: D

NEW QUESTION 53

Which Postfix command can be used to rebuild all of the alias database files with a single invocation and without the need for any command line arguments?

- A. makealiases
- B. newaliases
- C. postalias
- D. postmapbuild

Answer: B

NEW QUESTION 57

Which of the following authentication mechanisms are supported by Dovecot? (Choose three.)

- A. ldap
- B. digest-md5
- C. cram-md5
- D. plain
- E. krb5

Answer: BCD

NEW QUESTION 60

In order to join a file server to the Active Directory domain intra.example.com, the following smb.conf has been created:

The command net ads join raises an error and the server is not joined to the domain. What should be done to successfully join the domain?

- A. Change server role to ad member server to join an Active Directory domain instead of an NT4 domain.
- B. Add realm = intra.example.com to the smb.conf and change workgroup to the domain's netbios workgroup name.
- C. Manually create a machine account in the Active Directory domain and specify the machine account's name with -U when starting net ads join.
- D. Remove the winbind enum users and winbind enum groups since winbind is incompatible with Active Directory domains.
- E. Remove all idmap configuration stanzas since the id mapping is defined globally in an Active Directory domain and cannot be changed on a member server.

Answer: E

NEW QUESTION 64

What does the samba-tool testparm command confirm regarding the Samba configuration?

- A. The configuration loads successfully.
- B. The service operates as expected.
- C. The Samba services are started automatically when the system boots.
- D. The netfilter configuration on the Samba server does not block any access to the services defined in the configuration.
- E. All running Samba processes use the most recent configuration versio

Answer: A

NEW QUESTION 68

CORRECT TEXT

What command displays NFS kernel statistics? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

nfsstat

NEW QUESTION 70

Which keyword is used in the Squid configuration to define networks and times used to limit access to the service?

- A. acl
- B. allow

- C. http_allow
- D. permit

Answer: A

NEW QUESTION 72

Given the following Squid configuration excerpt: cache_dir ufs /var/spool/squid3/ 1024 16 256

Which of the following directories will exist directly within the directory /var/spool/squid3/? (Choose two.)

- A. 0F
- B. A0
- C. 0b
- D. FF
- E. 00

Answer: AC

NEW QUESTION 76

Which of the following statements are true regarding Server Name Indication (SNI)? (Choose two.)

- A. It supports transparent failover of TLS sessions from one web server to another.
- B. It allows multiple SSL/TLS secured virtual HTTP hosts to coexist on the same IP address.
- C. It enables HTTP servers to update the DNS of their virtual hosts' names using the X 509 certificates of the virtual hosts.
- D. It provides a list of available virtual hosts to the client during the TLS handshake.
- E. It submits the host name of the requested URL during the TLS handshake.

Answer: BE

NEW QUESTION 80

Which option within a Nginx server configuration section defines the file system path from which the content of the server is retrieved?

- A. location
- B. htdocs
- C. DocumentRoot
- D. root
- E. base_dir

Answer: D

NEW QUESTION 84

What is the standard port used by OpenVPN?

- A. 1723
- B. 4500
- C. 500
- D. 1194

Answer: D

NEW QUESTION 85

Using its standard configuration, how does fail2ban block offending SSH clients?

- A. By rejecting connections due to its role as a proxy in front of SSHD.
- B. By modifying and adjusting the SSHD configuration.
- C. By creating and maintaining netfilter rules.
- D. By creating null routes that drop any answer packets sent to the client.
- E. By modifying and adjusting the TCP Wrapper configuration for SSH

Answer: B

NEW QUESTION 88

To which destination will a route appear in the Linux routing table after activating IPv6 on a router's network interface, even when no global IPv6 addresses have been assigned to the interface?

- A. fe80::/10
- B. 0::/128
- C. 0::/0
- D. fe80::/64
- E. 2000::/3

Answer: A

NEW QUESTION 89

In order to prevent all anonymous FTP users from listing uploaded file names, what security precaution can be taken when creating an upload directory?

- A. The directory must not have the execute permission set.
- B. The directory must not have the read permission set.
- C. The directory must not have the read or execute permission set.
- D. The directory must not have the write permission set.
- E. The directory must not contain other directorie

Answer: B

NEW QUESTION 91

Which netfilter table contains built-in chains called INPUT, OUTPUT and FORWARD?

- A. ipconn
- B. filter
- C. nat
- D. default
- E. masq

Answer: B

NEW QUESTION 93

After running ssh-keygen and accepting the default values, which of the following files are changed or created? (Choose two.)

- A. ~/.ssh/id_rsa.key
- B. ~/.ssh/id_rsa.pub
- C. ~/.ssh/id_rsa.prv
- D. ~/.ssh/id_rsa.crt
- E. ~/.ssh/id_rsa

Answer: BE

NEW QUESTION 97

Which of the following OpenVPN configuration options makes OpenVPN forward network packets between VPN clients itself instead of passing the packets on to the Linux host which runs the OpenVPN server for further processing?

- A. inter-client-traffic
- B. client-to-client
- C. client-router
- D. client-pass
- E. grant-client-traffic

Answer: B

NEW QUESTION 99

Which of these tools provides DNS information in the following format?

- A. dig
- B. nslookup
- C. host
- D. named-checkconf
- E. named-checkzone

Answer: B

NEW QUESTION 100

A zone file contains the following lines:

and is included in the BIND configuration using this configuration stanza:

Which problem is contained in this configuration?

- A. The zone statement in the BIND configuration must contain the cross-zone-data yes; statement.
- B. The zone cannot contain records for a name which is outside the zone's hierarchy.
- C. The \$ORIGIN declaration cannot be used in zone files that are included for a specific zone name in the BIND configuration.
- D. An A record cannot contain an IPv4 address because its value is supposed to be a reverse DNS name.
- E. Names of records in a zone file cannot be fully qualified domain name

Answer: C

NEW QUESTION 103

Which of the following actions are available in Sieve core filters? (Choose three.)

- A. drop
- B. discard
- C. fileinto
- D. relay
- E. reject

Answer: CDE

NEW QUESTION 107

CORRECT TEXT

Which option in the Postfix configuration makes Postfix pass email to external destinations to another SMTP-server? (Specify ONLY the option name without any values.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

relay server

NEW QUESTION 112

What is the name of the Dovecot configuration variable that specifies the location of user mail?

- A. mbox
- B. mail_location
- C. user_dir
- D. maildir
- E. user_mail_dir

Answer: B

NEW QUESTION 115

Which of the following commands displays an overview of the Postfix queue content to help identify remote sites that are causing excessive mail traffic?

- A. mailtraf
- B. queuequery
- C. qshape
- D. postmap
- E. poststats

Answer: C

NEW QUESTION 120

Which of these sets of entries does the following command return?

- A. Entries that don't have a cn of marie or don't have a telephoneNumber that begins with 9.
- B. Entries that have a cn of marie or don't have a telephoneNumber beginning with 9.
- C. Entries that have a cn of marie and a telephoneNumber that ending with 9.
- D. Entries that don't have a cn of marie and don't have a telephoneNumber beginning with 9.
- E. Entries that have a cn of marie or have a telephoneNumber beginning with 9.

Answer: C

NEW QUESTION 121

Which of the following types of IPv6 address assignments does DHCPv6 support? (Choose three.)

- A. Assignments of normal IPv6 addresses that can be renewed.
- B. Assignments of temporary IPv6 addresses that cannot be renewed.
- C. Assignments of blacklisted IPv6 addresses that should no longer be used.
- D. Assignments of IPv6 prefixes that can be used for routing or further assignments.
- E. Assignments of anonymous IPv6 addresses whose assignment is not logged by the DHCPv6 server.

Answer: ABD

NEW QUESTION 125

CORRECT TEXT

Which attitude of an object in LDAP defines which other attributes can be set for the object? (Specify ONLY the attribute name without any values.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

class

NEW QUESTION 128

Which of the following commands is used to change user passwords in an OpenLDAP directory?

- A. setent
- B. ldapasswd
- C. olpasswd
- D. ldappasswd
- E. ldapchpw

Answer: D

NEW QUESTION 130

Which of the following statements is INCORRECT regarding the LDIF file format?

- A. It contains a dn line that indicates where the attributes listed in the following lines of the file must be added.
- B. In the file, a blank line separates one entry from another one.
- C. If an attribute contains binary data, some specific configurations must be made for this entry.
- D. The LDIF file accepts any type of file encoding.

Answer: D

NEW QUESTION 133

Which of the following PAM modules sets and unsets environment variables?

- A. pam_set
- B. pam_shell
- C. pam-vars
- D. pam-env
- E. pam_export

Answer: D

NEW QUESTION 137

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 202-450 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 202-450 Product From:

<https://www.2passeasy.com/dumps/202-450/>

Money Back Guarantee

202-450 Practice Exam Features:

- * 202-450 Questions and Answers Updated Frequently
- * 202-450 Practice Questions Verified by Expert Senior Certified Staff
- * 202-450 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 202-450 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year