

Exam Questions JN0-230

Security - Associate (JNCIA-SEC)

<https://www.2passeasy.com/dumps/JN0-230/>



NEW QUESTION 1

Which two feature on the SRX Series device are common across all Junos devices? (Choose two.)

- A. Stateless firewall filters
- B. UTM services
- C. The separation of control and forwarding planes
- D. screens

Answer: AC

NEW QUESTION 2

On an SRX Series device, how should you configure your IKE gateway if the remote endpoint is a branch office-using a dynamic IP address?

- A. Configure the IPsec policy to use MDS authentication.
- B. Configure the IKE policy to use aggressive mode.
- C. Configure the IPsec policy to use aggressive mode.
- D. Configure the IKE policy to use a static IP address

Answer: B

NEW QUESTION 3

Your company has been assigned one public IP address. You want to enable internet traffic to reach multiple servers in your DMZ that are configured with private address.

In this scenario, which type of NAT would be used to accomplish this tasks?

- A. Static NAT
- B. Destination NAT
- C. Source NAT
- D. NAT without PAT

Answer: B

NEW QUESTION 4

Which two match conditions would be used in both static NAT and destination NAT rule sets? (Choose two.)

- A. Destination zone
- B. Destination interface
- C. Source interface
- D. Source zone

Answer: BD

NEW QUESTION 5

Which statement about IPsec is correct?

- A. IPsec can be used to transport native Layer 2 packets.
- B. IPsec can provide encapsulation but not encryption
- C. IPsec is a standards-based protocol.
- D. IPsec is used to provide data replication

Answer: C

NEW QUESTION 6

You configure and applied several global policies and some of the policies have overlapping match criteria.

- A. In this scenario, how are these global policies applies?
- B. The first matched policy is the only policy applied.
- C. The most restrictive that matches is applied.
- D. The least restrictive policy that matches is applied.

Answer: A

NEW QUESTION 7

Which statement is correct about IKE?

- A. IKE phase 1 is used to establish the data path
- B. IKE phase 1 only support aggressive mode.
- C. IKE phase 1 negotiates a secure channel between gateways.
- D. IKE phase 1 establishes the tunnel between devices

Answer: C

NEW QUESTION 8

You have created a zones-based security policy that permits traffic to a specific webserver for the marketing team. Other groups in the company are not permitted to access the webserver. When marketing users attempt to access the server they are unable to do so. What are two reasons for this access failure? (Choose two.)

- A. You failed to change the source zone to include any source zone.
- B. You failed to position the policy after the policy that denies access to the webserver.
- C. You failed to commit the policy change.
- D. You failed to position the policy before the policy that denies access the webserver

Answer: CD

NEW QUESTION 9

Which UTM feature should you use to protect users from visiting certain blacklisted websites?

- A. Content filtering
- B. Web filtering
- C. Antivirus
- D. antispam

Answer: B

NEW QUESTION 10

Which statements is correct about global security policies?

- A. Global policies allow you to regulate traffic with addresses and applications, regardless of their security zones.
- B. Traffic matching global is not added to the session table.
- C. Global policies eliminate the need to assign interface to security zones.
- D. Global security require you to identify a source and destination zone.

Answer: A

NEW QUESTION 10

You are designing a new security policy on an SRX Series device. You must block an application and log all occurrence of the application access attempts. In this scenario, which two actions must be enabled in the security policy? (Choose two.)

- A. Log the session initiations
- B. Enable a reject action
- C. Log the session closures
- D. Enable a deny action

Answer: AD

NEW QUESTION 15

Which type of security policy protect restricted services from running on non-standard ports?

- A. Application firewall
- B. IDP
- C. Sky ATP
- D. antivirus

Answer: B

NEW QUESTION 17

Users in your network are downloading files with file extensions that you consider to be unsafe for your network. You must prevent files with specific file extensions from entering your network.

Which UTM feature should be enable on an SRX Series device to accomplish this task?

- A. Content filtering
- B. Web filtering
- C. Antispam
- D. URL filtering

Answer: A

NEW QUESTION 18

A new SRX Series device has been delivered to your location. The device has the factory-default configuration loaded. You have powered on the device and connected to the console port.

What would you use to log into the device to begin the initial configuration?

- A. Root with a password of juniper”
- B. Root with no password
- C. Admin with password
- D. Admin with a password “juniper”

Answer: B

NEW QUESTION 21

Which statements about NAT are correct? (Choose two.)

- A. When multiple NAT rules have overlapping match conditions, the rule listed first is chosen.
- B. Source NAT translates the source port and destination IP address.
- C. Source NAT translates the source IP address of packet.
- D. When multiple NAT rules have overlapping match conditions, the most specific rule is chosen.

Answer: AC

NEW QUESTION 22

Which statements is correct about SKY ATP?

- A. Sky ATP is an open-source security solution.
- B. Sky ATP is used to automatically push out changes to the AppSecure suite.
- C. Sky ATP only support sending threat feeds to vSRX Series devices
- D. Sky ATP is a cloud-based security threat analyzer that performs multiple tasks

Answer: D

NEW QUESTION 27

Which security object defines a source or destination IP address that is used for an employee Workstation?

- A. Zone
- B. Screen
- C. Address book entry
- D. scheduler

Answer: C

NEW QUESTION 30

What must you do first to use the Monitor/Alarms/Policy Log workspace in J-Web?

- A. You must enable logging that uses the SD-Syslog format.
- B. You must enable security logging that uses the TLS transport mode.
- C. You must enable stream mode security logging on the SRX Series device.
- D. You must enable event mode security logging on the SRX Series device.

Answer: D

NEW QUESTION 34

You verify that the SSH service is configured correctly on your SRX Series device, yet administrators attempting to connect through a revenue port are not able to connect.

In this scenario, what must be configured to solve this problem?

- A. A security policy allowing SSH traffic.
- B. A host-inbound-traffic setting on the incoming zone
- C. An MTU value target than the default value
- D. A screen on the internal interface

Answer: B

NEW QUESTION 36

Which two elements are needed on an SRX Series device to set up a remote syslog server? (Choose two.)

- A. Data type
- B. Data throughput
- C. IP address
- D. Data size

Answer: AC

NEW QUESTION 38

Which two segments describes IPsec VPNs? (Choose two.)

- A. IPsec VPN traffic is always authenticated.
- B. IPsec VPN traffic is always encrypted.
- C. IPsec VPNs use security to secure traffic over a public network between two remote sites.
- D. IPsec VPNs are dedicated physical connections between two private networks.

Answer: AC

NEW QUESTION 39

Which method do VPNs use to prevent outside parties from viewing packet in clear text?

- A. Integrity
- B. Authentication
- C. Encryption
- D. NAT_T

Answer: C

NEW QUESTION 43

Firewall filters define which type of security?

- A. Stateful
- B. Stateless
- C. NGFW
- D. Dynamic enforcement

Answer: B

NEW QUESTION 47

Exhibit.

Which statement is correct regarding the interface configuration shown in the exhibit?

- A. The interface MTU has been increased.
- B. The IP address has an invalid subnet mask.
- C. The IP address is assigned to unit 0.
- D. The interface is assigned to the trust zone by default.

Answer: C

NEW QUESTION 49

Which flow module components handles processing for UTM?

- A. Policy
- B. Zones
- C. Services
- D. Screen options

Answer: C

NEW QUESTION 52

What is the correct order of processing when configuring NAT rules and security policies?

- A. Policy lookup > source NAT > static NAT > destination NAT
- B. Source NAT > static NAT > destination NAT > policy lookup
- C. Static NAT > destination NAT > policy lookup > source NAT
- D. Destination NAT > policy lookup > source NAT > static NAT

Answer: C

NEW QUESTION 57

Which two statements are true about the null zone? (Choose two.)

- A. All interface belong to the null zone by default.
- B. All traffic to the null zone is dropped.
- C. All traffic to the null zone is allowed
- D. The null zone is a user-defined zone

Answer: AB

NEW QUESTION 62

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual JN0-230 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the JN0-230 Product From:

<https://www.2passeasy.com/dumps/JN0-230/>

Money Back Guarantee

JN0-230 Practice Exam Features:

- * JN0-230 Questions and Answers Updated Frequently
- * JN0-230 Practice Questions Verified by Expert Senior Certified Staff
- * JN0-230 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * JN0-230 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year