

Exam Questions DBS-C01

AWS Certified Database - Specialty

<https://www.2passeasy.com/dumps/DBS-C01/>



NEW QUESTION 1

A company is concerned about the cost of a large-scale, transactional application using Amazon DynamoDB that only needs to store data for 2 days before it is deleted. In looking at the tables, a Database Specialist notices that much of the data is months old, and goes back to when the application was first deployed. What can the Database Specialist do to reduce the overall cost?

- A. Create a new attribute in each table to track the expiration time and create an AWS Glue transformation to delete entries more than 2 days old.
- B. Create a new attribute in each table to track the expiration time and enable DynamoDB Streams on each table.
- C. Create a new attribute in each table to track the expiration time and enable time to live (TTL) on each table.
- D. Create an Amazon CloudWatch Events event to export the data to Amazon S3 daily using AWS Data Pipeline and then truncate the Amazon DynamoDB table.

Answer: A

NEW QUESTION 2

A company is writing a new survey application to be used with a weekly televised game show. The application will be available for 2 hours each week. The company expects to receive over 500,000 entries every week, with each survey asking 2-3 multiple choice questions of each user. A Database Specialist needs to select a platform that is highly scalable for a large number of concurrent writes to handle the anticipated volume. Which AWS services should the Database Specialist consider? (Choose two.)

- A. Amazon DynamoDB
- B. Amazon Redshift
- C. Amazon Neptune
- D. Amazon Elasticsearch Service
- E. Amazon ElastiCache

Answer: AE

NEW QUESTION 3

A team of Database Specialists is currently investigating performance issues on an Amazon RDS for MySQL DB instance and is reviewing related metrics. The team wants to narrow the possibilities down to specific database wait events to better understand the situation. How can the Database Specialists accomplish this?

- A. Enable the option to push all database logs to Amazon CloudWatch for advanced analysis
- B. Create appropriate Amazon CloudWatch dashboards to contain specific periods of time
- C. Enable Amazon RDS Performance Insights and review the appropriate dashboard
- D. Enable Enhanced Monitoring with the appropriate settings

Answer: C

NEW QUESTION 4

A company is hosting critical business data in an Amazon Redshift cluster. Due to the sensitive nature of the data, the cluster is encrypted at rest using AWS KMS. As a part of disaster recovery requirements, the company needs to copy the Amazon Redshift snapshots to another Region. Which steps should be taken in the AWS Management Console to meet the disaster recovery requirements?

- A. Create a new KMS customer master key in the source Region
- B. Switch to the destination Region, enable Amazon Redshift cross-Region snapshots, and use the KMS key of the source Region.
- C. Create a new IAM role with access to the KMS key
- D. Enable Amazon Redshift cross-Region replication using the new IAM role, and use the KMS key of the source Region.
- E. Enable Amazon Redshift cross-Region snapshots in the source Region, and create a snapshot copy grant and use a KMS key in the destination Region.
- F. Create a new KMS customer master key in the destination Region and create a new IAM role with access to the new KMS key
- G. Enable Amazon Redshift cross-Region replication in the source Region and use the KMS key of the destination Region.

Answer: A

NEW QUESTION 5

A Database Specialist is migrating a 2 TB Amazon RDS for Oracle DB instance to an RDS for PostgreSQL DB instance using AWS DMS. The source RDS Oracle DB instance is in a VPC in the us-east-1 Region. The target RDS for PostgreSQL DB instance is in a VPC in the us-west-2 Region. Where should the AWS DMS replication instance be placed for the MOST optimal performance?

- A. In the same Region and VPC of the source DB instance
- B. In the same Region and VPC as the target DB instance
- C. In the same VPC and Availability Zone as the target DB instance
- D. In the same VPC and Availability Zone as the source DB instance

Answer: D

NEW QUESTION 6

A company has a production Amazon Aurora DB cluster that serves both online transaction processing (OLTP) transactions and compute-intensive reports. The reports run for 10% of the total cluster uptime while the OLTP transactions run all the time. The company has benchmarked its workload and determined that a six-node Aurora DB cluster is appropriate for the peak workload. The company is now looking at cutting costs for this DB cluster, but needs to have a sufficient number of nodes in the cluster to support the workload at different times. The workload has not changed since the previous benchmarking exercise. How can a Database Specialist address these requirements with minimal user involvement?

- A. Split up the DB cluster into two different clusters: one for OLTP and the other for reporting
- B. Monitor and set up replication between the two clusters to keep data consistent.
- C. Review and evaluate the peak combined workload

- D. Ensure that utilization of the DB cluster node is at an acceptable level
- E. Adjust the number of instances, if necessary.
- F. Use the stop cluster functionality to stop all the nodes of the DB cluster during times of minimal workload
- G. The cluster can be restarted again depending on the workload at the time.
- H. Set up automatic scaling on the DB cluster
- I. This will allow the number of reader nodes to adjust automatically to the reporting workload, when needed.

Answer: D

NEW QUESTION 7

An IT consulting company wants to reduce costs when operating its development environment databases. The company's workflow creates multiple Amazon Aurora MySQL DB clusters for each development group. The Aurora DB clusters are only used for 8 hours a day. The DB clusters can then be deleted at the end of the development cycle, which lasts 2 weeks.

Which of the following provides the MOST cost-effective solution?

- A. Use AWS CloudFormation template
- B. Deploy a stack with the DB cluster for each development group. Delete the stack at the end of the development cycle.
- C. Use the Aurora DB cloning feature
- D. Deploy a single development and test Aurora DB instance, and create clone instances for the development group
- E. Delete the clones at the end of the development cycle.
- F. Use Aurora Replica
- G. From the master automatic pause compute capacity option, create replicas for each development group, and promote each replica to master
- H. Delete the replicas at the end of the development cycle.
- I. Use Aurora Serverless
- J. Restore current Aurora snapshot and deploy to a serverless cluster for each development group
- K. Enable the option to pause the compute capacity on the cluster and set an appropriate timeout.

Answer: D

NEW QUESTION 8

A gaming company is designing a mobile gaming app that will be accessed by many users across the globe. The company wants to have replication and full support for multi-master writes. The company also wants to ensure low latency and consistent performance for app users.

Which solution meets these requirements?

- A. Use Amazon DynamoDB global tables for storage and enable DynamoDB automatic scaling
- B. Use Amazon Aurora for storage and enable cross-Region Aurora Replicas
- C. Use Amazon Aurora for storage and cache the user content with Amazon ElastiCache
- D. Use Amazon Neptune for storage

Answer: A

NEW QUESTION 9

A company is looking to migrate a 1 TB Oracle database from on-premises to an Amazon Aurora PostgreSQL DB cluster. The company's Database Specialist discovered that the Oracle database is storing 100 GB of large binary objects (LOBs) across multiple tables. The Oracle database has a maximum LOB size of 500 MB with an average LOB size of 350 MB. The Database Specialist has chosen AWS DMS to migrate the data with the largest replication instances.

How should the Database Specialist optimize the database migration using AWS DMS?

- A. Create a single task using full LOB mode with a LOB chunk size of 500 MB to migrate the data and LOBs together
- B. Create two tasks: task1 with LOB tables using full LOB mode with a LOB chunk size of 500 MB and task2 without LOBs
- C. Create two tasks: task1 with LOB tables using limited LOB mode with a maximum LOB size of 500 MB and task 2 without LOBs
- D. Create a single task using limited LOB mode with a maximum LOB size of 500 MB to migrate data and LOBs together

Answer: C

NEW QUESTION 10

A company just migrated to Amazon Aurora PostgreSQL from an on-premises Oracle database. After the migration, the company discovered there is a period of time every day around 3:00 PM where the response time of the application is noticeably slower. The company has narrowed down the cause of this issue to the database and not the application.

Which set of steps should the Database Specialist take to most efficiently find the problematic PostgreSQL query?

- A. Create an Amazon CloudWatch dashboard to show the number of connections, CPU usage, and disk space consumption
- B. Watch these dashboards during the next slow period.
- C. Launch an Amazon EC2 instance, and install and configure an open-source PostgreSQL monitoring tool that will run reports based on the output error logs.
- D. Modify the logging database parameter to log all the queries related to locking in the database and then check the logs after the next slow period for this information.
- E. Enable Amazon RDS Performance Insights on the PostgreSQL database
- F. Use the metrics to identify any queries that are related to spikes in the graph during the next slow period.

Answer: D

NEW QUESTION 10

A Database Specialist is setting up a new Amazon Aurora DB cluster with one primary instance and three Aurora Replicas for a highly intensive, business-critical application. The Aurora DB cluster has one medium-sized primary instance, one large-sized replica, and two medium-sized replicas. The Database Specialist did not assign a promotion tier to the replicas.

In the event of a primary failure, what will occur?

- A. Aurora will promote an Aurora Replica that is of the same size as the primary instance
- B. Aurora will promote an arbitrary Aurora Replica

- C. Aurora will promote the largest-sized Aurora Replica
- D. Aurora will not promote an Aurora Replica

Answer: A

NEW QUESTION 15

A company developed an AWS CloudFormation template used to create all new Amazon DynamoDB tables in its AWS account. The template configures provisioned throughput capacity using hard-coded values. The company wants to change the template so that the tables it creates in the future have independently configurable read and write capacity units assigned. Which solution will enable this change?

- A. Add values for the rcuCount and wcuCount parameters to the Mappings section of the template. Configure DynamoDB to provision throughput capacity using the stack's mappings.
- B. Add values for two Number parameters, rcuCount and wcuCount, to the template.
- C. Replace the hard-coded values with calls to the Ref intrinsic function, referencing the new parameters.
- D. Add values for the rcuCount and wcuCount parameters as outputs of the template.
- E. Configure DynamoDB to provision throughput capacity using the stack outputs.
- F. Add values for the rcuCount and wcuCount parameters to the Mappings section of the template. Replace the hard-coded values with calls to the Ref intrinsic function, referencing the new parameters.

Answer: B

NEW QUESTION 18

A Database Specialist migrated an existing production MySQL database from on-premises to an Amazon RDS for MySQL DB instance. However, after the migration, the database needed to be encrypted at rest using AWS KMS. Due to the size of the database, reloading the data into an encrypted database would be too time-consuming, so it is not an option. How should the Database Specialist satisfy this new requirement?

- A. Create a snapshot of the unencrypted RDS DB instance.
- B. Create an encrypted copy of the unencrypted snapshot.
- C. Restore the encrypted snapshot copy.
- D. Modify the RDS DB instance.
- E. Enable the AWS KMS encryption option that leverages the AWS CLI.
- F. Restore an unencrypted snapshot into a MySQL RDS DB instance that is encrypted.
- G. Create an encrypted read replica of the RDS DB instance.
- H. Promote it to the master.

Answer: A

NEW QUESTION 23

A financial company wants to store sensitive user data in an Amazon Aurora PostgreSQL DB cluster. The database will be accessed by multiple applications across the company. The company has mandated that all communications to the database be encrypted and the server identity must be validated. Any non-SSL-based connections should be disallowed access to the database. Which solution addresses these requirements?

- A. Set the rds.force_ssl=0 parameter in DB parameter group.
- B. Download and use the Amazon RDS certificate bundle and configure the PostgreSQL connection string with sslmode=allow.
- C. Set the rds.force_ssl=1 parameter in DB parameter group.
- D. Download and use the Amazon RDS certificate bundle and configure the PostgreSQL connection string with sslmode=disable.
- E. Set the rds.force_ssl=0 parameter in DB parameter group.
- F. Download and use the Amazon RDS certificate bundle and configure the PostgreSQL connection string with sslmode=verify-ca.
- G. Set the rds.force_ssl=1 parameter in DB parameter group.
- H. Download and use the Amazon RDS certificate bundle and configure the PostgreSQL connection string with sslmode=verify-full.

Answer: D

NEW QUESTION 25

A company is looking to move an on-premises IBM Db2 database running AIX on an IBM POWER7 server. Due to escalating support and maintenance costs, the company is exploring the option of moving the workload to an Amazon Aurora PostgreSQL DB cluster. What is the quickest way for the company to gather data on the migration compatibility?

- A. Perform a logical dump from the Db2 database and restore it to an Aurora DB cluster.
- B. Identify the gaps and compatibility of the objects migrated by comparing row counts from source and target tables.
- C. Run AWS DMS from the Db2 database to an Aurora DB cluster.
- D. Identify the gaps and compatibility of the objects migrated by comparing the row counts from source and target tables.
- E. Run native PostgreSQL logical replication from the Db2 database to an Aurora DB cluster to evaluate the migration compatibility.
- F. Run the AWS Schema Conversion Tool (AWS SCT) from the Db2 database to an Aurora DB cluster. Create a migration assessment report to evaluate the migration compatibility.

Answer: D

NEW QUESTION 29

A company is deploying a solution in Amazon Aurora by migrating from an on-premises system. The IT department has established an AWS Direct Connect link from the company's data center. The company's Database Specialist has selected the option to require SSL/TLS for connectivity to prevent plaintext data from being sent over the network. The migration appears to be working successfully, and the data can be queried from a desktop machine. Two Data Analysts have been asked to query and validate the data in the new Aurora DB cluster. Both Analysts are unable to connect to Aurora. Their user names and passwords have been verified as valid and the Database Specialist can connect to the DB cluster using their accounts. The Database Specialist also verified that the security group configuration allows

network from all corporate IP addresses.

What should the Database Specialist do to correct the Data Analysts' inability to connect?

- A. Restart the DB cluster to apply the SSL change.
- B. Instruct the Data Analysts to download the root certificate and use the SSL certificate on the connection string to connect.
- C. Add explicit mappings between the Data Analysts' IP addresses and the instance in the security group assigned to the DB cluster.
- D. Modify the Data Analysts' local client firewall to allow network traffic to AWS.

Answer: D

NEW QUESTION 33

A Database Specialist is performing a proof of concept with Amazon Aurora using a small instance to confirm a simple database behavior. When loading a large dataset and creating the index, the Database Specialist encounters the following error message from Aurora:

ERROR: cloud not write block 7507718 of temporary file: No space left on device

What is the cause of this error and what should the Database Specialist do to resolve this issue?

- A. The scaling of Aurora storage cannot catch up with the data loadin
- B. The Database Specialist needs to modify the workload to load the data slowly.
- C. The scaling of Aurora storage cannot catch up with the data loadin
- D. The Database Specialist needs to enable Aurora storage scaling.
- E. The local storage used to store temporary tables is full
- F. The Database Specialist needs to scale up the instance.
- G. The local storage used to store temporary tables is full
- H. The Database Specialist needs to enable local storage scaling.

Answer: C

NEW QUESTION 34

A company is developing a multi-tier web application hosted on AWS using Amazon Aurora as the database.

The application needs to be deployed to production and other non-production environments. A Database Specialist needs to specify different MasterUsername and MasterUserPassword properties in the AWS CloudFormation templates used for automated deployment. The CloudFormation templates are version controlled in the company's code repository. The company also needs to meet compliance requirements by routinely rotating its database master password for production.

What is the most secure solution to store the master password?

- A. Store the master password in a parameter file in each environment
- B. Reference the environment-specific parameter file in the CloudFormation template.
- C. Encrypt the master password using an AWS KMS key
- D. Store the encrypted master password in the CloudFormation template.
- E. Use the secretsmanager dynamic reference to retrieve the master password stored in AWS SecretsManager and enable automatic rotation.
- F. Use the ssm dynamic reference to retrieve the master password stored in the AWS Systems Manager Parameter Store and enable automatic rotation.

Answer: C

NEW QUESTION 36

A company is using Amazon RDS for PostgreSQL. The Security team wants all database connection requests to be logged and retained for 180 days. The RDS for PostgreSQL DB instance is currently using the default parameter group. A Database Specialist has identified that setting the log_connections parameter to 1 will enable connections logging.

Which combination of steps should the Database Specialist take to meet the logging and retention requirements? (Choose two.)

- A. Update the log_connections parameter in the default parameter group
- B. Create a custom parameter group, update the log_connections parameter, and associate the parameter with the DB instance
- C. Enable publishing of database engine logs to Amazon CloudWatch Logs and set the event expiration to 180 days
- D. Enable publishing of database engine logs to an Amazon S3 bucket and set the lifecycle policy to 180 days
- E. Connect to the RDS PostgreSQL host and update the log_connections parameter in the postgresql.conf file

Answer: AE

NEW QUESTION 39

The Security team for a finance company was notified of an internal security breach that happened 3 weeks ago. A Database Specialist must start producing audit logs out of the production Amazon Aurora PostgreSQL cluster for the Security team to use for monitoring and alerting. The Security team is required to perform real-time alerting and monitoring outside the Aurora DB cluster and wants to have the cluster push encrypted files to the chosen solution.

Which approach will meet these requirements?

- A. Use pg_audit to generate audit logs and send the logs to the Security team.
- B. Use AWS CloudTrail to audit the DB cluster and the Security team will get data from Amazon S3.
- C. Set up database activity streams and connect the data stream from Amazon Kinesis to consumer applications.
- D. Turn on verbose logging and set up a schedule for the logs to be dumped out for the Security team.

Answer: B

NEW QUESTION 42

A company has an Amazon RDS Multi-AZ DB instance that is 200 GB in size with an RPO of 6 hours. To meet the company's disaster recovery policies, the database backup needs to be copied into another Region. The company requires the solution to be cost-effective and operationally efficient.

What should a Database Specialist do to copy the database backup into a different Region?

- A. Use Amazon RDS automated snapshots and use AWS Lambda to copy the snapshot into another Region
- B. Use Amazon RDS automated snapshots every 6 hours and use Amazon S3 cross-Region replication to copy the snapshot into another Region
- C. Create an AWS Lambda function to take an Amazon RDS snapshot every 6 hours and use a second Lambda function to copy the snapshot into another Region

D. Create a cross-Region read replica for Amazon RDS in another Region and take an automated snapshot of the read replica

Answer: D

NEW QUESTION 44

A financial company has allocated an Amazon RDS MariaDB DB instance with large storage capacity to accommodate migration efforts. Post-migration, the company purged unwanted data from the instance. The company now wants to downsize storage to save money. The solution must have the least impact on production and near-zero downtime.

Which solution would meet these requirements?

- A. Create a snapshot of the old databases and restore the snapshot with the required storage
- B. Create a new RDS DB instance with the required storage and move the databases from the old instance to the new instance using AWS DMS
- C. Create a new database using native backup and restore
- D. Create a new read replica and make it the primary by terminating the existing primary

Answer: A

NEW QUESTION 47

A company is running its line of business application on AWS, which uses Amazon RDS for MySQL at the persistent data store. The company wants to minimize downtime when it migrates the database to Amazon Aurora.

Which migration method should a Database Specialist use?

- A. Take a snapshot of the RDS for MySQL DB instance and create a new Aurora DB cluster with the option to migrate snapshots.
- B. Make a backup of the RDS for MySQL DB instance using the mysqldump utility, create a new Aurora DB cluster, and restore the backup.
- C. Create an Aurora Replica from the RDS for MySQL DB instance and promote the Aurora DB cluster.
- D. Create a clone of the RDS for MySQL DB instance and promote the Aurora DB cluster.

Answer: A

NEW QUESTION 49

A Database Specialist needs to speed up any failover that might occur on an Amazon Aurora PostgreSQL DB cluster. The Aurora DB cluster currently includes the primary instance and three Aurora Replicas.

How can the Database Specialist ensure that failovers occur with the least amount of downtime for the application?

- A. Set the TCP keepalive parameters low
- B. Call the AWS CLI failover-db-cluster command
- C. Enable Enhanced Monitoring on the DB cluster
- D. Start a database activity stream on the DB cluster

Answer: B

NEW QUESTION 52

A Database Specialist has migrated an on-premises Oracle database to Amazon Aurora PostgreSQL. The schema and the data have been migrated successfully. The on-premises database server was also being used to run database maintenance cron jobs written in Python to perform tasks including data purging and generating data exports. The logs for these jobs show that, most of the time, the jobs completed within 5 minutes, but a few jobs took up to 10 minutes to complete. These maintenance jobs need to be set up for Aurora PostgreSQL.

How can the Database Specialist schedule these jobs so the setup requires minimal maintenance and provides high availability?

- A. Create cron jobs on an Amazon EC2 instance to run the maintenance jobs following the required schedule.
- B. Connect to the Aurora host and create cron jobs to run the maintenance jobs following the required schedule.
- C. Create AWS Lambda functions to run the maintenance jobs and schedule them with Amazon CloudWatch Events.
- D. Create the maintenance job using the Amazon CloudWatch job scheduling plugin.

Answer: D

NEW QUESTION 56

A Database Specialist is working with a company to launch a new website built on Amazon Aurora with several Aurora Replicas. This new website will replace an on-premises website connected to a legacy relational database. Due to stability issues in the legacy database, the company would like to test the resiliency of Aurora.

Which action can the Database Specialist take to test the resiliency of the Aurora DB cluster?

- A. Stop the DB cluster and analyze how the website responds
- B. Use Aurora fault injection to crash the master DB instance
- C. Remove the DB cluster endpoint to simulate a master DB instance failure
- D. Use Aurora Backtrack to crash the DB cluster

Answer: B

NEW QUESTION 58

A company is using an Amazon Aurora PostgreSQL DB cluster with an xlarge primary instance master and two large Aurora Replicas for high availability and read-only workload scaling. A failover event occurs and application performance is poor for several minutes. During this time, application servers in all Availability Zones are healthy and responding normally.

What should the company do to eliminate this application performance issue?

- A. Configure both of the Aurora Replicas to the same instance class as the primary DB instance. Enable cache coherence on the DB cluster, set the primary DB instance failover priority to tier-0, and assign a failover priority of tier-1 to the replicas.
- B. Deploy an AWS Lambda function that calls the DescribeDBInstances action to establish which instance has failed, and then use the PromoteReadReplica

- operation to promote one Aurora Replica to be the primary DB instance
- C. Configure an Amazon RDS event subscription to send a notification to an Amazon SNS topic to which the Lambda function is subscribed.
 - D. Configure one Aurora Replica to have the same instance class as the primary DB instance. Implement Aurora PostgreSQL DB cluster cache management.
 - E. Set the failover priority to tier-0 for the primary DB instance and one replica with the same instance class.
 - F. Set the failover priority to tier-1 for the other replicas.
 - G. Configure both Aurora Replicas to have the same instance class as the primary DB instance. Implement Aurora PostgreSQL DB cluster cache management.
 - H. Set the failover priority to tier-0 for the primary DB instance and to tier-1 for the replicas.

Answer: D

NEW QUESTION 61

A company is load testing its three-tier production web application deployed with an AWS CloudFormation template on AWS. The Application team is making changes to deploy additional Amazon EC2 and AWS Lambda resources to expand the load testing capacity. A Database Specialist wants to ensure that the changes made by the Application team will not change the Amazon RDS database resources already deployed. Which combination of steps would allow the Database Specialist to accomplish this? (Choose two.)

- A. Review the stack drift before modifying the template
- B. Create and review a change set before applying it
- C. Export the database resources as stack outputs
- D. Define the database resources in a nested stack
- E. Set a stack policy for the database resources

Answer: AD

NEW QUESTION 62

A Database Specialist is creating Amazon DynamoDB tables, Amazon CloudWatch alarms, and associated infrastructure for an Application team using a development AWS account. The team wants a deployment method that will standardize the core solution components while managing environment-specific settings separately, and wants to minimize rework due to configuration errors. Which process should the Database Specialist recommend to meet these requirements?

- A. Organize common and environmental-specific parameters hierarchically in the AWS Systems Manager Parameter Store, then reference the parameters dynamically from an AWS CloudFormation template. Deploy the CloudFormation stack using the environment name as a parameter.
- B. Create a parameterized AWS CloudFormation template that builds the required object
- C. Keep separate environment parameter files in separate Amazon S3 buckets
- D. Provide an AWS CLI command that deploys the CloudFormation stack directly referencing the appropriate parameter bucket.
- E. Create a parameterized AWS CloudFormation template that builds the required object
- F. Import the template into the CloudFormation interface in the AWS Management Console
- G. Make the required changes to the parameters and deploy the CloudFormation stack.
- H. Create an AWS Lambda function that builds the required objects using an AWS SD
- I. Set the required parameter values in a test event in the Lambda console for each environment that the Application team can modify, as needed
- J. Deploy the infrastructure by triggering the test event in the console.

Answer: C

NEW QUESTION 66

A financial services company is developing a shared data service that supports different applications from throughout the company. A Database Specialist designed a solution to leverage Amazon ElastiCache for Redis with cluster mode enabled to enhance performance and scalability. The cluster is configured to listen on port 6379. Which combination of steps should the Database Specialist take to secure the cache data and protect it from unauthorized access? (Choose three.)

- A. Enable in-transit and at-rest encryption on the ElastiCache cluster.
- B. Ensure that Amazon CloudWatch metrics are configured in the ElastiCache cluster.
- C. Ensure the security group for the ElastiCache cluster allows all inbound traffic from itself and inbound traffic on TCP port 6379 from trusted clients only.
- D. Create an IAM policy to allow the application service roles to access all ElastiCache API actions.
- E. Ensure the security group for the ElastiCache clients authorizes inbound TCP port 6379 and port 22 traffic from the trusted ElastiCache cluster's security group.
- F. Ensure the cluster is created with the auth-token parameter and that the parameter is used in all subsequent commands.

Answer: ABE

NEW QUESTION 71

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual DBS-C01 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the DBS-C01 Product From:

<https://www.2passeasy.com/dumps/DBS-C01/>

Money Back Guarantee

DBS-C01 Practice Exam Features:

- * DBS-C01 Questions and Answers Updated Frequently
- * DBS-C01 Practice Questions Verified by Expert Senior Certified Staff
- * DBS-C01 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * DBS-C01 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year