


## CRT-450 Dumps

### Salesforce Certified Platform Developer I (SU18)

<https://www.certleader.com/CRT-450-dumps.html>



**NEW QUESTION 1**

A developer needs to create a Visualforce page that displays Case data. The page will be used by both support reps and support managers. The Support Rep profile does not allow visibility of the Customer\_Satisfaction c field, but the Support Manager profile does.

How can the developer create the page to enforce Field Level Security and keep future maintenance to a minimum?

- A. Create one Visualforce Page for use by both profiles.
- B. Use a new Support Manager permission set.
- C. Create a separate Visualforce Page for each profile.
- D. Use a custom controller that has the with sharing keyword

**Answer: D**

**NEW QUESTION 2**

Which three tools can deploy metadata to production? (Choose three.)

- A. Change Set from Developer Org
- B. Force.com IDE
- C. Data Loader
- D. Change Set from Sandbox
- E. Metadata API

**Answer: ADE**

**NEW QUESTION 3**

A lead object has a custom field Prior\_Email c. The following trigger is intended to copy the current Email into the Prior\_Email c field any time the Email field is changed:

Which type of exception will this trigger cause?

- A. A null reference exception
- B. A compile time exception
- C. A DML exception
- D. A limit exception when doing a bulk update

**Answer: C**

**NEW QUESTION 4**

A developer created a Lightning component to display a short text summary for an object and wants to use it with multiple Apex classes. How should the developer design the Apex classes?

- A. Have each class define method getObject() that returns the sObject that is controlled by the Apex class.
- B. Extend each class from the same base class that has a method getTextSummary() that returns the summary.
- C. Have each class implement an interface that defines method getTextSummary() that returns the summary.
- D. Have each class define method getTextSummary() that returns the summary

**Answer: C**

**NEW QUESTION 5**

What is the requirement for a class to be used as a custom Visualforce controller?

- A. Any top-level Apex class that has a constructor that returns a PageReference
- B. Any top-level Apex class that extends a PageReference
- C. Any top-level Apex class that has a default, no-argument constructor
- D. Any top-level Apex class that implements the controller interface

**Answer: D**

**NEW QUESTION 6**

When an Account's custom picklist field called Customer Sentiment is changed to a value of "Confused", a new related Case should automatically be created. Which two methods should a developer use to create this case? (Choose two.)

- A. Process Builder
- B. Apex Trigger
- C. Custom Button
- D. Workflow Rule

**Answer:** AB

#### NEW QUESTION 7

Which three options allow a developer to use custom styling in a Visualforce page? (Choose three.)

- A. <apex:stylesheet> tag
- B. Inline CSS
- C. <apex:style>tag
- D. <apex:stylesheets>tag
- E. A static resource

**Answer:** ABE

#### NEW QUESTION 8

A developer needs to display all of the available fields for an object.

In which two ways can the developer retrieve the available fields if the variable myObject represents the name of the object? (Choose two.)

- A. Use myObject.sObjectType.getDescribe().fieldSet() to return a set of fields.
- B. Use mySObject.myObject.fields.getMap() to return a map of fields.
- C. Use Schema.describeSObjects(new String[]{myObject})[0].fields.getMap() to return a map of fields.
- D. Use getGlobalDescribe().get(myObject).getDescribe().fields.getMap() to return a map of field

**Answer:** BC

#### NEW QUESTION 9

A developer wants to override a button using Visualforce on an object. What is the requirement?

- A. The controller or extension must have a PageReference method.
- B. The standardController attribute must be set to the object.
- C. The action attribute must be set to a controller method.
- D. The object record must be instantiated in a controller or extensio

**Answer:** B

#### NEW QUESTION 10

A Platform Developer needs to write an Apex method that will only perform an action if a record is assigned to a specific Record Type. Which two options allow the developer to dynamically determine the ID of the required Record Type by its name? (Choose two.)

- A. Make an outbound web services call to the SOAP API.
- B. Hardcode the ID as a constant in an Apex class.
- C. Use the getRecordTypeInfoByName() method in the DescribeSObjectResult class.
- D. Execute a SOQL query on the RecordType objec

**Answer:** CD

#### NEW QUESTION 10

A method is passed a list of generic sObjects as a parameter.

What should the developer do to determine which object type (Account, Lead, or Contact, for example) to cast each sObject?

- A. Use the first three characters of the sObject ID to determine the sObject type.
- B. Use the getSObjectType method on each generic sObject to retrieve the sObject token.
- C. Use the getSObjectName method on the sObject class to get the sObject name.
- D. Use a try-catch construct to cast the sObject into one of the three sObject type

**Answer:** B

#### NEW QUESTION 13

A developer encounters APEX heap limit errors in a trigger.

Which two methods should the developer use to avoid this error? (Choose two.)

- A. Use the transient keyword when declaring variables.
- B. Query and store fields from the related object in a collection when updating related objects.
- C. Remove or set collections to null after use.
- D. Use SOQL for loops instead of assigning large queries results to a single collection and looping through the collectio

**Answer:** AD

#### NEW QUESTION 15

Which two strategies should a developer use to avoid hitting governor limits when developing in a multi-tenant environment? (Choose two.)

- A. Use collections to store all fields from a related object and not just minimally required fields.
- B. Use methods from the "Limits" class to monitor governor limits.
- C. Use SOQL for loops to iterate data retrieved from queries that return a high number of rows.
- D. Use variables within Apex classes to store large amounts of data

**Answer:** BC

**NEW QUESTION 19**

What are two uses for External IDs? (Choose two.)

- A. To create relationships between records imported from an external system.
- B. To create a record in a development environment with the same Salesforce ID as in another environment
- C. To identify the sObject type in Salesforce
- D. To prevent an import from creating duplicate records using Upsert

**Answer:** AD

**NEW QUESTION 20**

Which SOQL query successfully returns the Accounts grouped by name?

- A. SELECT Type, Max(CreatedDate) FROM Account GROUP BY Name
- B. SELECT Name, Max(CreatedDate) FROM Account GROUP BY Name
- C. SELECT Id, Type, Max(CreatedDate) FROM Account GROUP BY Name
- D. SELECT Type, Name, Max(CreatedDate) FROM Account GROUP BY Name LIMIT 5

**Answer:** B

**NEW QUESTION 23**

Why would a developer consider using a custom controller over a controller extension?

- A. To increase the SOQL query governor limits.
- B. To implement all of the logic for a page and bypass default Salesforce functionality
- C. To leverage built-in functionality of a standard controller
- D. To enforce user sharing settings and permissions

**Answer:** B

**NEW QUESTION 24**

A developer writes the following code:

What is the result of the debug statement? A. 1, 100

- A. 1, 150
- B. 2, 150
- C. 2, 200

**Answer:** C

**NEW QUESTION 27**

A developer is asked to set a picklist field to 'Monitor' on any new Leads owned by a subset of Users. How should the developer implement this request?

- A. Create an after insert Lead trigger.
- B. Create a before insert Lead trigger.
- C. Create a Lead Workflow Rule Field Update.
- D. Create a Lead formula field

**Answer:** C

**NEW QUESTION 30**

What is the result of the debug statements in testMethod3 when you create test data using testSetup in below code?

- A. Account0.Phone=333-8781, Account1.Phone=333-8780
- B. Account0.Phone=888-1515, Account1.Phone=999-2525
- C. Account0.Phone=333-8780, Account1.Phone=333-8781
- D. Account0.Phone=888-1515, Account1.Phone=999-1515

**Answer:** C

**NEW QUESTION 34**

Which data type or collection of data types can SOQL statements populate or evaluate to? (Choose 3)

- A. A single sObject
- B. An integer
- C. A string
- D. A list of sObjects
- E. A Boolean

**Answer:** ABD

**NEW QUESTION 36**

Before putting an app into production, which step should be taken?

- A. Run the production check feature via the web interface
- B. Switch to a production database
- C. Insure that you have installed a performance introspection add-on
- D. Scale your dynos

**Answer:** A

**NEW QUESTION 41**

When creating unit tests in Apex, which statement is accurate? Choose 2

- A. Unit tests with multiple methods result in all methods failing every time one method fails.
- B. Increased test coverage requires large test classes with many lines of code in one method.
- C. Triggers do not require any unit tests in order to deploy them from sandbox to production.
- D. System Assert statements that do not increase code coverage contribute important feedback in unit tests

**Answer:** BD

**NEW QUESTION 42**

A developer needs to know if all tests currently pass in a Salesforce environment. Which feature can the developer use? (Choose 2)

- A. ANT Migration Tool
- B. Workbench Metadata Retrieval
- C. Salesforce UI Apex Test Execution
- D. Developer Console

**Answer:** CD

**NEW QUESTION 45**

What is true for a partial sandbox that is not true for a full sandbox? Choose 2 answers:

- A. More frequent refreshes.
- B. Only includes necessary metadata.
- C. Use of change sets.
- D. Limited to 5 GB of data

**Answer:** AD

**NEW QUESTION 49**

When would a developer use a custom controller instead of a controller extension? Choose 2 answers:

- A. When a Visualforce page needs to replace the functionality of a standard controller.
- B. When a Visualforce page does not reference a single primary object.
- C. When a Visualforce page should not enforce permissions or field-level security.
- D. When a Visualforce page needs to add new actions to a standard controller

**Answer:** BC

**NEW QUESTION 51**

Where can the custom roll-up summary fields be created using Standard Object relationships? (Choose 3)

- A. On Opportunity using Opportunity Product records.
- B. On Account using Case records.
- C. On Quote using Order records.
- D. On Campaign using Campaign Member records.

E. On Account using Opportunity record

**Answer:** ADE

**NEW QUESTION 54**

Why would a developer use Test.startTest( ) and Test.stopTest( )?

- A. To avoid Apex code coverage requirements for the code between these lines
- B. To start and stop anonymous block execution when executing anonymous Apex code
- C. To indicate test code so that it does not Impact Apex line count governor limits.
- D. To create an additional set of governor limits during the execution of a single test clas

**Answer:** D

**NEW QUESTION 56**

In the Lightning Component framework, where is client-side controller logic contained?

- A. Apex
- B. Visualforce
- C. HTML
- D. JavaScript

**Answer:** D

**NEW QUESTION 59**

A developer wrote a workflow email alert on case creation so that an email is sent to the case owner manager when a case is created. When will the email be sent?

- A. After Committing to database.
- B. Before Trigger execution.
- C. After Trigger execution.
- D. Before Committing to databas

**Answer:** A

**NEW QUESTION 60**

Which statement about change set deployments is accurate? (Choose 3)

- A. They use an all or none deployment model.
- B. They require a deployment connection.
- C. They ca be used to transfer Contact records.
- D. They can be used to deploy custom settings data.
- E. They can be used only between related organization

**Answer:** ABE

**NEW QUESTION 65**

What is a valid statement about Apex classes and interfaces? Choose 2 answers:

- A. The default modifier for a class is private.
- B. Exception classes must end with the word exception.
- C. A class can have multiple levels of inner classes.
- D. The default modifier for an interface is privat

**Answer:** BD

**NEW QUESTION 70**

A developer creates a Workflow Rule declaratively that updates a field on an object. An Apex update trigger exists for that object. What happens when a user updates a record?

- A. No changes are made to the data.
- B. Both the Apex Trigger and Workflow Rule are fired only once.
- C. The Workflow Rule is fired more than once.
- D. The Apex Trigger is fired more than onc

**Answer:** D

**NEW QUESTION 75**

Which type of code represents the Controller in MVC architecture on the Force.com platform? (Choose 2)

- A. JavaScript that is used to make a menu item display itself.
- B. A static resource that contains CSS and images.
- C. Custom Apex and JavaScript coda that is used to manipulate data.
- D. StandardController system methods that are referenced by Visualforc

**Answer:** CD

**NEW QUESTION 80**

What is a good practice for a developer to follow when writing a trigger? (Choose 2)

- A. Using @future methods to perform DML operations.
- B. Using the Map data structure to hold query results by ID.
- C. Using the Set data structure to ensure distinct records.
- D. Using synchronous callouts to call external system

**Answer:** BC

**NEW QUESTION 84**

Which type of information is provided by the Checkpoints tab in the Developer Console? (Choose 2)

- A. Namespace
- B. Time
- C. Exception
- D. Debug Statement

**Answer:** AB

**NEW QUESTION 89**

A developer creates an Apex Trigger with the following code block:  
`List<Account> customers = new List<Account>();  
For (Order o : trigger.new){  
Account a = [SELECT Id, Is_Customer c FROM Account WHERE Id = :o.Customer c];  
a.Is_Customer c = true;  
customers.add(a);  
Database.update(customers, false);  
}`  
The developer tests the code using Apex Data Loader and successfully loads 10 Orders. Then, the developer loads 150 Orders. How many Orders are successfully loaded when the developer attempts to load the 150 Orders?

- A. 1
- B. 150
- C. 100

**Answer:** A

**NEW QUESTION 93**

What is a correct pattern to follow when programming in Apex on a Multi-tenant platform?

- A. Apex code is created in a separate environment from schema to reduce deployment errors.
- B. DML is performed on one record at a time to avoid possible data concurrency issues.
- C. Queries select the fewest fields and records possible to avoid exceeding governor limits.
- D. Apex classes use the "with sharing" keyword to prevent access from other server tenant

**Answer:** C

**NEW QUESTION 95**

A developer runs the following anonymous code block:

```
List<Account> acc = [SELECT Id FROM Account LIMIT 10];  
Delete acc;  
Database.emptyRecycleBin(acc);  
system.debug(Limits.getDMLStatements()+ ' ',  
+Limits.getLimitDMLStatements());  
What is the result?
```

- A. 11, 150
- B. 150, 2
- C. 150, 11
- D. 2, 150

**Answer:** D

**NEW QUESTION 98**

A developer created a lightning component name accountList.cmp that display a list of Accounts. Client-side logic that is executed when a user hovers over an account in the list should be stored in which bundle member?

- A. AccountListHelper.js
- B. AccountListRenderer.js
- C. AccountList.renderer
- D. AccountList.helper

**Answer:** C

**NEW QUESTION 103**

A developer has the following code:  
`try {  
List nameList; Account a; String s = a.Name; nameList.add(s);  
} catch (ListException le ) {  
System.debug(' List Exception ');  
}  
catch (NullPointerException npe) {  
System.debug(' NullPointer Exception ');  
}  
catch (Exception e) {  
System.debug(' Generic Exception ');  
}`  
What message will be logged?

- A. List Exception
- B. NullPointer Exception
- C. Generic Exception

D. No message is logged

**Answer:** B

**NEW QUESTION 108**

A developer creates a method in an Apex class and needs to ensure that errors are handled properly. What would the developer use? (There are three correct answers.)

- A. ApexPages.addErrorMessage()
- B. A custom exception
- C. .addError()
- D. Database.handleException()
- E. A try/catch construct

**Answer:** BCE

**NEW QUESTION 110**

A developer in a Salesforce org with 100 Accounts executes the following code using the Developer console: Account myAccount = new Account(Name = 'MyAccount'); Insert myAccount; For (Integer x = 0; x < 150; x++) { Account newAccount = new Account (Name='MyAccount' + x); try { Insert newAccount; } catch (Exception ex) { System.debug (ex) ; } } insert new Account (Name='myAccount'); How many accounts are in the org after this code is run?

- A. 101
- B. 100
- C. 102
- D. 252

**Answer:** B

**NEW QUESTION 112**

Which resource can be included in a Lightning Component bundle? Choose 2 answers

- A. Apex class
- B. Adobe Flash
- C. JavaScript
- D. Documentation

**Answer:** CD

**NEW QUESTION 116**

Which code segment can be used to control when the dowork() method is called?

- A. For (Trigger.isRunning t: Trigger.new) { dowork(); }
- B. If(Trigger.isRunning) dowork();
- C. For (Trigger.isInsert t: Trigger.new) { dowork(); }
- D. If(Trigger.isInsert) dowork();

**Answer:** D

**NEW QUESTION 120**

How can a developer avoid exceeding governor limits when using an Apex Trigger? choose 2 answers

- A. By using a helper class that can be invoked from multiple triggers.
- B. By using the Database class to handle DML transactions.
- C. By using Maps to hold data from query results.
- D. By performing DML transactions on lists of SObject

**Answer:** CD

**NEW QUESTION 123**

What can a Lightning Component contain in its resource bundle? Choose 2 answer

- A. Custom client side rendering behavior.
- B. Build scripts for minification
- C. Properties files with global settings
- D. CSS styles scoped to the component

**Answer:** AD

**NEW QUESTION 126**

On which object can an administrator create a roll-up summary field?

- A. Any object that is on the master side of a master-detail relationship.
- B. Any object that is on the parent side of a lookup relationship.

- C. Any object that is on the detail side of a master-detail relationship.
- D. Any object that is on the child side of a lookup relationship.

**Answer:** A

**NEW QUESTION 127**

Which option would a developer use to display the Accounts created in the current week and the number of related Contacts using a debug statement in Apex?

- A. For(Account acc: [SELECT Id, Name,(SELECT Id, Name FROM Contacts) FROM Account WHERE CreatedDate = THIS\_WEEK]) { List cons = acc.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts'; }
- B. For(Account acc: [SELECT Id, Name, (SELECT Id, Name FROM Contacts) FROM Account WHERE CreatedDate = CURRENT\_WEEK]){ List cons = acc.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts'); }
- C. For(Account acc:[SELECT Id, Name, Account.Contacts FROM Account WHERE CreatedDate = CURRENT\_WEEK]) { List cons = acc.Account.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts'); }
- D. For(Account acc: [SELECT Id, Name, Account.Contacts FROM Account WHERE CreatedDate = THIS\_WEEK]){ List cons = acc.Account.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts' }

**Answer:** A

**NEW QUESTION 130**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your CRT-450 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/CRT-450-dumps.html>