SurePass Exam

Check-Point

Exam Questions 156-315.80

Check Point Certified Security Expert - R80

PDF

NEW QUESTION 1
Which Check Point software blades could be enforced under Threat Prevention profile using Check Point R80.10 SmartConsole application?

A. IPS, Anti-Bot, URL Filtering, Application Control, Threat Emulation.
B. Firewall, IPS, Threat Emulation, Application Control.
C. IPS, Anti-Bot, Anti-Virus, Threat Emulation, Threat Extraction.
D. Firewall, IPS, Anti-Bot, Anti-Virus, Threat Emulation.

Answer: C

NEW QUESTION 2
What is the recommended configuration when the customer requires SmartLog indexing for 14 days and SmartEvent to keep events for 180 days?

A. Use Multi-Domain Management Server.
B. Choose different setting for log storage and SmartEvent db
C. Install Management and SmartEvent on different machines.
D. it is not possible.

Answer: B

NEW QUESTION 3
Using Threat Emulation technologies, what is the best way to block .exe and .bat file types?

A. enable DLP and select.exe and .bat file type
B. enable .exe & .bat protection in IPS Policy
C. create FW rule for particular protocol
D. tecli advanced attributes set prohibited_file_types exe.bat

Answer: A

NEW QUESTION 4
When using the Mail Transfer Agent, where are the debug logs stored?

A. $FWDIR/bin/emaild.mt
B. elg
C. $FWDIR/log/mtad elg
D. /var/log/mail.mta elg
E. $CPDIR/log/emaild elg

Answer: A

NEW QUESTION 5
What is the default size of NAT table fwx_alloc?

A. 20000
B. 35000
C. 25000
D. 10000

Answer: C

NEW QUESTION 6
In a Client to Server scenario, which represents that the packet has already checked against the tables and the Rule Base?

A. Big I
B. Little o
C. Little i
D. Big O

Answer: D

NEW QUESTION 7
You want to verify if your management server is ready to upgrade to R80.10. What tool could you use in this process?

A. migrate export
B. upgrade_tools verify
C. pre_upgrade_verifier
D. migrate import

Answer: C

NEW QUESTION 8
Which of the following is a task of the CPD process?

A. Invoke and monitor critical processes and attempts to restart them if they fail
B. Transfers messages between Firewall processes
C. Log forwarding
D. Responsible for processing most traffic on a security gateway

Answer: A

Explanation:
https://sc1.checkpoint.com/documents/R76/CP_R76_CLI_WebAdmin/12496.htm

NEW QUESTION 9
NAT rules are prioritized in which order?
1. Automatic Static NAT
2. Automatic Hide NAT
3. Manual/Pre-Automatic NAT
4. Post-Automatic/Manual NAT rules

A. 1, 2, 3, 4
B. 1, 4, 2, 3
C. 3, 1, 2, 4
D. 4, 3, 1, 2

Answer: A

NEW QUESTION 10
You need to see which hotfixes are installed on your gateway, which command would you use?

A. cpinfo –h all
B. cpinfo –o hotfix
C. cpinfo –l hotfix
D. cpinfo –y all

Answer: D

NEW QUESTION 10
In the Check Point Security Management Architecture, which component(s) can store logs?

A. SmartConsole
B. Security Management Server and Security Gateway
C. Security Management Server
D. SmartConsole and Security Management Server

Answer: B

NEW QUESTION 15
Which of the following is NOT a VPN routing option available in a star community?

A. To satellites through center only.
B. To center, or through the center to other satellites, to Internet and other VPN targets.
C. To center and to other satellites through center.
D. To center only.

Answer: AD

NEW QUESTION 16
What are the different command sources that allow you to communicate with the API server?

A. SmartView Monitor, API_cli Tool, Gaia CLI, Web Services
B. SmartConsole GUI Console, mgmt_cli Tool, Gaia CLI, Web Services
C. SmartConsole GUI Console, API_cli Tool, Gaia CLI, Web Services
D. API_cli Tool, Gaia CLI, Web Services

Answer: B

NEW QUESTION 18
Which command can you use to verify the number of active concurrent connections?

A. fw conn all
B. fw ctl pstat
C. show all connections
D. show connections

Answer: B

NEW QUESTION 21

The Event List within the Event tab contains:

A. a list of options available for running a query.
B. the top events, destinations, sources, and users of the query results, either as a chart or in a tallied list.
C. events generated by a query.
D. the details of a selected event.

Answer: C

NEW QUESTION 22
When attempting to start a VPN tunnel, in the logs the error "no proposal chosen" is seen numerous times. No other VPN-related entries are present. Which phase of the VPN negotiations has failed?

A. IKE Phase 1
B. IPSEC Phase 2
C. IPSEC Phase 1
D. IKE Phase 2

Answer: A

NEW QUESTION 26
What is the correct order of the default "fw monitor" inspection points?

A. i, I, o, O
B. 1, 2, 3, 4
C. i, o, I, O
D. I, i, O, o

Answer: C

NEW QUESTION 29
The Security Gateway is installed on GAIA R80. The default port for the Web User Interface is _____.

A. TCP 18211
B. TCP 257
C. TCP 4433
D. TCP 443

Answer: D

NEW QUESTION 31
You want to gather and analyze threats to your mobile device. It has to be a lightweight app. Which application would you use?

A. SmartEvent Client Info
B. SecuRemote
C. Check Point Protect
D. Check Point Capsule Cloud

Answer: C

NEW QUESTION 32
Check Point recommends configuring Disk Space Management parameters to delete old log entries when available disk space is less than or equal to?

A. 50%
B. 75%
C. 80%
D. 15%

Answer: D

NEW QUESTION 35
You need to change the MAC-address on eth2 interface of the gateway. What command and what mode will you use to achieve this goal?

A. set interface eth2 mac-addr 11:11:11:11:11:11; CLISH
B. ifconfig eth1 hw 11:11:11:11:11:11; expert
C. set interface eth2 hw-addr 11:11:11:11:11:11; CLISH
D. ethtool -i eth2 mac 11:11:11:11:11:11; expert

Answer: A

NEW QUESTION 40
Which TCP-port does CPM process listen to?

A. 18191
B. 18190

C. 8983
D. 19009

Answer: D

NEW QUESTION 43
As a valid Mobile Access Method, what feature provides Capsule Connect/VPN?

A. That is used to deploy the mobile device as a generator of one-time passwords for authenticating to an RSA Authentication Manager.
B. Fill Layer4 VPN –SSL VPN that gives users network access to all mobile applications.
C. Full Layer3 VPN –IPSec VPN that gives users network access to all mobile applications.
D. You can make sure that documents are sent to the intended recipients only.

Answer: C

NEW QUESTION 45
What is the correct command to observe the Sync traffic in a VRRP environment?

A. fw monitor –e "accept[12:4,b]=224.0.0.18;"
B. fw monitor –e "accept port(6118;"
C. fw monitor –e "accept proto=mcVRRP;"
D. fw monitor –e "accept dst=224.0.0.18;"

Answer: D

NEW QUESTION 50
You are asked to check the status of several user-mode processes on the management server and gateway. Which of the following processes can only be seen on a Management Server?

A. fwd
B. fwm
C. cpd
D. cpwd

Answer: B

NEW QUESTION 51
You can select the file types that are sent for emulation for all the Threat Prevention profiles. Each profile defines a(n) _____ or _____ action for the file types.

A. Inspect/Bypass
B. Inspect/Prevent
C. Prevent/Bypass
D. Detect/Bypass

Answer: A

NEW QUESTION 54
John is using Management HA. Which Smartcenter should be connected to for making changes?

A. secondary Smartcenter
B. active Smartenter
C. connect virtual IP of Smartcenter HA
D. primary Smartcenter

Answer: B

NEW QUESTION 56
Which command is used to add users to or from existing roles?

A. Add rba user <User Name> roles <List>
B. Add rba user <User Name>
C. Add user <User Name> roles <List>
D. Add user <User Name>

Answer: A

NEW QUESTION 60
R80.10 management server can manage gateways with which versions installed?

A. Versions R77 and higher
B. Versions R76 and higher
C. Versions R75.20 and higher
D. Versions R75 and higher

Answer: C

NEW QUESTION 64
Session unique identifiers are passed to the web api using which http header option?

A. X-chkp-sid
B. Accept-Charset
C. Proxy-Authorization
D. Application

Answer: C

NEW QUESTION 69
Fill in the blanks. There are_____ types of software containers: _____.

A. Three; security management, Security Gateway, and endpoint security
B. Three; Security Gateway, endpoint security, and gateway management
C. Two; security management and endpoint security
D. Two; endpoint security and Security Gateway

Answer: A

NEW QUESTION 71
Please choose the path to monitor the compliance status of the Check Point R80.10 based management.

A. Gateways & Servers --> Compliance View
B. Compliance blade not available under R80.10
C. Logs & Monitor --> New Tab --> Open compliance View
D. Security & Policies --> New Tab --> Compliance View

Answer: C

NEW QUESTION 75
How often does Threat Emulation download packages by default?

A. Once a week
B. Once an hour
C. Twice per day
D. Once per day

Answer: D

NEW QUESTION 80
Fill in the blank: Authentication rules are defined for _____.

A. User groups
B. Users using UserCheck
C. Individual users
D. All users in the database

Answer: A

NEW QUESTION 82
How many users can have read/write access in Gaia at one time?

A. Infinite
B. One
C. Three
D. Two

Answer: B

NEW QUESTION 87
Which software blade does NOT accompany the Threat Prevention policy?

A. Anti-virus
B. IPS
C. Threat Emulation
D. Application Control and URL Filtering

Answer: D

NEW QUESTION 91
True or False: In a Distributed Environment, a Central License can be installed via CLI on a Security Gateway.

A. True, CLI is the prefer method for Licensing

B. False, Central License are handled via Security Management Server
C. False, Central Licenses are installed via Gaia on Security Gateways
D. True, Central License can be installed with CPLIC command on a Security Gateway

Answer: D

NEW QUESTION 96
GAiA Software update packages can be imported and installed offline in situation where:

A. Security Gateway with GAiA does NOT have SFTP access to Internet
B. Security Gateway with GAiA does NOT have access to Internet.
C. Security Gateway with GAiA does NOT have SSH access to Internet.
D. The desired CPUSE package is ONLY available in the Check Point CLOUD.

Answer: B

NEW QUESTION 99
Identify the API that is not supported by Check Point currently.

A. R80 Management API-
B. Identity Awareness Web Services API
C. Open REST API
D. OPSEC SDK

Answer: C

NEW QUESTION 103
Which Mobile Access Application allows a secure container on Mobile devices to give users access to internal website, file share and emails?

A. Check Point Remote User
B. Check Point Capsule Workspace
C. Check Point Mobile Web Portal
D. Check Point Capsule Remote

Answer: C

NEW QUESTION 104
Which of the following blades is NOT subscription-based and therefore does not have to be renewed on a regular basis?

A. Application Control
B. Threat Emulation
C. Anti-Virus
D. Advanced Networking Blade

Answer: B

NEW QUESTION 106
Which command would disable a Cluster Member permanently?

A. clusterXL_admin down
B. cphaprob_admin down
C. clusterXL_admin down-p
D. set clusterXL down-p

Answer: C

NEW QUESTION 108
Check Point security components are divided into the following components:

A. GUI Client, Security Gateway, WebUI Interface
B. GUI Client, Security Management, Security Gateway
C. Security Gateway, WebUI Interface, Consolidated Security Logs
D. Security Management, Security Gateway, Consolidate Security Logs

Answer: B

NEW QUESTION 110
Packet acceleration (SecureXL) identifies connections by several attributes- Which of the attributes is NOT used for identifying connection?

A. Source Address
B. Destination Address
C. TCP Acknowledgment Number
D. Source Port

Answer: C

Explanation:
https //sc1.checkpoint.com/documents/R77/CP R77_Firewall_WebAdmm/92711.htm

NEW QUESTION 111
SmartEvent uses it's event policy to identify events. How can this be customized?

A. By modifying the firewall rulebase
B. By creating event candidates
C. By matching logs against exclusions
D. By matching logs against event rules

Answer: C

NEW QUESTION 115
What is the main difference between Threat Extraction and Threat Emulation?

A. Threat Emulation never delivers a file and takes more than 3 minutes to complete.
B. Threat Extraction always delivers a file and takes less than a second to complete.
C. Threat Emulation never delivers a file that takes less than a second to complete.
D. Threat Extraction never delivers a file and takes more than 3 minutes to complete.

Answer: B

NEW QUESTION 118
Fill in the blank: A new license should be generated and installed in all of the following situations EXCEPT when _____ .

A. The license is attached to the wrong Security Gateway.
B. The existing license expires.
C. The license is upgraded.
D. The IP address of the Security Management or Security Gateway has changed.

Answer: A

NEW QUESTION 120
When using CPSTAT, what is the default port used by the AMON server?

A. 18191
B. 18192
C. 18194
D. 18190

Answer: B

NEW QUESTION 123
Which path below is available only when CoreXL is enabled?

A. Slow path
B. Firewall path
C. Medium path
D. Accelerated path

Answer: C

NEW QUESTION 126
What key is used to save the current CPView page in a filename format cpview_"cpview process ID".cap"number of captures"?

A. S
B. W
C. C
D. Space bar

Answer: C

NEW QUESTION 127
Which of the following is NOT an alert option?

A. SNMP
B. High alert
C. Mail
D. User defined alert

Answer: B

NEW QUESTION 128

What command lists all interfaces using Multi-Queue?

A. cpmq get
B. show interface all
C. cpmq set
D. show multiqueue all

Answer: A

NEW QUESTION 130
Which command shows the current connections distributed by CoreXL FW instances?

A. fw ctl multik stat
B. fw ctl affinity -l
C. fw ctl instances -v
D. fw ctl iflist

Answer: A

NEW QUESTION 133
Check Point Management (cpm) is the main management process in that it provides the architecture for a consolidated management console. It empowers the migration from legacy Client-side logic to Server-side logic. The cpm process:

A. Allow GUI Client and management server to communicate via TCP Port 19001
B. Allow GUI Client and management server to communicate via TCP Port 18191
C. Performs database tasks such as creating, deleting, and modifying objects and compiling policy.
D. Performs database tasks such as creating, deleting, and modifying objects and compiling as well as policy code generation.

Answer: C

NEW QUESTION 134
SandBlast Mobile identifies threats in mobile devices by using on-device, network, and cloud-based algorithms and has four dedicated components that constantly work together to protect mobile devices and their data. Which component is NOT part of the SandBlast Mobile solution?

A. Management Dashboard
B. Gateway
C. Personal User Storage
D. Behavior Risk Engine

Answer: C

NEW QUESTION 137
Which command will allow you to see the interface status?

A. cphaprob interface
B. cphaprob –l interface
C. cphaprob –a if
D. cphaprob stat

Answer: C

NEW QUESTION 138
Which of the following is a new R80.10 Gateway feature that had not been available in R77.X and older?

A. The rule base can be built of layers, each containing a set of the security rule
B. Layers are inspected in the order in which they are defined, allowing control over the rule base flow and which security functionalities take precedence.
C. Limits the upload and download throughput for streaming media in the company to 1 Gbps.
D. Time object to a rule to make the rule active only during specified times.
E. Sub Policies ae sets of rules that can be created and attached to specific rule
F. If the rule is matched, inspection will continue in the sub policy attached to it rather than in the next rule.

Answer: D

NEW QUESTION 139
Which is NOT a SmartEvent component?

A. SmartEvent Server
B. Correlation Unit
C. Log Consolidator
D. Log Server

Answer: C

NEW QUESTION 141
What are the methods of SandBlast Threat Emulation deployment?

A. Cloud, Appliance and Private
B. Cloud, Appliance and Hybrid
C. Cloud, Smart-1 and Hybrid
D. Cloud, OpenServer and Vmware

Answer: A

NEW QUESTION 145
Which command is used to display status information for various components?

A. show all systems
B. show system messages
C. sysmess all
D. show sysenv all

Answer: D

NEW QUESTION 149
Which of the following technologies extracts detailed information from packets and stores that information in state tables?

A. INSPECT Engine
B. Stateful Inspection
C. Packet Filtering
D. Application Layer Firewall

Answer: A

NEW QUESTION 151
What are the attributes that SecureXL will check after the connection is allowed by Security Policy?

A. Source address, Destination address, Source port, Destination port, Protocol
B. Source MAC address, Destination MAC address, Source port, Destination port, Protocol
C. Source address, Destination address, Source port, Destination port
D. Source address, Destination address, Destination port, Protocol

Answer: A

NEW QUESTION 154
SmartEvent has several components that function together to track security threats. What is the function of the Correlation Unit as a component of this architecture?

A. Analyzes each log entry as it arrives at the log server according to the Event Polic
B. When a threat pattern is identified, an event is forwarded to the SmartEvent Server.
C. Correlates all the identified threats with the consolidation policy.
D. Collects syslog data from third party devices and saves them to the database.
E. Connects with the SmartEvent Client when generating threat reports.

Answer: A

NEW QUESTION 157
Which option, when applied to a rule, allows traffic to VPN gateways in specific VPN communities?

A. All Connections (Clear or Encrypted)
B. Accept all encrypted traffic
C. Specific VPN Communities
D. All Site-to-Site VPN Communities

Answer: B

NEW QUESTION 162
What are the steps to configure the HTTPS Inspection Policy?

A. Go to Manage&Settings > Blades > HTTPS Inspection > Configure in SmartDashboard
B. Go to Application&url filtering blade > Advanced > Https Inspection > Policy
C. Go to Manage&Settings > Blades > HTTPS Inspection > Policy
D. Go to Application&url filtering blade > Https Inspection > Policy

Answer: A

NEW QUESTION 167
When simulating a problem on ClusterXL cluster with cphaprob –d STOP -s problem -t 0 register, to initiate a failover on an active cluster member, what command allows you remove the problematic state?

A. cphaprob –d STOP unregister
B. cphaprob STOP unregister

C. cphaprob unregister STOP
D. cphaprob –d unregister STOP

Answer: A

Explanation:
esting a failover in a controlled manner using following command;
cphaprob -d STOP -s problem -t 0 register
This will register a problem state on the cluster member this was entered on; If you then run;
cphaprob list
this will show an entry named STOP.
to remove this problematic register run following;
cphaprob -d STOP unregister References:

NEW QUESTION 168
What command verifies that the API server is responding?

A. api stat
B. api status
C. show api_status
D. app_get_status

Answer: B

NEW QUESTION 172
Joey want to configure NTP on R80 Security Management Server. He decided to do this via WebUI. What is the correct address to access the Web UI for Gaia platform via browser?

A. https://<Device_IP_Adress>
B. http://<Device IP_Address>:443
C. https://<Device_IP_Address>:10000
D. https://<Device_IP_Address>:4434

Answer: A

NEW QUESTION 175
Automatic affinity means that if SecureXL is running, the affinity for each interface is automatically reset every

A. 15 sec
B. 60 sec
C. 5 sec
D. 30 sec

Answer: B

NEW QUESTION 177
Can multiple administrators connect to a Security Management Server at the same time?

A. No, only one can be connected
B. Yes, all administrators can modify a network object at the same time
C. Yes, every administrator has their own username, and works in a session that is independent of other administrators.
D. Yes, but only one has the right to write.

Answer: C

NEW QUESTION 180
How is communication between different Check Point components secured in R80? As with all questions, select the BEST answer.

A. By using IPSEC
B. By using SIC
C. By using ICA
D. By using 3DES

Answer: B

NEW QUESTION 182
What is the valid range for Virtual Router Identifier (VRID) value in a Virtual Routing Redundancy Protocol (VRRP) configuration?

A. 1-254
B. 1-255
C. 0-254
D. 0 – 255

Answer: B

NEW QUESTION 185
Which of the following statements is TRUE about R80 management plug-ins?

A. The plug-in is a package installed on the Security Gateway.
B. Installing a management plug-in requires a Snapshot, just like any upgrade process.
C. A management plug-in interacts with a Security Management Server to provide new features and support for new products.
D. Using a plug-in offers full central management only if special licensing is applied to specific features of the plug-in.

Answer: C

NEW QUESTION 187
Which pre-defined Permission Profile should be assigned to an administrator that requires full access to audit all configurations without modifying them?

A. Auditor
B. Read Only All
C. Super User
D. Full Access

Answer: B

NEW QUESTION 192
Which Check Point daemon monitors the other daemons?

A. fwm
B. cpd
C. cpwd
D. fwssd

Answer: C

NEW QUESTION 195
In the Firewall chain mode FFF refers to:

A. Stateful Packets
B. No Match
C. All Packets
D. Stateless Packets

Answer: C

NEW QUESTION 197
Which statements below are CORRECT regarding Threat Prevention profiles in SmartDashboard?

A. You can assign only one profile per gateway and a profile can be assigned to one rule Only.
B. You can assign multiple profiles per gateway and a profile can be assigned to one rule only.
C. You can assign multiple profiles per gateway and a profile can be assigned to one or more rules.
D. You can assign only one profile per gateway and a profile can be assigned to one or more rules.

Answer: C

NEW QUESTION 198
What is the order of NAT priorities?

A. Static NAT, IP pool NAT, hide NAT
B. IP pool NAT, static NAT, hide NAT
C. Static NAT, automatic NAT, hide NAT
D. Static NAT, hide NAT, IP pool NAT

Answer: A

NEW QUESTION 202
SandBlast agent extends 0 day prevention to what part of the network?

A. Web Browsers and user devices
B. DMZ server
C. Cloud
D. Email servers

Answer: A

NEW QUESTION 205
Using ClusterXL, what statement is true about the Sticky Decision Function?

A. Can only be changed for Load Sharing implementations
B. All connections are processed and synchronized by the pivot

C. Is configured using cpconfig
D. Is only relevant when using SecureXL

Answer: A

NEW QUESTION 209
Fill in the blank: The R80 utility fw monitor is used to troubleshoot _____ .

A. User data base corruption
B. LDAP conflicts
C. Traffic issues
D. Phase two key negotiations

Answer: C

Explanation:
Check Point's FW Monitor is a powerful built-in tool for capturing network traffic at the packet level. The FW Monitor utility captures network packets at multiple capture points along the FireWall inspection chains. These captured packets can be inspected later using the WireShark.

NEW QUESTION 214
What is not a component of Check Point SandBlast?

A. Threat Emulation
B. Threat Simulator
C. Threat Extraction
D. Threat Cloud

Answer: B

NEW QUESTION 215
What is true about VRRP implementations?

A. VRRP membership is enabled in cpconfig
B. VRRP can be used together with ClusterXL, but with degraded performance
C. You cannot have a standalone deployment
D. You cannot have different VRIDs in the same physical network

Answer: C

NEW QUESTION 218
With MTA (Mail Transfer Agent) enabled the gateways manages SMTP traffic and holds external email with potentially malicious attachments. What is required in order to enable MTA (Mail Transfer Agent) functionality in the Security Gateway?

A. Threat Cloud Intelligence
B. Threat Prevention Software Blade Package
C. Endpoint Total Protection
D. Traffic on port 25

Answer: B

NEW QUESTION 219
When an encrypted packet is decrypted, where does this happen?

A. Security policy
B. Inbound chain
C. Outbound chain
D. Decryption is not supported

Answer: A

NEW QUESTION 223
Which view is NOT a valid CPVIEW view?

A. IDA
B. RAD
C. PDP
D. VPN

Answer: C

NEW QUESTION 225
What is a feature that enables VPN connections to successfully maintain a private and secure VPN session without employing Stateful Inspection?

A. Stateful Mode
B. VPN Routing Mode

C. Wire Mode
D. Stateless Mode

Answer: C

Explanation:
Wire Mode is a VPN-1 NGX feature that enables VPN connections to successfully fail over, bypassing Security Gateway enforcement. This improves performance and reduces downtime. Based on a trusted source and destination, Wire Mode uses internal interfaces and VPN Communities to maintain a private and secure VPN session, without employing Stateful Inspection. Since Stateful Inspection no longer takes place, dynamic-routing protocols that do not survive state verification in non-Wire Mode configurations can now be deployed. The VPN connection is no different from any other connections along a dedicated wire, thus the meaning of "Wire Mode".

NEW QUESTION 226
How can SmartView application accessed?

A. http://<Security Management IP Address>/smartview
B. http://<Security Management IP Address>:4434/smartview/
C. https://<Security Management IP Address>/smartview/
D. https://<Security Management host name>:4434/smartview/

Answer: C

NEW QUESTION 228
How do Capsule Connect and Capsule Workspace differ?

A. Capsule Connect provides a Layer3 VP
B. Capsule Workspace provides a Desktop with usable applications.
C. Capsule Workspace can provide access to any application.
D. Capsule Connect provides Business data isolation.
E. Capsule Connect does not require an installed application at client.

Answer: A

NEW QUESTION 230
Which firewall daemon is responsible for the FW CLI commands?

A. fwd
B. fwm
C. cpm
D. cpd

Answer: A

NEW QUESTION 235
......

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

156-315.80 Practice Exam Features:

* 156-315.80 Questions and Answers Updated Frequently

* 156-315.80 Practice Questions Verified by Expert Senior Certified Staff

* 156-315.80 Most Realistic Questions that Guarantee you a Pass on Your FirstTry

* 156-315.80 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
Order The 156-315.80 Practice Test Here