

Exam Questions Platform-Developer-I

Platform Developer I

<https://www.2passeasy.com/dumps/Platform-Developer-I/>



NEW QUESTION 1

Which scenario is valid for execution by unit tests?

- A. Load data from a remote site with a callout.
- B. Set the created date of a record using a system method.
- C. Execute anonymous Apex as a different user.
- D. Generate a Visualforce PDF with `getContentAsPDF()`.

Answer: B

NEW QUESTION 2

The following automations already exist on the Account object;

- A workflow rule that updates a field when a certain criteria is met
- A custom validation on a field
- A Flow that updates related contact records

A developer created a trigger on the Account object.

What should the developer consider while testing the trigger code?

- A. The flow may be launched multiple times.
- B. Workflow rules will fire only after the trigger has committed all DML operations to the database.
- C. A workflow rule field update will cause the custom validation to run again.
- D. The trigger may fire multiple times during a transaction.

Answer: D

NEW QUESTION 3

A developer created a child Lightning web component nested inside a parent Lightning web component, parent component needs to pass a string value to the child component.


In which two ways can this be accomplished? Choose 2 answers

- A. The parent component can use a custom event to pass the data to the child component,
- B. The parent component can use the Apex controller class to send data to the child component.
- C. The parent component can invoke a method in the child component
- D. The parent component can use a public property to pass the data to the child component.

Answer: AD

NEW QUESTION 4

A developer created these three Rollup Summary fields in the custom object, Project__c:



The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project.

Which should the developer use to implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered flow
- B. Formula field
- C. Apex trigger
- D. Field Update actions

Answer: B

NEW QUESTION 5

A developer wants to mark each Account in a `List<Account>` as either or Inactive based on the `LastModified` field value being more than 90 days.

Which Apex technique should the developer use?

- A. A for loop, with a switch statement inside
- B. A Switch statement, with a for loop inside
- C. An If/else statement, with a for loop inside
- D. A for loop, with an if/else statement inside

Answer: D

NEW QUESTION 6

A developer wants to get access to the standard price book in the org while writing a test class that covers an `OpportunityLineItem` trigger. Which method allows access to the price book?

- A. Use `Test.loadData()` and a static resource to load a standard price book
- B. Use `@TestVisible` to allow the test method to see the standard price book.
- C. Use `Test.getStandardPricebookId()` to get the standard price book ID.
- D. Use `@IsTest(SeeAllData=True)` and delete the existing standard price book

Answer: C

NEW QUESTION 7

Which three resources in an Azure Component can contain JavaScript functions?

- A. Controllers
- B. helper
- C. Design
- D. Style
- E. Renderer

Answer: ABE

NEW QUESTION 8

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen. What should a developer use to satisfy this requirement?

- A. An Apex controller
- B. An Apex REST class
- C. An outbound message
- D. An invocable method

Answer: B

NEW QUESTION 9

Universal Container is building a recruiting app with an Applicant object that stores information about an individual person that represents a job. Each application may apply for more than one job.

What should a developer implement to represent that an applicant has applied for a job?

- A. Master-detail field from Applicant to Job
- B. Formula field on Applicant that references Job
- C. Junction object between Applicant and Job
- D. Lookup field from Applicant to Job

Answer: A

NEW QUESTION 10

How does the Lightning Component framework help developers implement solutions faster?

- A. By providing an Agile process with default steps
- B. By providing code review standards and processes
- C. By providing device-awareness for mobile and desktops
- D. By providing change history and version control

Answer: C

NEW QUESTION 10

A developer must create a DrawList class that provides capabilities defined in the Sortable and Drawable interfaces. `public interface Sortable { void sort(); }` `public interface Drawable { void draw(); }` Which is the correct implementation?

- A. `Public class DrawList implements Sortable, Implements Drawable { public void sort() { /*implementation*/}public void draw() { /*implementation*/}}`
- B. `Public class DrawList extends Sortable, Drawable { public void sort() { /*implementation*/}public void draw() { /*implementation*/}}`
- C. `Public class DrawList implements Sortable, Drawable { public void sort() { /*implementation*/}public void draw() { /*implementation*/}}`
- D. `Public class DrawList extends Sortable, extends Sortable, extends Drawable { public void sort() { /*implementation*/ }public void draw() { /* implementation */}}`

Answer: C

NEW QUESTION 11

A developer has a Apex controller for a Visualforce page that takes an ID as a URL parameter. How should the developer prevent a cross site scripting vulnerability?

- A. `ApexPages.currentPage().getParameters().get('url_param')`
- B. `ApexPages.currentPage().getParameters().get('url_param').escapeHtml4()`
- C. `String.ValueOf(ApexPages.currentPage().getParameters().get('url_param'))`
- D. `String.escapeSingleQuotes(ApexPages.currentPage().getParameters().get('url_param'))`

Answer: B

NEW QUESTION 14

Einstein Next Best Action Is configured at Universal Containers to display recommendations to internal users on the Account detail page.

If the recommendation is approved, a new opportunity record and task should be generated. If the recommendation is rejected, an Apex method must be executed to perform a callout to an external system.

Which three factors should a developer keep Hi mind when implementing the Apex method? Choose 3 answers

- A. The method must use the @AuraEnabled annotation.
- B. The method must use the @Future annotation.
- C. The method must use the @invocableMethod annotation.
- D. The method must be defined as static.

E. The method must be defined as public.

Answer: BDE

NEW QUESTION 18

An Opportunity needs to have an amount rolled up from a custom object that is not in a master-detail relationship. How can this be achieved?

- A. Write a trigger on the child object and use a red-black tree sorting to sum the amount for all related child objects under the Opportunity.
- B. Write a Process Builder that links the custom object to the Opportunity.
- C. Write a trigger on the child object and use an aggregate function to sum the amount for all related child objects under the Opportunity
- D. Use the Streaming API to create real-time roll-up summaries.

Answer: C

NEW QUESTION 20

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit. public class without sharing OpportunityService{ public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){ List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>(); for(Id thisOppld : opportunityIds){ oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId = :thisOppld]); } return oppLineItems; } }

The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.
- B. Use the System.Limits.getLimitQueries() method to ensure the number of queries is less than 100.
- C. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less 100 Ids.
- D. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.

Answer: D

NEW QUESTION 21

An Apex method, getAccounts, that returns a list of Accounts given a searchTerm, is available for Lightning Web Components to use.

What is the correct definition of a Lightning Web Component property that uses the getAccounts method? A)

```
@AuraEnabled(getAccounts, '$searchTerm')
accountList;
```

B)

```
@wire(getAccounts, { searchTerm: '$searchTerm' })
accountList;
```

C)

```
@AuraEnabled(getAccounts, { searchTerm: '$searchTerm' })
accountList;
```

D)

```
@wire(getAccounts, '$searchTerm')
accountList;
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 26

A developer wrote an Apex method to update a list of Contacts and wants to make it available for use by Lightning web components. Which annotation should the developer add to the Apex method to achieve this?

A)

```
@AuraEnabled(cacheable=true)
```

B)

```
@AuraEnabled
```

C)

```
@RemoteAction
```

D)

```
@RemoteAction(cacheable=true)
```

- A. Option
- B. Option
- C. Option
- D. Option

Answer: B

NEW QUESTION 30

A developer is tasked to perform a security review of the ContactSearch Apex class that exists in the system. Within the class, the developer identifies the following method as a security threat: `List<Contact> performSearch(String lastName){ return Database.query('Select Id, FirstName, LastName FROM Contact WHERE LastName Like %'+lastName+'%'); }` What are two ways the developer can update the method to prevent a SOQL injection attack? Choose 2 answers

- A. Use variable binding and replace the dynamic query with a static SOQL.
- B. Use the `escapeSingleQuote` method to sanitize the parameter before its use.
- C. Use a regular expression on the parameter to remove special characters.
- D. Use the `@ReadOnly` annotation and the `with sharing` keyword on the class.

Answer: AB

NEW QUESTION 35

Universal Containers (UC) processes orders in Salesforce in a custom object, `Order_c`. They also allow sales reps to upload CSV files with orders at a time.

A developer is tasked with integrating orders placed in Salesforce with UC's enterprise resource planning (ERP) system.

'After the status for an `Order_c` is first set to "Placed", the order information must be sent to a REST endpoint in the ERP system that can process one order at a time.

What should the developer implement to accomplish this?

- A. Callout from an `Order_c` method called from a trigger
- B. Callout from a `Order_c` class called from a scheduled job
- C. Flow with 2 callout from an invocable method
- D. Callout from a `Order_c` class called from a trigger

Answer: A

NEW QUESTION 38

What are three ways for a developer to execute tests in an org? Choose 3.

- A. Bulk API
- B. Tooling API
- C. Setup Menu
- D. Salesforce DX
- E. Metadata API.

Answer: BCD

Explanation:

https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_testing.htm https://developer.salesforce.com/docs/atlas.en-us.api_tooling.meta/api_tooling/tooling_api_objects_apextestsuit

NEW QUESTION 40

A Salesforce Administrator is creating a record-triggered flow. When certain criteria are met, the flow must call an Apex method to execute complex validation involving several types of objects.

When creating the Apex method, which annotation should a developer use to ensure the method can be used within the flow?

- A. `@future`
- B. `@RemoteAction`
- C. `@InvocableMethod`
- D. `@AuraEnabled`

Answer: C

NEW QUESTION 41

A developer created a new trigger that inserts a Task when a new Lead is created. After deploying to production, an outside integration that reads task records is periodically reporting errors.

Which change should the developer make to ensure the integration is not affected with minimal impact to business logic?

- A. Deactivate the trigger before the integration runs.
- B. Use a try-catch block after the insert statement.
- C. Remove the Apex class from the integration user's profile.
- D. Use the Database method with `all` or `None` set to `false`

Answer: C

NEW QUESTION 44

Which three statements are true regarding custom exceptions in Apex? (Choose three.)

- A. A custom exception class must extend the system `Exception` class.
- B. A custom exception class can implement one or many interfaces.

- C. A custom exception class cannot contain member variables or methods.
- D. A custom exception class name must end with "Exception".
- E. A custom exception class can extend other classes besides the Exception class.

Answer: BDE

NEW QUESTION 47

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen. What should a developer use to satisfy this requirement?

- A. An Apex controller
- B. An Apex REST class
- C. An outbound message
- D. An invocable method

Answer: B

NEW QUESTION 50

If apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which statement are true regarding governor limits? Choose 2 answers

- A. The Apex governor limits might be higher due to the asynchronous nature of the transaction.
- B. The apex governor limits are reset for each iteration of the execute() method.
- C. The Apex governor limits are relaxed while calling the constructor of the Apex class.
- D. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction,

Answer: AB

NEW QUESTION 55

Which salesforce org has a complete duplicate copy of the production org including data and configuration?

- A. Developer Pro Sandbox
- B. Partial Copy Sandbox
- C. Production
- D. Full Sandbox

Answer: D

NEW QUESTION 60

A developer must provide custom user interfaces when users edit a Contact in either Salesforce Classic or Lightning Experience. What should the developer use to override the Contact's Edit button and provide this functionality?

- A. A Visualforce page in Salesforce Classic and a Lightning component in Lightning Experience
- B. A Lightning component in Salesforce Classic and a Lightning component in lightning Experience
- C. A Visualforce page in Salesforce Classic and a Lightning page in Lightning Experience
- D. A Lightning page in Salesforce Classic and a Visualforce page in Lightning Experience

Answer: A

NEW QUESTION 62

A lead developer creates an Apex interface called "Laptop". Consider the following code snippet:

```
public class SilverLaptop{  
    //code implementation  
}
```

How can a developer use the Laptop Interface within the Silvertaptop class?

- A. @Extends(class=Laptop") public class SilverLaptop
- B. public calss SilverLaptop extends Laptop
- C. @Interface (class="Laptop") public class SilverLaptop
- D. public class Silverlaptop implements Laptop

Answer: B

NEW QUESTION 66

A developer created a Lightning web component called statusComponent to be inserted into the Account record page. Which two things should the developer do to make the component available?

- A. Add <isExposed> true</isExposed> to the statusComponent.js-meta ml file.
- B. Add <target> lightning _RecordPage </target> to the statusComponent.js-meta ml file.
- C. Add < masterLabel>Account</master Label> to the statusComponent.js-meta ml file.
- D. Add<target> Lightning_RecordPage </target> to the statusComponent.js file.

Answer: AB

NEW QUESTION 70

When importing and exporting data into Salesforce, which two statements are true? Choose 2 answers

- A. Bulk API can be used to import large data volumes in development environments without bypassing the storage limits.
- B. Bulk API can be used to bypass the storage limits when importing large data volumes in development environments.
- C. Developer and Developer Pro sandboxes have different storage limits.
- D. Data import wizard is a client application provided by Salesforce.

Answer: CD

NEW QUESTION 74

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual Platform-Developer-I Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the Platform-Developer-I Product From:

<https://www.2passeasy.com/dumps/Platform-Developer-I/>

Money Back Guarantee

Platform-Developer-I Practice Exam Features:

- * Platform-Developer-I Questions and Answers Updated Frequently
- * Platform-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- * Platform-Developer-I Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Platform-Developer-I Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year