



Juniper

Exam Questions JN0-363

Service Provider Routing and Switching Specialist (JNCIS-SP)

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

You have created a routing instance named vr3 that will provide access to Server 2 (10.0.0.2) (or the hosts on the 10.10.10.0/24 network. Which command would you use to test connectivity between vr3 and Server 2?

- A. user@vr3> ping 10.0.0.2 count 5
- B. user@vr3> ping 10.0.0.2 count 5 source 10.10.10.1
- C. user@router1> ping 10.0.0.2 count 5
- D. user@router1> ping 10.0.0.2 routing-instance vr3 count 5

Answer: C

NEW QUESTION 2


Which two statements are correct about the BGP next-hop attribute value? (Choose two.)

- A. By default, the next-hop value is changed across IBGP links.
- B. By default, the next-hop value is changed across EBGP links.
- C. By default, the next-hop value is not changed across IBGP links.
- D. By default, the next-hop value is not changed across EBGP links.

Answer: A

NEW QUESTION 3

Exhibit



Referring to the exhibit, what is the minimum number of LSPs required to support all four networks?

- A. 1
- B. 2
- C. 8
- D. 4

Answer: C

NEW QUESTION 4

Exhibit

```
[edit]
user@R1# show policy-options
policy-statement next-hop-self-policy {
    term alter-next-hop {
        then {
            next-hop self;
        }
    }
}
[edit]
user@R1# show protocols bgp
group int-64503 {
    type internal;
    local-address 192.168.100.1;
    neighbor 192.168.100.2;
}
group ext-64501 {
    type external;
    peer-AS 64501;
    neighbor 172.30.1.2;
}
```

Referring to the exhibit, where should next-hop-self-policy be applied to alter the next-hop value?

- A. The policy is applied as an export policy for the group int-64503.
- B. The policy is applied as an export policy for the group ext-64501.
- C. The policy is applied as an import policy for the group int- 64 503.

D. The policy is applied as an Import policy for the group ext-64501.

Answer: D

NEW QUESTION 5

Exhibit

```
[edit]
user@router# set routing-options nonstop-routing
[edit]
user@router#
```

Referring to the exhibit, which two additional steps should you take to fully configure NSR? (Choose two.)

- A. You should configure the max period for NSR precision timers.
- B. You must configure GRES.
- C. You must configure graceful restart.
- D. You should configure commit synchronization.

Answer: AB

NEW QUESTION 6

Which configuration setting prohibits a static route from being redistributed by a dynamic routing protocol?

- A. route-filter
- B. no-readvertise
- C. qualified-next-hop
- D. passive

Answer: B

NEW QUESTION 7


You want to see a detailed list of all established BGP sessions. In this scenario, what would be a valid command to accomplish this task?

- A. show bgp neighbor
- B. show bgp summary
- C. show route receive-protocol bgp <neighbor IP address>
- D. show route protocol bgp

Answer: D

NEW QUESTION 8

Exhibit




Which two statements are correct about the service provider MPLS network shown in the exhibit? (Choose two.)

- A. R3 is considered a P router.
- B. R3 is considered a PE router.
- C. R3 is considered a transit router.
- D. R3 is considered an ingress router.

Answer: AB

NEW QUESTION 9

Exhibit




You want the R1 and R3 routers to forward traffic destined to the 203.0.113.0/24 network through R2. Which BGP attribute would you modify to satisfy this requirement?

- A. community
- B. origin
- C. MED
- D. local preference

Answer: C

NEW QUESTION 10

Exhibit



- RVSP LSP with 300 Mbps reserved
- RVSP LSP with 700 Mbps reserved

The exhibit shows a topology with 1 Gbps interfaces between routers, and four RSVP LSPs operating with the respective bandwidth reservations. Which path will be selected for a new LSP from R4 to R6 with a bandwidth reservation of 400 Mbps?

- A. R4 -> R1 -> R2 -> R5 -> R6
- B. R4 -> R5 -> R6
- C. R4 -> R5 -> R2 -> R3 -> R6
- D. R4 -> R1 -> R2 -> R3 -> R6

Answer: A

NEW QUESTION 10

Exhibit.

```

Exhibit

[edit routing-options]
user@router# show
aggregate {
  route 172.21.0.0/22;
}

[edit routing-options]
user@router# run show route protocol aggregate

inet.0: 21 destinations, 21 routes (20 active, 0 holddown, 1 hidden)
inet6.0: 10 destinations, 10 routes (10 active, 0 holddown, 0 hidden)

[edit routing-options]
user@router# run show route hidden

inet.0: 21 destinations, 21 routes (20 active, 0 holddown, 1 hidden)
+ = Active Route, - = Last Active, * = Both

172.21.0.0/22      [Aggregate] 00:12:09
                  Reject

inet6.0: 10 destinations, 10 routes (10 active, 0 holddown, 0 hidden)

```

Referring to the exhibit, you have configured an aggregate route that represents the 172.21.0.0/24, 172.21.1.0/24, and 172.21.2.0/24 networks. However, when you view the routing table, your new route is hidden.

Which action would you perform to determine the problem?

- A. Verify that you have active contributing routes on the device.
- B. Verify that you have configured a policy on the device to accept aggregate routes.
- C. Verify that you have defined a metric value for the aggregate route.
- D. Verify that you have set the preference to a lower default value.

Answer: D

NEW QUESTION 14

Exhibit

```

Exhibit

user@switch> show spanning-tree bridge
STP bridge parameters
Context ID                : 0
Enabled protocol          : RSTP
Root ID                   : 8192.50:c5:8d:ae:db:41
Hello time                 : 10 seconds
Maximum age                : 40 seconds
Forward delay              : 30 seconds
Message age                : 0
Number of topology changes : 6
Time since last topology change : 781 seconds
Topology change initiator  : ge-0/0/14.0
Topology change last recvd. from : 2c:6b:f5:31:06:0b
Local parameters
Bridge ID                  : 8192.50:c5:8d:ae:db:41
Extended system ID         : 0
Internal instance ID       : 0

```

Which two statements are correct about the information shown in the exhibit? (Choose two.)

- A. The root bridge is reachable using the ge-0/0/14 interface.
- B. This switch is the root bridge for this spanning tree topology.
- C. This switch has a bridge priority of 8k.
- D. The root bridge's priority is 4k.

Answer: BD

NEW QUESTION 15

Which new field is added to an IPv6 header as compared to IPv4?


- A. version
- B. checksum
- C. fragment offset

D. flow label

Answer: D

NEW QUESTION 19

Exhibit



```
[edit]
user@switch# show routing-instances
sw-1 {
    instance-type virtual-switch;
    bridge-domains {
        vlan_1 {
            vlan-id 1;
        }
        vlan_2 {
            vlan-id 2;
        }
    }
}
[edit]
user@switch# show interfaces xe-1/0/5
unit 0 {
    family bridge {
        interface-mode access;
        vlan-id 2;
    }
}
```

You are asked to assign interface xe-1/0/5 to a virtual switch. What must be accomplished to complete the configuration?

- A. Interface xe-1/0/5 must be added to routing-instance sw-1 vlan_2.
- B. Interface xe-1/0/5 must be a trunk port.
- C. Interface xe-1/0/5 must be added to routing-instance sw-1.
- D. An IRB interface must be configured to routing-instance sw-1 vlan_2.

Answer: C

NEW QUESTION 24

Exhibit

```
[edit]
user@switch# show interfaces ge-0/0/1
native-vlan-id 20;
unit 0 {
    family ethernet-switching {
        interface-mode trunk;
        vlan {
            members [ 10 20 ];
        }
    }
}
```

Referring to the exhibit, what will happen to untagged frames?

- A. The untagged frames are dropped.
- B. The untagged frames are load balanced between VLAN 10 and VLAN 20.
- C. The untagged frames are associated with VLAN 10.
- D. The untagged frames are associated with VLAN 20.

Answer: A

NEW QUESTION 29


You are asked to configure an LSP which uses the OSPF link state database for path computations. Which two statements are correct in this scenario? (Choose two.)

- A. You must use the no-cspf parameter in the label-switched-path configuration.
- B. Traffic engineering extensions are enabled by default in OSPF.
- C. Traffic engineering extensions are not enabled by default in OSPF.
- D. You must use the policing parameter in the label-switched-path configuration.

Answer: AC

NEW QUESTION 32

Exhibit button



Which two statements are correct about the service provider MPLS network shown in the exhibit? (Choose two.)

- A. R3 will perform a label pop operation on the transport MPLS label.
- B. Traffic from Network 1 to Network 3 and traffic from Network 1 to Network 4 each need their own unique label-switched path.
- C. Traffic from Network 1 to Network 3 and from Network 1 to Network 4 can share the same label-switched path.
- D. R3 will perform a label swap operation on the transport MPLS label.

Answer: AD

NEW QUESTION 34

.....

Relate Links

100% Pass Your JN0-363 Exam with ExamBible Prep Materials

<https://www.exambible.com/JN0-363-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>