



Salesforce

Exam Questions Platform-Developer-I

Platform Developer I

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Universal Containers implemented a private sharing model for the Account object. A custom Account search tool was developed with Apex to help sales representatives find accounts that match multiple criteria they specify. Since its release, users of the tool report they can see Accounts they do not own. What should the developer use to enforce sharing permission for the currently logged-in user while using the custom search tool?

- A. Use the schema describe calls to determine if the logged-in users has access to the Account object.
- B. Use the without sharing keyword on the class declaration.
- C. Use the UserInfo Apex class to filter all SOQL queries to returned records owned by the logged-in user.
- D. Use the with sharing keyword on the class declaration.

Answer: D

Explanation:

Use the with sharing keyword on the class declaration. The with sharing keyword ensures that the Apex code respects the object-level, field-level, and record-level sharing settings for the user who is running the Apex code. This means that the code will only return records that the user has access to, according to their Sharing Settings. You can find more information about the with sharing keyword in the official Salesforce documentation (https://developer.salesforce.com/docs/atlas.en-us.apexcode.meta/apexcode/apex_classes_keywords_sharing.htm)

NEW QUESTION 2

What are two ways for a developer to execute tests in an org?

- A. Tooling API
- B. Developer console
- C. Bulk API
- D. Metadata API

Answer: AB

NEW QUESTION 3

A developer has a Visualforce page and custom controller to save Account records. The developer wants to display any validation rule violation to the user. How can the developer make sure that validation rule violations are displayed?

- A. Add custom controller attributes to display the message.
- B. Include <apex:message> on the Visualforce page.
- C. Use a try/catch with a custom exception class.
- D. Perform the DML using the Database.upsert() method.

Answer: B

NEW QUESTION 4

A custom Visualforce controller calls the ApexPages.addMessage () method, but no messages are rendering on the page. Which component should be added to the Visualforce page to display the message?

- A. <apex: pageMessages />
- B. <apex: pageMessage severity="info"/>
- C. <Apex: facet name=" message"/>
- D. <Apex: message for=" info"/>

Answer: B

NEW QUESTION 5

Which three steps allow a custom SVG to be included in a Lightning web component? Choose 3 answers

- A. Upload the SVG as a static resource.
- B. Import the static resource and provide a getter for it in JavaScript.
- C. Reference the getter in the HTML template.
- D. Reference the import in the HTML template.
- E. Import the SVG as a content asset file.

Answer: ABC

NEW QUESTION 6

The following automations already exist on the Account object;

- A workflow rule that updates a field when a certain criteria is met
- A custom validation on a field
- A Flow that updates related contact records

A developer created a trigger on the Account object.

What should the developer consider while testing the trigger code?

- A. The flow may be launched multiple times.
- B. Workflow rules will fire only after the trigger has committed all DML operations to the database.
- C. A workflow rule field update will cause the custom validation to run again.
- D. The trigger may fire multiple times during a transaction.

Answer: D

NEW QUESTION 7

When using SalesforceDX, what does a developer need to enable to create and manage scratch orgs?

- A. Production
- B. Dev Hub
- C. Environment Hub
- D. Sandbox

Answer: B

Explanation:

https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_scratch_orgs.htm

When using SalesforceDX, a developer needs to enable Dev Hub in order to create and manage scratch orgs. A Dev Hub is a special type of org used by developers to store source code and other development-related

artifacts. It is also used to create and manage scratch orgs, which are temporary orgs used for development and testing.

Reference: https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_intro.htm

NEW QUESTION 8

Where are two locations a developer can look to find information about the status of asynchronous or future methods? Choose 2 answers

- A. Apex Flex Queue
- B. Apex Jobs
- C. Paused Flow Interviews component
- D. Time-Based Workflow Monitor

Answer: AB

NEW QUESTION 9

Which aspect of Apex programming is limited due to multitenancy?

- A. The number of active Apex classes
- B. The number of methods in an Apex Class
- C. The number of records processed in a loop
- D. The number of records returned from database queries

Answer: D

NEW QUESTION 10

Universal Containers has a support process that allows users to request support from its engineering team using a custom object, Engineering_Support__c. Users should be able to associate multiple engineering_Support__c records to a single Opportunity record. Additionally, aggregate Information about the Engineering_support__c records should be shown on the Opportunity record.

What should a developer Implement to support these requirements?

- A. Master-detail field from Engineering_Support__c to Opportunity.
- B. Master-detail field from Opportunity to Engineering_Support__c
- C. Lookup field from Engineering_support__c to Opportunity
- D. Lookup field from Opportunity to Engineering_Support__c

Answer: A

NEW QUESTION 10

Which two statements are true about using the @testSetup annotation in an Apex test class? Choose 2 answers

- A. Records created in the test setup method cannot be updated in individual test methods.
- B. Qo The @testSetup annotation is not supported when the GisTest(SeeAllData=True) annotation is used.
- C. Test data is inserted once for all test methods in a class.
- D. A method defined with the @testSetup annotation executes once for each test method in the test class and counts towards system limits.

Answer: BD

NEW QUESTION 14

A developer created a custom order management app that uses an Apex class. The order is represented by an Order object and an OrderItem object that has a master-detail relationship to Order. During order processing, an order may be split into multiple orders.

What should a developer do to allow their code to move some existing OrderItem records to a new Order record?

- A. Change the master-detail relationship to an external lookup relationship.
- B. Add without sharing to the Apex class declaration.
- C. Create a junction object between OrderItem and Order.
- D. Select the Allow reparenting option on the master-detail relationship.

Answer: D

NEW QUESTION 18

Cloud kicks has a muli-screen flow its call center agents use when handling inbound service desk calls.

At one of the steps in the flow, the agents should be presented with a list of order number and dates that are retrieved from an external odrer management system in real time and displayed on the screen.

What should a developer use to satisfy this requirement?

- A. An invoke method
- B. An apex REST class
- C. An outbound message
- D. An Apex Controller

Answer: B

NEW QUESTION 23

A developer created these three Rollup Summary fields in the custom object, Project__c:

```
Total_Timesheets__c
Total_Approved_Timesheets__c
Total_Rejected_Timesheet__c
```

The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project. Which should the developer use to implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered flow
- B. Formula field
- C. Apex trigger
- D. Field Update actions

Answer: B

NEW QUESTION 26

A developer wants to get access to the standard price book in the org while writing a test class that covers an OpportunityLineItem trigger. Which method allows access to the price book?

- A. Use Test.loadData () and a static resource to load a standard price book
- B. Use @TestVisible to allow the test method to see the standard price book.
- C. Use Test.getStandardPricebookid () to get the standard price book ID.
- D. Use @IsTest (SeeAllData=True) and delete the existing standard price book

Answer: C

NEW QUESTION 30

For which three items can a trace flag be configured? Choose 3 answers

- A. Process Builder
- B. Visualforce
- C. Apex Class
- D. Apex Trigger
- E. User

Answer: CDE

NEW QUESTION 34

What are three characteristics of change set deployments? Choose 3 answers

- A. Change sets can only be used between related organizations.
- B. Change sets can be used to transfer records.
- C. Sending a change set between two orgs requires a deployment connection.
- D. Change sets can deploy custom settings data.
- E. Deployment is done in a one-way, single transaction.

Answer: ABE

NEW QUESTION 39

The following code snippet is executed by a Lightning web component in an environment with more than 2,000 lead records:

```
@AuraEnabled
public void static updateLeads() {
    for(Lead thisLead : [SELECT Origin__c FROM Lead]){
        thisLead.LeadSource = thisLead.Origin;
        update thisLead;
    }
}
```

Which governor limit will likely be exceeded within the Apex transaction?

- A. Total number of DML statement issued
- B. Total number of SOQL queries issued
- C. Total number of records retrieved by SOQL queries
- D. Total number of records processed as a result of DML statements

Answer: C

NEW QUESTION 42

Which Lightning code segment should be written to declare dependencies on a Lightning component, c:accountList, that is used in a Visualforce page?

A)

```
<aura:application access="GLOBAL" extends="ltng:outApp">
    <aura:dependency resource="c:accountList"/>
</aura:application>
```

B)

```
<aura:component access="GLOBAL" extends="ltng:outApp">
    <aura:dependency resource="c:accountList"/>
</aura:component>
```

C)

```
<aura:component access="GLOBAL">
    <aura:dependency resource="c:accountList"/>
</aura:component>
```

D)

```
<aura:application access="GLOBAL">
    <aura:dependency resource="c:accountList"/>
</aura:application>
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

NEW QUESTION 46

A developer is migrating a Visualforce page into a Lightning web component.

The Visualforce page shows information about a single record. The developer decides to use Lightning Data Service to access record data.

Which security consideration should the developer be aware of?

- A. Lightning Data Service handles sharing rules and field-level security.
- B. Lightning Data Service ignores field-level security.
- C. The with sharing keyword must be used to enforce sharing rules.
- D. The isAccessible () method must be used for field-level access checks

Answer: A

NEW QUESTION 49

What are two use cases for executing Anonymous Apex code? Choose 2 answers

- A. To delete 15,000 inactive Accounts In a single transaction after a deployment
- B. To schedule an Apex class to run periodically
- C. To run a batch Apex class to update all Contacts
- D. To add unit test code coverage to an org

Answer: BC

NEW QUESTION 51

Assuming that naze is 8 String obtained by an <apex:inputText> tag on 8 Visualforce page, which two SOQL queries performed are safe from SOQL injection?

Choose 2 answers

A)

```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name + '\''';
List<Account> results = Database.query(query);
```

B)

```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name.noQuotes() + '\''';
List<Account> results = Database.query(query);
```

C)

```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + String.escapeSingleQuotes(name) + '\''';
List<Account> results = Database.query(query);
```

D)

```
String query = '\'' + name + '\'';
List<Account> results = [SELECT Id FROM Account WHERE Name LIKE :query];
```

- A. Option A
- B. Option B

- C. Option C
- D. Option D

Answer: CD

NEW QUESTION 53

Universal Container is building a recruiting app with an Applicant object that stores information about an individual person that represents a job. Each application may apply for more than one job.

What should a developer implement to represent that an applicant has applied for a job?

- A. Master-detail field from Applicant to Job
- B. Formula field on Applicant that references Job
- C. Junction object between Applicant and Job
- D. Lookup field from Applicant to Job

Answer: A

NEW QUESTION 56

A developer observes that an Apex test method fails in the Sandbox. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous tool in the Developer Console. The code then executes with no exceptions or errors. Why did the test method fail in the sandbox and pass in the Developer Console?

- A. The test method has a syntax error in the code.
- B. The test method relies on existing data in the sandbox.
- C. The test method is calling an @future method.
- D. The test method does not use System.runAs to execute as a specific user.

Answer: B

NEW QUESTION 61

Which action may cause triggers to fire?

- A. Updates to Feed Items
- B. Renaming or replacing a picklist entry
- C. Changing a user's default division when the transfer division option is checked
- D. Cascading delete operations

Answer: A

NEW QUESTION 65

How does the Lightning Component framework help developers implement solutions faster?

- A. By providing an Agile process with default steps
- B. By providing code review standards and processes
- C. By providing device-awareness for mobile and desktops
- D. By providing change history and version control

Answer: C

NEW QUESTION 70

A developer must create a DrawList class that provides capabilities defined in the Sortable and Drawable interfaces. public interface Sortable { void sort(); } public interface Drawable { void draw(); } Which is the correct implementation?

- A. Public class DrawList implements Sortable, Implements Drawable { public void sort() { /*implementation*/}public void draw() { /*implementation*/}}
- B. Public class DrawList extends Sortable, Drawable { public void sort() { /*implementation*/}public void draw() { /*implementation*/}}
- C. Public class DrawList implements Sortable, Drawable { public void sort() { /*implementation*/}public void draw() { /*implementation*/}}
- D. Public class DrawList extends Sortable, extends Sortable, extends Drawable { public void sort() { /*implementation*/ }public void draw() { /* implementation */}}

Answer: C

NEW QUESTION 71

Refer to the following Apex code:

```
Integer x = 0;

do {

    x = 1;

    x++;

} while (x < 1);

System.debug(x);
```

What is the value of x when it is written to the debug log?

- A. 1
- B. 2
- C. 3

Answer: C

NEW QUESTION 74

A developer must create a lightning component that allows users to input contact record information to create a contact record, including a salary__c custom field. what should the developer use, along with a lightning-record-edit form, so that salary__c field functions as a currency input and is only viewable and editable by users that have the correct field levelpermissions on salary__C?

- A. <lightning-input-field field-name="Salary__c"></lightning-input-field>
- B. <lightning-formatted-number value="Salary__c" format-style="currency"></lightning-formatted-number>
- C. <lightning-input type="number" value="Salary__c" formatter="currency"></lightning-input>
- D. <lightning-input-currency value="Salary__c"></lightning-input-currency>

Answer: A

NEW QUESTION 78

A custom object Trainer_c has a lookup field to another custom object Gym c. Which SOQL query will get the record for the Viridian City gym and it's trainers?

- A. SELECT Id, (SELECT Id FROM Trainers) FROM Gym_C WHERE Name = 'Viridian City Gym'
- B. SELECT Id, (SELECT Id FROM Trainer_c) FROM Gym_c WHERE Name = 'Viridian City Gym'
- C. SELECT ID FROM Trainer_c WHERE Gym r.Name = 'Viridian City Gym'
- D. SELECT Id, (SELECT Id FROM Trainers) FROM Gym_C WHERE Name = 'Viridian City Gym'

Answer: A

NEW QUESTION 81

A developer migrated functionality from JavaScript Remoting to a Lightning web component and wants to use the existing getOpportunities() method to provide data.
What to do now?

- A. The method must be decorated with (cacheable=true).
- B. The method must be decorated with @AuraEnabled.
- C. The method must return a JSON Object.
- D. The method must return a String of a serialized JSON Array.

Answer: A

NEW QUESTION 83

Einstein Next Best Action Is configured at Universal Containers to display recommendations to internal users on the Account detail page.
If the recommendation is approved, a new opportunity record and task should be generated. If the recommendation is rejected, an Apex method must be executed to perform a callout to an external system.
Which three factors should a developer keep Hi mind when implementing the Apex method? Choose 3 answers

- A. The method must use the @AuraEnabled annotation.
- B. The method must use the @Future annotation.
- C. The method must use the @invocableMethod annotation.
- D. The method must be defined as static.
- E. The method must be defined as public.

Answer: BDE

NEW QUESTION 87

A developer creates a new Apex trigger with a helper class, and writes a test class that only exercises 95% coverage of new Apex helper class. Change Set deployment to production fails with the test coverage warning: "Test coverage of selected Apex Trigger is 0%, at least 1% test coverage is required" What should the developer do to successfully deploy the new Apex trigger and helper class?

- A. Create a test class and methods to cover the Apex trigger
- B. Run the tests using the 'Run All Tests' method.
- C. Remove the failing test methods from the test class.
- D. Increase the test class coverage on the helper class

Answer: C

NEW QUESTION 88

A developer needs to have records with specific field values in order to test a new Apex class. What should the developer do to ensure the data is available to the test?

- A. Use Anonymous Apex to create the required data.
- B. Use Test.loadDataO < > and reference a CSV file in a static resource.
- C. Use SOQL to query the org for the required data.
- D. Use Test.loadDataO and reference a JSON file in Documents.

Answer: B

NEW QUESTION 91

An Opportunity needs to have an amount rolled up from a custom object that is not in a master-detail relationship. How can this be achieved?

- A. Write a trigger on the child object and use a red-black tree sorting to sum the amount for all related child objects under the Opportunity.
- B. Write a Process Builder that links the custom object to the Opportunity.
- C. Write a trigger on the child object and use an aggregate function to sum the amount for all related child objects under the Opportunity
- D. Use the Streaming API to create real-time roll-up summaries.

Answer: C

NEW QUESTION 92

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit. public class without sharing OpportunityService{ public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){ List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>(); for(Id thisOppld : opportunityIds){ oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId = :thisOppld]); } return oppLineItems; } }

The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.
- B. Use the System.Limits.getLimitQueries() method to ensure the number of queries is less than 100.
- C. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less 100 Ids.
- D. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.

Answer: D

NEW QUESTION 97

Which three operations affect the number of times a trigger can fire? Choose 3 answers

- A. Process Flows
- B. Workflow Rules
- C. Criteria-based Sharing calculations
- D. Email messages
- E. Roll-Up Summary fields

Answer: ABE

NEW QUESTION 100

Universal Container uses Service Cloud with a custom field, stage_c, on the Case object.

Management wants to send a follow-up email reminder 6 hours after the stage_c field is set to “;Waiting on customer” The Administrator wants to ensure the solution used is bulk safe.

Which two automation tools should a developer recommend to meet these business requirements? Choose 2 answers

- A. Scheduled Flow
- B. Einstein Next Best Action
- C. Record_Triggered Flow
- D. Process Builder

Answer: AC

NEW QUESTION 102

In the Lightning UI, where should a developer look to find information about a Paused Flow Interview?

- A. On the Paused Row Interviews related List for a given record
- B. In the Paused Interviews section of the Apex Flex Queue
- C. In the system debug log by Altering on Paused Row Interview
- D. On the Paused Row Interviews component on the Home page

Answer: B

NEW QUESTION 105

A developer wrote an Apex method to update a list of Contacts and wants to make it available for use by Lightning web components.

Which annotation should the developer add to the Apex method to achieve this?

A)

```
@AuraEnabled(cacheable=true)
```

B)

```
@AuraEnabled
```

C)

```
@RemoteAction
```

D)

```
@RemoteAction(cacheable=true)
```

- A. Option
- B. Option
- C. Option
- D. Option

Answer: B

NEW QUESTION 106

n org has an existing flow that creates an Opportunity with an Update Records element. A developer must update the flow to also create a 'Contact and store the created Contact's 1D on the Opportunity.

Which update must the developer make in the flow?

- A. Add a new Get Records element.
- B. Add a new Create Records element.
- C. Add a new Update Records element.
- D. Add a new Roll back Records element

Answer: B

NEW QUESTION 109

How should a developer write unit tests for a private method in an Apex class?

- A. Use the SeeAllData annotation.
- B. Add a test method in the Apex class.
- C. Use the TestVisible annotation.
- D. Mark the Apex class as global.

Answer: C

NEW QUESTION 112

A developer is implementing an Apex class for a financial system. Within the class, the variables 'creditAmount' and 'debtAmount' should not be able to change once a value is assigned. In which two ways can the developer declare the variables to ensure their value can only be assigned one time? Choose 2 answers

- A. Use the static keyword and assign its value in the class constructor.
- B. Use the final keyword and assign its value in the class constructor.
- C. Use the static keyword and assign its value in a static initializer.
- D. Use the final keyword and assign its value when declaring the variable.

Answer: BD

NEW QUESTION 115

A developer is asked to create a Visualforce page that lists the contacts owned by the current user. This component will be embedded in a Lightning page. Without writing unnecessary code, which controller should be used for this purpose?

- A. Standard list controller
- B. Standard controller
- C. Lightning controller
- D. Custom controller

Answer: B

NEW QUESTION 120

Which two events need to happen when deploying to a production org? Choose 2 answers

- A. All triggers must have at least 1% test coverage.
- B. All Apex code must have at least 75% test coverage.
- C. All triggers must have at least 75% test coverage.
- D. All test and triggers must have at least 75% test coverage combined

Answer: AB

NEW QUESTION 124

Universal Containers has implemented an order management application. Each Order can have one or more Order Line items. The Order Line object is related to the Order via a master-detail relationship. For each Order Line item, the total price is calculated by multiplying the Order Line item price with the quantity ordered. What is the best practice to get the sum of all Order Line item totals on the Order record?

- A. Roll-up summary field
- B. Quick action
- C. Apex trigger
- D. Formula field

Answer: A

NEW QUESTION 128

What should a developer use to obtain the Id and Name of all the Leads, Accounts, and Contacts that have the company name "Universal Containers"?

- A. FIND 'Universal Containers' IN Name Fields RETURNING leadjid, name), accounted, name), contacted, name)
- B. FIND Universal Containers' IN CompanyName Fietds RETURNING lead{I
- C. name), accounted, name), contacted, name)
- D. SELECT lead(id, name). accountOd, name), contacted, name) FROM Lead, Account, Contact WHERE Name = "universal Containers'
- E. SELECT Lead.i
- F. Lead.Name, Account.Id, AccountName, Contacted, Contact.Name FROM Lead, Account, Contact WHERE CompanvName * Universal Containers'

Answer: A

NEW QUESTION 131

Which two settings must be defined in order to update a record of a junction object? Choose 2 answers

- A. Read access on the primary relationship
- B. Read/Write access on the secondary relationship
- C. Read/Write access on the primary relationship
- D. Read/Write access on the junction object

Answer: BC

NEW QUESTION 133

A developer needs to implement a custom SOAP Web Service that is used by an external Web Application. The developer chooses to Include helper methods that are not used by the Web Application In the Implementation of the Web Service Class.

Which code segment shows the correct declaration of the class and methods?

A)

```
global class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    global String updateRecords() { /* implementation ... */ }  
}
```

B)

```
webservice class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    global static String updateRecords() { /* implementation ... */ }  
}
```

C)

```
global class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    webservice static String updateRecords() { /* implementation ... */ }  
}
```

D)

```
webservice class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    webservice static String updateRecords() { /* implementation ... */ }  
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 138

A developer Is Integrating with a legacy on-premise SQL database.

What should the developer use to ensure the data being Integrated is matched to the right records in Salesforce?

- A. Lookup field
- B. External ID field
- C. Formula field
- D. External Object

Answer: B

NEW QUESTION 142

Which three statements are true regarding custom exceptions in Apex? (Choose three.)

- A. A custom exception class must extend the system Exception class.

- B. A custom exception class can implement one or many interfaces.
- C. A custom exception class cannot contain member variables or methods.
- D. A custom exception class name must end with "Exception".
- E. A custom exception class can extend other classes besides the Exception class.

Answer: BDE

NEW QUESTION 147

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen. What should a developer use to satisfy this requirement?

- A. An Apex controller
- B. An Apex REST class
- C. An outbound message
- D. An invocable method

Answer: B

NEW QUESTION 151

If apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which statement are true regarding governor limits? Choose 2 answers

- A. The Apex governor limits might be higher due to the asynchronous nature of the transaction.
- B. The apex governor limits are reset for each iteration of the execute() method.
- C. The Apex governor limits are relaxed while calling the constructor of the Apex class.
- D. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction,

Answer: AB

NEW QUESTION 153

A developer is creating an app that contains multiple Lightning web components.

One of the child components is used for navigation purposes. When a user click a button called.. component, the parent component must be alerted so it can navigate to the next page.

How should this be accomplished?

- A. Fire a notification.
- B. Update a property on the parent.
- C. Call a method in the Apex controller.
- D. Create a custom event.

Answer: D

NEW QUESTION 156

Which salesforce org has a complete duplicate copy of the production org including data and configuration?

- A. Developer Pro Sandbox
- B. Partial Copy Sandbox
- C. Production
- D. Full Sandbox

Answer: D

NEW QUESTION 160

A developer must provide custom user interfaces when users edit a Contact in either Salesforce Classic or Lightning Experience.

What should the developer use to override the Contact's Edit button and provide this functionality?

- A. A Visualforce page in Salesforce Classic and a Lightning component in Lightning Experience
- B. A Lightning component in Salesforce Classic and a Lightning component in lightning Experience
- C. A Visualforce page in Salesforce Classic and a Lightning page in Lightning Experience
- D. A Lightning page in Salesforce Classic and a Visualforce page in Lightning Experience

Answer: A

NEW QUESTION 161

A lead developer creates an Apex interface called "Laptop". Consider the following code snippet:

```
public class SilverLaptop{  
    //code implementation  
}
```

How can a developer use the Laptop Interface within the Silvertaptop class?

- A. @Extends(class=Laptop") public class SilverLaptop
- B. public calss SilverLaptop extends Laptop
- C. @Interface (class="Laptop") public class SilverLaptop
- D. public class Silverlaptop implements Laptop

Answer: B

NEW QUESTION 163

When importing and exporting data into Salesforce, which two statements are true? Choose 2 answers

- A. Bulk API can be used to import large data volumes in development environments without bypassing the storage limits.
- B. Bulk API can be used to bypass the storage limits when importing large data volumes in development environments.
- C. Developer and Developer Pro sandboxes have different storage limits.
- D. Data import wizard is a client application provided by Salesforce.

Answer: CD

NEW QUESTION 168

What should a developer do to check the code coverage of a class after running all tests?

- A. View the Code Coverage column in the list view on the Apex Classes page.
- B. View the Class Test Percentage tab on the Apex Class first view in Salesforce Setup.
- C. View Use code coverage percentage for the class using the Overall Code Coverage panel in the Developer Console Tests tab.
- D. Select and run the class on the Apex Test Execution page in the Developer Console.

Answer: B

NEW QUESTION 169

A developer completed modification to a customized feature that is comprised of two elements: Apex trigger Trigger handler Apex class
What are two factors that the developer must take into account to properly deploy the modification to the production environment?

- A. Apex classes must have at least 75% code coverage org-wide.
- B. At least one line of code must be executed for the Apex trigger.
- C. All methods in the test classes must use @isTest.
- D. Test methods must be declared with the testMethod keyword.

Answer: AB

NEW QUESTION 173

A developer has the following requirements:

- Calculate the total amount on an Order.
- Calculate the line amount for each Line Item based on quantity selected and price.
- Move Line Items to a different Order if a Line Item is not in stock.

Which relationship implementation supports these requirements on its own?

- A. Line Item has a re-parentable master-detail field to Order.
- B. Order has a re-parentable master-detail field to Line Item.
- C. Line Item has a re-parentable lookup field to Order.
- D. Order has a re-parentable lookup field to Line Item.

Answer: A

NEW QUESTION 175

Given the following Anonymous Block:

```
List<Case> casesToUpdate = new List<Case>();
for(Case thisCase : [Select Id, Status FROM Case LIMIT 50000]){
    thisCase.Status = 'Working';
    casesToUpdate.add(thisCase);
}
try{
    Database.update(casesToUpdate, false);
}catch(Exception e){
    System.debug(e.getMessage());
}
```

Which one do you like?

What should a developer consider for an environment that has over 10,000 Case records?

- A. The transaction will fail due to exceeding the governor limit.
- B. The try/catch block will handle any DML exceptions thrown.
- C. The transaction will succeed and changes will be committed.
- D. The try/catch block will handle exceptions thrown by governor limits.

Answer: C

NEW QUESTION 178

What should a developer do to check the code coverage of a class after running all tests?

- A. View the code coverage percentage of the class using the Overall code Coverage panel in the Developer Console Test tab.
- B. View the Code Coverage column in the list on the Apex Classes page.
- C. Select and run the class on the Apex Test Execution page in the Developer Console.

D. View the Class test Percentage tab on the Apex Class list view in Salesforce Setup.

Answer: D

NEW QUESTION 181

Universal Containers has a Visualforce page that displays a table of every Container__c. being Is falling with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

Answer: D

NEW QUESTION 182

A developer must implement a CheckPaymentProcessor class that provides check processing payment capabilities that adhere to what defined for payments in the PaymentProcessor interface. `public interface PaymentProcessor { void pay(Decimal amount); }` Which is the correct implementation to use the PaymentProcessor interface class?

- A. `Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount) {} }`
- B. `Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount); }`
- C. `Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount); }`
- D. `Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount) {} }`

Answer: B

NEW QUESTION 187

The Job_Application__c custom object has a field that is a Master-Detail relationship to the Contact object, where the Contact object is the Master. As part of a feature implementation, a developer needs to retrieve a list containing all Contact records where the related Account Industry is 'Technology' while also retrieving the contact's Job_Application__c records.

Based on the object's relationships, what is the most efficient statement to retrieve the list of contacts?

- A. `[SELECT Id, (SELECT Id FROM Job_Applications_r) FROM Contact WHERE Account.Industry = 'Technology'];`
- B. `[SELECT Id, (SELECT Id FROM Job_Applications_r) FROM Contact WHERE Accounts.Industry = 'Technology'];`
- C. `[SELECT Id, (SELECT Id FROM Job_Applications_c) FROM Contact WHERE Accounts.Industry = 'Technology'];`
- D. `[SELECT Id, (SELECT Id FROM Job_Application_c) FROM Contact WHERE Account.Industry = 'Technology'];`

Answer: B

NEW QUESTION 191

.....

Relate Links

100% Pass Your Platform-Developer-I Exam with Exambible Prep Materials

<https://www.exambible.com/Platform-Developer-I-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>