



HP

Exam Questions HPE2-T37

Using HPE OneView

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate


Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Refer to the exhibit.



Name	SAN Manager	State
29007a2b21e0005a	172.18.191	Discovered
SAN1_1	172.18.15.1	Discovered
SAN1_2	172.18.15.1	Discovered

General	
State	Discovered
Type	FC
Principal switch	29007A2B21E00086
Primary SAN manager	172.18.15.1
Alternate SAN managers	none
Associated networks	none

Zoning Policy	
Zoned	Yes
Automate zoning	Yes

After adding SAN Manager to HPE OneView, you noticed that all SANs are in the discovered state. How will this affect HPE OneView storage management capabilities?

- A. Snapshot functionality will be limited only to the volumes not using these SANs.
- B. Volume presentation through server profile will work with the discovered state.
- C. Auto-zoning functionality will not work until SANs are associated with networks.
- D. Volume provisioning will only work for arrays that are accessible through these SANs.

Answer: B

NEW QUESTION 2

Which statement about HPE OneView Global Dashboard is true?

- A. It is an application that can be installed on Windows or Linux system that will provide automated discovery of HPE OneView instances
- B. It is a plugin to HPE Oneview that will allow integration of HPE oneView with VMware management and monitoring components
- C. It is a virtual appliance that can aggregate health and inventory information from multiple HPE OneView appliances or HPE Composers
- D. It is a plugin to vCenter Server that will allow management of the components added to HPE Oneview from vCenter server interface

Answer: C

NEW QUESTION 3

Your customer plans to use HPE OneView to manage a small environment based on HPE ProLiant servers that includes G7 and Gen 10 systems. What should you explain to this customer?

- A. HPE Management Agent must be installed for HPE ProLiant Gen 10 servers.
- B. HPE ProLiant G7 and Gen10 cannot be managed using the same appliance.
- C. Not all of the features will be available for HPE ProLiant G7 systems.
- D. HPE ProLiant Gen 10 servers do not need an HPE OneView license.

Answer: C

NEW QUESTION 4

Which statement about logical JBODs configured using HPE OneView and D3940 Storage Modules is true?

- A. A logical JBOD lifecycle can be associated with a server profile lifecycle and drives can be securely erased.
- B. A logical JBOD cannot be created during server profile creation and must be prepared in advance
- C. Different types of the drives can be used within a logical JBOD as long as they have the same capacity
- D. Logical JBOD functionality must be enabled on the Enclosure Group level by a storage administrator

Answer: B

NEW QUESTION 5

You try to add a new connection within a server profile, but an operation fails when you try to commit the changes. What is a possible reason?

- A. You tried to add additional connection above the limit
- B. The server is powered on
- C. The server does not have an HPE OneView license applied
- D. The server is powered off

Answer: B

NEW QUESTION 6

Your customer wants to use HPE OneView for VMware vCenter Server to simplify management of their VMware cluster running on HPE Synergy. The customer is concerned with the cost of additional licenses. How will you explain licensing rules for this product?

- A. As long as the customer has HPE OneVtew Global Dashboard deployed, HPE OneView for VMware vCenter Server does not require any additional licenses.
- B. One HPE OneView for VMware vCenter Server license is required per HPE Synergy frame if more than 10 Compute Modules are installed in the frame.
- C. If the number of the HPE Synergy Compute Modules installed in HPE Synergy frame is less than 10, no license is required to use HPE OneView tor VMware vCenter Server.
- D. As long as the server is managed using HPE OneVie
- E. the customer can use HPE OneView for VMware vCenter Server without additional licenses.

Answer: B

NEW QUESTION 7


What is a network set?

- A. It is a collection of all internal networks defined for a specific type of traffic like vSAN or vMotion.
- B. It is a collection of untagged Ethernet networks that form a named group to simplify server profile creation.
- C. It is a collection of tagged Ethernet networks that form a named group to simplify server profile creation.
- D. It is a collection of all networks configured within HPE OneView regardless of network type.

Answer: C

NEW QUESTION 8

Click the option that will allow you to disable virtual MAC addresses or generate a new pool of virtual Worldwide Names.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Networks

NEW QUESTION 9


What event occurs on iLO when an HPE ProLiant server is added to HPE OneView?

- A. IPMI credentials are configured for the iLO
- B. REST API plugin is enabled for iLO
- C. Active Directory configuration is performed on iLO
- D. SSO certificate is added to the iLO

Answer: B

NEW QUESTION 10

Refer to the exhibit.



You discovered that one of the profiles is not compliant with the server profile template. What could cause this profile to be inconsistent with the server profile template?

- A. The server was powered off or rebooted recently and IL0 did not reconnect to HPE OneView.
- B. HPE OneView was restored from a backup that created inconsistency with the server profile template.
- C. Network connectivity for HPE Synergy Compute Module was changed outside HPE OneView.
- D. Changes to the server profile were implemented directly on the server profile.

Answer: D

NEW QUESTION 10

Which licenses are optional to be purchased separately for HPE Synergy?

- A. Global Dashboard licenses
- B. FC Upgrade licenses
- C. HPE OneView licenses
- D. Virtual Connect licenses

Answer: B

Explanation:

Licenses were not purchased in the original order for the modules and were ordered separately.

NEW QUESTION 11

Which action is allowed on storage pools managed by HPE OneView?

- A. Volume provisioning
- B. Setting storage pool replication
- C. Changing storage pool RAID level
- D. Changing storage pool capacity

Answer: A

NEW QUESTION 14

Your customer plans to monitor HPE ProLiant DL systems and HPE BladeSystem using HPE OneView Which license is required to accomplish this task?

- A. HPE One View Global Dashboard license
- B. HPE OneView Advanced license
- C. HPE composer 2 license
- D. HPE OneView standard license

Answer: D

NEW QUESTION 18

You want to put two FlexNICs into a single Link Aggregation Group within a server profile. What is a prerequisite for this setup?

- A. The sFlow option must be enabled and configured.
- B. Both FlexNICs must be connected to the same network.
- C. The Compute Module profile must have exactly two connections defined.
- D. An upgrade license must be purchased and deployed.

Answer: B

NEW QUESTION 22

Your customer wants to manage their HPE Superdome Flex using HPE OneView. Which component must be added to HPE OneView to accomplish this task?

- A. Baseboard Management Controller (BMC)
- B. Rack Management Controller (RMC)

- C. all nPARs created within the complex
- D. only the base chassis from the complex

Answer: A

NEW QUESTION 23

A customer wants to estimate the cost of the licenses required to manage HPE Synergy and some external components. When component includes an HPE OneView license for management?

- A. Compute Module
- B. Storage Array
- C. Master Module
- D. Logical Enclosure

Answer: A

NEW QUESTION 25

Which types of support dump can be created using HPE OneView? (Select two.)

- A. Enclosure group support dump
- B. Appliance support dump
- C. Firmware deployment support dump
- D. Logical enclosure support dump
- E. Maintenance console support dump

Answer: BD

NEW QUESTION 30


You are implementing an HPE Synergy solution with multiple frames in one management ring. Image Streamer is not a part of this solution. How can an IPv4 address pool defined by the administrator be used in HPE OneView?

- A. to provide static IP addresses to iLO and interconnect modules if applicable
- B. to provide static IP addresses for an operating system running on a Compute Module
- C. to provide static IP addresses for Logical Interconnects and Logical Enclosures
- D. to provide static IP addresses for storage systems managed in HPE OneView

Answer: A

NEW QUESTION 34

Refer to the exhibit.




Your customer wants to define a Logical Interconnect Group (UG) and set the redundancy of the master modules to highly available, but this option is not available. What is a possible reason?

- A. There are not sufficient frames for highly available setup.
- B. Some master modules only support a redundant setup.
- C. Firmware on the master modules is too low to support highly available setup.
- D. A dedicated license must be added to HPE OneView to enable this feature.

Answer: B

NEW QUESTION 35

Which statement about the volume template is true?



- A. Users will be able to change sharing type and volume capacity
- B. A volume created using this template will not support deduplication
- C. A volume created using this template will not support snapshots
- D. Users will be able to select storage pool during volume creation

Answer: A

NEW QUESTION 38

Which statement about access to HPE Onboard Administrator is true when an HPE BladeSystem enclosure is added to HPE OneView?

- A. It is blocked when an HPE BladeSystem enclosure is managed using HPE OneView.
- B. It is enabled only when an HPE BladeSystem enclosure is monitored using HPE OneView.
- C. It is enabled when an HPE BladeSystem is either managed or monitored using HPE OneView.
- D. It is blocked when HPE BladeSystem enclosure is monitored using HPE OneView.

Answer: B

NEW QUESTION 41

You plan to update HPE OneView to the latest version. What should you do before starting HPE OneView update?

- A. Disable HPE Remote Support at the HPE OneView appliance level
- B. Put all servers managed through HPE OneView to maintenance state
- C. Run the Update Readiness checker tool to evaluate HPE OneView health status
- D. Create a support dump for the appliance and for all managed logical interconnects

Answer: C

NEW QUESTION 46

You want to add the latest iLO firmware to an HPE OneView firmware repository. How can you complete this task?

- A. A PowerShell script must be used to upload iLO firmware to the internal or external firmware repository.
- B. A custom SPP ISO image must be created with the new iLO firmware version and uploaded to the repository.
- C. An external repository must be created, because standalone components are supported only in an external repository.
- D. iLO firmware can be marked as a hotfix and uploaded directly to the internal or external firmware repository.

Answer: B

NEW QUESTION 48


Which statement about a server profile for an Apollo system is true?

- A. Fibre Channel connections can be defined
- B. UEFI optimized is the only available boot mode
- C. Virtual WWNs and MAC addresses can be defined
- D. Enclosure Group is automatically selected

Answer: A

NEW QUESTION 52

Click the option that will prevent the appliance from sending any email notifications or forwarding any SNMP traps that are related to the server hardware.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 53

What step must be taken to add an HPE SuperDome Flex to an existing OneView environment

- A. A Rack Management Controller must be added to HPE OneView.
- B. HPE Superdome Flex can be added to HPE OneView after at least one nPAR is created.
- C. Each HPE Superdome Flex chassis must be added Individually using BMC IP.
- D. HPE Superdome Flex complex can be added by adding base chassis of this complex.

Answer: A

NEW QUESTION 58

You configured downlink aggregation for one of the HPE Synergy Compute Modules in an environment by placing two connections in the same Link Aggregation Group. After you made the changes to the server profile, its status changed to critical. What can be done to fix this issue?

- A. The teaming or bonding driver in the server OS must be configured to enable the LACP and to form the LAG correctly.
- B. The server profile for a given HPE Synergy compute module should be reapplied, then the Compute Module should be rebooted.
- C. Link Aggregation Group functionality should be enabled in advanced properties of the Logical Interconnect.
- D. Ensure that the Link Aggregation Group time-out value matches the server set values.

Answer: C

NEW QUESTION 61

Your customer added HPE Primera to HPE OneView and enabled volume provisioning on all storage pools. For security reasons, the customer wants to disable volume provisioning using HPE OneView on a specific storage pool. How can this task be completed?

- A. The storage pool should be removed from HPE OneView using a PowerShell script.
- B. The storage pool should be disabled using the array management tool.
- C. The storage pool state should be changed to discovered using HPE OneView.
- D. The storage pool should be marked as read-only using HPE OneView.

Answer: B

NEW QUESTION 64

Which statement about server hardware types is true?


- A. Once selected in the server profile, the server hardware type cannot be changed, and a server profile can be moved only between the same type of servers
- B. Server hardware type can be defined only for HPE Synergy and HPE BladeSystem, but it cannot be defined for HPE ProLiant or Apollo systems
- C. Administrator has to manually define the server hardware type for any unique server architecture and mezzanine card combination
- D. The server hardware type is automatically created when a server with unique architecture and mezzanine card configuration is added to HPE OneView

Answer: A

NEW QUESTION 67

Refer to the exhibit.

Logical Interconnect [Edit](#)



Which statement about the logical interconnect shown is true?

- A. For FC uplink sets, an additional uplink from second module should be added for redundancy.
- B. The maximum supported number of the internal networks for logical interconnect is configured.
- C. Additional uplink ports can be added to ETH-Uplink to increase available bandwidth.
- D. FC uplinks are not supported and will be converted to FCoE or RoCE uplinks.

Answer: C

NEW QUESTION 71

How will setting the Purpose field within the network definition of a server profile impact the network traffic?

- A. network purpose can give higher priority for a specific type of traffic
- B. network purpose will impact the traffic only if Virtual Connect modules are used
- C. network purpose will define QoS within Logical Interconnect
- D. network purpose does not affect the behavior of the network

Answer: C

NEW QUESTION 76

.....

Relate Links

100% Pass Your HPE2-T37 Exam with Examible Prep Materials

<https://www.exambible.com/HPE2-T37-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>