

AZ-305 Dumps

Designing Microsoft Azure Infrastructure Solutions

<https://www.certleader.com/AZ-305-dumps.html>



NEW QUESTION 1

- (Exam Topic 5)

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies. Solution: You deploy a Azure virtual machine scale set that uses autoscaling.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead, you should deploy two Azure virtual machines to two Azure regions, and you create a Traffic Manager profile.

NEW QUESTION 2

- (Exam Topic 5)

You plan to deploy the backup policy shown in the following exhibit.

Policy1

Associated items Delete Save Discard

Backup frequency

Daily 6:00 PM (UTC) Coordinated Universal Time

Retention range

Retention of daily backup point.

* At 6:00 PM For 90 Day(s)

Retention of weekly backup point.

* On Sunday * At 6:00 PM For 26 Week(s)

Retention of monthly backup point.

Week Based Day Based

* On First * Day Sunday * At 6:00 PM For 36 Month(s)

Retention of yearly backup point.

Not Configured

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

Virtual machines that are backed up by using the policy can be recovered for up to a maximum of [answer choice]:

	▼
90 days	
26 weeks	
36 months	
45 months	

The minimum recovery point objective (RPO) for virtual machines that are backed up by using the policy is [answer choice]:

	▼
1 hour	
1 day	
1 week	
1 month	
1 year	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-vm-backup-faq#what-s-the-minimum-rpo-and-rto>

NEW QUESTION 3

- (Exam Topic 5)

You need to design a solution that will execute custom C# code in response to an event routed to Azure Event Grid. The solution must meet the following requirements:

- The executed code must be able to access the private IP address of a Microsoft SQL Server instance that runs on an Azure virtual machine. Costs must be minimized. What should you include in the solution?

- A. Azure Logic Apps in the integrated service environment
- B. Azure Functions in the Dedicated plan and the Basic Azure App Service plan
- C. Azure Logic Apps in the Consumption plan
- D. Azure Functions in the Consumption plan

Answer: D

Explanation:

When you create a function app in Azure, you must choose a hosting plan for your app. There are three basic hosting plans available for Azure Functions: Consumption plan, Premium plan, and Dedicated (App Service) plan.

For the Consumption plan, you don't have to pay for idle VMs or reserve capacity in advance. Connect to private endpoints with Azure Functions

As enterprises continue to adopt serverless (and Platform-as-a-Service, or PaaS) solutions, they often need a way to integrate with existing resources on a virtual network. These existing resources could be databases, file storage, message queues or event streams, or REST APIs.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-scale> <https://techcommunity.microsoft.com/t5/azure-functions/connect-to-private-endpoints-with-azure-functions/ba-p> Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-scale#hosting-plans-comparison>

NEW QUESTION 4

- (Exam Topic 5)

The application will host video files that range from 50 MB to 12 GB. The application will use certificate-based authentication and will be available to users on the internet.

You need to recommend a storage option for the video files. The solution must provide the fastest read performance and must minimize storage costs. What should you recommend?

- A. Azure Files
- B. Azure Data Lake Storage Gen2
- C. Azure Blob Storage
- D. Azure SQL Database

Answer: C

Explanation:

Blob Storage: Stores large amounts of unstructured data, such as text or binary data, that can be accessed from anywhere in the world via HTTP or HTTPS. You can use Blob storage to expose data publicly to the world, or to store application data privately.

Max file in Blob Storage. 4.77 TB. Reference:

<https://docs.microsoft.com/en-us/azure/architecture/solution-ideas/articles/digital-media-video>

NEW QUESTION 5

- (Exam Topic 5)

Your company currently has an application that is hosted on their on-premises environment. The application currently connects to two databases in the on-premises environment. The databases are named whizlabdb1 and whizlabdb2.

You have to move the databases onto Azure. The databases have to support server-side transactions across both of the databases.

Solution: You decide to deploy the databases to an Azure SQL database-managed instance. Would this fulfill the requirement?

- A. Yes
- B. No

Answer: A

NEW QUESTION 6

- (Exam Topic 5)

You have an Azure Load Balancer named LB1 that balances requests to five Azure virtual machines. You need to develop a monitoring solution for LB1. The solution must generate an alert when any of the following conditions are met:

- > A virtual machine is unavailable.
- > Connection attempts exceed 50,000 per minute.

Which signal should you include in the solution for each condition? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

An unavailable virtual machine:

<input type="checkbox"/>	▼
<input type="checkbox"/>	Byte Count
<input type="checkbox"/>	Data Path Availability
<input type="checkbox"/>	Health Probe Status
<input type="checkbox"/>	Packet Count
<input type="checkbox"/>	SYN Count

More than 50,000 connection attempts per minute:

<input type="checkbox"/>	▼
<input type="checkbox"/>	Byte Count
<input type="checkbox"/>	Data Path Availability
<input type="checkbox"/>	Health Probe Status
<input type="checkbox"/>	Packet Count
<input type="checkbox"/>	SYN Count

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Data path availability

Standard Load Balancer continuously exercises the data path from within a region to the load balancer front end, all the way to the SDN stack that supports your VM. As long as healthy instances remain, the measurement follows the same path as your application's load-balanced traffic. The data path that your customers use is also validated. The measurement is invisible to your application and does not interfere with other operations.

Note: Load balancer distributes inbound flows that arrive at the load balancer's front end to backend pool instances. These flows are according to configured load-balancing rules and health probes. The backend pool instances can be Azure Virtual Machines or instances in a virtual machine scale set.

Box 2: SYN count

SYN (synchronize) count: Standard Load Balancer does not terminate Transmission Control Protocol (TCP) connections or interact with TCP or UDP packet flows. Flows and their handshakes are always between the source and the VM instance. To better troubleshoot your TCP protocol scenarios, you can make use of SYN packets counters to understand how many TCP connection attempts are made. The metric reports the number of TCP SYN packets that were received.

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-standard-diagnostics>

NEW QUESTION 7

- (Exam Topic 5)

Your company identifies the following business continuity and disaster recovery objectives for virtual machines that host sales, finance, and reporting application in the company's on-premises data center.

- The finance application requires that data be retained for seven years. In the event of a disaster, the application must be able to run from Azure. The recovery in objective (RTO) is 10 minutes,
- The reporting application must be able to recover point in-time data at a daily granularity. The RTO is eight hours.
- The sales application must be able to fail over to second on-premises data center.

You need to recommend which Azure services meet the business continuity and disaster recovery objectives. The solution must minimize costs.

What should you recommend for each application? To answer, drag the appropriate services to the correct application. Each service may be used once. More than once not at an You may need to drag the spin bar between panes or scroll 10 view content.

Actions

- Azure Backup only
- Azure Site Recovery only
- Azure Site Recovery and Azure Backup

Answer Area



- Sales:
- Finance:
- Reporting:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- 1) Sales: Azure Site Recovery only
- 2) Finance: Azure Site Recovery and Azure Backup
- 3) Reporting: Azure Backup only

NEW QUESTION 8

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.

You need to recommend a solution to meet the regulatory requirement.

Solution: You recommend using an Azure policy to enforce the resource group location. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Azure Resource Policy Definitions can be used which can be applied to a specific Resource Group with the App Service instances.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 9

- (Exam Topic 5)

Your company has an app named App1 that uses data from the on-premises Microsoft SQL Server databases shown in the following table.

Name	Size
DB1	450 GB
DB2	250 GB
DB3	300 GB
DB4	50 GB

App1 and the data are used on the first day of the month only. The data is not expected to grow more than 3% each year.

The company is rewriting App1 as an Azure web app and plans to migrate all the data to Azure. You need to migrate the data to Azure SQL Database. The solution must minimize costs. Which service tier should you use?

- A. vCore-based Business Critical
- B. vCore-based General Purpose
- C. DTU-based Standard
- D. DTU-based Basic

Answer: C

Explanation:

DTU-based Standard supports databases up to 1 TB in size. Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/service-tiers-dtu>

NEW QUESTION 10

- (Exam Topic 5)

A company named Contoso, Ltd. has an Azure Active Directory (Azure AD) tenant that is integrated with Microsoft Office 365 and an Azure subscription.

Contoso has an on-premises identity infrastructure. The infrastructure includes servers that run Active Directory Domain Services (AD DS), and Azure AD Connect. Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Active Directory forest and an Office 365 tenant. Fabrikam has the same on-premises identity infrastructure as Contoso.

A team of 10 developers from Fabrikam will work on an Azure solution that will be hosted in the Azure subscription of Contoso. The developers must be added to the Contributor role for a resource in the Contoso subscription.

You need to recommend a solution to ensure that Contoso can assign the role to the 10 Fabrikam developers. The solution must ensure that the Fabrikam developers use their existing credentials to access resources.

What should you recommend?

- A. Configure a forest trust between the on-premises Active Directory forests of Contoso and Fabrikam.
- B. Configure an organization relationship between the Office 365 tenants of Fabrikam and Contoso.
- C. In the Azure AD tenant of Contoso, use MIM to create guest accounts for the Fabrikam developers.
- D. Configure an AD FS relying party trust between the fabrikam and Contoso AD FS infrastructures.

Answer: A

Explanation:

Trust configurations - Configure trust from managed forests(s) or domain(s) to the administrative forest

- > A one-way trust is required from production environment to the admin forest.
- > Selective authentication should be used to restrict accounts in the admin forest to only logging on to the appropriate production hosts.

References:

<https://docs.microsoft.com/en-us/windows-server/identity/securing-privileged-access/securing-privileged-access>

NEW QUESTION 10

- (Exam Topic 5)

A company plans to implement an HTTP-based API to support a web app. The web app allows customers to check the status of their orders.

The API must meet the following requirements:

- > Implement Azure Functions
- > Provide public read-only operations
- > Do not allow write operations

You need to recommend configuration options.

What should you recommend? To answer, configure the appropriate options in the dialog box in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Topic	Value
Allowed authentication methods	<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; text-align: right;">▼</div> <div style="padding: 2px;"> All methods GET only GET and POST only GET, POST, and OPTIONS only </div> </div>
Authorization level	<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; text-align: right;">▼</div> <div style="padding: 2px;"> Function Anonymous Admin </div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, table Description automatically generated

Allowed authentication methods: GET only Authorization level: Anonymous

The option is Allow Anonymous requests. This option turns on authentication and authorization in App Service, but defers authorization decisions to your application code. For authenticated requests, App Service also passes along authentication information in the HTTP headers.

This option provides more flexibility in handling anonymous requests. References:


<https://docs.microsoft.com/en-us/azure/app-service/overview-authentication-authorization>

NEW QUESTION 12

- (Exam Topic 5)

Your company develops a web service that is deployed to an Azure virtual machine named VM1. The web service allows an API to access real-time data from VM1.

The current virtual machine deployment is shown in the Deployment exhibit. (Click the Deployment tab).



The chief technology officer (CTO) sends you the following email message: “Our developers have deployed the web service to a virtual machine named VM1. Testing has shown that the API is accessible from VM1 and VM2. Our partners must be able to connect to the API over the Internet. Partners will use this data in applications that they develop.”

You deploy an Azure API Management (APIM) service. The relevant API Management configuration is shown in the API exhibit. (Click the API tab.)

Virtual network: Off External Internal

LOCATION	VIRTUAL NETWORK	SUBNET
West Europe	VNet1	ProdSubnet

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
The API is available to partners over the Internet.	<input type="radio"/>	<input type="radio"/>
The APIM instance can access real-time data from VM1.	<input type="radio"/>	<input type="radio"/>
A VPN gateway is required for partner access.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-using-with-vnet>

NEW QUESTION 15

- (Exam Topic 5)

You have an Azure subscription that contains an Azure Blob storage account named store1.

You have an on-premises file server named Server1 that runs Windows Server 2016. Server1 stores 500 GB of company files.

You need to store a copy of the company files from Server 1 in store1.

Which two possible Azure services achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point

- A. an Azure Batch account
- B. an integration account
- C. an On-premises data gateway
- D. an Azure Import/Export job
- E. Azure Data factory

Answer: DE

Explanation:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-import-export-data-from-blobs> <https://docs.microsoft.com/en-us/answers/questions/311113/fastest-method-to-copy-500gb-table-from-on-premise>

NEW QUESTION 17

- (Exam Topic 5)

Your on-premises network contains a file server named Server1 that stores 500 GB of data. You need to use Azure Data Factory to copy the data from Server1 to Azure Storage.

You add a new data factory.

What should you do next? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

From Server1:

- Install an Azure File Sync agent
- Install a self-hosted integration runtime
- Install the File Server Resource Manager role service

From the data factory:

- Create a pipeline
- Create an import/export job
- Provision an Azure-SQL Server Integration Services (SSIS) integration runtime

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Install a self-hosted integration runtime

The Integration Runtime is a customer-managed data integration infrastructure used by Azure Data Factory to provide data integration capabilities across different network environments.

Box 2: Create a pipeline

With ADF, existing data processing services can be composed into data pipelines that are highly available and managed in the cloud. These data pipelines can be scheduled to ingest, prepare, transform, analyze, and publish data, and ADF manages and orchestrates the complex data and processing dependencies

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/team-data-science-process/move-sql-azure-adf> <https://docs.microsoft.com/pl-pl/azure/data-factory/tutorial-hybrid-copy-data-tool>

syu31svc 3 months, 4 weeks ago

<https://docs.microsoft.com/en-us/azure/data-factory/create-self-hosted-integration-runtime?tabs=data-factory> "A self-hosted integration runtime can run copy activities between a cloud data store and a data store in a private network"

<https://docs.microsoft.com/en-us/azure/data-factory/introduction>

"With Data Factory, you can use the Copy Activity in a data pipeline to move data from both on-premises and cloud source data stores to a centralization data store in the cloud for further analysis"

NEW QUESTION 19

- (Exam Topic 5)

Your on-premises network contains a server named Server1 that runs an ASP.NET application named App1. You have a hybrid deployment of Azure Active Directory (Azure AD).

You need to recommend a solution to ensure that users sign in by using their Azure AD account and Azure Multi-Factor Authentication (MFA) when they connect to App1 from the internet.

Which three Azure services should you recommend be deployed and configured in sequence? To answer, move the appropriate services from the list of services to the answer area and arrange them in the correct order.

Services

Answer Area

- an internal Azure Load Balancer
- an Azure AD conditional access policy
- Azure AD Application Proxy
- an Azure AD managed identity
- a public Azure Load Balancer
- an Azure AD enterprise application
- an App Service plan



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

AD Application Proxy

AD Enterprise Application AD Conditional access policy

<https://thesleepyadmins.com/2019/02/>

NEW QUESTION 24

- (Exam Topic 5)

You have an Azure subscription. The subscription has a blob container that contains multiple blobs. Ten users in the finance department of your company plan to access the blobs during the month of April. You need to recommend a solution to enable access to the blobs during the month of April only. Which security solution should you include in the recommendation?

- A. shared access signatures (SAS)
- B. access keys
- C. conditional access policies
- D. certificates

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-sas-overview>

This allows for limited-time fine grained access control to resources. So you can generate URL, specify duration (for month of April) and disseminate URL to 10 team members. On May 1, the SAS token is automatically invalidated, denying team members continued access.

NEW QUESTION 27

- (Exam Topic 5)

Your company, named Contoso, Ltd, implements several Azure logic apps that have HTTP triggers: The logic apps provide access to an on-premises web service. Contoso establishes a partnership with another company named Fabrikam, Inc.

Fabrikam does not have an existing Azure Active Directory (Azure AD) tenant and uses third-party OAuth 2.0 identity management to authenticate its users.

Developers at Fabrikam plan to use a subset of the logics apps to build applications that will integrate with the on-premises web service of Contoso.

You need to design a solution to provide the Fabrikam developers with access to the logic apps. The solution must meet the following requirements:

- Requests to the logic apps from the developers must be limited to lower rates than the requests from the users at Contoso.
- The developers must be able to rely on their existing OAuth 2.0 provider to gain access to the logic apps.
- The solution must NOT require changes to the logic apps.
- The solution must NOT use Azure AD guest accounts.

What should you include in the solution?

- A. Azure AD business-to-business (B2B)
- B. Azure Front Door
- C. Azure API Management
- D. Azure AD Application Proxy

Answer: C

Explanation:

API Management helps organizations publish APIs to external, partner, and internal developers to unlock the potential of their data and services.

You can secure API Management using the OAuth 2.0 client credentials flow. Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-key-concepts> <https://docs.microsoft.com/en-us/azure/api-management/api-management-features> <https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-protect-backend-with-aad#ena>

NEW QUESTION 31

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Linux nodes. The solution must meet the following requirements:

- Minimize the time it takes to provision compute resources during scale-out operations.
- Support autoscaling of Linux containers.
- Minimize administrative effort.

Which scaling option should you recommend?

- A. Virtual Kubelet
- B. cluster autoscaler
- C. horizontal pod autoscaler
- D. AKS virtual nodes

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/aks/virtual-nodes>

NEW QUESTION 35

- (Exam Topic 5)

You plan to move a web application named App1 from an on-premises data center to Azure. App1 depends on a custom COM component that is installed on the host server.

You need to recommend a solution to host App1 in Azure. The solution must meet the following requirements:

- App1 must be available to users if an Azure data center becomes unavailable.
- Costs must be minimized.

What should you include in the recommendation?

- A. In two Azure regions, deploy a load balancer and a virtual machine scale set.
- B. In two Azure regions, deploy a Traffic Manager profile and a web app.
- C. In two Azure regions, deploy a load balancer and a web app.
- D. Deploy a load balancer and a virtual machine scale set across two availability zones.

Answer: D

Explanation:

(<https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service#com-and-com-components>)

Azure App Service does not allow the registration of COM components on the platform. If your app makes use of any COM components, these need to be rewritten in managed code and deployed with the site or application. <https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service>

"Azure App Service with Windows Containers If your app cannot be migrated directly to App Service, consider App Service using Windows Containers, which enables usage of the GAC, COM components, MSIs, full access to .NET FX APIs, DirectX, and more."

NEW QUESTION 40

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Windows Server 2019 nodes. The solution must meet the following requirements: Minimize the time it takes to provision compute resources during scale-out operations. Support autoscaling of Windows Server containers.

Which scaling option should you recommend?

- A. cluster autoscaler
- B. horizontal pod autoscaler
- C. Kubernetes version 1.20.2 or newer
- D. Virtual nodes with Virtual Kubelet ACI


Answer: D

Explanation:

Azure Container Instances (ACI) lets you quickly deploy container instances without additional infrastructure overhead. When you connect with AKS, ACI becomes a secured, logical extension of your AKS cluster. The virtual nodes component, which is based on Virtual Kubelet, is installed in your AKS cluster that presents ACI as a virtual Kubernetes node. Kubernetes can then schedule pods that run as ACI instances through virtual nodes, not as pods on VM nodes directly in your AKS cluster.

Your application requires no modification to use virtual nodes. Deployments can scale across AKS and ACI and with no delay as cluster autoscaler deploys new nodes in your AKS cluster.

Diagram Description automatically generated



Note: AKS clusters can scale in one of two ways:

> The cluster autoscaler watches for pods that can't be scheduled on nodes because of resource constraints. The cluster then automatically increases the number of nodes.

> The horizontal pod autoscaler uses the Metrics Server in a Kubernetes cluster to monitor the resource demand of pods. If an application needs more resources, the number of pods is automatically increased to meet the demand.

Reference:

<https://docs.microsoft.com/en-us/azure/aks/concepts-scale5>

NEW QUESTION 43

- (Exam Topic 5)

Your company develops Azure applications.

You need to recommend a solution for the deployment of Azure subscriptions. The solution must meet the following requirements:

What should you include in the recommendation?

- A. Provision resource groups.
- B. Support deployments across all Azure regions.
- C. Create custom role-based access control (RBAC) roles.
- D. Provide consistent virtual machine and virtual network configurations.

Answer: D

Explanation:

> Resource groups: You can scope your deployment to a resource group. You use an Azure Resource Manager template (ARM template) for the deployment.

> Regions: If you have a template spec in one region and want to move it to new region, you can export the template spec and redeploy it.

> RBAC: Azure role-based access control (Azure RBAC) is the authorization system you use to manage access to Azure resources. To grant access, you assign roles to users, groups, service principals, or managed identities at a particular scope. In addition to using Azure PowerShell or the Azure CLI, you can assign roles using Azure Resource Manager templates. Templates can be helpful if you need to deploy resources consistently and repeatedly

> You can setup Virtual machines and virtual network configurations in an Azure Resource Manager template.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/blueprints/overview>

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/microsoft-resources-move-regions> <https://docs.microsoft.com/en-us/azure/role->

based-access-control/role-assignments-template
<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/template-description>

NEW QUESTION 46

- (Exam Topic 5)

You are designing an Azure Cosmos DB solution that will host multiple writable replicas in multiple Azure regions.

You need to recommend the strongest database consistency level for the design. The solution must meet the following requirements:

- > Provide a latency-based Service Level Agreement (SLA) for writes.
- > Support multiple regions.

Which consistency level should you recommend?

- A. bounded staleness
- B. strong
- C. session
- D. consistent prefix

Answer: A

Explanation:

Each level provides availability and performance tradeoffs. The following image shows the different consistency levels as a spectrum. Timeline Description automatically generated



Note: The service offers comprehensive 99.99% SLAs which covers the guarantees for throughput, consistency, availability and latency for the Azure Cosmos DB Database Accounts scoped to a single Azure region configured with any of the five Consistency Levels or Database Accounts spanning multiple Azure regions, configured with any of the four relaxed Consistency Levels.

Reference:

https://azure.microsoft.com/en-us/support/legal/sla/cosmos-db/v1_3/

<https://docs.microsoft.com/en-us/azure/cosmos-db/consistency-levels#consistency-levels-and-latency>

NEW QUESTION 47

- (Exam Topic 5)

You have an Azure subscription named Subscription1 that is linked to a hybrid Azure Active Directory (Azure AD) tenant.

You have an on-premises datacenter that does NOT have a VPN connection to Subscription1. The datacenter contains a computer named Server1 that has Microsoft SQL Server 2016 installed. Server1 is prevented from accessing the internet.

An Azure logic app named LogicApp1 requires write access to a database on Server1.

You need to recommend a solution to provide LogicApp1 with the ability to access Server1.

What should you recommend deploying on-premises and in Azure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

On-premises:

▼
A Web Application Proxy for Windows Server
An Azure AD Application Proxy connector
An On-premises data gateway
Hybrid Connection Manager

Azure:

▼
A connection gateway resource
An Azure Application Gateway
An Azure Event Grid domain
An enterprise application

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: An on-premises data gateway

For logic apps in global, multi-tenant Azure that connect to on-premises SQL Server, you need to have the on-premises data gateway installed on a local computer

and a data gateway resource that's already created in Azure.

Box 2: A connection gateway resource Reference:

<https://docs.microsoft.com/en-us/azure/connectors/connectors-create-api-sqlazure>

NEW QUESTION 50

- (Exam Topic 5)

You plan to store data in Azure Blob storage for many years. The stored data will be accessed rarely.

You need to ensure that the data in Blob storage is always available for immediate access. The solution must minimize storage costs.

Which storage tier should you use?

- A. Cool
- B. Archive
- C. Hot

Answer: A

Explanation:

Azure cool tier is equivalent to the Amazon S3 Infrequent Access (S3-IA) storage in AWS that provides a low cost high performance storage for infrequently access data.

Note: Azure's cool storage tier, also known as Azure cool Blob storage, is for infrequently-accessed data that needs to be stored for a minimum of 30 days.

Typical use cases include backing up data before tiering to archival systems, legal data, media files, system audit information, datasets used for big data analysis and more.

The storage cost for this Azure cold storage tier is lower than that of hot storage tier. Since it is expected that the data stored in this tier will be accessed less frequently, the data access charges are high when compared to hot tier. There are no additional changes required in your applications as these tiers can be accessed using APIs in the same manner that you access Azure storage.

References:

<https://cloud.netapp.com/blog/low-cost-storage-options-on-azure>

NEW QUESTION 54

- (Exam Topic 5)

You have an Azure subscription.

Your on-premises network contains a file server named Server1. Server 1 stores 5 TB of company files that are accessed rarely.

You plan to copy the files to Azure Storage.

You need to implement a storage solution for the files that meets the following requirements:

- The files must be available within 24 hours of being requested.
- Storage costs must be minimized.

Which two possible storage solutions achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Create a general-purpose v1 storage account
- B. Create a blob container and copy the files to the blob container.
- C. Create a general-purpose v2 storage account that is configured for the Hot default access tier
- D. Create a blob container, copy the files to the blob container, and set each file to the Archive access tier.
- E. Create a general-purpose v1 storage account
- F. Create a file share in the storage account and copy the files to the file share.
- G. Create a general-purpose v2 storage account that is configured for the Cool default access tier
- H. Create a file share in the storage account and copy the files to the file share.
- I. Create an Azure Blob storage account that is configured for the Cool default access tier
- J. Create a blob container, copy the files to the blob container, and set each file to the Archive access tier.

Answer: BE

Explanation:

<https://docs.microsoft.com/en-us/azure/storage/blobs/manage-access-tier?tabs=portal>

NEW QUESTION 55

- (Exam Topic 5)

You are designing a SQL database solution. The solution will include 20 databases that will be 20 GB each and have varying usage patterns. You need to recommend a database platform to host the databases. The solution must meet the following requirements:

- The compute resources allocated to the databases must scale dynamically.
- The solution must meet an SLA of 99.99% uptime.
- The solution must have reserved capacity.
- Compute charges must be minimized.

What should you include in the recommendation?

- A. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine
- B. 20 instances of Azure SQL Database serverless
- C. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine in an availability set
- D. an elastic pool that contains 20 Azure SQL databases

Answer: D

Explanation:

Azure SQL Database elastic pools are a simple, cost-effective solution for managing and scaling multiple databases that have varying and unpredictable usage demands. The databases in an elastic pool are on a single server and share a set number of resources at a set price. Elastic pools in Azure SQL Database enable SaaS developers to optimize the price performance for a group of databases within a prescribed budget while delivering performance elasticity for each database. Guaranteed 99.995 percent uptime for SQL Database Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/elastic-pool-overview> <https://azure.microsoft.com/en-us/pricing/details/sql-database/elastic/>

<https://www.azure.cn/en-us/support/sla/virtual-machines/>

<https://techcommunity.microsoft.com/t5/azure-sql/optimize-price-performance-with-compute-auto-scaling-in-az>

NEW QUESTION 59

- (Exam Topic 5)

You plan to deploy a network-intensive application to several Azure virtual machines. You need to recommend a solution that meets the following requirements:

- > Minimizes the use of the virtual machine processors to transfer data
- > Minimizes network latency

Which virtual machine size and feature should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Virtual machine size: ▼

Compute optimized Standard_F8s
General purpose Standard_B8ms
High performance compute Standard_H16r
Memory optimized Standard_E16s_v3

Feature: ▼

Receive side scaling (RSS)
Remote Direct Memory Access (RDMA)
Single root I/O virtualization (SR-IOV)
Virtual Machine Multi-Queue (VMMQ)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/sizes-hpc#h-series>

NEW QUESTION 64

- (Exam Topic 5)

You have 100 servers that run Windows Server 2012 R2 and host Microsoft SQL Server 2012 R2 instances. The instances host databases that have the following characteristics:

- > The largest database is currently 3 TB. None of the databases will ever exceed 4 TB.
- > Stored procedures are implemented by using CLR.

You plan to move all the data from SQL Server to Azure.

You need to recommend an Azure service to host the databases. The solution must meet the following requirements:

- > Whenever possible, minimize management overhead for the migrated databases.
- > Minimize the number of database changes required to facilitate the migration.
- > Ensure that users can authenticate by using their Active Directory credentials.

What should you include in the recommendation?

- A. Azure SQL Database single databases
- B. Azure SQL Database Managed Instance
- C. Azure SQL Database elastic pools
- D. SQL Server 2016 on Azure virtual machines

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-managed-instance>

SQL Managed Instance allows existing SQL Server customers to lift and shift their on-premises applications to the cloud with minimal application and database changes. At the same time, SQL Managed Instance preserves all PaaS capabilities (automatic patching and version updates, automated backups, high availability) that drastically reduce management overhead and TCO.

<https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/transact-sql-tsql-differences-sql-server#clr> <https://docs.microsoft.com/en-gb/azure/azure-sql/database/transact-sql-tsql-differences-sql-server#transact-sql-s>

NEW QUESTION 65

- (Exam Topic 5)

You are designing an Azure web app.

You plan to deploy the web app to the North Europe Azure region and the West Europe Azure region. You need to recommend a solution for the web app. The solution must meet the following requirements:

- > Users must always access the web app from the North Europe region, unless the region fails.
- > The web app must be available to users if an Azure region is unavailable.
- > Deployment costs must be minimized.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Request routing method:

▼
A Traffic Manager profile
Azure Application Gateway
Azure Load Balancer

Request routing configuration:

▼
Cookie-based session affinity
Performance traffic routing
Priority traffic routing
Weighted traffic routing

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated
<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-routing-methods#priority-traffic-routing>

NEW QUESTION 69

- (Exam Topic 5)

The developers at your company are building a containerized Python Django app. You need to recommend platform to host the app. The solution must meet the following requirements:

- > Support autoscaling.
- > Support continuous deployment from an Azure Container Registry.
- > Provide built-in functionality to authenticate app users by using Azure Active Directory (Azure AD). Which platform should you include in the recommendation?

- A. Azure Container instances
- B. an Azure App Service instance that uses containers
- C. Azure Kubernetes Service (AKS)

Answer: C

Explanation:

To keep up with application demands in Azure Kubernetes Service (AKS), you may need to adjust the number of nodes that run your workloads. The cluster autoscaler component can watch for pods in your cluster that can't be scheduled because of resource constraints. When issues are detected, the number of nodes in a node pool is increased to meet the application demand.

Azure Container Registry is a private registry for hosting container images. It integrates well with orchestrators like Azure Container Service, including Docker Swarm, DC/OS, and the new Azure Kubernetes service.

Moreover, ACR provides capabilities such as Azure Active Directory-based authentication, webhook support, and delete operations.

Reference:

<https://docs.microsoft.com/en-us/azure/aks/cluster-autoscaler>

[https://medium.com/velotio-perspectives/continuous-deployment-with-azure-kubernetes-service-azurecontainer- registry-jenkins-ca337940151b](https://medium.com/velotio-perspectives/continuous-deployment-with-azure-kubernetes-service-azurecontainer-registry-jenkins-ca337940151b)

NEW QUESTION 72

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Windows Server 2019 nodes. The solution must meet the following requirements:

- Minimize the time it takes to provision compute resources during scale-out operations.
- Support autoscaling of Windows Server containers. Which scaling option should you recommend?

- A. horizontal pod autoscaler
- B. Kubernetes version 1.20.2 or newer
- C. cluster autoscaler
- D. Virtual nodes
- E. with Virtual Kubelet ACI

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/azure/aks/cluster-autoscaler#about-the-cluster-autoscaler>

NEW QUESTION 74

- (Exam Topic 5)

You have an app named App1 that uses two on-premises Microsoft SQL Server databases named DB1 and DB2. You plan to migrate DB1 and DB2 to Azure.

You need to recommend an Azure solution to host DB1 and DB2. The solution must meet the following requirements:

- Support server-side transactions across DB1 and DB2.
- Minimize administrative effort to update the solution. What should you recommend?

- A. two SQL Server databases on an Azure virtual machine
- B. two Azure SQL databases on different Azure SQL Database servers
- C. two Azure SQL databases in an elastic pool
- D. two Azure SQL databases on the same Azure SQL Database managed instance

Answer: A

Explanation:

When both the database management system and client are under the same ownership (e.g. when SQL Server is deployed to a virtual machine), transactions are available and the lock duration can be controlled. Reference: <https://docs.particular.net/nservicebus/azure/understanding-transactionality-in-azure>

NEW QUESTION 79

- (Exam Topic 5)

You have .NET web service named service1 that has the following requirements.

- > Must read and write to the local file system.
- > Must write to the Windows Application event log.

You need to recommend a solution to host Service1 in Azure . The solution must meet the following requirements:

- > Minimize maintenance overhead.
- > Minimize costs.

What should you include in the recommendation?

- A. an Azure App Service web app
- B. an Azure virtual machine scale set
- C. an App Service Environment (ASE)
- D. an Azure Functions app

Answer: A

Explanation:

<https://social.msdn.microsoft.com/Forums/vstudio/en-US/294b9e3e-e89c-4095-b8d0-ee1646e77268/writing-to-l>

NEW QUESTION 84

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant.

You plan to use Azure Monitor to monitor user sign-ins and generate alerts based on specific user sign-in events.

You need to recommend a solution to trigger the alerts based on the events.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Send Azure AD logs to:

An Azure event hub
An Azure Log Analytics workspace
An Azure Storage account

Signal type to use for triggering the alerts:

Activity log
Log
Metric

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: An Azure Log Analytics workspace

To be able to create an alert we send the Azure AD logs to An Azure Log Analytics workspace.

Note: You can forward your AAD logs and events to either an Azure Storage Account, an Azure Event Hub, Log Analytics, or a combination of all of these.

Box 2: Log

Ensure Resource Type is an analytics source like Log Analytics or Application Insights and signal type as Log.

Reference:

<https://4sysops.com/archives/how-to-create-an-azure-ad-admin-login-alert/> <https://docs.microsoft.com/en-us/azure/azure-monitor/platform/alerts-log>

NEW QUESTION 88

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant that syncs with an on-premises Active Directory domain.

Your company has a line-of-business (LOB) application that was developed internally.

You need to implement SAML single sign-on (SSO) and enforce multi-factor authentication (MFA) when users attempt to access the application from an unknown location.

Which two features should you include in the solution? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Azure AD enterprise applications
- B. Azure AD Identity Protection
- C. Azure Application Gateway
- D. Conditional Access policies
- E. Azure AD Privileged Identity Management (PIM)

Answer: AD

NEW QUESTION 92

- (Exam Topic 5)

You plan to deploy an app that will use an Azure Storage account.

You need to deploy the storage account. The solution must meet the following requirements:

- Store the data of multiple users.
- Encrypt each user's data by using a separate key.
- Encrypt all the data in the storage account by using Microsoft keys or customer-managed keys. What should you deploy?

- A. files in a general purpose v2 storage account.
- B. blobs in an Azure Data Lake Storage Gen2 account.
- C. files in a premium file share storage account.
- D. blobs in a general purpose v2 storage account

Answer: B

NEW QUESTION 93

- (Exam Topic 5)

You plan to create an Azure Storage account that will host file shares. The shares will be accessed from on-premises applications that are transaction-intensive. You need to recommend a solution to minimize latency when accessing the file shares. The solution must provide the highest-level of resiliency for the selected storage tier.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Storage tier:

Hot

Premium

Transaction optimized

Resiliency:

Geo-redundant storage (GRS)

Zone-redundant storage (ZRS)

Locally-redundant storage (LRS)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Premium

Premium: Premium file shares are backed by solid-state drives (SSDs) and provide consistent high performance and low latency, within single-digit milliseconds for most IO operations, for IO-intensive workloads.

Box 2: Zone-redundant storage (ZRS):

Premium Azure file shares only support LRS and ZRS.

Zone-redundant storage (ZRS): With ZRS, three copies of each file stored, however these copies are physically isolated in three distinct storage clusters in different Azure availability zones.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-planning>

NEW QUESTION 94

- (Exam Topic 5)

You manage a database environment for a Microsoft Volume Licensing customer named Contoso, Ltd. Contoso uses License Mobility through Software Assurance.

You need to deploy 50 databases. The solution must meet the following requirements:

- > Support automatic scaling.
- > Minimize Microsoft SQL Server licensing costs.

What should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Purchase model:

DTU

vCore

Azure reserved virtual machine instances

Deployment option:

An Azure SQL managed instance

An Azure SQL Database elastic pool

A SQL Server Always On availability group

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text, table Description automatically generated

Box 1: vCore

Virtual core (vCore)-based purchasing model (recommended). This purchasing model provides a choice between a provisioned compute tier and a serverless compute tier. With the provisioned compute tier, you choose the exact amount of compute resources that are always provisioned for your workload. With the serverless compute tier, you specify the autoscaling of the compute resources over a configurable compute range

Box 2: An Azure SQL Database Elastic pool

Azure SQL Database provides the following deployment options for a database:

- > Single database represents a fully managed, isolated database.
- > Elastic pool is a collection of single databases with a shared set of resources, such as CPU or memory. Single databases can be moved into and out of an elastic pool.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/purchasing-models>

NEW QUESTION 95

- (Exam Topic 5)

You have an Azure subscription that contains a Basic Azure virtual WAN named VirtualWAN1 and the virtual hubs shown in the following table.

Name	Azure region
Hub1	US East
Hub2	US West

You have an ExpressRoute circuit in the US East region.

You need to create an ExpressRoute association to VirtualWAN1. What should you do first?

- A. Upgrade VirtualWAN1 to Standard.
- B. Create a gateway on Hub1.
- C. Create a hub virtual network in US East.
- D. Enable the ExpressRoute premium add-on.

Answer: A

Explanation:

US East and US West are in the same geopolitical region so there is no need for enabling ExpressRoute premium add-on <https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about#basicstandard>

The current config of virtual WAN is only Basic as given, so it can connect to only site to site VPN, to connect to express route it needs to be upgraded from basic to standard.

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

NEW QUESTION 100

- (Exam Topic 5)

You are designing a microservices architecture that will support a web application. The solution must meet the following requirements:

- > Allow independent upgrades to each microservice
- > Deploy the solution on-premises and to Azure
- > Set policies for performing automatic repairs to the microservices
- > Support low-latency and hyper-scale operations

You need to recommend a technology. What should you recommend?

- A. Azure Service Fabric
- B. Azure Container Service
- C. Azure Container Instance
- D. Azure Virtual Machine Scale Set

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/service-fabric/service-fabric-overview>

NEW QUESTION 105

- (Exam Topic 5)

You plan to create an Azure environment that will contain a root management group and 10 child management groups. Each child management group will contain five Azure subscriptions. You plan to have between 10 and 30 resource groups in each subscription.

You need to design an Azure governance solution. The solution must meet the following requirements:

- Use Azure Blueprints to control governance across all the subscriptions and resource groups.
- Ensure that Blueprints-based configurations are consistent across all the subscriptions and resource groups.
- Minimize the number of blueprint definitions and assignments.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Level at which to define the blueprints:

The child management groups

The root management group

The subscriptions

Level at which to create the blueprint assignments:

The child management groups

The root management group

The subscriptions

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1. Root management group
- * 2. The subscriptions

Reference: <https://docs.microsoft.com/en-us/azure/governance/blueprints/create-blueprint-portal> Assign a blueprint After a blueprint has been published, it can be assigned to a subscription. Assign the blueprint that you created to one of the subscriptions under your management group hierarchy. If the blueprint is saved to a subscription, it can only be assigned to that subscription.

NEW QUESTION 106

- (Exam Topic 5)

You have an app that generates 50,000 events daily.

You plan to Stream the events to an Azure event hub and use Event Hubs Capture to implement cold path processing Of the events Output Of Event Hubs Capture will be consumed by a reporting system.

You need to identify which type of Azure storage must be provisioned to support Event Hubs Capture, and which inbound data format the reporting system must support.

What should you identify? To answer. select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Storage type:

Azure Data Lake Storage Gen2

Premium block blobs

Premium file shares

Data format:

Apache Parquet

Avro

JSON

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Storage type:

Azure Data Lake Storage Gen2

Premium block blobs

Premium file shares

Data format:

Apache Parquet

Avro

JSON

NEW QUESTION 111

- (Exam Topic 5)

You have an on-premises file server that stores 2 TB of data files.

You plan to move the data files to Azure Blob storage in the Central Europe region.

You need to recommend a storage account type to store the data files and a replication solution for the storage account. The solution must meet the following requirements:

- > Be available if a single Azure datacenter fails.
- > Support storage tiers.
- > Minimize cost.

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Account type:

	▼
Blob storage	
Storage (general purpose v1)	
StorageV2 (general purpose v2)	

Replication solution:

	▼
Geo-redundant storage (GRS)	
Zone-redundant storage (ZRS)	
Locally-redundant storage (LRS)	
Read-access geo-redundant storage (RA-GRS)	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Account Type: StorageV2

Replication solution: Zone-redundant storage (ZRS)

NEW QUESTION 114

- (Exam Topic 5)

You plan to automate the deployment of resources to Azure subscriptions.

What is a difference between using Azure Blueprints and Azure Resource Manager templates?

- A. Azure Resource Manager templates remain connected to the deployed resources.
- B. Only Azure Resource Manager templates can contain policy definitions.
- C. Azure Blueprints remain connected to the deployed resources.
- D. Only Azure Blueprints can contain policy definitions.

Answer: C

Explanation:

With Azure Blueprints, the relationship between the blueprint definition (what should be deployed) and the blueprint assignment (what was deployed) is preserved. This connection supports improved tracking and auditing of deployments. Azure Blueprints can also upgrade several subscriptions at once that are governed by the same blueprint.

Reference:

<https://docs.microsoft.com/en-us/answers/questions/26851/how-is-azure-blue-prints-different-from-resource-m.h>

NEW QUESTION 119

- (Exam Topic 5)

You have an Azure subscription that contains a virtual network named VNET1 and 10 virtual machines. The virtual machines are connected to VNET1.

You need to design a solution to manage the virtual machines from the internet. The solution must meet the following requirements:

- Incoming connections to the virtual machines must be authenticated by using Azure Multi-Factor Authentication (MFA) before network connectivity is allowed.
- Incoming connections must use TLS and connect to TCP port 443.
- The solution must support RDP and SSH.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To provide access to virtual machines on VNET1, use:

Azure Bastion Just-in-time (JIT) VM access Azure Web Application Firewall (WAF) in Azure Front Door

To enforce Azure MFA, use:

An Azure Identity Governance access package A Conditional Access policy that has the Cloud apps assignment set to Azure Windows VM Sign-In A Conditional Access policy that has the Cloud apps assignment set to Microsoft Azure Management

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

To provide access to virtual machines on VNET1, use:

- Azure Bastion
- Just-in-time (JIT) VM access
- Azure Web Application Firewall (WAF) in Azure Front Door

To enforce Azure MFA, use:

- An Azure Identity Governance access package
- A Conditional Access policy that has the Cloud apps assignment set to Azure Windows VM Sign-In
- A Conditional Access policy that has the Cloud apps assignment set to Microsoft Azure Management

NEW QUESTION 122

- (Exam Topic 5)

You are designing an Azure governance solution.

All Azure resources must be easily identifiable based on the following operational information environment, owner, department and cost center

You need to ensure that you can use the operational information when you generate reports for the Azure resources.

What should you include in the solution?

- A. Azure Active Directory (Azure AD) administrative units
- B. an Azure data catalog that uses the Azure REST API as a data source
- C. an Azure policy that enforces tagging rules
- D. an Azure management group that uses parent groups to create a hierarchy

Answer: C

Explanation:

You use Azure Policy to enforce tagging rules and conventions. By creating a policy, you avoid the scenario of resources being deployed to your subscription that don't have the expected tags for your organization. Instead of manually applying tags or searching for resources that aren't compliant, you create a policy that automatically applies the needed tags during deployment.

Note: Organizing cloud-based resources is a crucial task for IT, unless you only have simple deployments. Use naming and tagging standards to organize your resources for these reasons:

Resource management: Your IT teams will need to quickly locate resources associated with specific workloads, environments, ownership groups, or other important information. Organizing resources is critical to assigning organizational roles and access permissions for resource management.

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/decision-guides/resource-tagging> <https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/tag-policies>

NEW QUESTION 127

- (Exam Topic 5)

You deploy two instances of an Azure web app. One instance is in the East US Azure region and the other instance is in the West US Azure region. The web app uses Azure Blob storage to deliver large files to end users.

You need to recommend a solution for delivering the files to the users. The solution must meet the following requirements:

- > Ensure that the users receive files from the same region as the web app that they access.
- > Ensure that the files only need to be updated once.
- > Minimize costs.

What should you include in the recommendation?

- A. Azure File Sync
- B. Distributed File System (DFS)
- C. read-access geo-redundant storage (RA-GRS)
- D. geo-redundant storage (GRS)

Answer: C

NEW QUESTION 132

- (Exam Topic 5)

You have SQL Server on an Azure virtual machine. The databases are written to nightly as part of a batch process.

You need to recommend a disaster recovery solution for the data. The solution must meet the following requirements:

- > Provide the ability to recover in the event of a regional outage.
- > Support a recovery time objective (RTO) of 15 minutes.
- > Support a recovery point objective (RPO) of 24 hours.
- > Support automated recovery.
- > Minimize costs.

What should you include in the recommendation?

- A. Azure virtual machine availability sets
- B. Azure Disk Backup
- C. an Always On availability group

D. Azure Site Recovery

Answer: D

Explanation:

Replication with Azure Site Recover:

- > RTO is typically less than 15 minutes.
- > RPO: One hour for application consistency and five minutes for crash consistency. Reference: <https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-sql>

NEW QUESTION 133

- (Exam Topic 5)

You have an Azure subscription that contains an Azure SQL database.

You are evaluating whether to use Azure reservations on the Azure SQL database. Which tool should you use to estimate the potential savings?

- A. The Purchase reservations blade in the Azure portal
- B. The Advisor blade in the Azure portal
- C. The SQL database blade in the Azure portal

Answer: A

Explanation:

Buy reserved capacity

- > Sign in to the Azure portal.
 - > Select All services > Reservations.
 - > Select Add and then in the Purchase Reservations pane, select SQL Database to purchase a new reservation for SQL Database.
 - > Fill in the required fields. Existing databases in SQL Database and SQL Managed Instance that match the attributes you select qualify to get the reserved capacity discount. The actual number of databases or managed instances that get the discount depends on the scope and quantity selected.
- Graphical user interface, text Description automatically generated

Select the product you want to purchase

SQL Reserved vCores provide a significant discount over pay-as-you-go prices by allowing you to pre-pay for the future use of compute capacity for your Azure SQL Database (PaaS) deployments. Additional software costs will still apply. For SQL Server on Azure VMs (IaaS), purchase Reserved Virtual Machines instances. [Learn More](#)

* Scope: Single resource group | * Subscription: Finance App - Test | * Resource Group: cloud-shell-storage-westus

Filter by name: [] | Region: West US 2 | Term: One Year | Add Filter | Reset filters

PERFORMANCE TIER	REGION	TERM	DEPLOYMENT TYPE
SQL Database Managed Instance Business Critical - Compute Gen4	West US 2	One Year	SQL Database Managed Instance
SQL Database Managed Instance Business Critical - Compute Gen5	West US 2	One Year	SQL Database Managed Instance
SQL Database Managed Instance General Purpose - Compute Gen4	West US 2	One Year	SQL Database Managed Instance
SQL Database Managed Instance General Purpose - Compute Gen5	West US 2	One Year	SQL Database Managed Instance
SQL Database Single/Elastic Pool Business Critical - Compute Gen4	West US 2	One Year	SQL Database Single/Elastic Pool
SQL Database Single/Elastic Pool Business Critical - Compute Gen5	West US 2	One Year	SQL Database Single/Elastic Pool
SQL Database Single/Elastic Pool General Purpose - Compute Gen4	West US 2	One Year	SQL Database Single/Elastic Pool
SQL Database Single/Elastic Pool General Purpose - Compute Gen5	West US 2	One Year	SQL Database Single/Elastic Pool

Select | Cancel

Price per unit: <UnitPrice>
34% Estimated savings

- > Review the cost of the capacity reservation in the Costs section. Select Purchase.
- > Select View this Reservation to see the status of your purchase.
- > Reference: <https://docs.microsoft.com/en-us/azure/azure-sql/database/reserved-capacity-overview>

NEW QUESTION 135

- (Exam Topic 5)

You are designing a virtual machine that will run Microsoft SQL Server and will contain two data disks. The first data disk will store log files, and the second data disk will store data. Both disks are P40 managed disks.

You need to recommend a caching policy for each disk. The policy must provide the best overall performance for the virtual machine.

Which caching policy should you recommend for each disk? To answer, drag the appropriate policies to the correct disks. Each policy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Policies

None

ReadOnly

ReadWrite

Answer Area

⏪ Log: Policy

⏩ Data: Policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/sql/virtual-machines-windows-sql-performan>

NEW QUESTION 138

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.

You need to recommend a solution to meet the regulatory requirement.

Solution: You recommend using the Regulatory compliance dashboard in Azure Security Center. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The Regulatory compliance dashboard in Azure Security Center is not used for regional compliance.

Note: Instead Azure Resource Policy Definitions can be used which can be applied to a specific Resource Group with the App Service instances.

Note 2: In the Azure Security Center regulatory compliance blade, you can get an overview of key portions of your compliance posture with respect to a set of supported standards. Currently supported standards are Azure CIS, PCI DSS 3.2, ISO 27001, and SOC TSP.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

<https://azure.microsoft.com/en-us/blog/regulatory-compliance-dashboard-in-azure-security-center-now-available>

NEW QUESTION 143

- (Exam Topic 5)

You have data files in Azure Blob Storage.

You plan to transform the files and move them to Azure Data Lake Storage. You need to transform the data by using mapping data flow.

Which service should you use?

- A. Azure Data Box Gateway
- B. Azure Databricks
- C. Azure Data Factory
- D. Azure Storage Sync

Answer: C

Explanation:

You can use Copy Activity in Azure Data Factory to copy data from and to Azure Data Lake Storage Gen2, and use Data Flow to transform data in Azure Data Lake Storage Gen2.

Reference:

<https://docs.microsoft.com/en-us/azure/data-factory/connector-azure-data-lake-storage>

NEW QUESTION 148

- (Exam Topic 5)

You have an on-premises network and an Azure subscription. The on-premises network has several branch offices.

A branch office in Toronto contains a virtual machine named VM1 that is configured as a file server. Users access the shared files on VM1 from all the offices.

You need to recommend a solution to ensure that the users can access the shares files as quickly as possible if the Toronto branch office is inaccessible.

What should you include in the recommendation?

- A. a Recovery Services vault and Azure Backup
- B. an Azure file share and Azure File Sync
- C. Azure blob containers and Azure File Sync

D. a Recovery Services vault and Windows Server Backup

Answer: B

Explanation:

Use Azure File Sync to centralize your organization's file shares in Azure Files, while keeping the flexibility, performance, and compatibility of an on-premises file server. Azure File Sync transforms Windows Server into a quick cache of your Azure file share.

You need an Azure file share in the same region that you want to deploy Azure File Sync.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-deployment-guide>

NEW QUESTION 151

- (Exam Topic 5)

You are planning an Azure Storage solution for sensitive data. The data will be accessed daily. The data set is less than 10 GB.

You need to recommend a storage solution that meets the following requirements:

- All the data written to storage must be retained for five years.
- Once the data is written, the data can only be read. Modifications and deletion must be prevented.
- After five years, the data can be deleted, but never modified.
- Data access charges must be minimized

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Storage account type:

Configuration to prevent modifications and deletions:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: General purpose v2 with Archive access tier for blobs

Archive - Optimized for storing data that is rarely accessed and stored for at least 180 days with flexible latency requirements, on the order of hours.

Cool - Optimized for storing data that is infrequently accessed and stored for at least 30 days. Hot - Optimized for storing data that is accessed frequently.

Box 2: Storage account resource lock

As an administrator, you can lock a subscription, resource group, or resource to prevent other users in your organization from accidentally deleting or modifying critical resources. The lock overrides any permissions the user might have.

Note: You can set the lock level to CanNotDelete or ReadOnly. In the portal, the locks are called Delete and Read-only respectively.

- > CanNotDelete means authorized users can still read and modify a resource, but they can't delete the resource.
- > ReadOnly means authorized users can read a resource, but they can't delete or update the resource.

Applying this lock is similar to restricting all authorized users to the permissions granted by the Reader role.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

NEW QUESTION 152

- (Exam Topic 5)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Kind	Location
storage1	Azure Storage account	Storage	East US
storage2	Azure Storage account	StorageV2	East US
Workspace1	Azure Log Analytics workspace	Not applicable	East US
Workspace2	Azure Log Analytics workspace	Not applicable	East US
Hub1	Azure event hub	Not applicable	East US

You create an Azure SQL database named DB1 that is hosted in the East US region.

To DB1, you add a diagnostic setting named Settings1. Settings1 archives SQLInsights to storage1 and sends SQLInsights to Workspace1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can add a new diagnostic setting that archives SQLInsights logs to storage2.	<input type="radio"/>	<input type="radio"/>
You can add a new diagnostic setting that sends SQLInsights logs to Workspace2.	<input type="radio"/>	<input type="radio"/>
You can add a new diagnostic setting that sends SQLInsights logs to Hub1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- Box 1: Yes
- Box 2: Yes
- Box 3: Yes

For more information on Azure SQL diagnostics , you can visit the below link

<https://docs.microsoft.com/en-us/azure/azure-sql/database/metrics-diagnostic-telemetry-logging-streaming-expo>

NEW QUESTION 153

- (Exam Topic 5)

You are designing a SQL database solution. The solution will include 20 databases that will be 20 GB each and have varying usage patterns. You need to recommend a database platform to host the databases. The solution must meet the following requirements:

- The compute resources allocated to the databases must scale dynamically.
- The solution must meet an SLA of 99.99% uptime.
- The solution must have reserved capacity.
- Compute charges must be minimized.

What should you include in the recommendation?

- A. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine
- B. 20 instances of Azure SQL Database serverless
- C. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine in an availability set
- D. an elastic pool that contains 20 Azure SQL databases

Answer: D

Explanation:

Azure SQL Database elastic pools are a simple, cost-effective solution for managing and scaling multiple databases that have varying and unpredictable usage demands. The databases in an elastic pool are on a single server and share a set number of resources at a set price. Elastic pools in Azure SQL Database enable SaaS developers to optimize the price performance for a group of databases within a prescribed budget while delivering performance elasticity for each database.

Guaranteed 99.995 percent uptime for SQL Database Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/elastic-pool-overview> <https://azure.microsoft.com/en-us/pricing/details/sql-database/elastic/>

<https://www.azure.cn/en-us/support/sla/virtual-machines/>

<https://techcommunity.microsoft.com/t5/azure-sql/optimize-price-performance-with-compute-auto-scaling-in-az>

NEW QUESTION 158

- (Exam Topic 5)

Your organization has developed and deployed several Azure App Service Web and API applications. The

applications use Azure Key Vault to store several authentication, storage account, and data encryption keys. Several departments have the following requests to support the applications:

Department	Request
Security	<ul style="list-style-type: none"> • Review membership of administrative roles and require to provide a justification for continued membership • Get alerts about changes in administrator assignments. • See a history of administrator activation, including which changes administrators made to Azure resources.
Development	<ul style="list-style-type: none"> • Enable the applications to access Azure Key Vault and retrieve keys for use in code.
Quality Assurance	<ul style="list-style-type: none"> • Receive temporary administrator access to create and configure additional Web and API applications in the test environment.

You need to recommend the appropriate Azure service for each department request.

What should you recommend? To answer, configure the appropriate options in the dialog box in the answer area.

NOTE: Each correct selection is worth one point.

Department

Azure Service

Security

▼
Azure AD Privileged Identity Management
Azure AD Managed Service Identity
Azure AD Connect
Azure AD Identity Protection

Development

▼
Azure AD Privileged Identity Management
Azure AD Managed Service Identity
Azure AD Connect
Azure AD Identity Protection

Quality Assurance

▼
Azure AD Privileged Identity Management
Azure AD Managed Service Identity
Azure AD Connect
Azure AD Identity Protection

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated with medium confidence
<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 160

- (Exam Topic 5)

You are designing an application that will aggregate content for users.

You need to recommend a database solution for the application. The solution must meet the following requirements:

- Support SQL commands.
- Support multi-master writes.
- Guarantee low latency read operations. What should you include in the recommendation?

- A. Azure Cosmos DB SQL API
- B. Azure SQL Database that uses active geo-replication
- C. Azure SQL Database Hyperscale
- D. Azure Database for PostgreSQL

Answer: A

Explanation:

With Cosmos DB's novel multi-region (multi-master) writes replication protocol, every region supports both writes and reads. The multi-region writes capability also enables:

Unlimited elastic write and read scalability.

* 99.999% read and write availability all around the world.

Guaranteed reads and writes served in less than 10 milliseconds at the 99th percentile. Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/distribute-data-globally>

NEW QUESTION 161

- (Exam Topic 5)

You configure OAuth2 authorization in API Management as shown in the following exhibit.

Add OAuth2 service
×

API Management service

Display name *

Id * ⓘ

Description

Authorization server description

Client registration page URL *

Authorization grant types

Authorization code

Implicit

Resource owner password

Client credentials

Authorization endpoint URL *

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

The selected authorization grant type is for [answer choice].

To enable custom data in the grant flow, select [answer choice].

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Web applications

The Authorization Code Grant Type is used by both web apps and native apps to get an access token after a user authorizes an app.

Note: The Authorization Code grant type is used by confidential and public clients to exchange an authorization code for an access token.

After the user returns to the client via the redirect URL, the application will get the authorization code from the URL and use it to request an access token.

Reference:

<https://developer.okta.com/blog/2018/04/10/oauth-authorization-code-grant-type> <https://connect2id.com/products/server/docs/guides/client-registration>

NEW QUESTION 163

- (Exam Topic 5)

You have an Azure subscription.

You need to recommend a solution to provide developers with the ability to provision Azure virtual machines. The solution must meet the following requirements:

- Only allow the creation of the virtual machines in specific regions.
- Only allow the creation of specific sizes of virtual machines. What should you include in the recommendation?

- A. Conditional Access policies

- B. role-based access control (RBAC)
- C. Azure Resource Manager (ARM) templates
- D. Azure Policy

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/governance/policy/tutorials/create-and-manage> <https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/manage/azure-server-management/common>

NEW QUESTION 167

- (Exam Topic 5)

You plan provision a High Performance Computing (HPC) cluster in Azure that will use a third-party scheduler. You need to recommend a solution to provision and manage the HPC cluster node. What should you include in the recommendation?

- A. Azure Lighthouse
- B. Azure CycleCloud
- C. Azure Purview
- D. Azure Automation

Answer: B

Explanation:

You can dynamically provision Azure HPC clusters with Azure CycleCloud. Azure CycleCloud is the simplest way to manage HPC workloads. Note: Azure CycleCloud is an enterprise-friendly tool for orchestrating and managing High Performance Computing (HPC) environments on Azure. With CycleCloud, users can provision infrastructure for HPC systems, deploy familiar HPC schedulers, and automatically scale the infrastructure to run jobs efficiently at any scale. Through CycleCloud, users can create different types of file systems and mount them to the compute cluster nodes to support HPC workloads. Reference: <https://docs.microsoft.com/en-us/azure/cyclecloud/overview>

NEW QUESTION 169

- (Exam Topic 5)

Your company has an on-premises Hyper-V cluster that contains 20 virtual machines. Some of the virtual machines are based on Windows and some in Linux. You have to migrate the virtual machines onto Azure. You have to recommend a solution that would be used to replicate the disks of the virtual machines to Azure. The solution needs to ensure that the virtual machines remain available when the migration of the disks is in progress. You decide to create an Azure storage account and then run AzCopy Would this fulfill the requirement?

- A. Yes
- B. No

Answer: B

NEW QUESTION 173

- (Exam Topic 5)

Your company has an Azure Web App that runs via the Premium App Service Plan. A development team will be using the Azure Web App. You have to configure the Azure Web app so that it can fulfil the below requirements.
Provide the ability to switch the web app from the current version to a newer version
Provide developers with the ability to test newer versions of the application before the switch to the newer version occurs
Ensure that the application version can be rolled back Minimize downtime
Which of the following can be used for this requirement?

- A. Create a new App Service Plan
- B. Make use of deployment slots
- C. Map a custom domain
- D. Backup the Azure Web App

Answer: B

NEW QUESTION 175

- (Exam Topic 5)

You are planning an Azure solution that will host production databases for a high-performance application. The solution will include the following components:
➤ Two virtual machines that will run Microsoft SQL Server 2016, will be deployed to different data centers in the same Azure region, and will be part of an Always On availability group.
➤ SQL Server data that will be backed up by using the Automated Backup feature of the SQL Server IaaS Agent Extension (SQLIaaSExtension)
You identify the storage priorities for various data types as shown in the following table.

Data type	Storage priority
Operating system	Speed and availability
Databases and logs	Speed and availability
Backups	Lowest cost

Which storage type should you recommend for each data type? To answer, drag the appropriate storage types to the correct data types. Each storage type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Storage Types

Answer Area

A geo-redundant storage (GRS) account

A locally-redundant storage (LRS) account

A premium managed disk

A standard managed disk

Operating system:

Databases and logs:

Backups:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 178

- (Exam Topic 5)

You plan to deploy 10 applications to Azure. The applications will be deployed to two Azure Kubernetes Service (AKS) clusters. Each cluster will be deployed to a separate Azure region.

The application deployment must meet the following requirements:

- Ensure that the applications remain available if a single AKS cluster fails.
- Ensure that the connection traffic over the internet is encrypted by using SSL without having to configure SSL on each container.

Which service should you include in the recommendation?

- A. AKS ingress controller
- B. Azure Traffic Manager
- C. Azure Front Door
- D. Azure Load Balancer

Answer: C

Explanation:

"Azure Front Door, which focuses on global load-balancing and site acceleration, and Azure CDN Standard, which offers static content caching and acceleration. The new Azure Front Door brings together security with CDN technology for a cloud-based CDN with threat protection and additional capabilities. "

NEW QUESTION 181

- (Exam Topic 5)

You plan to deploy an application named App1 that will run on five Azure virtual machines. Additional virtual machines will be deployed later to run App1.

You need to recommend a solution to meet the following requirements for the virtual machines that will run App1:

- > Ensure that the virtual machines can authenticate to Azure Active Directory (Azure AD) to gain access to an Azure key vault, Azure Logic Apps instances, and an Azure SQL database.
- > Avoid assigning new roles and permissions for Azure services when you deploy additional virtual machines.
- > Avoid storing secrets and certificates on the virtual machines.

Which type of identity should you include in the recommendation?

- A. a service principal that is configured to use a certificate
- B. a system-assigned managed identity
- C. a service principal that is configured to use a client secret
- D. a user-assigned managed identity

Answer: D

Explanation:

Managed identities for Azure resources is a feature of Azure Active Directory.

User-assigned managed identity can be shared. The same user-assigned managed identity can be associated with more than one Azure resource.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 183

- (Exam Topic 5)

You need to recommend an Azure Storage Account configuration for two applications named Application1 and Applications. The configuration must meet the following requirements:

- Storage for Application1 must provide the highest possible transaction rates and the lowest possible latency.
- Storage for Application2 must provide the lowest possible storage costs per GB.
- Storage for both applications must be optimized for uploads and downloads.
- Storage for both applications must be available in an event of datacenter failure.

What should you recommend ? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point

Answer Area

Application1:

- BlobStorage with Standard performance, Hot access tier, and Read-access geo-redundant storage (RA-GRS) replication
- BlockBlobStorage with Premium performance and Zone-redundant storage (ZRS) replication
- General purpose v1 with Premium performance and Locally-redundant storage (LRS) replication
- General purpose v2 with Standard performance, Hot access tier, and Locally-redundant storage (LRS) replication

Application2:

- BlobStorage with Standard performance, Cool access tier, and Geo-redundant storage (GRS) replication
- BlockBlobStorage with Premium performance and Zone-redundant storage (ZRS) replication
- General purpose v1 with Standard performance and Read-access geo-redundant storage (RA-GRS) replication
- General purpose v2 with Standard performance, Cool access tier, and Read-access geo-redundant storage (RA-GRS) replication

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: BlobStorage with Premium performance and Zone-redundant storage (ZRS) replication.

BlockBlobStorage accounts: Storage accounts with premium performance characteristics for block blobs and append blobs. Recommended for scenarios with high transactions rates, or scenarios that use smaller objects or require consistently low storage latency.

Premium: optimized for high transaction rates and single-digit consistent storage latency. Box 2: General purpose v2 with Standard performance..

General-purpose v2 accounts: Basic storage account type for blobs, files, queues, and tables. Recommended for most scenarios using Azure Storage.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy>

NEW QUESTION 185

- (Exam Topic 5)

Your company has an app named App1 that uses data from the on-premises Microsoft SQL Server databases shown in the following table.

Name	Size
DB1	450 GB
DB2	250 GB
DB3	300 GB
DB4	50 GB

App1 and the data are used on the first day of the month only. The data is not expected to grow more than 3% each year.

The company is rewriting App1 as an Azure web app and plans to migrate all the data to Azure. You need to migrate the data to Azure SQL Database. The solution must minimize costs. Which service tier should you use?

- A. vCore-based Business Critical
- B. vCore-based General Purpose
- C. DTU-based Standard
- D. DTU-based Basic

Answer: C

Explanation:

DTU-based Standard supports databases up to 1 TB in size. Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/service-tiers-dtu>

NEW QUESTION 190

- (Exam Topic 5)

You have the Azure resources shown in the following table.

Name	Type	Location
US-Central-Firewall-policy	Azure Firewall policy	Central US
US-East-Firewall-policy	Azure Firewall policy	East US
EU-Firewall-policy	Azure Firewall policy	West Europe
USEastfirewall	Azure Firewall	Central US
USWestfirewall	Azure Firewall	East US
EUFirewall	Azure Firewall	West Europe

You need to deploy a new Azure Firewall policy that will contain mandatory rules for all Azure Firewall deployments. The new policy will be configured as a parent policy for the existing policies.

What is the minimum number of additional Azure Firewall policies you should create?

- A. 1
- B. 2
- C. 3

Answer: B

Explanation:

Firewall policies work across regions and subscriptions. Place all your global configurations in the parent policy.

Note: Policies can be created in a hierarchy. You can create a parent/global policy that will contain configurations and rules that will apply to all/a number of firewall instances. Then you create a child policy that inherits from the parent; note that rules changes in the parent instantly appear in the child. The child is associated with a firewall and applies configurations/rules from the parent policy and the child policy instantly to the firewall.

Reference: <https://aidanfinn.com/?p=22006>

NEW QUESTION 192

- (Exam Topic 5)

You have to deploy an Azure SQL database named db1 for your company. The databases must meet the following security requirements

When IT help desk supervisors query a database table named customers, they must be able to see the full number of each credit card

When IT help desk operators query a database table named customers, they must only see the last four digits of each credit card number

A column named Credit Card rating in the customers table must never appear in plain text in the database system. Only client applications must be able to decrypt the information that is stored in this column

Which of the following can be implemented for the Credit Card rating column security requirement?

- A. Always Encrypted
- B. Azure Advanced Threat Protection
- C. Transparent Data Encryption
- D. Dynamic Data Masking

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/sql/relational-databases/security/encryption/always-encrypted-database-engine>

NEW QUESTION 196

- (Exam Topic 4)

A company has an on-premises file server cbflserver that runs Windows Server 2019. Windows Admin Center manages this server. The company owns an Azure subscription. You need to provide an Azure solution to prevent data loss if the file server fails.

Solution: You decide to create an Azure Recovery Services vault. You then decide to install the Azure Backup agent and then schedule the backup. Would this meet the requirement?

- A. Yes
- B. No

Answer: A

NEW QUESTION 198

- (Exam Topic 4)

A company is planning on deploying an application onto Azure. The application will be based on the .Net core programming language. The application would be hosted using Azure Web apps. Below is part of the various requirements for the application

Give the ability to correlate Azure resource usage and the performance data with the actual application configuration and performance data

Give the ability to visualize the relationships between application components

Give the ability to track requests and exceptions to specific lines of code from within the application Give the ability to actually analyse how users return to an application and see how often they only select a particular drop-down value

Which of the following service would be best suited for fulfilling the requirement of

“Give the ability to correlate Azure resource usage and the performance data with the actual application configuration and performance data”

- A. Azure Application Insights
- B. Azure Service Map
- C. Azure Log Analytics
- D. Azure Activity Log

Answer: C

NEW QUESTION 202

- (Exam Topic 3)

You are evaluating whether to use Azure Traffic Manager and Azure Application Gateway to meet the connection requirements for App1.

What is the minimum numbers of instances required for each service? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Azure Traffic Manager:

1
2
3
6

Azure Application Gateway:

1
2
3
6

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Azure Traffic Manager:

1
2
3
6

Azure Application Gateway:

1
2
3
6

NEW QUESTION 204

- (Exam Topic 2)

You need to recommend a solution to meet the database retention requirement. What should you recommend?

- A. Configure a long-term retention policy for the database.
- B. Configure Azure Site Recovery.
- C. Configure geo replication of the database.
- D. Use automatic Azure SQL Database backups.

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/long-term-retention-overview>

In Azure SQL Database, you can configure a database with a long-term backup retention policy (LTR) to automatically retain the database backups in separate Azure Blob storage containers for up to 10 years

NEW QUESTION 207

- (Exam Topic 2)

- A. Move all the domain controllers from corp.fabrikam.com to virtual networks in Azure.
- B. Deploy domain controllers for corp.fabrikam.com to virtual networks in Azure.
- C. Deploy a new Azure AD tenant for the authentication of new R&D projects.
- D. Deploy domain controllers for the rd.fabrikam.com forest to virtual networks in Azure.

Answer: B

Explanation:

Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network. (This requires domain controllers in Azure)

Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails. (This requires domain controllers on-premises)

NEW QUESTION 209

- (Exam Topic 1)

You need to configure an Azure policy to ensure that the Azure SQL databases have TDE enabled. The solution must meet the security and compliance requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an Azure policy definition that uses the deployIfNotExists effect.	
Create a user-assigned managed identity.	
Invoke a remediation task.	
Create an Azure policy assignment.	
Create an Azure policy definition that uses the Modify effect.	

⏪

⏩

⏴

⏵

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A picture containing text Description automatically generated

Scenario: All Azure SQL databases in the production environment must have Transparent Data Encryption (TDE) enabled.

Step 1: Create an Azure policy definition that uses the deployIfNotExists identity.

The first step is to define the roles that deployIfNotExists and modify needs in the policy definition to successfully deploy the content of your included template.

Step 2: Create an Azure policy assignment

When creating an assignment using the portal, Azure Policy both generates the managed identity and grants it the roles defined in roleDefinitionIds.

Step 3: Invoke a remediation task

Resources that are non-compliant to a deployIfNotExists or modify policy can be put into a compliant state through Remediation. Remediation is accomplished by instructing Azure Policy to run the deployIfNotExists effect or the modify operations of the assigned policy on your existing resources and subscriptions, whether that assignment is to a management group, a subscription, a resource group, or an individual resource.

During evaluation, the policy assignment with deployIfNotExists or modify effects determines if there are non-compliant resources or subscriptions. When non-compliant resources or subscriptions are found, the details are provided on the Remediation page.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/how-to/remediate-resources>

NEW QUESTION 210

- (Exam Topic 2)

You are evaluating the components of the migration to Azure that require you to provision an Azure Storage account.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
You must provision an Azure Storage account for the SQL Server database migration.	<input type="radio"/>	<input type="radio"/>
You must provision an Azure Storage account for the Web site content storage.	<input type="radio"/>	<input type="radio"/>
You must provision an Azure Storage account for the Database metric monitoring.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
You must provision an Azure Storage account for the SQL Server database migration.	<input checked="" type="radio"/>	<input type="radio"/>
You must provision an Azure Storage account for the Web site content storage.	<input type="radio"/>	<input checked="" type="radio"/>
You must provision an Azure Storage account for the Database metric monitoring.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 211

- (Exam Topic 1)

You need to implement the Azure RBAC role assignments for the Network Contributor role. The solution must meet the authentication and authorization requirements.

What is the minimum number of assignments that you must use?

- A. 1
- B. 2
- C. 5
- D. 10
- E. 15

Answer: A

Explanation:

Scenario: The Network Contributor built-in RBAC role must be used to grant permissions to the network administrators for all the virtual networks in all the Azure subscriptions.

RBAC roles must be applied at the highest level possible.

NEW QUESTION 215

- (Exam Topic 1)

You plan to migrate App1 to Azure. The solution must meet the authentication and authorization requirements. Which type of endpoint should App1 use to obtain an access token?

- A. Azure Instance Metadata Service (IMDS)
- B. Azure AD
- C. Azure Service Management
- D. Microsoft identity platform

Answer: D

Explanation:

Scenario: To access the resources in Azure, App1 must use the managed identity of the virtual machines that will host the app.

Managed identities provide an identity for applications to use when connecting to resources that support Azure Active Directory (Azure AD) authentication.

Applications may use the managed identity to obtain Azure AD tokens.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>



NEW QUESTION 218

- (Exam Topic 1)

You need to ensure that users managing the production environment are registered for Azure MFA and must authenticate by using Azure MFA when they sign in to the Azure portal. The solution must meet the authentication and authorization requirements.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Azure AD Identity Protection

Azure AD Identity Protection helps you manage the roll-out of Azure AD Multi-Factor Authentication (MFA) registration by configuring a Conditional Access policy to require MFA registration no matter what modern authentication app you are signing in to.

Scenario: Users that manage the production environment by using the Azure portal must connect from a hybrid Azure AD-joined device and authenticate by using Azure Multi-Factor Authentication (MFA).

Box 2: Sign-in risk policy...

Scenario: The Litware.com tenant has a conditional access policy named capolicy1. Capolicy1 requires that when users manage the Azure subscription for a production environment by using the Azure portal, they must connect from a hybrid Azure AD-joined device.

Identity Protection policies we have two risk policies that we can enable in our directory.

- > Sign-in risk policy
- > User risk policy

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure>- <https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure>

NEW QUESTION 223

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-305 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-305-dumps.html>