

Exam Questions CRT-450

Salesforce Certified Platform Developer I (SU18)

<https://www.2passeasy.com/dumps/CRT-450/>



NEW QUESTION 1

Which statement results in an Apex compiler error?

- A. `Map<Id,Leas> lmap = new Map<Id,Lead>([Select ID from Lead Limit 8]);`
- B. `Date d1 = Date.Today(), d2 = Date.ValueOf('2018-01-01');`
- C. `Integer a=5, b=6, c, d = 7;`
- D. `List<string> s = List<string>{'a','b','c'};`

Answer: D

NEW QUESTION 2

Which three options can be accomplished with formula fields? (Choose three.)

- A. Generate a link using the HYPERLINK function to a specific record.
- B. Display the previous value for a field using the PRIORVALUE function.
- C. Determine if a datetime field value has passed using the NOW function.
- D. Return and display a field value from another object using the VLOOKUP function.
- E. Determine which of three different images to display using the IF functio

Answer: ACE

NEW QUESTION 3

Which approach should a developer use to add pagination to a Visualforce page?

- A. A StandardController
- B. The Action attribute for a page
- C. The extensions attribute for a page
- D. A StandardSetController

Answer: D

NEW QUESTION 4

How should a developer make sure that a child record on a custom object, with a lookup to the Account object, has the same sharing access as its associated account?

- A. Create a Sharing Rule comparing the custom object owner to the account owner.
- B. Create a validation rule on the custom object comparing the record owners on both records.
- C. Include the sharing related list on the custom object page layout.
- D. Ensure that the relationship between the objects is Master-Detai

Answer: D

NEW QUESTION 5

Which approach should be used to provide test data for a test class?

- A. Query for existing records in the database.
- B. Execute anonymous code blocks that create data.
- C. Use a test data factory class to create test data.
- D. Access data in `@TestVisible` class variable

Answer: C

NEW QUESTION 6

What is the requirement for a class to be used as a custom Visualforce controller?

- A. Any top-level Apex class that has a constructor that returns a PageReference
- B. Any top-level Apex class that extends a PageReference
- C. Any top-level Apex class that has a default, no-argument constructor
- D. Any top-level Apex class that implements the controller interface

Answer: D

NEW QUESTION 7

When an Account's custom picklist field called Customer Sentiment is changed to a value of "Confused", a new related Case should automatically be created. Which two methods should a developer use to create this case? (Choose two.)

- A. Process Builder
- B. Apex Trigger
- C. Custom Button
- D. Workflow Rule

Answer: AB

NEW QUESTION 8

An org has a single account named 'NoContacts' that has no related contacts. Given the query:

List<Account> accounts = [Select ID, (Select ID, Name from Contacts) from Account where Name='NoContacts']; What is the result of running this Apex?

- A. accounts[0].contacts is invalid Apex.
- B. accounts[0].contacts is an empty Apex.
- C. accounts[0].contacts is Null.
- D. A QueryException is throw

Answer: B

NEW QUESTION 9

A developer needs to display all of the available fields for an object.

In which two ways can the developer retrieve the available fields if the variable myObject represents the name of the object? (Choose two.)

- A. Use myObject.sObjectType.getDescribe().fieldSet() to return a set of fields.
- B. Use mySObject.myObject.fields.getMap() to return a map of fields.
- C. Use Schema.describeSObjects(new String[]{myObject})[0].fields.getMap() to return a map of fields.
- D. Use getGlobalDescribe().get(myObject).getDescribe().fields.getMap() to return a map of field

Answer: BC

NEW QUESTION 10

A Platform Developer needs to write an Apex method that will only perform an action if a record is assigned to a specific Record Type.

Which two options allow the developer to dynamically determine the ID of the required Record Type by its name? (Choose two.)

- A. Make an outbound web services call to the SOAP API.
- B. Hardcode the ID as a constant in an Apex class.
- C. Use the getRecordTypeInfoByName() method in the DescribeSObjectResult class.
- D. Execute a SOQL query on the RecordType objec

Answer: CD

NEW QUESTION 10

A developer executes the following query in Apex to retrieve a list of contacts for each account:

List<account> accounts = [Select ID, Name, (Select ID, Name from Contacts) from Account] ;

Which two exceptions may occur when it executes? (Choose two.)

- A. CPU limit exception due to the complexity of the query.
- B. SOQL query row limit exception due to the number of contacts.
- C. SOQL query limit exception due to the number of contacts.
- D. SOQL query row limit exception due to the number of account

Answer: CD

NEW QUESTION 11

Which two strategies should a developer use to avoid hitting governor limits when developing in a multi-tenant environment? (Choose two.)

- A. Use collections to store all fields from a related object and not just minimally required fields.
- B. Use methods from the "Limits" class to monitor governor limits.
- C. Use SOQL for loops to iterate data retrieved from queries that return a high number of rows.
- D. Use variables within Apex classes to store large amounts of dat

Answer: BC

NEW QUESTION 14

What are two uses for External IDs? (Choose two.)

- A. To create relationships between records imported from an external system.
- B. To create a record in a development environment with the same Salesforce ID as in another environment
- C. To identify the sObject type in Salesforce
- D. To prevent an import from creating duplicate records using Upsert

Answer: AD

NEW QUESTION 18

A developer wrote a unit test to confirm that a custom exception works properly in a custom controller, but the test failed due to an exception being thrown.

Which step should the developer take to resolve the issue and properly test the exception?

- A. Use try/catch within the unit test to catch the exception.
- B. Use the finally bloc within the unit test to populate the exception.
- C. Use the database methods with all or none set to FALSE.
- D. Use Test.isRunningTest() within the custom controlle

Answer: A

NEW QUESTION 19

A developer created a Visualforce page and a custom controller with methods to handle different buttons and events that can occur on the page. What should the developer do to deploy to production?

- A. Create a test class that provides coverage of the Visualforce page.
- B. Create a test page that provides coverage of the Visualforce page.
- C. Create a test page that provides coverage of the custom controller.
- D. Create a test class that provides coverage of the custom controller.

Answer: D

NEW QUESTION 24

Where can a developer identify the time taken by each process in a transaction using Developer Console log inspector?

- A. Performance Tree tab under Stack Tree panel
- B. Execution Tree tab under Stack Tree panel
- C. Timeline tab under Execution Overview panel
- D. Save Order tab under Execution Overview panel

Answer: C

NEW QUESTION 27

Which data type or collection of data types can SOQL statements populate or evaluate to? (Choose 3)

- A. A single sObject
- B. An integer
- C. A string
- D. A list of sObjects
- E. A Boolean

Answer: ABD

NEW QUESTION 28

In an organization that has enabled multiple currencies, a developer needs to aggregate the sum of the Estimated_value c currency field from the CampaignMember object using a roll-up summary field called Total_estimated_value c on Campaign.

- A. The values in Campaignmember.Estimated_value c are converted into the currency of the Campaign record and the sum is displayed using the currency on the Campaign record.
- B. The values in CampaignMember.Estimated_value c are converted into the currency on the majority of the CampaignMember records and the sum is displayed using that currency.
- C. The values in CampaignMember.Estimated_value c are summed up and the resulting Total_estimated_value c field is displayed as a numeric field on the Campaign record.
- D. The values in CampaignMember.Estimated_value c are converted into the currency of the current user, and the sum is displayed using the currency on the Campaign record.

Answer: A

NEW QUESTION 29

A developer needs to know if all tests currently pass in a Salesforce environment. Which feature can the developer use? (Choose 2)

- A. ANT Migration Tool
- B. Workbench Metadata Retrieval
- C. Salesforce UI Apex Test Execution
- D. Developer Console

Answer: CD

NEW QUESTION 31

A developer created an Apex trigger using the Developer Console and now wants to debug code. How can the developer accomplish this in the Developer Console?

- A. Select the Override Log Triggers checkbox for the trigger
- B. Add the user name in the Log Inspector.
- C. Open the Progress tab in the Developer Console.
- D. Open the logs tab in the Developer Console.

Answer: D

NEW QUESTION 33

What is the minimum log level needed to see user-generated debug statements?

- A. DEBUG
- B. FINE
- C. INFO
- D. WARN

Answer:

A

NEW QUESTION 37

What is a characteristic of the Lightning Component Framework? Choose 2 answers:

- A. It has an event-driven architecture.
- B. It works with existing Visualforce pages.
- C. It includes responsive components.
- D. It uses XML as its data format.

Answer: AC

NEW QUESTION 42

What is the result of the following code block ?

```
Integer x = 1; Integer Y = 0; While(x < 10){Y++;}
```

- A. An error occurs
- B. Y = 9
- C. Y = 10
- D. X = 0

Answer: A

NEW QUESTION 43

Where can the custom roll-up summary fields be created using Standard Object relationships (Choose 3)

- A. On Opportunity using Opportunity Product records.
- B. On Account using Case records.
- C. On Quote using Order records.
- D. On Campaign using Campaign Member records.
- E. On Account using Opportunity record

Answer: ADE

NEW QUESTION 45

A developer writes a SOQL query to find child records for a specific parent. How many levels can be returned in a single query?

- A. 1
- B. 7
- C. 5
- D. 3

Answer: C

NEW QUESTION 49

A user selects a value from a multi-select picklist. How is this selected value represented in Apex?

- A. As a string ending with a comma
- B. As a string
- C. As a list< String > with one element
- D. As a set< string > with one element

Answer: B

NEW QUESTION 51

A developer has a unit test that is failing. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous Apex Tool. The code then executes without failing. Why did the unit test failed, but not the Execute Anonymous?

- A. The test method has a syntax error in the code.
- B. The test method relies on existing data in the database
- C. The test method use a try/catch block
- D. The test method calls an @future method

Answer: B

NEW QUESTION 55

What is a benefit of the lightning component framework?

- A. Better integration with Force.com sites
- B. Better performance for custom Salesforce1 Mobile Apps
- C. More Centralized control via server-side logic
- D. More pre-built components to replicate the salesforce look and feel

Answer: D

NEW QUESTION 56

In which order does Salesforce execute events upon saving a record?

- A. Before Triggers; Validation Rules; After Triggers; Assignment Rules; Workflow Rules; Commit
- B. Validation Rules; Before Triggers; After Triggers; Workflow Rules; Assignment Rules; Commit
- C. Before Triggers; Validation Rules; After Triggers; Workflow Rules; Assignment Rules; Commit
- D. Validation Rules; Before Triggers; After Triggers; Assignment Rules; Workflow Rules; Commit

Answer: A

NEW QUESTION 57

Given the code block: Integer x; For(x=0;x<10; x+=2) { If(x==8) break; If(x==10) break; } System.debug(x); Which value will the system debug statement display?

- A. 2
- B. 10
- C. 8
- D. 4

Answer: C

NEW QUESTION 62

A developer creates a Workflow Rule declaratively that updates a field on an object. An Apex update trigger exists for that object. What happens when a user updates a record?

- A. No changes are made to the data.
- B. Both the Apex Trigger and Workflow Rule are fired only once.
- C. The Workflow Rule is fired more than once.
- D. The Apex Trigger is fired more than once.

Answer: D

NEW QUESTION 64

What is the easiest way to verify a user before showing them sensitive content?

- A. Sending the user a SMS message with a passcode.
- B. Calling the generateVerificationUrl method in apex.
- C. Sending the user an Email message with a passcode.
- D. Calling the Session.forcedLoginUrl method in apex.

Answer: B

NEW QUESTION 66

Which user can edit a record after it has been locked for approval? (Choose 2)

- A. Any user with a higher role in the hierarchy
- B. A user who is assigned as the current approver
- C. Any user who approved the record previously
- D. An administrator

Answer: BD

NEW QUESTION 70

Which type of code represents the Controller in MVC architecture on the Force.com platform? (Choose 2)

- A. JavaScript that is used to make a menu item display itself.
- B. A static resource that contains CSS and images.
- C. Custom Apex and JavaScript code that is used to manipulate data.
- D. StandardController system methods that are referenced by Visualforce

Answer: CD

NEW QUESTION 75

What is a benefit of the Lightning Component framework? Choose 3 answers

- A. It uses client-side Apex controllers for logic.
- B. It uses a traditional publish-subscribe model.
- C. It uses an event-driven architecture
- D. It uses an MVC architectural design pattern.
- E. It uses server-side JavaScript controller for logic.

Answer: BCD

NEW QUESTION 76

Which Apex collection is used to ensure that all values are unique?

- A. A Set
- B. An Enum
- C. A List
- D. An sObject

Answer: A

NEW QUESTION 81

Which statement should a developer avoid using inside procedural loops? (Choose 2)

- A. `System.debug('Amount of CPU time (in ms) used so far: ' + Limits.getCpuTime());`
- B. `List contacts = [SELECT Id, Salutation, FirstName, LastName, Email FROM Contact WHERE AccountId = :a.Id];`
- C. `If(o.accountId == a.id)`
- D. `Update contactList;`

Answer: BD

NEW QUESTION 85

A developer wants to display all of the available record types for a Case object. The developer also wants to display the picklist values for the Case.Status field. The Case object and the Case Status field are on a custom visualforce page. Which action can the developer perform to get the record types and picklist values in the controller? Choose 2 answers

- A. Use `Schema.PicklistEntry` returned by `Case Status getDescribe().getPicklistValues()`.
- B. Use `Schema.RecordTypeInfo` returned by `Case.SObjectType getDescribe().getRecordTypeInfos()`
- C. Use SOQL to query Case records in the org to get all the `RecordType` values available for Case.
- D. Use SOQL to query Case records in the org to get all value for the Status picklist field

Answer: AB

NEW QUESTION 88

A developer created a lightning component name `accountList.cmp` that display a list of Accounts. Client-side logic that is executed when a user hovers over an account in the list should be stored in which bundle member?

- A. `AccountListHelper.js`
- B. `AccountListRenderer.js`
- C. `AccountList.renderer`
- D. `AccountList.helper`

Answer: C

NEW QUESTION 89

A developer tasked with creating a schema to track Movies, Actors, and contracts. A single movie can have many contracts and a single actor can have many contracts. Each contract is owned and actively managed by a single user. Which schema should be created to enable user to easily manage the contract they own; without requiring access to the movie or the actor records?

- A. A master detail relationship to the movie object and a lookup relationship to the actor object
- B. A lookup relationship to the movie object and a lookup relationship to the actor object
- C. A lookup relationship to the movie object and a master detail relationship to the actor object
- D. A master detail relationship to the movie object and a master detail relationship to the actor object

Answer: B

NEW QUESTION 92

To which primitive data type in Apex is a currency field atomically assigned?

- A. Integer
- B. Decimal
- C. Double
- D. Currency

Answer: B

NEW QUESTION 94

A developer needs to create a Visualforce page that will override the standard Account edit button. The page will be used to validate the account's address using a SOQL query. The page will also allow the user to make edits to the address. Where would the developer write the Account address verification logic?

- A. In a Standard Extension.
- B. In a Standard Controller.
- C. In a Custom Controller.
- D. In a Controller Extension

Answer: D

NEW QUESTION 99

The initial value for a number field on a record is 1. A user updated the value of the number field to 10. This action invokes a workflow field update, which changes

the value of the number field to 11. After the workflow field update, an update trigger fires. What is the value of the number field of the object that is obtained from Trigger.old?

- A. Null
- B. 11
- C. 1
- D. 10

Answer: C

NEW QUESTION 102

Which resource can be included in a Lightning Component bundle? Choose 2 answers

- A. Apex class
- B. Adobe Flash
- C. JavaScript
- D. Documentation

Answer: CD

NEW QUESTION 106

A candidate may apply to multiple jobs at the company Universal Containers by submitting a single application per job posting. Once an application is submitted for a job posting, that application cannot be modified to be resubmitted to a different job posting. What can the administrator do to associate an application with each job posting in the schema for the organization?

- A. Create a master-detail relationship in the Job Postings custom object to the Applications custom object.
- B. Create a master-detail relationship in the Application custom object to the Job Postings custom object.
- C. Create a lookup relationship on both objects to a junction object called Job Posting Applications.
- D. Create a lookup relationship in the Applications custom object to the Job Postings custom object

Answer: A

NEW QUESTION 108

What is a capability of a StandardSetController? Choose 2 answers

- A. It allows pages to perform mass updates of records
- B. It allows pages to perform pagination with large record sets
- C. It enforces field-level security when reading large record sets
- D. It extends the functionality of a standard or custom controller

Answer: AB

NEW QUESTION 112

How can a developer avoid exceeding governor limits when using an Apex Trigger? Choose 2 answers

- A. By using a helper class that can be invoked from multiple triggers.
- B. By using the Database class to handle DML transactions.
- C. By using Maps to hold data from query results.
- D. By performing DML transactions on lists of SObject

Answer: CD

NEW QUESTION 115

A developer creates a custom controller and custom Visualforce page by using the following code block:

```
public class myController {public String myString;public String getMyString() {return 'getmyString;'}public String getStringMethod1() {return myString;}public String getStringMethod2() {if (myString == null)myString = 'Method2';return myString;}}{!myString}, {!StringMethod1}, {!StringMethod2}, {!myString}
```

What does the user see when accessing the custom page?

- A. GetMyString , , Method2 , getMystring
- B. , , Method2 , getMyString
- C. , , Method2,
- D. GetMyString , , ,

Answer: A

NEW QUESTION 120

What can a Lightning Component contain in its resource bundle? Choose 2 answer

- A. Custom client side rendering behavior.
- B. Build scripts for minification
- C. Properties files with global settings
- D. CSS styles scoped to the component

Answer: AD

NEW QUESTION 122

On which object can an administrator create a roll-up summary field?

- A. Any object that is on the master side of a master-detail relationship.
- B. Any object that is on the parent side of a lookup relationship.
- C. Any object that is on the detail side of a master-detail relationship.
- D. Any object that is on the child side of a lookup relationship.

Answer: A

NEW QUESTION 126

Which option would a developer use to display the Accounts created in the current week and the number of related Contacts using a debug statement in Apex?

- A. `For(Account acc: [SELECT Id, Name,(SELECT Id, Name FROM Contacts) FROM Account WHERE CreatedDate = THIS_WEEK]) { List cons = acc.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts'; }`
- B. `For(Account acc: [SELECT Id, Name, (SELECT Id, Name FROM Contacts) FROM Account WHERE CreatedDate = CURRENT_WEEK]){ List cons = acc.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts'); }`
- C. `For(Account acc:[SELECT Id, Name, Account.Contacts FROM Account WHERE CreatedDate = CURRENT_WEEK]) { List cons = acc.Account.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts'); }`
- D. `For(Account acc: [SELECT Id, Name, Account.Contacts FROM Account WHERE CreatedDate = THIS_WEEK]){ List cons = acc.Account.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts' }`

Answer: A

NEW QUESTION 131

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual CRT-450 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the CRT-450 Product From:

<https://www.2passeasy.com/dumps/CRT-450/>

Money Back Guarantee

CRT-450 Practice Exam Features:

- * CRT-450 Questions and Answers Updated Frequently
- * CRT-450 Practice Questions Verified by Expert Senior Certified Staff
- * CRT-450 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * CRT-450 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year