



HUAWEI

Exam Questions H19-301

Huawei Certified Pre-sales Specialist - IP Network (Datacom)

NEW QUESTION 1

Which are the 10GE line cards of S7700? (Multiple Choice)

- A. 48*10GE
- B. 40*10GE
- C. 16*10ge
- D. 12*10GE

Answer: BCD

NEW QUESTION 2

Which of the following is NOT an advantage of the S5730-SI compared to the S5720-SI?

- A. Pluggable dual fans
- B. BGP
- C. 40 GE ports
- D. Subcard

Answer: D

NEW QUESTION 3

AR G3 routers can support built-in zone-based firewall function

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 4

The S5720I-SI switch has an extended temperature range and can work in harsh outdoor environments. The S5720I-SI supports:

- A. IP65
- B. IP67
- C. IP66

Answer: B

NEW QUESTION 5

Which switches support remote power supply (RPS)? (Multiple Choice)

- A. S5700S-LI
- B. S5700-LI
- C. S5710-EI
- D. S5700-HI
- E. S5720-HI

Answer: AB

NEW QUESTION 6

Which type subcard does the CE8860 support? (Multiple Choice)

- A. 10GE
- B. 25GE
- C. 40GE
- D. 100GE

Answer: ABCD

NEW QUESTION 7

Which 2 types of IT router line card that NE router could support? (Multiple Choice)

- A. 8*1000 line card
- B. 10*100G line card
- C. 24*40G line card
- D. 96*100 line card

Answer: AC

NEW QUESTION 8

Cisco ISR4451-X can map ()

- A. AR1220
- B. AR200

- C. AR2220
- D. AR3260

Answer: D

NEW QUESTION 9

How many APs and users can be managed by ACU2?

- A. 1k APs, 16k users
- B. 1k APs, 32k users
- C. 2k APs, 16k users
- D. 2k AP, 32k users

Answer: D

NEW QUESTION 10

Each AP should be designed to cover as large area as possible in order to provide better coverage in a high density scenario

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 10

Which is the max capacity(singal direction) of NE08E series could support?

- A. 60G
- B. 120G
- C. 240G
- D. 480G
- E. IT

Answer: B

NEW QUESTION 12

which is main differences between MPU of CE12800 and CE12800s? (Multiple Choice)

- A. demension size
- B. integration of monitor module
- C. CPU
- D. RAM

Answer: AD

NEW QUESTION 15

Which are main differences between CE12800S and CE12800?() (Multiple Choice)

- A. demension size
- B. the number of switching fabric
- C. no orthogonal architecture
- D. new line card only for CE128S

Answer: AB

NEW QUESTION 18

How many LPU slots does an S12710 have?

- A. 12
- B. 10
- C. 4
- D. 2

Answer: B

NEW QUESTION 19

Huawei BFD detection is based on hardware detection.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 21

Which cards are ENP line cards that agile switch support? (Multiple Choice)

- A. 48-Port 10/100/1000BASE-T Interface Card (X1E, RJ45)
- B. 48-Port 100/1000BASE-X Interface Card (X1E, SFP)
- C. 4-Port 10GBASE-X and 24-Port 100/1000BASE-X and 8-Port 10/100/1000BASE-T Combo Interface Card (X1E, RJ45/SFP/SFP+) 8-Port 10GBASE-X and 8-Port 100/1000BASE-X and 8-Port 10/100/1000BASE-T Combo Interface Card (X1E, RJ45/SFP/SFP+)
- D. 48-Port 10GBASE-X Interface Card(EC, SFP+)

Answer: ABCD

NEW QUESTION 26

Which model is NOT mentioned when you configure the quotation in data center network SCT

- A. Chassis
- B. CPU
- C. Fabric
- D. Line card

Answer: B

NEW QUESTION 30

ARG3 supports 3G/LTE

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 33

Which of the following models are ICT gateways?

- A. AR510 series
- B. AR160-M series
- C. AR3600 series

Answer: BC

NEW QUESTION 34

Which factor should be considered for selecting the chassis?

- A. Weight
- B. Number of access ports
- C. Power type

Answer: B

NEW QUESTION 36

S12700 uses industry-leading left-to-rear ventilation channel design.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 39

The maximum overall data rate of AP7050DE

- A. 1.3Gbps
- B. 1.73Gbps
- C. 2.33Gbps
- D. 2.53Gbps

Answer: D

NEW QUESTION 42

which functions can AR G3 routers support? (Multiple Choice)

- A. Routing
- B. Switching
- C. VPN
- D. Voice
- E. Security
- F. WLAN

Answer: ABCDEF

NEW QUESTION 43

FIT AP offers the functions of ()? (Multiple Choice)

- A. radio antennas
- B. 802.11a/b/g/n/ac
- C. data encryption
- D. 802.1x
- E. L2 roaming

Answer: ABC

NEW QUESTION 48

AC6605 can manage up to 1024 Aps

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 53

In Huawei DCN solution. What south bound interface does Huawei datacenter agile controller utilize to deploy configurations on Huawei NVo3 gateway devices? (Multiple Choice)

- A. Restful
- B. Open Flow
- C. NetConf
- D. OVSDB

Answer: BCD

NEW QUESTION 58

Which cloud platforms AC-DCN can be interconnected with in data center network scenario? (Multiple Choice)

- A. Huawei FusionSphere
- B. openstack
- C. Vmware
- D. Microsoft System Center

Answer: ABCD

NEW QUESTION 63

Which of the following devices can bring interference to Wi-Fi devices?

- A. Baby monitor
- B. ZigBee
- C. Bluetooth
- D. Cordless telephone
- E. Microwave oven

Answer: ABCDE

NEW QUESTION 68

AR G3 series routers support the built-in wireless LAN controller. However, Cisco must use the Wireless LAN Controller Module to support the function. Furthermore, ISR800 and ISR1900 series cannot support this AC module.

- A. True
- B. False

Answer: A

NEW QUESTION 70

Agile Controller can be used as the management platform in EC-IoT scenarios.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 71

The NE08E could support PCM card such as RS232, C37.94 port.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 72

S7700 compete against CISCO 4500/4500E.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 75

Which of the following switches supports downlink optical ports?

- A. S6720-26Q-SI-24S-AC
- B. S5720-16X-PWH-LI-AC
- C. S5730-48C-SI-AC
- D. S2720-52TP-EI-AC

Answer: BD

NEW QUESTION 77

IP FPM is abbreviation for IP Flow Performance Measurement.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 82

Which are highlights of Huawei IP hard pipe solution? (Multiple Choice)

- A. Low Latency
- B. No Packet Loss
- C. High Reliability
- D. No jitter

Answer: ABC

NEW QUESTION 83

How much service slots that NE40E-X16 could support?

- A. 8
- B. 20
- C. 22
- D. 16

Answer: D

NEW QUESTION 85

Which O&M methods are supported by AR G3 routers?

- A. USB-based batch deployment
- B. Web GUI
- C. Command Line Interface (CLI)
- D. SNMP management

Answer: BCD

NEW QUESTION 89

AR G3 routers support built-in zone-based firewall functions.

- A. True
- B. False

Answer: B

NEW QUESTION 92

Which of the following is the maximum capacity of an NE40E's service board?

- A. 1T
- B. 2T
- C. 480G
- D. 240G

Answer: B

NEW QUESTION 93

Which of the following are 100 GE switches with fixed interfaces?

- A. CE6865
- B. CE8861
- C. CE8850-32CQ-EI
- D. CE8850-64CQ-EI
- E. CE8860

Answer: CDE

NEW QUESTION 98

What is the minimum interval of hardware-based BFD supported by the CE8861?

- A. 15 ms
- B. 3.3 ms
- C. 5 ms
- D. 10 ms

Answer: B

NEW QUESTION 99

Huawei partners should establish a cyber security assurance system to ensure the cyber security of customers.

- A. True
- B. False

Answer: A

NEW QUESTION 103

Which radio frequency can AP8150DN work at? (Multiple Choice)

- A. 2.4GHz + 2.4Ghz
- B. 2.4GHz+ 5GHz
- C. 5GHz + 5GHz
- D. 2.4GHz + 5GHz + 2.4GHz

Answer: BC

NEW QUESTION 106

NE20E-S max forwarding performance is()now

- A. 240Mpps
- B. 360Mpps
- C. 480Mpps
- D. 960Mpps

Answer: B

NEW QUESTION 110

Which of the following functions are supported by an NGFW card on a chassis switch?

- A. URL filtering
- B. IPSec VPN
- C. NAT
- D. Firewall
- E. Server load balancing

Answer: AD

NEW QUESTION 114

Which switch is the industry's first agile box switch?

- A. S5720EI
- B. S5720HI
- C. S5700HI
- D. S5710EI

Answer: B

NEW QUESTION 119

Which of the following is the recommended model for Huawei 10 GE fixed switches?

- A. CE5855
- B. CE6865

- C. CE6857
- D. CE6875

Answer: D

NEW QUESTION 124

AR G3 series routers support built-in wireless LAN controller. However Cisco must use the Wireless LAN Controller Module to support the Function. Furthermore, ISR800 and ISR1900 series cannot support this AC module.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 125

Which are the main scenarios of Huawei NE series router? (Multiple Choice)

- A. Smart Grid
- B. Railway
- C. DC Interconnection
- D. ISP

Answer: ABCD

NEW QUESTION 130

Normally, 'PWH' in the names of Sx7 switch models means that these models support IEEE 802.3bt PoE++ (60W)?

- A. True
- B. False

Answer: B

NEW QUESTION 135

In datacenter solution, high reliability performance is required due to the importance of service. Which module(component) can support hot backup by Huawei CE device? (Multiple Choice)

- A. FAN
- B. POWER
- C. Fabric card
- D. Main process unit

Answer: ABCD

NEW QUESTION 138

the maximum transmit power of indoor AP is 100mW, which is equal to ()?

- A. 1dBm
- B. 10dBm
- C. 20dBm
- D. 30dBm

Answer: C

NEW QUESTION 141

Which of the following reasons is incorrect for RDMA communication used by some applications in the industry?

- A. Q&M is simplified.
- B. The CPU load is reduced.
- C. The communication delay is reduced.
- D. The throughput is improved.

Answer: BCD

NEW QUESTION 145

What's the configuration of fans in TOR chassis?

- A. Single fan tray with single fan
- B. Single fan tray with dual fans.
- C. Dual fan trays, single fan in each tray.
- D. Dual fan trays, dual fans in each tray.

Answer: D

NEW QUESTION 148

which are correct about AR G3 vs Cisco ISR G2? (Multiple Choice)

- A. AR G3 advanced architecture and high performance
- B. AR series' host and board are hot-swappable
- C. ISR G2 cannot support voice
- D. ISR G2 cannot support firewall

Answer: AB

NEW QUESTION 149

which of following is correct? (Multiple Choice)

- A. AR G3 supports SIC Interface Card, WSIC Interface Card and XSIC Interface Card
- B. 2 SIC Slots can be combined into one double-wide WSIC slot by removing the guide rail.
- C. 2 WSIC slots can be combined into one double-height XSIC slot by removing the guide rail
- D. AR161 supports 2 SIC slots

Answer: ABC

NEW QUESTION 153

FCoE achieves converged SAN network, which type of TOR can not support FCoE?

- A. CE7850
- B. CE6850
- C. CE6810
- D. CE5800

Answer: D

NEW QUESTION 155

which NE support MPU 1:1 redundancy? (Multiple Choice)

- A. NE20E-S16
- B. NE20E-S8
- C. NE20E-S4
- D. NE20E-SF

Answer: ABC

NEW QUESTION 160

IDC need what kind of features to meet the requirement of service (Multiple Choice)

- A. High density 100G/40G/10G port
- B. Easy management solution NQA/Netstream
- C. VxLAN for SDN-based overlay solution for multi-tenant scenario
- D. multi-DC interconnection

Answer: ABCD

NEW QUESTION 165

Which O&M are AR G3 support? (Multiple Choice)

- A. Batch Deployment Using USB Flash Drive
- B. SNMP management
- C. web GUI
- D. CLJ(Command Line Inteface)

Answer: ABCD

NEW QUESTION 170

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

H19-301 Practice Exam Features:

- * H19-301 Questions and Answers Updated Frequently
- * H19-301 Practice Questions Verified by Expert Senior Certified Staff
- * H19-301 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * H19-301 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The H19-301 Practice Test Here](#)