

Exam Questions 1Y0-204

Citrix Virtual Apps and Desktops 7 Administration

<https://www.2passeasy.com/dumps/1Y0-204/>



NEW QUESTION 1

Scenario: A Citrix Administrator plans to implement HDX Insight in an environment to troubleshoot intermittent issues. The administrator needs to know which components make up HDX Insight to ensure that all of the necessary prerequisites are configured. Which three components will the administrator need to review? (Choose three.)

- A. Citrix Application Delivery Management
- B. Citrix Studio
- C. Web Insight
- D. Citrix Gateway
- E. Citrix Director

Answer: ADE

NEW QUESTION 2

Which tool can a Citrix Administrator use to collect information to investigate issues with session performance?

- A. CDF Control
- B. HDX Monitor
- C. Citrix Scout
- D. Citrix Health Assistant

Answer: A

NEW QUESTION 3

What two options are limitations of a typical Global Server Load Balancing (GSLB) setup? (Choose two.)

- A. An administrator CANNOT define a backup for a backup Vserver in an active standby GSLB setup for a given GSLB domain
- B. Apply spillover policies on a subset of GSLB services and the user CANNOT have a backup for a subset of GSLB services.
- C. Restrict the selection of a GSLB service from a subset of GSLB services bound to a GSLB virtual server for the given domain.
- D. Any given GSLB Vserver can load-balance only one FQDN.

Answer: BC

NEW QUESTION 4

What is the first thing a Citrix Administrator should create when creating a Server Certificate for Citrix ADC to secure traffic?

- A. A Private Key
- B. A Certificate key-pair
- C. A Certificate Signing Request
- D. A Certificate Revocation list

Answer: C

NEW QUESTION 5

Which PowerShell command should a Citrix Administrator run to obtain the name of a deployment, the local host cache configuration and the license level?

- A. Get-BrokerCatalog
- B. Get-BrokerController
- C. Get-BrokerResource
- D. Get-BrokerSite

Answer: D

NEW QUESTION 6

Which two options should a Citrix Administrator configure to stop the First-Time wizard from automatically popping up? (Choose two.)

- A. Host Name is NOT configured on the appliance.
- B. The Default Admin Password has NOT been changed.
- C. Licenses are NOT present on the appliance.
- D. The appliance is configured with the default IP address (192.168.100.1)

Answer: CD

NEW QUESTION 7

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site that utilizes Citrix Profile Management for all users. The users save all their important personal data to their Documents folder. Over time, many of their Documents folders have become large, resulting in slower logon times. Which Citrix Profile Management policy should the administrator configure to improve this issue?

- A. Folder Exclusions
- B. Profile Migration
- C. Active Write Back
- D. Folder Redirection

Answer: D

NEW QUESTION 8

The "Limit Visibility" option should be configured when a Citrix Administrator wants to . (Choose the correct option to complete the sentence.)

- A. define what a custom administrator role can view within Citrix Studio
- B. restrict which Windows administrative menus can be accessed within a virtual desktop session
- C. prevent all access to an application which is installed on a Virtual Delivery Agent (VDA) machine
- D. hide a published application on Citrix Workspace app for specified users

Answer: D

NEW QUESTION 9

What are three daily steps a Citrix Administrator should take to monitor a Citrix Virtual Apps and Desktops infrastructure? (Choose three.)

- A. Review Citrix policies.
- B. Perform a capacity assessment.
- C. Test environment access.
- D. Check virtual machine power states.
- E. Review available Citrix software upgrades.
- F. Check for warnings or alerts with Citrix Director.

Answer: CDF

NEW QUESTION 10

Scenario: A Citrix Administrator has configured an Authentication, Authorization, and Auditing (AAA) action policy to allow users access through the Citrix ADC. The Administrator bound the policy to a specific vServer.

Which policy expression will allow all users access through the vServer?

- A. ns_disallow
- B. ns_false
- C. ns_true
- D. ns_allow

Answer: D

NEW QUESTION 10

Which two options would provide an end-to-end encryption of data, while allowing the Citrix ADC to optimize the responses? (Choose two.)

- A. SSL Bridge protocol for the services
- B. SSL Bridge protocol for the virtual server
- C. HTTP protocol for the services
- D. HTTP protocol for the virtual server
- E. SSL protocol for the services
- F. SSL protocol for the virtual server

Answer: CF

NEW QUESTION 12

Which utility can a Citrix Administrator use to resolve the Domain Name System (DNS) request being looked up frequently?

- A. nslookup
- B. dig +trace
- C. curl -K -d
- D. ping

Answer: B

Explanation:

<https://www.citrix.com/blogs/2019/05/31/dig-into-gslb-dns-problems-with-citrix-adc-no-shovel-required/>

NEW QUESTION 14

Scenario: A Citrix Administrator is configuring load balancing on a Citrix ADC appliance for the company web servers. The administrator needs to create a custom monitor that will look for a specific keyword response from the website and will be used to keep the services in an UP state.

Which type of monitor can the administrator create to accomplish this scenario?

- A. HTTP-ECV monitor with the keyword in the Special Parameters – Receive String field.
- B. A HTTP monitor with the keyword in the Special Parameters – Response Codes field.
- C. A TCP monitor with the keyword in the Special Parameters – Response Code field.
- D. An UDP-ECV monitor with the keyword in the Special Parameters – Receive String field.

Answer: A

NEW QUESTION 17

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with a large number of Windows users running various locally attached client printers. No network printers are being used. The administrator has enabled the HDX printer mapping policy to 'Auto-create all client printers', which has resulted in a large number of drivers being loaded onto the Virtual Delivery Agent (VDA) machines. New standards are requiring the administrator to limit these Windows

drivers on the VDA machines.

Which printing feature can the administrator enable to meet the new standards?

- A. The Auto-create PDF universal printer policy
- B. The Auto-create local (non-network) client printers only policy
- C. The Citrix Universal Print Server
- D. The Citrix Universal Printer Driver

Answer: C

NEW QUESTION 19

Scenario: A Citrix Administrator has configured a Citrix ADC active-passive high availability (HA) pair. When the HA pair fails over, customers are unable to access the hosted websites. After some troubleshooting, the administrator found that the upstream router was NOT updating its ARP table.

What can the administrator configure to resolve this issue?

- A. Virtual MAC
- B. Independent Network Configuration (INC) mode
- C. Route Monitor
- D. HA monitor

Answer: A

NEW QUESTION 22

Scenario: A Citrix Administrator has made changes to the Citrix ADC, deleting parts of the configuration, and then saved the new configurations. The changes caused an outage which needs to be resolved as quickly as possible. There is no Citrix ADC backup.

What does the administrator need to do to recover the configuration quickly?

- A. Restore from revision history.
- B. Restart the Citrix ADC.
- C. Run HA file synchronization.
- D. Run Save v/s Running configuration.

Answer: A

NEW QUESTION 23

Scenario: Client connections to certain virtual servers are abnormally high. A Citrix Administrator needs to be alerted whenever the connections pass a certain threshold.

How can the administrator use Citrix Application Delivery Management to accomplish this requirement?

- A. Configure TCP Insight on the Citrix Application Delivery Management.
- B. Configure specific alerts for virtual servers using Citrix Application Delivery Management.
- C. Configure SMTP Reporting on the Citrix Application Delivery Management by adding the threshold and email address.
- D. Configure Network Reporting on the Citrix Application Delivery Management by setting the threshold and email address.

Answer: D

NEW QUESTION 26

Scenario: A Citrix Administrator has received complaints from published application users. They report that it takes a long time to relaunch an application after they close it by mistake.

The administrator needs a solution that will reduce application launch times in these situations. Which feature should the administrator enable?

- A. Session Sharing
- B. Session Reliability
- C. Application Lingering
- D. Application Prelaunch

Answer: C

NEW QUESTION 28

Which Citrix Director view can a Citrix Administrator access to view the health of database services, the license server, and any hypervisor-hosting connections?

- A. Applications
- B. Trends
- C. Alerts
- D. Dashboard

Answer: D

NEW QUESTION 29

Scenario: A Citrix Administrator would like to grant access to a Junior Administrator on the Citrix ADC. The administrator would like to grant full access to everything except the following:

- > Shell Access
- > User Configuration access
- > Partition Configuration access

Which pre-existing command policy would meet the needs of the scenario?

- A. Operator
- B. Sysadmin
- C. Network
- D. Superuser

Answer: A

NEW QUESTION 33

Scenario: A Citrix Administrator needs to create local user accounts for other administrators with limited privileges. The other administrators will need only:

- > Read-only access
- > The ability to enable and disable services and servers

Which built-in Command Policy permission level can the administrator use?

- A. Network
- B. Read-Only
- C. Operator
- D. Sysadmin

Answer: C

NEW QUESTION 38

Scenario: A Citrix Administrator is managing a Citrix ADC SDX running eight Citrix ADC instances. The administrator first needs to upgrade the firmware on the instances. However; the administrator is concerned that it needs to be done all at once.

What upgrading flexibility does SDX provide in this scenario?

- A. The Citrix ADC instances have to be upgraded at the same time.
- B. It is NOT possible to upgrade the Citrix ADC instances to different firmware versions.
- C. The Citrix ADC instance can be upgraded at the SDX management level, allowing all instances to be upgraded at once.
- D. The Citrix ADC instance can be upgraded on an individual basis, allowing all instances to run different firmware versions.

Answer: A

NEW QUESTION 39

Which Citrix ADC hardware or software platform offers a Multi-Tenant solution?

- A. VPX
- B. MPX
- C. CPX
- D. SDX

Answer: D

NEW QUESTION 41

Which disk type will always be created for each virtual machine, when creating new virtual machines using Machine Creation Services (MCS)?

- A. Personal vDisk
- B. Differencing (Diff) disk
- C. Identity disk
- D. Full-clone base disk

Answer: C

NEW QUESTION 44

Scenario: A Citrix Administrator has given permissions to team members to access their own admin partition, so they can add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.

One team member was trying to use the command-line interface to troubleshoot an authentication issue and cloud NOT use aaad.debug. However, the team member has full permissions on the admin partition.

What can be the cause of this issue?

- A. The team member does NOT have permission to use the CLI.
- B. The team member does NOT have Shell access by design.
- C. The team member needs to troubleshoot the issue from the GUI.
- D. The team member is NOT using the CLI correctly.

Answer: B

NEW QUESTION 48

Scenario: A Citrix Administrator is configuring the Workspace Experience to provide users with access to their applications and desktops. The administrator deployed Microsoft Azure Active Directory (AD) already and wants to leverage it to support user access to the Workspace Experience.

Which two steps does the administrator need to take to enable users to authenticate using Azure AD to the Workspace Experience? (Choose two.)

- A. Add Cloud Connector information to the Azure AD console.
- B. Enable Azure AD authentication under Workspace Configuration in Citrix Cloud.
- C. Add Azure AD Account under Identity Providers in Citrix Cloud.
- D. Deploy Cloud Connectors to support Azure AD authentication.

Answer: BC

NEW QUESTION 51

Which log records detailed information such as statistics, metrics and debug information on the Citrix ADC in a proprietary binary format?

- A. Syslog
- B. Nstrace
- C. Nsconfig
- D. Nslog

Answer: D

NEW QUESTION 52

A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair and needs to ensure that one Citrix ADC is UP and primary at all times to ensure the business websites are always available.

What does the administrator need to do to ensure that the Citrix ADCs still handle web traffic in the event that both nodes become unavailable or fail a health check?

- A. Disable HA Fail-safe mode on the Primary Citrix ADC only.
- B. Configure HA Fail-safe mode on each Citrix ADC independently.
- C. Configure HA Fail-safe mode on the Primary Citrix ADC only.
- D. Disable HA Fail-safe mode on the Secondary Citrix ADC.

Answer: B

NEW QUESTION 55

Scenario: Users are calling the help desk because they are unable to launch published applications. The users mention the sessions are opening and immediately closing; however, a Citrix Administrator observes that more than 150 sessions are already being delivered.

Which tool can the administrator use to review the state of the Citrix infrastructure from a single location?

- A. Citrix Studio
- B. Citrix PowerShell SDK
- C. Citrix Director
- D. StoreFront

Answer: C

NEW QUESTION 58

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with a number of network print servers being used for all users. Currently, the print servers use native Windows drivers. No client printers are being used. New company guidelines require a reduction in the number of native drivers being used within the Site infrastructure.

Which step can the administrator take to meet the new company guidelines?

- A. Enable the Citrix Universal Print Driver (EMF) driver and leave the default Universal printer driver usage policy setting.
- B. Install the Universal Print Server on all print servers in the Site and leave the default Universal printer driver usage policy setting.
- C. Configure the Citrix Universal Generic Printer and update the Auto-create generic universal printer policy setting.
- D. Install the Universal Print Server on all print servers in the Site and update the Universal printer usage policy setting.

Answer: C

NEW QUESTION 59

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site where mandatory profiles are being used for all users. Users need to maintain the different printer property settings that are available for their HDX sessions. The administrator has enabled the HDX Printer properties retention policy for the Site.

Which setting could the administrator use for this environment?

- A. Held in profile only if NOT saved on client
- B. Do NOT retain printer properties
- C. Saved on the client device only
- D. Retained in user profile only

Answer: D

Explanation:

Reference

:<https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/printing/printing-policies-preferences.html>

NEW QUESTION 63

Scenario: A Citrix Administrator needs to review the current state of specific machine sessions and application instances that are running in a Citrix Virtual Apps and Desktops Site. The administrator also needs to power-manage sessions. The Site is a premium licensed Site.

Where should the administrator navigate to within Citrix Director to obtain this information?

- A. Filters
- B. Trends
- C. Dashboard
- D. Alerts

Answer: A

NEW QUESTION 65

Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC. What will the Citrix ADC do with the packets in this scenario?

- A. Drop the packets
- B. Bridge the packets.
- C. Route the packets.
- D. Process the packets.

Answer: C

NEW QUESTION 68

Which Front-End Optimization (FEO) action can a Citrix Administrator use to achieve the results shown in the screenshots? Click the Exhibit button to view the screenshots.



```
<html>
<head>
</head>
<body>
<script src="abc.js" type="text/javascript"></script>
<div class="monday tuesday">
  Hi!
</div>
<style type="text/css">
  .foo {day : wednesday; }
</style>
<link rel="stylesheet" type="text/css" href="styles/all_styles/css">
</body>
</html>

<html>
<head>
<style type="text/css">
  .foo { day: wednesday; }
</style>
</head>
<body>
<script src="abc.js" type="text/javascript"></script>
<div class="monday tuesday">
  Hi!
</div>
<link rel="stylesheet" type="text/css" href="styles/all_styles.css">
</body>
</html>
```

- A. Truncate CSS
- B. Inline CSS
- C. Move CSS to head
- D. Rearrange CSS

Answer: B

NEW QUESTION 71

Scenario: A Citrix ADC appliance is having intermittent issues. A Citrix Administrator is unable to identify the root cause and fix them. The administrator opened a Support ticket and the Engineer assigned to the case requested all the logs and configuration information from the Citrix ADC. Which technical support tool can the administrator use to gather all the information on the Citrix ADC to send to the Support Engineer?

- A. Start New Trace
- B. Get Back Trace
- C. Generate Support File
- D. Batch Configuration

Answer: C

NEW QUESTION 72

Scenario: A Citrix Administrator needs to grant permissions to a contractor to manage an inventory application in Citrix Virtual Apps and Desktops Service managed in Citrix Cloud. The administrator needs to minimize the access granted to the contractor to only administer the inventory application. Which two permissions will the administrator need to grant to the contractor? (Choose two.)

- A. Custom access in Citrix Cloud
- B. Cloud Administrator in the Citrix Virtual Apps and Desktops Service
- C. Help Desk Administrator in Citrix Virtual Apps and Desktops Service
- D. Full Administrator in Citrix Cloud
- E. Delivery Group Administrator in the Citrix Virtual Apps and Desktops Service

Answer: AE

NEW QUESTION 77

What is the effect of the “set cs vserver vserver-CS-1 –redirectURL http://www.newdomain.com/mysite/” command?

- A. All the requests without url path /mysite/ will be redirected to http://www.newdomain.com/mysite/.
- B. All the requests to vserver-CS-1 will be redirected to http://www.newdomain.com/mysite/.
- C. If the vserver-CS-1 encounters high connection rate, then users will be redirected to http://www.newdomain.com/mysite/.
- D. If the status of vserver-CS-1 is DOWN, then users will be redirected to http://www.newdomain.com/mysite/.

Answer: D

NEW QUESTION 81

A Citrix Administrator needs to match the host name ‘www.example.com’ in all HTTP requests. Which expression, when used, meets this requirement?

- A. HTTP.REQ.HOSTNAME.EQ(“www.example.com”)
- B. HTTP.REQ.HOSTNAME(“example.com”)
- C. HTTP.RES.HOSTNAME.CONTAINS(“www.example.com”)
- D. HTTP.RES.HOSTNAME.EQ(“www.example.com”)

Answer: A

NEW QUESTION 84

Scenario: A Citrix Administrator needs to reduce costs by limiting users' printing sources. The administrator needs to stop automatic creation of all client printers in a session and map printers based on the floor of the building from which the user's session connects. Which two policies should the administrator configure to complete this task? (Choose two.)

- A. Printer properties retention
- B. Auto-create client printers
- C. Direct connections to print servers
- D. Session printers

Answer: CD

NEW QUESTION 89

A user calls the help desk and states that launching a pooled random desktop takes as long as five minutes. Which Citrix Director report can a Citrix Administrator review to find out what might be causing the delay?

- A. Resource Utilization
- B. Connection Failures
- C. Logon Performance
- D. Load Evaluators

Answer: C

NEW QUESTION 92

Which three options are allowed when using Classic policies? (Choose three.)

- A. HTTP
- B. CLIENT
- C. SERVER
- D. IP
- E. DNS
- F. TCP

Answer: ADF

NEW QUESTION 94

Which layer can optionally be managed by Citrix Cloud, when designing Citrix Cloud architecture?

- A. Access
- B. Hardware
- C. Resource
- D. Control

Answer: C

NEW QUESTION 95

Scenario: A Citrix Administrator has executed the following command:

```
set cs vserver Vserver-CS-1 -caseSensitive ON
add cs action CS_Act_1 -targetLBVserver MYVPN_http
add cs policy CS_Pol_1 -rule "http.REQ.HOTSNAME.CONTAINS('server.citrix.lab')" -action CS_Act_1
bind cs vserver CS_vserver1 -policyName CS_Pol_1 -priority 100
```

What will be the outcome of this configuration?

- A. The users trying to access HTTP://SERVER.CITRIX.LAB will NOT be connected to the Vserver MYVPN_http.
- B. The users trying to access HTTP://SERVER.CITRIX.LAB will be connected to the Vserver MYVPN_http.
- C. The users trying to access http://server.citrix.lab will be connected to CS Vserver Vserver-CS-1.
- D. The users trying to access HTTP://SERVER.CITRIX.LAB will be connected to CS Vserver Vserver-CS-1.

Answer: B

NEW QUESTION 98

Scenario: A Citrix Administrator configured the following policies in a Citrix Virtual Desktops Site environment, in descending priority order.

- * 1. "Marketing Office A" has a filter on Marketing users. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
- * 2. "Marketing Office B" has a filter on Marketing users' internal IP. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
- * 3. "Accounting" has a filter on Accounting Users. 'Client Network Drives' is enabled; 'Client Fixed Drives' is NOT configured.
- * 4. "Baseline" is configured without a filter. 'Client Network Drives' and 'Client Fixed Drives' are both disabled.

Based on these policies, what will Accounting users be able to access?

- A. Client network drives only
- B. Neither the client network drive nor the client fixed drive
- C. Client fixed drives only
- D. Client fixed and network drives

Answer: A

NEW QUESTION 102

Scenario: A Citrix Administrator would like to better monitor traffic within the Citrix Gateway and Citrix Virtual Apps and Desktops Site. The administrator decides to implement the Citrix Application Delivery Management appliance for use with Citrix Director.

Which three additional pieces of infrastructure information can the administrator now review within Citrix Director? (Choose three.)

- A. Latency and bandwidth effects for applications and desktops.
- B. Peak Connected Sessions information for specific user sessions.
- C. Latency and bandwidth information for specific user sessions.
- D. Average ICA round trip time for specific user sessions.
- E. Peak Concurrent Total Sessions for specific applications and desktops.

Answer: CDE

NEW QUESTION 107

Which set of resources can a Citrix Administrator contain within a resource location in a Citrix Virtual Apps and Desktops service deployment?

- A. Citrix ADC, Virtual Delivery Agent (VDA), Active Directory Domain, Hypervisor
- B. Citrix ADC, StoreFront, Citrix Director, Citrix Provisioning
- C. Citrix ADC, Delivery Controller, Virtual Delivery Agent (VDA), Active Directory Domain
- D. Citrix ADC, Virtual Delivery Agent (VDA), StoreFront, Database

Answer: A

NEW QUESTION 108

Scenario: A Citrix Administrator notices an intermittent latency issue within a Citrix Virtual Apps and Desktops environment. The issue only involves external users entering through a Citrix Gateway.

The administrator reviews Citrix ADC logs, identifies the problem as a networking issue, and now wants a more granular view of the data in order to isolate the issue further.

Which Citrix tool can the administrator use to view the network information?

- A. Citrix Diagnostic Toolkit
- B. HDX Insight
- C. Citrix Scout
- D. Configuration Logging

Answer: A

NEW QUESTION 110

What information does a Citrix Administrator need when creating a silent installation of the Cloud Connector?

- A. Citrix.CloudServices.AgentHub.Api
- B. Machine Catalog Name
- C. Resource Location ID
- D. Active Directory Schema

Answer: C

Explanation:

In order to silently install Citrix Cloud connectors when you have more than one resource location, the ID of the target resource location must be passed on the command-line of the installer. Although this ID is available in the CC user interface, it is sometimes desirable to get this information programmatically.

NEW QUESTION 111

Scenario: A Citrix Administrator configured the rewrite policies below:

```
bind lb vserver VPN_http-policyName POL_1-priority 120 -gotoPriorityExpression END -type REQUEST
bind lb vserver VPN_http-policyName POL_2-priority 90 -gotoPriorityExpression NEXT -type REQUEST
bind lb vserver VPN_http-policyName POL_3-priority 100 -gotoPriorityExpression NEXT -type REQUEST
bind lb vserver VPN_http-policyName POL_4-priority 110 -gotoPriorityExpression END -type REQUEST
```

In which order will the policies be evaluated?

- A. POL_2, POL_3
- B. POL_2
- C. POL_2, POL_3, POL_4, POL_1
- D. POL_2, POL_3, POL_4

Answer: C

NEW QUESTION 112

Scenario: A Citrix Administrator is performing a disaster recovery test and decided to fail over the Citrix ADC high availability (HA) pair appliances. The administrator noticed that the failover is NOT working as expected in item text, and the Secondary Citrix ADC is NOT taking over as Primary. The administrator suspects that networking issues may be causing the failure.

What could be the cause of this issue with the Citrix ADCs?

- A. HA heartbeats are only seen on some enabled interfaces of the Secondary Node.
- B. HA monitoring is enabled on an interface of the Secondary Node that shows as ENABLED, DOWN.
- C. The Independent network configuration (INC) mode is enabled on the Primary Node.
- D. HA monitoring is enabled on a disabled interface of the Primary Node.

Answer: D

NEW QUESTION 114

What happens to the differencing disk of a Random/Non-Persistent desktop machine following a restart in a Citrix Virtual Apps and Desktops Site running on Citrix Hypervisor?

- A. It will be updated from the base image.
- B. It will be synchronized with the attached Personal vDisk.
- C. It will be disconnected and recreated.
- D. It will be merged with the base image.

Answer: A

NEW QUESTION 116

Scenario: A Citrix Administrator has a Citrix ADC SDX with four VPX instances configured. The SDX has a 10GB bandwidth license that has been configured with dedicated bandwidth of 2GB for each instance. However, the administrator found that three instances do NOT ever reach the bandwidth limit, while one instance reaches the limit and needs 1GB more bandwidth to accommodate increased traffic requests.

What can the administrator change on the instance that requires more bandwidth, to meet traffic requirements?

- A. Configure burst capacity on the instance adding 1 GB of bandwidth with burst priority 0.
- B. Purchase an SDX license to increase the bandwidth on the instances.
- C. Configure burst capacity of 1GB with priority 10.
- D. Configure LA channel to increase the bandwidth.

Answer: C

NEW QUESTION 118

Scenario: A Citrix Administrator is enabling TLS Secure connections between the Cloud Connectors and on-premises StoreFront. After configuring the TLS certificate on all Cloud Connectors and disabling HTTP connections, the administrator finds that no resources are being enumerated.

Which extra step does the administrator need to take to allow enumeration to work between on-premises StoreFront and Citrix Cloud?

- A. Configure Internet Information Services (IIS) on the StoreFront server to use HTTPS.
- B. Change transport type to HTTPS in the StoreFront store DDC list.
- C. Configure Cloud Connectors to allow unsecured connections.
- D. Install Internet Information Services (IIS) on the Cloud Connector.

Answer: B

NEW QUESTION 121

Scenario: A Citrix Administrator needs to deploy Citrix Virtual Apps. Project requirements dictate that management and maintenance should be minimized for the administrator, while still maintaining control of the Virtual Delivery Agent (VDA) machines.

Which hosting platform should the administrator choose to meet these requirements?

- A. Service provider
- B. On-premises
- C. Public Cloud-hosted
- D. Citrix Cloud

Answer: D

NEW QUESTION 122

Scenario: All users' files, folders, and registry settings are managed by Citrix Profile Management in a Citrix Virtual Apps and Desktops environment. Recently, a Citrix Administrator received reports of profile corruption from users, resulting in lost personal settings, preferences, and lost data from their Documents folder. No .INI file is being used to manage the Profile Management setup; only GPOs are being used.

Which setting can the administrator use to help prevent further data loss from these users' profiles?

- A. Enable File Exclusions
- B. Enable NTUSER.DAT backup
- C. Enable Folder Exclusions
- D. Enable Migration of Existing Profiles
- E. Enable Directory Synchronization

Answer: B

NEW QUESTION 126

A master image that will be used to deploy machines for a Citrix Virtual Apps and Desktops environment should have the installed on it so that . (Choose the correct option to complete the sentence.)

- A. Virtual Delivery Agent (VDA); users can access resources on the machines
- B. Citrix Workspace app; users can access resources on the machines
- C. Virtual Delivery Agent (VDA); machines can communicate with the Site database
- D. Citrix Workspace app; machines can communicate with the Site database

Answer: A

NEW QUESTION 129

Which mode on the Citrix ADC can a Citrix Administrator utilize to avoid asymmetrical packet flows and multiple route/ARP lookups?

- A. Use Subnet IP (USNIP)
- B. MAC-based forwarding (MBF)
- C. Layer 2
- D. Layer 3

Answer: B

NEW QUESTION 134

Which two actions must be true for a client to connect to an SSL offload virtual server without any SSL errors? (Choose two.)

- A. The Root Certificate is installed on the client's device.
- B. The Server Certificate is from a private certificate authority (CA).
- C. The Server Certificate is bound to the load-balancing virtual server.
- D. The Root Certificate is installed on the Citrix ADC.

Answer: AC

NEW QUESTION 138

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator has executed the following command: bind vlan 20 -ifnum 1/1
What is the result of executing the command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.

Answer: B

NEW QUESTION 139

Scenario: A Citrix Administrator is configuring the Citrix Workspace app to allow users to access their applications and desktops. Management requires users to be logged on to the Citrix Workspace app without entering their credentials and for sessions to be pre-launched in the background for expedited application access. Which experience does the administrator need to configure for users in this environment?

- A. Citrix Workspace app for Windows
- B. Citrix Workspace for Web
- C. Citrix Workspace app for Universal Windows Platform
- D. Citrix Workspace app for HTML5

Answer: A

NEW QUESTION 142

How can a Citrix Administrator configure a rewrite policy to change the version of HTTP from HTTP 1.1 to HTTP 1.0 in every request?

A

```
add rewrite action RW_ACT replace http.req.version "\"HTTP/1.0\""  
add rewrite policy RW_POL true RW_ACT
```

B

```
add rewrite action RW_ACT replace http.res.version "\"HTTP/1.0\""  
add rewrite policy RW_POL true RW_ACT
```

C

```
add rewrite action RW_ACT replace http.res.version "\"HTTP/1.1\""  
add rewrite policy RW_POL true RW_ACT
```

D

```
add rewrite action RW_ACT replace http.req.version "\"HTTP/1.1\""  
add rewrite policy RW_POL true RW_ACT
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 145

Scenario: A Citrix Administrator is in the process of migrating a Citrix Virtual Apps and Desktops on-premises deployment to Citrix Cloud with an on-premises resource location. StoreFront and Citrix ADC machines are located on premises. The administrator notices that application enumeration is NOT occurring for resources managed by the Citrix Cloud Site. What does the administrator need to change in order to get application enumeration working?

- A. Add the Citrix Cloud Connectors as Secure Ticket Authority (STA) servers on Citrix ADC and StoreFront.
- B. Remove the Citrix policies on the old Citrix Delivery Controllers.
- C. Add the Citrix Cloud Connectors as XML servers to the existing StoreFront servers.
- D. Decommission the old Citrix Delivery Controllers and Databases.

Answer: A

NEW QUESTION 147

A Citrix Administrator is configuring a Citrix Virtual Desktops Site for use with a mirrored SQL Server database. Which collation sequence should the administrator use when creating an empty database on the principal SQL Server?

- A. _100_CI_AS_KS
- B. _100_CI_AI_WS
- C. _100_CI_AI_SC
- D. _CS_AI_AS

Answer: A

NEW QUESTION 152

Scenario: A Citrix Administrator manages a Citrix Gateway with a Standard Platform License, with remote employees in the environment. The administrator wants to increase employee access by 300 users through the Citrix Gateway, using VPN access. Which license should the administrator recommend purchasing for this environment?

- A. Citrix ADC Burst Packs License
- B. Citrix ADC Upgrade License
- C. Citrix Gateway Universal License
- D. Citrix Gateway Express License

Answer: C

NEW QUESTION 156

Scenario: A Citrix Administrator is working on a published application. The network is connected for 100 seconds but is interrupted and applications become unusable. The session then automatically resumes, and the administrator is able to continue working on the application at the same progress point as before the interruption.

Which policy is enabled in this scenario?

- A. Load Management

- B. Session Reliability
- C. ICA Keep Alive
- D. Auto client reconnect

Answer: B

NEW QUESTION 160

Scenario: A Citrix Administrator created an SSL virtual server using only the following commands:

```
add lb vserver sslvserver SSL 10.102.29.133.444
add service sslsvc1 192.168.0.14 SSL 443
add service sslsvc2 192.168.0.15 SSL 443
bind lb vserver sslvserver sslsvc1
bind lb vserver sslvserver sslsvc2
set ssl vserver sslvserver -ssl3 disabled
```

The SSL virtual server is currently in a DOWN state.
What could be the reason the SSL virtual server is in a down state?

- A. The SSL services are NOT on the 10.102.29.X network.
- B. SSLv3 is disabled.
- C. The virtual server SSL port is NOT set to port 443.
- D. The SSL Certificate is NOT bound to the virtual server.

Answer: D

NEW QUESTION 162

By default, what is the printing behavior when no printing policy is configured?

- A. Direct connections to print servers are prohibited.
- B. All client printers are auto-created.
- C. The generic universal printer is automatically created.
- D. The Universal Print Server is enabled.

Answer: B

NEW QUESTION 164

Scenario: A Citrix Administrator previously configured a Citrix Virtual Desktops Site to use evaluation licenses. The administrator then installed valid advanced licenses on the Citrix License Server and confirmed that licenses show correctly in the licensing console. However, a user reports an issue about logging on to the published desktop. The user receives an error message stating that the evaluation license is about to expire.
What should the administrator do to fix this issue?

- A. Restart the License service.
- B. Verify the host name entry in the license file.
- C. Remove the evaluation license.
- D. Change the product edition in Citrix Studio.

Answer: D

NEW QUESTION 166

Scenario: A Citrix Administrator is investigating an issue in which a user's session does NOT successfully end after closing the last published application. The administrator used Task Manager to inspect the hanging session but could NOT find any relevant information.
Which tool could the administrator use to get further details on orphaned processes in the session?

- A. Procmon
- B. Process Explorer
- C. Regmon
- D. Handle

Answer: B

NEW QUESTION 170

Scenario: A Citrix Administrator has executed the following command:
set httpcallout httpcallout1 -cacheForSecs 120
What will be the effect of this command?

- A. The cache duration of the HTTP request is set to 120 seconds.
- B. The cache duration of the HTTP callout request is set to 120 seconds.
- C. The cache duration of the HTTP response is set to 120 seconds.
- D. The cache duration of the HTTP callout response is set to 120 seconds.

Answer: D

NEW QUESTION 172

What information from the Citrix License Server does a Citrix Administrator need in order to allocate the Citrix Virtual Desktops license file from the Citrix.com account?

- A. IP address

- B. FQDN
- C. MAC address
- D. Hostname

Answer: D

NEW QUESTION 177

How can a Citrix Administrator enable the ability to monitor application failures for Desktop OS machines running the Virtual Delivery Agent (VDA)?

- A. By installing an Application Probe Agent on the Desktop OS VDA machines
- B. By entering a PowerShell command on a Delivery Controller
- C. By upgrading to premium licenses
- D. By configuring a Citrix policy

Answer: A

NEW QUESTION 181

A Citrix Administrator needs to block access to multiple URLs for security reasons. Which configuration should the administrator use to accomplish this requirement?

- A


```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS("BAD_URL")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```
- B


```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS("BAD_URL")" DROP
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```
- C


```
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS("BAD_URL")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ
```
- D


```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS_ANY("BAD_URL")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 184

Scenario: A Citrix Administrator configured Citrix ADC with multiple admin partitions, with different resources running one each. The administrator receives an SNMP alert stating 'a Load Balanced Virtual Server is down'. When the administrator checks the Citrix ADC, the resource on the partition that was usually managed is NOT there.

Now, the administrator has to check each partition to find the load balanced virtual server that is down.

What can the administrator do to add the partition information to the SNMP traps to avoid this from happening in the future?

- A. Configure additional SNMP trap listeners.
- B. Change SNMP trap options.
- C. Add the partition information to the SNMP traps.
- D. Configure the SNMP Manager to send the partition information.

Answer: C

NEW QUESTION 185

Scenario: The Help Desk team is troubleshooting a printing issue. Users connect to print servers located in two different datacenters. The print servers host identical drivers and queues. Upon investigation, a Citrix Administrator finds that users can only print to one of the print servers successfully.

The Network team informed the administrator that only Citrix-related traffic is allowed between the two Sites. How can the administrator fix this issue?

- A. Create a Citrix policy that limits the bandwidth consumption used by printing.
- B. Create a Citrix policy that disables direct connections to the print servers.
- C. Install Universal printer drivers to all print servers.
- D. Create a Citrix policy to auto-create printers.

Answer: B

NEW QUESTION 188

Which console can a Citrix Administrator use to provide customized permissions to a junior administrator for adding applications?

- A. Citrix Studio
- B. StoreFront
- C. Citrix Director
- D. Citrix Application Delivery Management

Answer: A

NEW QUESTION 193

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Y0-204 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Y0-204 Product From:

<https://www.2passeasy.com/dumps/1Y0-204/>

Money Back Guarantee

1Y0-204 Practice Exam Features:

- * 1Y0-204 Questions and Answers Updated Frequently
- * 1Y0-204 Practice Questions Verified by Expert Senior Certified Staff
- * 1Y0-204 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Y0-204 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year