



HP

Exam Questions HPE0-S59

HPE Compute Solutions

NEW QUESTION 1

You configured a vVol datastore using HPE Storage integration Pack for VMware vCenter. Which storage object should you check using SSMC to verify whether vVol datastore is configured property?

- A. App Volume Set
- B. Storage Container
- C. Virtual Volume Set
- D. virtual Volume

Answer: C

NEW QUESTION 2

Your customer plans to deploy a VMware ESXi with HPE Synergy platform. They plan to use Distributed Switches and DRS cluster. You are preparing a proposal with the following components:

- HPE Synergy frame with ten HPE Synergy 480 Gen10 Plus compute modules
 - two HPE Virtual Connect SE 100Gb F32 Modules for Synergy
 - an appropriate number of the vSphere Standard licenses for each compute node
 - one HPE D3940 Storage Modules with 40 SSDs - all required cables and options
- Which statement about this proposal is true?

- A. One HPE Virtual Connect SE 100Gb F32 Module for Synergy should be replaced with 50GD/S ILM
- B. vSphere Standard licenses should be replaced with Enterprise Plus licenses to enable requested features
- C. 2 additional HPE Synergy 480 Gen10 Plus compute modules can be added to this setup
- D. 20 SSD drives should be removed from this setup, as D3940 supports only 20 SSD or SAS drive.

Answer: B

NEW QUESTION 3


Which statement about manual orchestration during the firmware update is true?

- A. It is supported only for logical enclosures with at least three frames
- B. It provides an ability to select and update one side of the Interconnect topology at a time
- C. It provides the ability to install an older firmware version than currently installed in the interconnect
- D. It allows all the interconnect modules to be activated manually at the same time.

Answer: B

NEW QUESTION 4

Click the drop-down menu that will allow you to define the location of the master modules within the logical interconnect group.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Create Logical Interconnect Group
General ▾
?

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type ▾

Enclosure count ▾

Interconnect bay set ▾

Redundancy ▾

Downlink speed ▾

Select Interconnects

NEW QUESTION 5

Which tool can be used to evaluate the health of an HPE Oneview appliance before proceeding with an appliance update.

- A. HPE Composer Maintenance Console
- B. HPE OneView Update Readiness Checker
- C. HPE OneView Global Dashboard
- D. HPE OneView Firmware Compliance Report

Answer: A

NEW QUESTION 6

In the past a customer experienced a networking issue where network ports went down and came back up in quick succession. Which HPE Virtual Connect SE 100 GD F32 Module for HPE Synergy feature can be configured to disable such ports?

- A. Pause flood protection
- B. sFlow
- C. Storm control
- D. Port flap protection

Answer: B

NEW QUESTION 7

Which compute node parameters are captured within server hardware type?

- A. Number of the CPUs
- B. installed operating system
- C. Mezzanine card configuration
- D. Size of the memory Installed

Answer: B

NEW QUESTION 8

Refer to the exhibit.

Logical JBODs 1

+ Create Logical JBOD

| Name | Number of physical drives |
|---------------|---------------------------|
| Logical -JBOD | 1 |

Logical-JBOD Overview

General >

| | |
|---------------------------|-------------------|
| Description | none |
| State | Configured |
| Drive enclosure | CZ204400XB_bay.11 |
| Used by | none |
| Number of physical drives | 1 |
| Drive technology | SAS HDD |
| Minimum drive size | 600 GB |
| Maximum drive size | 600 GB |
| Erase on delete | Yes |

Drives >

| Bay | Drive Enclosure | Model | Type | Capacity |
|-----|-------------------|---------------|---------|----------|
| 19 | CZ204400XB_bay.11 | EG000600JWJNH | SAS HDD | 600 GB |

Which statement about this logical JBOD is true?

- A. This logical JBOD can be connected to multiple systems to formulate a shared datastore.
- B. After deleting this logical JBOD drives will be blocked for 12h in case this JBOD must be re-created
- C. After deleting this logical JBOD, its drives will not be available until a clean-up procedure is done
- D. This logical JBOD can be presented to the compute nodes in a different frame.

Answer: C

NEW QUESTION 9

Match each HPE OneView network type with its definition.

| Network Type | Definition |
|------------------|--|
| Internal network | A network that contains multiple networks on a single uplink set that allows your customer to share uplinks with those networks. |
| Tagged network | A network in which any tagged packets are dropped and forwarding is done by a MAC address. |
| Tunnel network | A network with a dedicated set of uplink ports used to pass a group of VLANs without changing the VLAN tags. |
| Untagged network | A network that does not utilize any uplink ports and is used for communication between servers in the same frame. |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Network Type | Definition |
|------------------|--|
| Internal network | A network that contains multiple networks on a single uplink set that allows your customer to share uplinks with those networks. |
| Tagged network | A network in which any tagged packets are dropped and forwarding is done by a MAC address. |
| Tunnel network | A network with a dedicated set of uplink ports used to pass a group of VLANs without changing the VLAN tags. |
| Untagged network | A network that does not utilize any uplink ports and is used for communication between servers in the same frame. |

NEW QUESTION 10

Which statement about the HPE D3940 storage module is true?

- A. SATA drives requires redundant 10 adapters to be installed in this module
- B. Up to five modules can be installed in a single frame with Gen10 servers
- C. it is configured through CLI available from HPE Synergy console
- D. Only one type of drives (SATA, SAS, SSD) can be installed in each module

Answer: C

NEW QUESTION 10

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView.

Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

Steps

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Add vCenter Server to HPE OneView for VMware vCenter Server

Deploy new ESXi systems using vCenter Server interface.

Upload HPE-friendly ESXi image.

Answer Area

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Upload HPE-friendly ESXi image.

Deploy new ESXi systems using vCenter Server interface.

Add vCenter Server to HPE OneView for VMware vCenter Server

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Steps

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Add vCenter Server to HPE OneView for VMware vCenter Server

Deploy new ESXi systems using vCenter Server interface.

Upload HPE-friendly ESXi image.

Answer Area

Add vCenter Server to HPE OneView for VMware vCenter Server

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Upload HPE-friendly ESXi image.

Deploy new ESXi systems using vCenter Server interface.

NEW QUESTION 13


Your customer wants to compare HPE Superdome Flex with HPE Superdome Flex 280. Which statement about these two systems is true?

- A. Only HPE Superdome Rex 280 can be managed using HPE OneView
- B. Only HPE Superdome Flex supports HPE Persistent Memory
- C. Only HPE Superdome Flex 280 can support multiple nPars
- D. Only HPE Superdome Flex supports 32 sockets and 48TB of memory

Answer: A

NEW QUESTION 14


Click the option that will allow you to change the ESXi image used In an OS Deployment Plan.



- A. Mastered
- B. Not Mastered


Answer: A

Explanation:



NEW QUESTION 18


Click the area within the iLO management interface that will allow you to access workload Advisor.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 23

An administrator tries to open iLO interlace from HPE OneView Instead of being automatically logged in a login prompt displays Where should you start the troubleshooting process?

- A. At the iLO interface to verify whether the ILO Advanced license is properly applied
- B. At HPE OneView Interface to verify whether the server is In the maintenance mode
- C. At the iLO interface to verify whether the SSO certificate is removed from an iLO.
- D. At HPE OneView Interface to verify whether the iLO processor is disabled

Answer: A

NEW QUESTION 25

An HPE Synergy customer needs to prevent a timeout and loss of communication during an external switch firmware upgrade. Click the parameter that the customer should configure within an uplink set to meet this requirement

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 29

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

HPE0-S59 Practice Exam Features:

- * HPE0-S59 Questions and Answers Updated Frequently
- * HPE0-S59 Practice Questions Verified by Expert Senior Certified Staff
- * HPE0-S59 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE0-S59 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The HPE0-S59 Practice Test Here](#)