

Exam Questions CTFL-Foundation

Certified Tester Foundation Level

<https://www.2passeasy.com/dumps/CTFL-Foundation/>



NEW QUESTION 1

IEEE 1028 also defines “management review” as a type of review. What is the main purpose of a management review? 1 credit

- A. Align technical concepts during the design phase
- B. Establish a common understanding of requirements
- C. Provide independent evaluation of compliance to processes, regulations, standards etc.
- D. To monitor progress, assess the status of a project, and make decisions about future actions

Answer: D

NEW QUESTION 2

As part of the improvement program, the organization is also looking at tool support. Which type of tool could be used to ensure higher quality of the code to be reviewed? 1 credit

- A. Review tool
- B. Test execution tool
- C. Static analysis tool
- D. Test design tool

Answer: C

NEW QUESTION 3

Select THREE issues from the options provided that should at least be raised. 1 credit

- A. Has there been sufficient comparison of tools?
- B. What are the problems we are trying to address?
- C. Do we have a set of tool requirements to validate the tool against?
- D. How will the implementation be organized?
- E. Which project will be selected to perform the tool pilot?
- F. Is customized training available?
- G. How will the change process be managed?

Answer: ABC

NEW QUESTION 4

Which of the following is least likely to be used as a technique to identify project and product risks? 1 credit

- A. Brainstorming
- B. Inspections
- C. Expert interviews
- D. Independent assessments

Answer: B

NEW QUESTION 5

What would be a test approach regarding the test design techniques to be applied that would fit an item with the highest risk? 2 credits

- A. Component testing: decision testing; System testing: exploratory testing
- B. Component testing: decision testing; System testing: decision table testing
- C. Component testing: statement testing; System testing: equivalence partitioning
- D. Component testing: statement testing; System testing: decision table partitioning

Answer: B

NEW QUESTION 6

What is the Risk Priority Number for risk item number 2? 2 credits

- A. 16
- B. 2
- C. 1
- D. 63

Answer: D

NEW QUESTION 7

Which of the following is a valid drawback of independent testing? 1 credit

- A. Developer and independent testing will overlap and waste resources.
- B. Developers lose the sense of responsibility and independent testers may become a bottleneck.
- C. Independent testers need extra education and always cost more.
- D. Independent testers will become a bottleneck and introduce problems in incident management

Answer: B

NEW QUESTION 8

A number of options have been suggested for the level of independence to be employed for the testing on the next project, and are shown below.

- A. External test specialists perform non-functional testing.i
 - B. Testing is outsourced.ii
 - C. Testing is carried out by the developer.i
 - D. A separate test team carries out the testing.
 - E. Testing is performed by the business.v
 - F. Testing is performed by a different developer.
- Which of the following orders the above in a correct order of independence? 1 credit
- G. i, ii, iv, vi
 - H. ii, i, v, vi
 - I. ii, v, i, iii
 - J. i, iv, v, vi

Answer: B

NEW QUESTION 9

Which aspect in the test estimate is the main risk in this project? 1 credit

- A. Quality of the specification
- B. Availability of end-users
- C. The costs of hardware and tools
- D. Unknown input quality due to third party development

Answer: D

NEW QUESTION 10

In general, why is it NOT a good idea to estimate the testing effort based only on a percentage of development effort? Identify THREE valid reasons. 1 credit

- A. The quality of the development estimate may be poor.
- B. In general bottom-up estimation is always better than top-down estimation.
- C. The percentage based technique only applies to the V life cycle model.
- D. Using the same percentage every time does not address the level of risk of the application to be tested.
- E. The maturity of the organization, e.
- F. the quality of the test basis, quality of development testing, configuration management, availability of test tools, also influence the effort needed for testing.
- G. It builds on large set of historical data
- H. The result is almost always a too low estimate for the required test effort

Answer: ADE

NEW QUESTION 10

Identify THREE items that would be part of the work-breakdown structure showing the key testing activities for the acceptance test project. 2 credits (for 2 out correct 1 credit)

- A. Test planning, test case preparation and test execution for each of the four iterations
- B. Work should be explicitly allocated to test completion, test management, installation and to training on using the system
- C. Activities to deploy the system in the user environment
- D. Regression testing in the second, third and fourth iterations
- E. Development activities for unit and integration testing
- F. Reviews on requirements documentation
- G. Defining test environment requirements for system testing

Answer: ABD

NEW QUESTION 14

A test assessment has been carried out using the selected model as a reference framework. A number of recommendations have been identified and you are asked to prioritize them. Based on your knowledge of the project, you are expecting severe resistance to change. Which of the following would be the most important selection criterion for defining the priority of the recommendations? 2 credits

- A. Synchronized with the overall long-term organizational strategy
- B. Defined according to the maturity model used
- C. Most visible to stakeholders
- D. Low costs actions first

Answer: C

NEW QUESTION 18

During test process improvement it is recommended to use standards where possible. Standards originate from various sources and they cover different subjects in relation to testing Pick TWO sources of software standards, useful to software testing from the ones mentioned below. 1 credit

- A. ISO 9126-1 'Software engineering- Product quality Part 1:Quality model' is an international standard, that provides a basis on which to define quality assurance solutions.
- B. ISA 4126-1 'Software engineering- Product quality Part 1:Quality model' is an international standard, that provides a basis on which to define quality assurance solutions.
- C. BS-7925-2 'Software testin
- D. Software component testing is a national standard used internationall
- E. It covers a number of testing techniques that may be useful both on component testing level and on system testing level.

- F. SY-395-01 'Standard for East Coast Hospital software' is a regional standard adapted from a national one
- G. Besides hospital software, this standard ought to be used also by other types of software system in the region.
- H. IEEE 829 'standard for software test documentation' is an international standard to be followed mandatorily by all testing organizations regardless of lifecycle models.

Answer: AC

NEW QUESTION 19

Within the projects, a master test plan and phase test plan will be used. Following is a list of characteristics applicable for test plans:

- A. Any deviation from the procedures described in the test strategy document
 - B. The overall estimated costs, timescales and resource requirements
 - C. A detailed schedule of testing activities
 - D. The development deliverables to be tested
 - E. Which test staff members (names) will be involved and when
 - F. Level of requirements coverage achieved
- Which TWO of the above mentioned characteristics relate to the phase test plan? 1 credit
- I. a
 - J. b
 - K. c
 - L. d
 - M. e
 - N. f

Answer: CE

NEW QUESTION 23

Within the projects, a master test plan and phase test plan will be used. Following is a list of characteristics applicable for test plans:

- A. Any deviation from the procedures described in the test strategy document
 - B. The overall estimated costs, timescales and resource requirements
 - C. A detailed schedule of testing activities
 - D. The development deliverables to be tested
 - E. Which test staff members (names) will be involved and when
 - F. Level of requirements coverage achieved
- Which THREE of the above mentioned characteristics relate to the master test plan? 1 credit
- G. a
 - H. b
 - I. c
 - J. d
 - K. e
 - L. f

Answer: ABD

NEW QUESTION 27

As part of the test strategy, entry and exit criteria will be defined for each test level. Which is NOT a valid reason for using entry and exit criteria? 1 credit

- A. The expectation is that development testing is not adequate.
- B. Exit criteria are used to decide on when to stop testing.
- C. Entry and exit criteria are a principal way for getting adequate resources.
- D. Using entry and exit criteria will prevent software that is not or poorly tested from going to the next test level

Answer: C

NEW QUESTION 31

Which one of the following estimation approaches is appropriate at this stage of the project? 2 credits

- A. Create an estimate based on the function point analysis technique and test point analysis
- B. Create an estimate based on the complexity of the code
- C. Create an estimate based on the credentials of the successful bidder
- D. Create an estimate based on a percentage of the development effort

Answer: A

NEW QUESTION 32

Regarding the process described above, what is the most important recommendation you would make using IEEE 1044 as a guide? 2 credits

- A. No priority or severity assigned
- B. Incident numbering is manual rather than automated
- C. No mentioning of reproducibility
- D. No classification on type of incident

Answer: A

NEW QUESTION 36

Which of the following statements describes a key principle of software testing?

- A. Automated tests allow better statements of confidence about the quality of software products.
- B. For a software system, it is normally impossible to test all the input and output combinations.
- C. Exhaustive software testing is, with enough effort and tool support, feasible for all software.
- D. The purpose of software testing is demonstrating the absence of defects in software product

Answer: B

NEW QUESTION 39

What is the main purpose of use case testing?

- A. To identify defects in process flows related to typical use of the system.
- B. To identify defects in the connections between components.
- C. To identify defects in the system related to extreme scenarios.
- D. To identify defects in the system related to the use of unapproved programming practice

Answer: A

Explanation:

Answer (B) relates to integration testing; answer (C) could relate to boundary value analysis or performance testing, but use cases exercise typical process flows rather than extreme examples; answer (D) relates to static analysis.

NEW QUESTION 43

Which of the following are aids to good communication, and which hinder it?

- A. Try to understand how the other person feels.i
- B. Communicate personal feelings, concentrating upon individuals.ii
- C. Confirm the other person has understood what you have said and vice versa.i
- D. Emphasize the common goal of better quality.
- E. Each discussion is a battle to be won.
- F. (i), (ii) and (iii) aid, (iv) and (v) hinder.
- G. (iii), (iv) and (v) aid, (i) and (ii) hinder.
- H. (i), (iii) and (iv) aid, (ii) and (v) hinder.
- I. (ii), (iii) and (iv) aid, (i) and (v) hinder

Answer: C

NEW QUESTION 45

The cost of fixing a fault:

- A. Is not important
- B. Increases as we move the product towards live use
- C. Decreases as we move the product towards live use
- D. Is more expensive if found in requirements than functional design
- E. Can never be determined

Answer: B

NEW QUESTION 46

Which of the following is most likely to be a benefit of using static techniques?

- A. Fewer performance defects.
- B. Productivity improvements in the development process.
- C. More efficient regression testing.
- D. Quick return on investment in static analysis tools.

Answer: B

Explanation:

Although the other options might be seen as benefits they are not amongst the most likely benefits. Option (B) is the benefit that is most likely to be realized.

NEW QUESTION 47

Which of the following is most likely to cause failure in the implementation of a test tool?

- A. Underestimating the demand for a tool.
- B. The purchase price of the tool.
- C. No agreed requirements for the tool.
- D. The cost of resources to implement and maintain the tool

Answer: C

NEW QUESTION 49

Which of the following is true about the V-model?

- A. It has the same steps as the waterfall model for software development.
- B. It is referred to as a cyclical model for software development.
- C. It enables the production of a working version of the system as early as possible.

D. It enables test planning to start as early as possible

Answer: D

NEW QUESTION 50

Tools like change Man, Clear case are used as..?

- A. functional automation tools
- B. performance testing tools
- C. configuration management tools
- D. none of the above

Answer: C

NEW QUESTION 53

Which is not the testing objective?

- A. Finding defects
- B. Gaining confidence about the level of quality and providing information
- C. Preventing defects.
- D. Debugging defects

Answer: D

NEW QUESTION 56

Hand over of Testware is a part of which Phase:

- A. Test Analysis and Design
- B. Test Planning and control
- C. Test Closure Activities
- D. Evaluating exit criteria and reporting

Answer: C

NEW QUESTION 60

Which of the following statements is the MOST valid goal for a test team?

- A. Determine whether enough component testing was executed.
- B. Cause as many failures as possible so that faults can be identified and corrected.
- C. Prove that all faults are identified.
- D. Prove that any remaining faults will not cause any failure

Answer: B

NEW QUESTION 61

Which of the following terms is used to describe the management of software components comprising an integrated system?

- A. Configuration management
- B. Incident management
- C. Test monitoring
- D. Risk management

Answer: A

Explanation:

Incident management is the collection and processing of incidents raised when errors and defects are discovered. Test monitoring identifies the status of the testing activity on a continuous basis. Risk management identifies, analyses and mitigates risks to the project and the product. Configuration management is concerned with the management of changes to software components and their associated documentation and testware.

NEW QUESTION 62

The difference between re-testing and regression testing is:

- A. Re-testing is running a test again; regression testing looks for unexpected side effects
- B. Re-testing looks for unexpected side effects; regression testing is repeating those tests
- C. Re-testing is done after faults are fixed; regression testing is done earlier
- D. Re-testing uses different environments, regression testing uses the same environment
- E. Re-testing is done by developers, regression testing is done by independent testers

Answer: A

NEW QUESTION 64

Tests are prioritized so that:

- A. You shorten the time required for testing
- B. You do the best testing in the time available

- C. You do more effective testing
- D. You find more faults

Answer: B

NEW QUESTION 69

Which of the following is correct? Debugging is:

- A. Testing/checking whether the software performs correctly.
- B. Checking that a previously reported defect has been corrected.
- C. Identifying the cause of a defect, repairing the code and checking the fix is correct.
- D. Checking that no unintended consequences have occurred as a result of a fix.

Answer: C

Explanation:

- A. Is a brief definition of testing.
- B. Is retesting.
- D. Is regression testing.

NEW QUESTION 71

In a review meeting a moderator is a person who:

- A. Takes minutes of the meeting
- B. Mediates between people
- C. Takes telephone calls
- D. Writes the documents to be reviewed

Answer: B

NEW QUESTION 73

The five parts of the fundamental test process have a broad chronological order. Which of the options gives three different parts in the correct order?

- A. Implementation and execution, planning and control, analysis and design.
- B. Analysis and design, evaluating exit criteria and reporting, test closure activities.
- C. Evaluating exit criteria and reporting, implementation and execution, analysis and design.
- D. Evaluating exit criteria and reporting, test closure activities, analysis and design.

Answer: B

Explanation:

All other answers have at least one stage of the fundamental test process in the wrong sequence.

NEW QUESTION 77

Which of the following is a benefit of test independence?

- A. It does not require familiarity with the code.
- B. It is cheaper than using developers to test their own code.
- C. It avoids author bias in defining effective tests.
- D. Testers are better at finding defects than developer

Answer: C

NEW QUESTION 82

What if the project isn't big enough to justify extensive testing..?

- A. Use risk based analysis to find out which areas need to be tested
- B. Use automation tool for testing
- C. Both a and b
- D. None of the above

Answer: A

NEW QUESTION 86

Faults found by users are due to..?

- A. Poor quality software
- B. Poor software and poor testing
- C. Bad luck
- D. Insufficient time for testing

Answer: B

NEW QUESTION 87

A software component has the code shown below: Program BiggestA,

Biggest: Integer Begin
Read A Biggest = 10 While A > 0 Do
If A > Biggest Then Biggest = A Endif
Read A Enddo End

The component has exit criteria for component testing that include 100% statement coverage. Which of the following test cases will satisfy this criterion?

- A. 10, 0
- B. 10, 5, 0
- C. 10, 11, 0

Answer: D

NEW QUESTION 89

What is the purpose of exit criteria?

- A. To identify how many tests to design.
- B. To identify when to start testing.
- C. To identify when to stop testing.
- D. To identify who will carry out the test executio

Answer: C

NEW QUESTION 91

Boundary value testing:

- A. Is the same as equivalence partitioning tests
- B. Test boundary conditions on, below and above the edges of input and output equivalence classes
- C. Tests combinations of input circumstances
- D. Is used in white box testing strategy

Answer: B

NEW QUESTION 94

Incorrect form of Logic coverage is:

- A. Statement Coverage
- B. Pole Coverage
- C. Condition Coverage
- D. Path Coverage

Answer: B

NEW QUESTION 99

Reporting Discrepancies as incidents is a part of which phase:

- A. Test Analysis and Design
- B. Test Implementation and execution
- C. Test Closure Activities
- D. Evaluating exit criteria and reporting

Answer: B

NEW QUESTION 102

Which statement is most true?

- A. Different testing is needed depending upon the application.
- B. All software is tested in the same way.
- C. A technique that finds defects will always find defects.
- D. A technique that has found no defects is not useful.

Answer: A

Explanation:

This is a restatement of the testing principle 'Testing is context dependent'

NEW QUESTION 106

Which of the following is MOST important in the selection of a test approach?

- A. Availability of tools to support the proposed techniques.
- B. The budget allowed for training in proposed techniques.
- C. Available skills and experience in the proposed techniques.
- D. The willingness of the test team to learn new technique

Answer: C

NEW QUESTION 107

Which of the following could be a disadvantage of independent testing?

- A. Developer and independent testing will overlap and waste resources.
- B. Communication is limited between independent testers and developers.
- C. Independent testers are too slow and delay the project schedule.
- D. Developers can lose a sense of responsibility for quality

Answer: D

NEW QUESTION 109

Which option is part of the 'implementation and execution' area of the fundamental test process?

- A. Developing the tests.
- B. Comparing actual and expected results.
- C. Writing a test summary.
- D. Analyzing lessons learnt for future releases.

Answer: B

Explanation:

- A. is part of 'Analysis and design'.
- C. is part of 'Evaluating exit criteria and reporting'.
- D. is part of 'Test closure activities'.

NEW QUESTION 113

Which of the following are the typical defects found by static analysis tools?

- A. Variables that are never used.
- B. Security vulnerabilities.
- C. Poor performance.
- D. Unreachable code.
- E. Business processes not followed.
- F. b, c and d are true; a and e are false
- G. a is true; b, c, d and e are false
- H. c, d and e are true; a and b are false
- I. a, b and d are true; c and e are false

Answer: D

NEW QUESTION 118

Fault Masking is:

- A. Error condition hiding another error condition
- B. Creating a test case which does not reveal a fault
- C. Masking a fault by developer
- D. Masking a fault by a tester

Answer: A

NEW QUESTION 120

Which one of the following roles is typically used in a review?

- A. Champion.
- B. Author.
- C. Project sponsor.
- D. Custodian.

Answer: B

Explanation:

The Author is the only role that is typically used in a review.

A Champion might sponsor the review process but is not a defined role within an actual review; a Project Sponsor, if technically competent, might be asked to play a defined role within the review process, but whilst using that role they will not be a Project Sponsor; finally, a Custodian might ensure the results are stored safely but would not be involved in the actual review itself.

NEW QUESTION 121

Which of the following is a non-functional requirement?

- A. The system will enable users to buy books.
- B. The system will allow users to return books.
- C. The system will ensure security of the customer details.
- D. The system will allow up to 100 users to log in at the same time.

Answer: D

Explanation:

The other options are functional requirements. Note that security is regarded as a functional requirement in this syllabus.

NEW QUESTION 122

Which is not in sequence in 11 Step Software Testing process..?

- A. Assess development plan and status
- B. Develop the test plan
- C. Test software design
- D. Test software requirement

Answer: C

NEW QUESTION 125

One of the roles in a review is that of moderator, which of the following best describes this role?

- A. Plans the review, runs the review meeting and ensures that follow-up activities are completed.
- B. Allocates time in the plan, decides which reviews will take place and that the benefits are delivered.
- C. Writes the document to be reviewed, agrees that the document can be reviewed, and updates the document with any changes.
- D. Documents all issues raised in the review meeting, records problems and open point

Answer: A

NEW QUESTION 128

Consider the following statements about early test design:

- A. Early test design can prevent fault multiplication
- B. Faults found during early test design are more expensive to fix
- C. Early test design can find faults
- D. Early test design can cause changes to the requirements
- E. Early test design takes more effort
- F. i, iii & iv are true
- G. ii & v are false
- H. iii is true, i, ii, iv & v are false
- I. iii & iv are true
- J. i, ii & v are false
- K. i, iii, iv & v are true, ii is false
- L. i & iii are true, ii, iv & v are false

Answer: A

NEW QUESTION 130

What should be the MAIN objective during development testing?

- A. To cause as many failures as possible so that defects in the software are identified and can be fixed
- B. To confirm that the system works as expected and that requirements have been met
- C. To assess the quality of the software with no intention of fixing defects
- D. To give information to stakeholders of the risk of releasing the system at a given time

Answer: A

NEW QUESTION 135

What is the purpose of test completion criteria in a test plan:

- A. To know when a specific test has finished its execution
- B. To ensure that the test case specification is complete
- C. To set the criteria used in generating test inputs
- D. To know when test planning is complete
- E. To plan when to stop testing

Answer: E

NEW QUESTION 137

Independent Verification & Validation is:

- A. Done by the Developer
- B. Done by the Test Engineers
- C. Done By Management
- D. Done by an Entity Outside the Project's sphere of influence

Answer: D

NEW QUESTION 138

Which statement correctly describes the public and profession aspects of the code of ethics?

- A. Public: Certified software testers shall act in the best interests of their client and employer (being consistent with the wider public interest). Profession: Certified software testers shall advance the integrity and reputation of their industry consistent with the public interest.

- B. Public: Certified software testers shall advance the integrity and reputation of the profession consistent with the public interest
- C. Profession: Certified software testers shall consider the wider public interest in their actions.
- D. Public: Certified software testers shall consider the wider public interest in their action
- E. Profession: Certified software testers shall participate in lifelong learning regarding the practice of their profession and shall promote an ethical approach to the practice of their profession.
- F. Public: Certified software testers shall consider the wider public interest in their action
- G. Profession: Certified software testers shall advance the integrity and reputation of their industry consistent with the public interest.

Answer: D

Explanation:

All other answers contain an activity identified as analysis and design that is part of implementation and test execution.

NEW QUESTION 142

Which of the following characteristics of good testing apply to any software development life cycle model?

- A. Acceptance testing is always the final test level to be applied.
- B. All test levels are planned and completed for each developed feature.
- C. Testers are involved as soon as the first piece of code can be executed.
- D. For every development activity there is a corresponding testing activity

Answer: D

NEW QUESTION 147

Which is the best definition of complete testing..?

- A. You have discovered every bug in the program
- B. You have tested every statement, branch, and combination of branches in the program
- C. You have reached the scheduled ship date
- D. You have completed every test in the test plan

Answer: C

NEW QUESTION 148

Which activities form part of test planning?

- i) Developing test cases.
- ii) Defining the overall approach to testing.
- iii) Assigning resources.
- iv) Building the test environment.
- v) Writing test conditions.

- A. i, ii & iv are true, iii & v are false.
- B. ii & iii are true, i, iv & v are false.
- C. iv & v are true, i, ii & iii are false.
- D. i, ii & iii are true iv & v are false

Answer: B

NEW QUESTION 150

Which of the following is not a quality characteristic listed in ISO 9126 Standard?

- A. Functionality
- B. Usability
- C. Supportability
- D. Maintainability

Answer: C

NEW QUESTION 154

Which TWO of the review types below are the BEST fitted (most adequate) options to choose for reviewing safety critical components in a software project? Select 2 options.

- A. Informal review.
- B. Management review.
- C. Inspection.
- D. Walkthrough
- E. Technical Review

Answer: CE

NEW QUESTION 158

A deviation from the specified or expected behavior that is visible to end-users is called:

- A. an error
- B. a fault
- C. a failure
- D. a defect

Answer: C

NEW QUESTION 159

Which statement below BEST describes non-functional testing?

- A. The process of testing an integrated system to verify that it meets specified requirements.
- B. The process of testing to determine the compliance of a system to coding standards.
- C. Testing without reference to the internal structure of a system.
- D. Testing system attributes, such as usability, reliability or maintainability

Answer: A

NEW QUESTION 162

Which of the following has the typical formal review activities in the correct sequence?

- A. Kick-off, review meeting, planning, follow-up.
- B. Kick-off, planning, review meeting, re-work.
- C. Planning, kick-off, individual preparation, review meeting.
- D. Planning, individual preparation, follow-up, re-work.

Answer: C

Explanation:

The correct sequence is: planning, kick-off, individual preparation, review meeting, re-work, follow-up. All of the other options have either the activities in the wrong order or activities missing from the strict flow.

NEW QUESTION 164

Which is not the fundamental test process?

- A. Planning and control
- B. Test closure activities
- C. Analysis and design
- D. None

Answer: D

NEW QUESTION 166

Which of the following best describes the purpose of non-functional testing?

- A. To measure characteristics of a system which give an indication of how the system performs its functions
- B. To ensure that a system complies with the quality standards set by ISO 9126
- C. To ensure that the system deals appropriately with software malfunctions
- D. To measure the extent to which a system has been tested by functional testing

Answer: A

NEW QUESTION 170

One Key reason why developers have difficulty testing their own work is:

- A. Lack of technical documentation
- B. Lack of test tools on the market for developers
- C. Lack of training
- D. Lack of Objectivity

Answer: C

NEW QUESTION 171

Complete statement and branch coverage means..?

- A. That you have tested every statement in the program
- B. That you have tested every statement and every branch in the program
- C. That you have tested every IF statement in the program
- D. That you have tested every combination of values of IF statements in the program

Answer: B

NEW QUESTION 175

Which of the following statements are TRUE?

- A. Regression testing and acceptance testing are the same
- B. Regression tests show if all defects have been resolved
- C. Regression tests are typically well-suited for test automation
- D. Regression tests are performed to find out if code changes have introduced or uncovered defects
- E. Regression tests should be performed in integration testing.
- F. A, C and D and E are true; B is false.

- G. A, C and E are true; B and D are false.
- H. C and D are true; A, B and E are false.
- I. B and E are true; A, C and D are false.

Answer: C

NEW QUESTION 179

What do static analysis tools analyze?

- A. Design
- B. Test cases
- C. Requirements
- D. Program code

Answer: D

NEW QUESTION 183

The purpose of requirement phase is:

- A. To freeze requirements
- B. To understand user needs
- C. To define the scope of testing
- D. All of the above

Answer: D

NEW QUESTION 184

A top-down development strategy affects which level of testing most?

- A. Component testing
- B. Integration testing
- C. System testing
- D. User acceptance testing

Answer: B

Explanation:

The development strategy will affect the component testing (option (A)), in so far as it cannot be tested unless it has been built. Options (C) and (D) require the system to have been delivered; at these points the development strategy followed is not important to the tester. Option (B) needs knowledge of the development strategy in order to determine the order in which components will be integrated and tested.

NEW QUESTION 188

Which of the following statements are correct for walkthroughs?

- (i) Often led by the author.
- (ii) Documented and defined results.
- (iii) All participants have defined roles.
- (iv) Used to aid learning.
- (v) Main purpose is to find defects.

- A. (i) and (v) are correct.
- B. (ii) and (iii) are correct.
- C. (i) and (iv) are correct.
- D. (iii) and (iv) are correct.

Answer: C

NEW QUESTION 193

To test a function, the programmer has to write a , which calls the function to be tested and passes it test data:

- A. Stub
- B. Driver
- C. Proxy
- D. None of the above

Answer: B

NEW QUESTION 197

Which of the following types of test tool are most likely to include traceability functions?

- (i) Performance testing tool
- (ii) Requirements management tool
- (iii) Configuration management tool
- (iv) Static analysis tool

- A. (i) and (ii)
- B. (i) and (iv)
- C. (ii) and (iii)

D. (iii) and (iv)

Answer: C

Explanation:

Requirements management tools (ii) have traceability because they enable test conditions and subsequently test scripts and defects to be traced back to requirements. Configuration management tools (iii) also need to trace the appropriate version of a test script to the release or version of a system or module. Performance monitoring tools (i) and static analysis tools (iv) are designed for specific objectives. Neither of these tools particularly need traceability functions.

NEW QUESTION 198

Testing should be stopped when:

- A. All the planned tests have been run
- B. Time has run out
- C. All faults have been fixed correctly
- D. Both A and C
- E. It depends on the risks for the system being tested

Answer: E

NEW QUESTION 202

Maintenance testing is:

- A. updating tests when the software has changed
- B. testing a released system that has been changed
- C. testing by users to ensure that the system meets a business need
- D. testing to maintain business advantage

Answer: B

NEW QUESTION 206

What is a test condition?

- A. A statement of test objectives and test ideas on how to test.
- B. An item or event that could be verified by one or more test cases.
- C. The process of identifying differences between the actual results and the expected results for a test.
- D. All documents from which the requirements of a component or system can be inferred

Answer: B

NEW QUESTION 210

Equivalence Partitioning is best defined as:

- A. An analysis technique that divides inputs into groups that are expected to exhibit similar behaviors.
- B. Applying to time-related data classes only.
- C. A form of white-box testing.
- D. A method to reduce test coverage

Answer: A

NEW QUESTION 214

Which of the following is a valid reason for writing test cases based on experience and intuition? [K1]

- A. Use of formal techniques requires expensive training
- B. Only experience can ensure all functionality is covered
- C. Tests based on experience and intuition can supplement formal techniques
- D. Formal techniques require the use of expensive tools

Answer: C

NEW QUESTION 216

Which of the following test case design techniques is white box (structure-based)? [K1]

- A. Use case testing
- B. State transition testing
- C. Decision testing
- D. Equivalence partitioning

Answer: C

NEW QUESTION 220

Which of the following risks represents the highest level of risk to the project?

- A. Likelihood of failure = 1%, potential cost of impact = \$1m.
- B. Likelihood of failure = 10%, potential cost of impact = \$500,000.

- C. Likelihood of failure = 20%, potential cost of impact = \$150,000.
- D. Likelihood of failure = 5%, potential cost of impact = \$500,000.

Answer: B

NEW QUESTION 225

What is static analysis?

- A. The decision between using white or black box test techniques.
- B. Executing software to validate the most common path through the code.
- C. A technique to find defects in software source code and software models, performed without executing code.
- D. It is a testing technique used during system testin

Answer: C

NEW QUESTION 227

The four test levels defined for a common V-model testing approach are:

- A. Unit, integration, system and maintenance.
- B. Functional, glass box, incremental and maintenance.
- C. Component, integration, system and acceptance.
- D. Unit, component, functional and alpha/bet

Answer: C

NEW QUESTION 230

Which of the following factors will MOST affect the testing effort required to test a software product? [K1]

- A. The number of staff available to execute tests
- B. The level of detail in the test plan
- C. The requirements for reliability and security in the product
- D. The test estimation method used

Answer: C

NEW QUESTION 234

Which of the following best describes the Black-box technique?

- A. It uses decision coverage for completeness.
- B. It ensures all possible branches in the code are tested.
- C. It is based on the internal structure of the system.
- D. It can be done without reference to the internal structure of the component or syste

Answer: D

NEW QUESTION 237

Which of the following test design techniques is not a black box technique?

- A. Equivalence partitioning
- B. State transition testing
- C. Boundary value analysis
- D. Statement coverage

Answer: D

NEW QUESTION 239

What is decision table testing?

- A. It's a testing design technique based in the internal software structure.
- B. It's a static test design technique.
- C. It's a testing design technique to verify decisions.
- D. It's a testing design technique based in the system requirement

Answer: D

NEW QUESTION 243

Which of the following BEST describes the relationship between test planning and test execution? [K2]

- A. Test planning ensures the level of detail in test procedures is appropriate for test execution
- B. Test planning schedules test execution but does not assign resources
- C. Test planning defines the overall approach to testing but does not schedule specific activities such as test execution
- D. Test planning identifies test objectives related to scope and risk but does not define the level of detail for test procedures used in test execution

Answer: A

NEW QUESTION 244

A client-server system for a web development must support a minimum enquiries per hour. In peak times, it must be available 24 hours x 7 days due to the critical nature of the application, and must have a response time lower than 20 seconds during peak loads.

Which of the following set of test types would be most appropriate to verify the non-functional requirements expressed in this statement?

- A. Performance, Usability, Regression.
- B. System, Load, Fail-over.
- C. Performance, Load, Stress.
- D. Load, Volume and Componen

Answer: C

NEW QUESTION 247

Which TWO of the following test tools would be classified as test execution tools? [K2]

- A. Test data preparation tools
- B. Test harness
- C. Review tools
- D. Test comparators
- E. Configuration management tools
- F. a and b
- G. c and d
- H. c and e
- I. b and d

Answer: D

NEW QUESTION 250

Dynamic Analysis Tools are used to:

- A. Determine differences between files or databases.
- B. Monitor and report on how a system behaves under a variety of conditions.
- C. Find defects, such as memory leaks, while software is executing.
- D. Measure the percentage of specific types of code structure that have been exercise

Answer: C

NEW QUESTION 254

Which of the following test design techniques is classified as a structure-based (white box) technique? [K1]

- A. Exploratory testing
- B. Decision table testing
- C. State transition testing
- D. Statement testing

Answer: D

NEW QUESTION 259

Which of the following is a valid objective of testing? [K1]

- A. Correcting defects
- B. Locating defects in the code
- C. Preventing defects
- D. Ensuring no defects are present

Answer: C

NEW QUESTION 260

Which of the following is a consideration when deploying test execution tools? [K1]

- A. Data-driven testing cannot be used with test execution tools
- B. Recorded manual tests may become unstable in use
- C. Keyword-driven testing cannot be used with test execution tools
- D. Expected results for tests are not required because the tool generates expected results

Answer: B

NEW QUESTION 261

In a system designed to work out the employee tax to be paid:

- _ An employee has \$4,000 of salary tax free.
- _ The next \$1,500 is taxed at 10%.
- _ The next \$28,000 after that is taxed at 22%.
- _ Any further amount is taxed at 40%.

Which of these is a valid Boundary Value Analysis test case?

- A. \$28,000
- B. \$1,500

- C. \$33,501
- D. \$5,000

Answer: C

NEW QUESTION 265

Which of the following statements is most true about test conditions?

- A. An item or event of a component or system that can be verified by one or more test cases.
- B. The grouping of a composite set of test cases which, when tested as a whole, reveal a positive or negative result.
- C. A testable component derived from business requirements.
- D. Applies to software testing onl

Answer: A

NEW QUESTION 267

What is the main reason for using a pilot project to introduce a testing tool into an organization? [K1]

- A. To identify the requirements for using a tool
- B. To make a selection between alternative tools
- C. To assess whether the tool will be cost- effective
- D. To ensure the tools fits existing processes without change

Answer: C

NEW QUESTION 271

A data driven approach to test automation design is best described as:

- A. Using action words to describe the actions to be taken, the test data.
- B. Scaling to support large numbers of users.
- C. Being based on Equivalence Partitioning testing techniques.
- D. Separating out the test data inputs and using a generic script that can read the test data and perform the same test steps with different data.

Answer: D

NEW QUESTION 276

When should testers be involved in reviewing a UAT specification? [K1]

- A. At the beginning of the project
- B. As soon as requirements have been approved
- C. As soon as the UAT specification has been drafted
- D. At any time before UAT begins

Answer: C

NEW QUESTION 277

What type of test design technique is the most effective in testing screen-dialog flows?

- A. Use case testing
- B. Boundary value testing
- C. Statement testing and coverage
- D. State transition testing

Answer: D

NEW QUESTION 279

What is the value of static code analysis?

- A. Detection of failures not easily found by other types of testing
- B. Early defect detection
- C. Detection of suspicious operations caused by deviations from regulations
- D. Detect deviations in standards by executing the source code

Answer: B

NEW QUESTION 280

Which of the following are valid test objectives? (i)Finding defects.

(ii)Gaining confidence about the level of quality and providing information. (iii)Preventing defects. (iv)Debugging the code.

- A. i, ii and iii
- B. i, ii and iv
- C. ii and iii
- D. i and iv

Answer: A

NEW QUESTION 283

Which option BEST describes how the level of risk is determined?

- A. The likelihood of an adverse event happening multiplied by the cost of preventing it
- B. The consequences of a potential problem multiplied by the cost of possible legal action
- C. The impact of an adverse event multiplied by the likelihood of that event occurring
- D. The likelihood and the probability of a hazard occurring

Answer: B

NEW QUESTION 286

Which of the following type of defect would NOT be typically found by using a static analysis tool?

- A. A variable is defined but is then not used
- B. A variable is used in a calculation before it is defined
- C. A variable has the wrong numeric value passed into it
- D. A variable is used but not declared

Answer: C

NEW QUESTION 288

A live defect has been found where a code component fails to release memory after it has finished using it.

Which of the following tools would have been the MOST effective at detecting this defect prior to live implementation?

- A. Dynamic analysis tool
- B. Monitoring tool
- C. Configuration management tool
- D. Coverage measurement tool

Answer: A

NEW QUESTION 291

A new testing tool has been selected for an organisation and a pilot project has successfully completed. The next step is to deploy the tool within the organization. What is a key success factor in tool deployment?

- A. Estimate a cost-benefit ratio based on a firm business case
- B. Determine whether benefits will be achieved at reasonable cost
- C. Provide support for the test team using the tool
- D. Assessment of organisational maturity, strengths and weaknesses

Answer: A

NEW QUESTION 292

Your company is developing a system with complex business rules and many branches in the structure of its code components. You need to choose one black box technique and one white box technique for test case design. Which one of the following offers the BEST choice?

- A. Statement testing and exploratory testing
- B. Decision testing and equivalence partitioning
- C. Decision testing and decision table testing
- D. Boundary value analysis and decision table testing

Answer: D

NEW QUESTION 295

Which of the following does NOT represent one of the three triggers for maintenance testing an operational system?

- A. Data migration
- B. System retirement
- C. System modification
- D. Introduction of a test management tool

Answer: A

NEW QUESTION 299

Why is measurement of code coverage important?

- A. Because 100% code coverage implies 100% coverage of requirements
- B. Because 100% code coverage guarantees that there are no coding errors
- C. Because code coverage can be used to ensure that all code is exercised by tests
- D. Because code coverage can ensure that all decisions are correctly implemented in the code

Answer: A

NEW QUESTION 301

Which of the following options BEST explain the pesticide paradox principle of testing?

- A. If we do not regularly review and revise our tests, we'll stop finding defects
- B. Repeatedly running a set of tests will ensure that a system is defect free
- C. Defects are, paradoxically, often contained in a small number of modules
- D. Testing, like spraying pesticide, is an effective bug / defect removal activity

Answer: C

NEW QUESTION 304

Which of the following represents good testing practice for testers, irrespective of the software lifecycle model used?

- A. They should start test analysis when the corresponding development level is complete
- B. They should be involved in reviewing requirements or user stories as soon as drafts are available
- C. They should ensure that the same test objectives apply to each test level
- D. They should minimize the ratio of development levels to test levels to reduce project costs

Answer: D

NEW QUESTION 307

Which of the following options describe the causal chain in the correct sequence?

- A. Error, fault, failure
- B. Fault, bug, mistake
- C. Mistake, failure, fault
- D. Failure, bug, error

Answer: A

NEW QUESTION 312

You are examining a document which gives the precise steps needed in order to execute a test. What is the correct definition of this document?

- A. Test design specification
- B. Test condition
- C. Test procedure specification
- D. Test case specification

Answer: C

NEW QUESTION 316

A booking system for a city bus service prices its fares according to the time of travel:

- Peak-time tariff starts at 0600 and finishes at 1000 am
- Off-peak tariff applies during all other times of service
- The bus service does not operate between 2300 and the start of the next day's peak service Note that all times mentioned are inclusive.

When applying the equivalence partitioning test design technique, which of the following options, shows test case inputs that each fall into a different equivalence partition?

- A. 0600, 1000, 1200
- B. 1001, 1300, 2259
- C. 0100, 0800, 2200
- D. 2400, 1000, 2301

Answer: D

NEW QUESTION 317

Which of the following would you NOT expect to see on an incident report from test execution?

- A. The version(s) of the software under test
- B. The test execution schedule
- C. Expected results and actual results
- D. Precise steps to reproduce the problem

Answer: D

NEW QUESTION 321

Which of the following would be a good test technique to use when under severe time pressure?

- A. Exploratory testing
- B. Structure based testing
- C. Specification based testing
- D. Use Case testing

Answer: B

NEW QUESTION 325

During the development of a software change for a system, the developer makes a mistake in his work, which leads to a fault in the code. Unfortunately the fault is not found by software testing and is released into live.

What is the definite consequence of this mistake?

- A. The system will fail, causing a defect
- B. If the defect is executed, the system may fail
- C. Loss of money, time, or business reputation
- D. Contractual requirements have not been met by testing

Answer: B

NEW QUESTION 330

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual CTFL-Foundation Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the CTFL-Foundation Product From:

<https://www.2passeasy.com/dumps/CTFL-Foundation/>

Money Back Guarantee

CTFL-Foundation Practice Exam Features:

- * CTFL-Foundation Questions and Answers Updated Frequently
- * CTFL-Foundation Practice Questions Verified by Expert Senior Certified Staff
- * CTFL-Foundation Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * CTFL-Foundation Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year