



# Microsoft

## Exam Questions AZ-700

Designing and Implementing Microsoft Azure Networking Solutions

## About ExamBible

*[Your Partner of IT Exam](#)*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

### NEW QUESTION 1

- (Exam Topic 1)

You need to configure the default route in Vnet2 and Vnet3. The solution must meet the virtual networking requirements. What should you use to configure the default route?

- A. a user-defined route assigned to GatewaySubnet in Vnet2 and Vnet3
- B. a user-defined route assigned to GatewaySubnet in Vnet1
- C. BGP route exchange
- D. route filters

**Answer:** A

#### Explanation:

VNet 1 will get the default from BGP and propagate it to VNET 2 and 3

### NEW QUESTION 2

- (Exam Topic 1)

You need to implement name resolution for the cloud.litwareinc.com. The solution must meet the networking requirements.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

#### Answer Area

To implement automatic DNS name registration in cloud.litwareinc.com:

<input type="checkbox"/>	Create virtual network links
<input type="checkbox"/>	Configure conditional forwarding
<input type="checkbox"/>	Create an SOA record in cloud.litwareinc.com

To implement name resolution of the cloud.litwareinc.com DNS records from the on-premises locations:

<input type="checkbox"/>	Enable the Azure Firewall DNS proxy
<input type="checkbox"/>	Create SRV records in cloud.litwareinc.com
<input type="checkbox"/>	Deploy an Azure virtual machine configured as a DNS server to Vnet1

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/dns/private-dns-autoregistration>

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-name-resolution-for-vms-and-role-insta>

### NEW QUESTION 3

- (Exam Topic 2)

You are implementing the Virtual network requirements for Vnet6.

What is the minimum number of subnets and service endpoints you should create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

#### Answer Area

Subnets:	<input type="text" value="0"/>
Service endpoints:	<input type="text" value="0"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

2, 4

### NEW QUESTION 4

- (Exam Topic 3)

You have an Azure Web Application Firewall (WAF) policy in prevention mode that is associated to an Azure Front Door instance.

You need to configure the policy to meet the following requirements:

- Log all connections from Australia.
- Deny all connections from New Zealand.
- Deny all further connections from a network of 131.107.100.0/24 if there are more than 100 connections during one minute.

What is the minimum number of objects you should create?

- A. three custom rules that each has one condition
- B. one custom rule that has three conditions
- C. one custom rule that has one condition
- D. one rule that has two conditions and another rule that has one condition

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/web-application-firewall/afds/afds-overview>

#### NEW QUESTION 5

- (Exam Topic 3)

You have an Azure Front Door instance named FD1 that is protected by using Azure Web Application Firewall (WAF).

FD1 uses a frontend host named app1.contoso.com to provide access to Azure web apps hosted in the East US Azure region and the West US Azure region.

You need to configure FD1 to block requests to app1.contoso.com from all countries other than the United States.

What should you include in the WAF policy?

- A. a frontend host association
- B. a managed rule set
- C. a custom rule that uses a rate limit rule
- D. a custom rule that uses a match rule

**Answer:** C

#### NEW QUESTION 6

- (Exam Topic 3)

You have a hybrid environment that uses ExpressRoute to connect an on-premises network and Azure.

You need to log the uptime and the latency of the connection periodically by using an Azure virtual machine and an on-premises virtual machine.

What should you use?

- A. Azure Monitor
- B. IP flow verify
- C. Connection Monitor
- D. Azure Internet Analyzer

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/connection-monitor>

#### NEW QUESTION 7

- (Exam Topic 3)

You plan to deploy an Azure virtual network. You need to design the subnets.

Which three types of resources require a dedicated subnet? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. VPN gateway
- B. Azure Bastion
- C. Azure Active Directory Domain Services (Azure AD DS)
- D. Azure Application Gateway v2
- E. Azure Private Link

**Answer:** ABD

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-for-azure-services>

#### NEW QUESTION 8

- (Exam Topic 3)

You configure a route table named RT1 that has the routes shown in the following table.

Name	Prefix	Next hop type	Next hop IP address
Route1	0.0.0.0/0	Network virtual appliance (NVA)	192.168.0.4
Route2	10.0.0.0/24	Network virtual appliance (NVA)	192.168.0.4

You have an Azure virtual network named Vnet1 that has the subnets shown in the following table.

Name	Prefix	Route table
DMZ	192.168.0.0/24	None
FrontEnd	192.168.1.0/24	RT1
BackEnd	192.168.2.0/24	None

You have the resources shown in the following table.

Name	IP address	Type
NVA1	192.168.0.4	NVA
VM1	192.168.1.4	Virtual machine
VM2	192.168.2.4	Virtual machine

Vnet1 connects to an ExpressRoute circuit.

The on-premises router advertises the following routes:

\* 0.0.0.0/0

\* 10.0.0.0/16

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Internet traffic from NVA1 is routed to the on-premises network.	<input type="radio"/>	<input type="radio"/>
Traffic from VM1 is routed to the on-premises network through NVA1.	<input type="radio"/>	<input type="radio"/>
Traffic from VM1 is routed to VM2 through NVA1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Internet traffic from NVA1 is routed to the on-premises network.	<input checked="" type="radio"/>	<input type="radio"/>
Traffic from VM1 is routed to the on-premises network through NVA1.	<input checked="" type="radio"/>	<input type="radio"/>
Traffic from VM1 is routed to VM2 through NVA1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 9

- (Exam Topic 3)

You have the Azure load balancer shown in the Load Balancer exhibit.

LB2		×
Load balancer		
→ Move ▾ Delete Refresh		
^ Essentials JSON View		
Resource group (change)	Backend pool	
RG1	LB2-BEP1 (2 virtual machines)	
Location	Load balancing rule	
North Europe	-	
Subscription (change)	Health probe	
Subscription1	-	
Subscription ID	NAT rules	
169d1bba-ba4c-471c-b513-092eb7063265	0 inbound	
SKU	Public IP address	
Standard	20.82.214.15 (LB2-IP1)	
Tags (change)		
Click here to add tags		

LB2 has the backend pools shown in the Backend Pools exhibit.





You need to ensure that LB2 distributes traffic to all the members of VMSS1.  
What should you do?

- A. Add a network interface to VMSS1.
- B. Configure a health probe.
- C. Add a public IP address to each member of VMSS1.
- D. Add a load balancing rule.

Answer: D

NEW QUESTION 10

- (Exam Topic 3)  
You have an Azure subscription.  
You have the on-premises sites shown the following table.

Name	Number of users	Connection type to Azure
Site1	500	ExpressRoute
Site2	100	Site-to-Site VPN
Site3	1	Point-to-Site (P2S) VPN

You plan to deploy Azure Virtual WAN.  
You are evaluating Virtual WAN Basic and Virtual WAN Standard.  
Which type of Virtual WAN can you use for each site? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Answer Area

Virtual WAN Basic:

Site2 only

Site3 only

Site2 and Site3 only

Site1, Site2, and Site3

Virtual WAN Standard:

Site1 only

Site1 and Site3 only

Site2 and Site3 only

Site1, Site2, and Site3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Virtual WAN Basic:

Site2 only

Site3 only

Site2 and Site3 only

Site1, Site2, and Site3

Virtual WAN Standard:

Site1 only

Site1 and Site3 only

Site2 and Site3 only

Site1, Site2, and Site3

NEW QUESTION 10

- (Exam Topic 3)

You have an Azure subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. The subscription contains the following resources:

- \* An Azure App Service app named App1
- \* An Azure DNS zone named contoso.com
- \* An Azure private DNS zone named private.contoso.com
- \* A virtual network named Vnet1

You create a private endpoint for App1. The record for the endpoint is registered automatically in Azure DNS. You need to provide a developer with the name that is registered in Azure DNS for the private endpoint.

What should you provide?

- A. app1.privatelink.azurewebsites.net
- B. app1.contoso.com
- C. app1.contoso.onmicrosoft.com
- D. app1.private.contoso.com

**Answer:** A

#### NEW QUESTION 15

- (Exam Topic 3)

You have an Azure Front Door instance that has a single frontend named Frontend1 and an Azure Web Application Firewall (WAF) policy named Policy1. Policy1 redirects requests that have a header containing "string1" to <https://www.contoso.com/redirect1>. Policy1 is associated to Frontend1.

You need to configure additional redirection settings. Requests to Frontend1 that have a header containing "string2" must be redirected to <https://www.contoso.com/redirect2>.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create a custom rule.
- B. Configure a managed rule.
- C. Create a frontend host.
- D. Create a policy.
- E. Create an association.
- F. Add a custom rule to Policy1.

**Answer:** ABE

#### NEW QUESTION 17

- (Exam Topic 3)

You have two Azure virtual networks named Vnet1 and Vnet2 in an Azure region that has three availability zones.

You deploy 12 virtual machines to each virtual network, deploying four virtual machines per zone. The virtual machines in Vnet1 host an app named App1. The virtual machines in Vnet2 host an app named App2.

You plan to use Azure Virtual Network NAT to implement outbound connectivity for App1 and App2. You need to identify the minimum number of subnets and Virtual Network NAT instances required to meet the following requirements:

- A failure of two zones must NOT affect the availability of either App1 or App2.
- A failure of two zones must NOT affect the outbound connectivity of either App1 or App2. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Minimum number of subnets:	<div><div>1</div><div>2</div><div>6</div><div>12</div></div>
Minimum number of Virtual Network NAT instances:	<div><div>1</div><div>2</div><div>6</div><div>12</div></div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Minimum number of subnets:	1	▼
Minimum number of Virtual Network NAT instances:	2	▼

#### NEW QUESTION 19

- (Exam Topic 3)

You have an Azure private DNS zone named contoso.com that is linked to the virtual networks shown in the following table.

Name	IP address
Vnet1	10.1.0.0/16
Vnet2	10.2.0.0/16

The links have auto registration enabled.

You create the virtual machines shown in the following table.

Name	IP address
VM1	10.1.10.10
VM2	10.2.10.10
VM3	10.2.10.11

You manually add the following entry to the contoso.com zone:

> Name: VM1

> IP address: 10.1.10.9

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

### Answer Area

Statements	Yes	No
VM2 will resolve vm1.contoso.com to 10.1.10.10	<input type="radio"/>	<input type="radio"/>
Deleting VM1 will delete the VM1 record automatically	<input type="radio"/>	<input type="radio"/>
Changing the IP address of VM3 will update the DNS record of VM3 automatically	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
 B. Not Mastered

**Answer:** A

#### Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: No

The manual DNS record will overwrite the auto-registered DNS record so VM1 will resolve to 10.1.10.9. Box 2: No

The DNS record for VM1 is now a manually created record rather than an auto-registered record. Only auto-registered DNS records are deleted when a VM is deleted.

Box 3: No

This answer depends on how the IP address is changed. To change the IP address of a VM manually, you would need to select 'Static' as the IP address assignment. In this case, the DNS record will not be updated because only DHCP assigned IP addresses are auto-registered.

Reference:

<https://docs.microsoft.com/en-us/azure/dns/dns-faq-private>

#### NEW QUESTION 24

- (Exam Topic 3)

You have two Azure App Service instances that host the web apps shown the following table.

Name	Web app URLs
As1.contoso.com	https://app1.contoso.com/ https://app2.contoso.com/
As2.contoso.com	https://app3.contoso.com/ https://app4.contoso.com/

You deploy an Azure application gateway that has one public frontend IP address and two backend pools. You need to publish all the web apps to the application gateway. Requests must be routed based on the HTTP host headers.

What is the minimum number of listeners and routing rules you should configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

### Answer Area

Listeners:

Routing rules:

- A. Mastered  
 B. Not Mastered



**Answer:** A

**Explanation:**

1, 2

#### NEW QUESTION 29

- (Exam Topic 3)

You have an Azure application gateway named AGW1 that

has a routing rule named Rule1. Rule 1 directs traffic for <http://www.contoso.com> to a backend pool named Pool1. Pool1 targets an Azure virtual machine scale set named VMSS1.

You deploy another virtual machine scale set named VMSS2. You need to configure

AGW1 to direct all traffic for <http://www.adatum.com> to VMSS2.

The solution must ensure that requests to <http://www.contoso.com> continue to be directed to Pool1. Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add a backend pool.
- B. Modify an HTTP setting.
- C. Add an HTTP setting.
- D. Add a listener.
- E. Add a rule.

**Answer:** ADE

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/configuration-overview>

#### NEW QUESTION 31

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2.

Solution: You download and reinstall the VPN client configuration. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

#### NEW QUESTION 35

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timestamp": "2021-06-02T18:13:45+00:00",
  "resourceId": "/SUBSCRIPTIONS/6efbb4a5-d91a-4e4a-b6bf-5bdd6efea73c/RESOURCEGROUPS/RG1/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AGW1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewalllog",
  "properties": {
    "instanceId": "appgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWASP-CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920300",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "site": "Global",
    "details": {
      "message": "Warning. Match of '\\\\pm AppleWebKit Android\\\\' against '\\\\\"REQUEST_HEADERS:User-Agent\\\\' required. ",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1247"
    }
  },
  "hostname": "app1.contoso.com",
  "transactionId": "d634611d0hgqlwa198165hq742d07xnn",
  "policyId": "default",
  "policyScope": "Global",
  "policyScopeName": "Global"
}
```

You need to ensure that the URL is accessible through the application gateway.

Solution: You create a WAF policy exclusion request headers that contain 137.135.10.24. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 36

- (Exam Topic 3)

You have an Azure subscription that contains two virtual networks named Vnet1 and Vnet2.

You register a public DNS zone named fabrikam.com. The zone is configured as shown in the Public DNS Zone exhibit.

DNS

Fabrikam.com

DNS zone

+ Record set

+ Child zone

→ Move

🗑️ Delete zone

🔄 Refresh

^ Essentials

JSON View

Resource group (change)

:

rg1

Subscription (change)

:

Subscription1

Subscription ID

:

169d1bba-ba4c-471c-b513-092eb7063265

Name server 1

:

ns1-06.azure-dns.com.

Name server 2

:

ns2-06.azure-dns.net.

Name server 3

:

ns3-06.azure-dns.org.

Name server 4

:

ns4-06.azure-dns.info.

Tags (change)

:

Click here to add tags

🔔

You can search for record sets that have been loaded on this page. If you don't see what you're looking for, you can try scrolling to allow more record sets to load.

🔍 Search record sets

Name	Type	TTL	Value
Ⓜ	NS	172800	ns1-06.azure-dns.com. ns2-06.azure-dns.net. ns3-06.azure-dns.org. ns4-06.azure-dns.info.
Ⓜ	SOA	3600	Email: azuredns-hostmaster.microsoft.com Host: ns1-06.azure-dns.com. Refresh: 3600 Retry: 300 Expire: 2419200 Minimum TTL: 300 Serial number: 1
appservice1	A	3600	131.107.1.1
www	CNAME	3600	appservice1.fabrikam.com

You have a private DNS zone named fabrikam.com. The zone is configured as shown in the Private DNS Zone exhibit.



Fabrikam.com

Private DNS zone

+ Record set

→ Move

Delete zone

Refresh

^ Essentials

JSON View

Resource group (change)

:

rg1

Subscription (change)

:

Subscription1

Subscription ID

:

169d1bba-ba4c-471c-b513-092eb7063265

Tags (change)

:

Click here to add tags

You can search for record sets that have been loaded on this page. If you don't see what you're looking for, you can try scrolling to allow more record sets to load.

Search record sets

Name	Type	TTL	Value	Auto registered
@	SOA	3600	Email: azureprivatedns-host.microsoft.co... Host: azureprivatedns.net Refresh: 3600 Retry: 300 Expire: 2419200 Minimum TTL: 10 Serial number: 1	False
appservice1	A	3600	131.107.100.10	False
server1	A	3600	131.107.100.1	False
server2	A	3600	131.107.100.2	False
server3	A	3600	131.107.100.3	False
www	CNAME	3600	appservice1.fabrikam.com	False

You have a virtual network link configured as shown in the Virtual Network Link exhibit.

Fabrikam.com | Virtual network links

Private DNS zone

+ Add

Refresh

Search virtual network links

Link Name	Link status	Virtual network	Auto-Registration
vnet1_link	Completed	Vnet1	Disabled

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Queries for www.fabrikam.com from the internet are resolved to 131.107.1.1.	<input type="radio"/>	<input type="radio"/>
Queries for server1.fabrikam.com can be resolved from the internet.	<input type="radio"/>	<input type="radio"/>
Queries for www.fabrikam.com from Vnet2 are resolved to 131.107.100.10.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Queries for www.fabrikam.com from the internet are resolved to 131.107.1.1.	<input checked="" type="radio"/>	<input type="radio"/>
Queries for server1.fabrikam.com can be resolved from the internet.	<input type="radio"/>	<input checked="" type="radio"/>
Queries for www.fabrikam.com from Vnet2 are resolved to 131.107.100.10.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 41

- (Exam Topic 3)

You have an Azure subscription that contains the route tables and routes shown in the following table.

Route table name	Route name	Prefix	Destination
RT1	Default Route	0.0.0.0/0	VirtualNetworkGateway
RT2	Default Route	0.0.0.0/0	Internet

The subscription contains the subnets shown in the following table.

Name	Prefix	Route table	Virtual network
Subnet1	10.10.1.0/24	RT1	Vnet1
Subnet2	10.10.2.0/24	RT2	Vnet1
GatewaySubnet	10.10.3.0/24	None	Vnet1

The subscription contains the virtual machines shown in the following table.

Name	IP address
VM1	10.10.1.5
VM2	10.10.2.5

There is a Site-to-Site VPN connection to each local network gateway.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

### Answer Area

Statements	Yes	No
Traffic from VM2 to the internet is routed through the New-York Site-to-Site VPN connection	<input type="radio"/>	<input type="radio"/>
Traffic from VM1 to VM2 is routed through the New-York Site-to-Site VPN connection	<input type="radio"/>	<input type="radio"/>
Traffic from VM1 to the internet is routed through the New-York Site-to-Site VPN connection	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

**Answer:** A

#### Explanation:

A screenshot of a computer Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

#### NEW QUESTION 45

- (Exam Topic 3)

You have an Azure Front Door instance that provides access to a web app. The web app uses a hostname of www.contoso.com.

You have the routing rules shown in the following table.

Name	Path
RuleA	/abc/def
RuleB	/ab
RuleC	/*
RuleD	/abc/*

Which rule will apply to each incoming request? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point



Answer Area

www.contoso.com/abc/def

RuleA

RuleB

RuleC

RuleD

www.contoso.com/default.htm

RuleA

RuleB

RuleC

RuleD

www.contoso.com/abc/def/default.htm

RuleA

RuleB

RuleC


RuleD

- A. Mastered
- B. Not Mastered

Answer: A


**Explanation:**  
Table Description automatically generated  
Reference:  
<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-route-matching>

**NEW QUESTION 46**  
- (Exam Topic 3)  
You have an Azure firewall shown in the following exhibit.




Firewall1


Firewall




...

>>

 Delete

 Lock

 Visit Azure Firewall Manager to configure and manage this firewall. →

^ Essentials

Resource group (change)

RG1

Location

North Europe

Subscription (change)

Subscription1

Subscription ID

489f2hht-se7y-987v-g571-463hw3679512

Virtual network

Vnet1

Firewall policy

FirewallPolicy1

Provisioning state

Succeeded

Tags (change)

[Click here to add tags](#)

Firewall sku

Standard

Firewall subnet

AzureFirewallSubnet

Firewall public IP

Firewall-IP1

Firewall private IP

10.100.253.4

Management subnet

Management public IP

Private IP Ranges

Managed by Firewall Policy

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

Your Partner of IT Exam

visit - <https://www.exambible.com>

Answer Area

On Firewall1, forced tunneling [answer choice]

▼

is enabled already

cannot be enabled

is disabled but can be enabled

On Firewall1, management by Azure Firewall Manager [answer choice]

▼

is enabled already

cannot be enabled

is disabled but can be enabled

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**  
Graphical user interface, text, application, email Description automatically generated

Box 1:  
If forced tunneling was enabled, the Firewall Subnet would be named AzureFirewallManagementSubnet. Forced tunneling can only be enabled during the creation of the firewall. It cannot be enabled after the firewall has been deployed.  
Box 2:  
The “Visit Azure Firewall Manager to configure and manage this firewall” link in the exhibit shows that the firewall is managed by Azure Firewall Manager.

NEW QUESTION 48

.....

## Relate Links

**100% Pass Your AZ-700 Exam with ExamBible Prep Materials**

<https://www.exambible.com/AZ-700-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>