

Exam Questions 350-401

Implementing and Operating Cisco Enterprise Network Core Technologies

<https://www.2passeasy.com/dumps/350-401/>



NEW QUESTION 1

Refer to the exhibit.

```
R1# sh run | begin line con
line con 0
exec-timeout 0 0
privilege level 15
logging synchronous
stopbits 1
line aux 0
exec-timeout 0 0
privilege level 15
logging synchronous
stopbits 1
line vty 0 4
password 7 045802150C2E
login
line vty 5 15
password 7 045802150C2E
login
!
end

R1# sh run | include aaa | enable
no aaa new-model
R1#
```

Which privilege level is assigned to VTY users?

- A. 1
- B. 7
- C. 13
- D. 15

Answer: D

NEW QUESTION 2

A client device fails to see the enterprise SSID, but other devices are connected to it. What is the cause of this issue?

- A. The hidden SSID was not manually configured on the client.
- B. The broadcast SSID was not manually configured on the client.
- C. The client has incorrect credentials stored for the configured hidden SSID.
- D. The client has incorrect credentials stored for the configured broadcast SSID.

Answer: A

NEW QUESTION 3

Drag and drop the description from the left onto the correct QoS components on the right.

causes TCP retransmissions when traffic is dropped	Traffic Policing
buffers excessive traffic	
introduces no delay and jitter	
introduces delay and jitter	Traffic Shaping
drops excessive traffic	
typically delays, rather than drops traffic	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Traffic Policing: Drops excessive Traffic, causes TCP retransmissions, introduce no delay/jitter Shaping: buffers, excessive traffic, introduce delay and jitter, typically delays, rather than drops traffic

NEW QUESTION 4

When configuration WPA2 Enterprise on a WLAN, which additional security component configuration is required?

- A. NTP server
- B. PKI server
- C. RADIUS server
- D. TACACS server

Answer: C

NEW QUESTION 5

If a VRRP master router fails, which router is selected as the new master router?

- A. router with the highest priority
- B. router with the highest loopback address
- C. router with the lowest loopback address
- D. router with the lowest priority

Answer: A

NEW QUESTION 6

Which PAgP mode combination prevents an Etherchannel from forming?

- A. auto/auto
- B. desirable/desirable
- C. auto/desirable
- D. desirable

Answer: A

NEW QUESTION 7

Which statement about Cisco Express Forwarding is true?

- A. It uses a fast cache that is maintained in a router data plane.
- B. maintains two tables in the data plane the FIB and adjacency table.
- C. It makes forwarding decisions by a process that is scheduled through the IOS scheduler.
- D. The CPU of a router becomes directly involved with packet-switching decisions.

Answer: B

NEW QUESTION 8

Which statement explains why Type 1 hypervisor is considered more efficient than Type 2 hypervisor?

- A. Type 1 hypervisor runs directly on the physical hardware of the host machine without relying on the underlying OS.
- B. Type 1 hypervisor enables other operating systems to run on it.
- C. Type 1 hypervisor relies on the existing OS of the host machine to access CPU, memory, storage, and network resources.
- D. Type 1 hypervisor is the only type of hypervisor that supports hardware acceleration techniques.

Answer: A

NEW QUESTION 9


Which OSPF network types are compatible and allow communication through the two peering devices?

- A. broadcast to nonbroadcast
- B. point-to-multipoint to nonbroadcast
- C. broadcast to point-to-point
- D. point-to-multipoint to broadcast

Answer: B

NEW QUESTION 10

Refer to exhibit.



VLANs 50 and 60 exist on the trunk links between all switches. All access ports on SW3 are configured for VLAN 50 and SW1 is the VTP server. Which command ensures that SW3 receives frames only from VLAN 50?

- A. SW1 (config)#vtp pruning
- B. SW3(config)#vtp mode transparent
- C. SW2(config)=vtp pruning
- D. SW1 (config >>vtp mode transparent

Answer: A

NEW QUESTION 10

A response code of 404 is received while using the REST API on Cisco UNA Center to POST to this URI.
 /dna/intent/api/v1 /template-programmer/project
 What does the code mean?

- A. The client made a request a resource that does not exist.
- B. The server has not implemented the functionality that is needed to fulfill the request.
- C. The request accepted for processing, but the processing was not completed.
- D. The POST/PUT request was fulfilled and a new resource was created, Information about the resource is in the response body.

Answer: A

NEW QUESTION 11

What the role of a fusion in an SD-Access solution?

- A. provides connectivity to external networks
- B. acts as a DNS server
- C. performs route leaking between user-defined virtual networks and shared services
- D. provides additional forwarding capacity to the fabric

Answer: C

NEW QUESTION 14

What is a benefit of deploying an on-premises infrastructure versus a cloud infrastructure deployment?

- A. faster deployment times because additional infrastructure does not need to be purchased
- B. lower latency between systems that are physically located near each other
- C. less power and cooling resources needed to run infrastructure on-premises
- D. ability to quickly increase compute power without the need to install additional hardware

Answer: B

NEW QUESTION 15


Which DNS lookup does an access point perform when attempting CAPWAP discovery?

- A. CISCO-DNA-CONTROLLER local
- B. CAPWAP-CONTROLLER local
- C. CISCO-CONTROLLER local
- D. CISCO-CAPWAP-CONTROLLER local

Answer: D

NEW QUESTION 18

Refer to the exhibit.



A port channel is configured between SW2 and SW3. SW2 is not running a Cisco operating system. When all physical connections are made, the port channel does not establish. Based on the configuration excerpt of SW3, what is the cause of the problem?

- A. The port channel on SW2 is using an incompatible protocol.
- B. The port-channel trunk is not allowing the native VLAN.
- C. The port-channel should be set to auto.
- D. The port-channel interface lead balance should be set to src-mac

Answer: A

NEW QUESTION 20

Which two GRE features are configured to prevent fragmentation? (Choose two.)

- A. TCP window size

- B. TCP MSS
- C. IP MTU
- D. DF bit clear
- E. MTU ignore

Answer: BC

NEW QUESTION 21

What do Cisco DNA southbound APIs provide?

- A. Interface between the controller and the network devices
- B. NETCONF API interface for orchestration communication
- C. RESful API interface for orchestrator communication
- D. Interface between the controller and the consumer

Answer: A

NEW QUESTION 24

Which technology provides a secure communication channel for all traffic at Layer 2 of the OSI model?

- A. MACsec
- B. IPsec
- C. SSL
- D. Cisco Trustsec

Answer: A

NEW QUESTION 27

Which action is the vSmart controller responsible for in an SD-WAN deployment?

- A. onboard vEdge nodes into the SD-WAN fabric
- B. distribute security information for tunnel establishment between vEdge routers
- C. manage, maintain, and gather configuration and status for nodes within the SD-WAN fabric
- D. gather telemetry data from vEdge routers

Answer: B

NEW QUESTION 32

What is the difference between the enable password and the enable secret password when service password encryption is enable on an IOS device?

- A. The enable password is encrypted with a stronger encryption method.
- B. There is no difference and both passwords are encrypted identically.
- C. The enable password cannot be decrypted.
- D. The enable secret password is protected via stronger cryptography mechanisms.

Answer: D

NEW QUESTION 35

Refer to the exhibit.

```
R1#debug ip ospf hello
R1#debug condition interface Fa0/1
Condition 1 Set
```

Which statement about the OPSF debug output is true?

- A. The output displays all OSPF messages which router R1 has sent to received on interface Fa0/1.
- B. The output displays all OSPF messages which router R1 has sent or received on all interfaces.
- C. The output displays OSPF hello messages which router R1 has sent received on interface Fa0/1.
- D. The output displays OSPF hello and LSACK messages which router R1 has sent or received.

Answer: C

NEW QUESTION 38

Drag and drop the characteristics from the left onto the correct routing protocol types on the right.

- supports unequal path load balancing
- link state routing protocol
- distance vector routing protocol
- metric is based on delay and reliability by default
- makes it easy to segment the network logically
- constructs three tables as part of its operation: neighbor table, topology table, and routing table

OSPF

EIGRP

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

OSPF: SEGMENT, LINK STATE, TABLES
 EIGRP: UNEQUAL PATH, DISTANCE VECTOR, METRIC

NEW QUESTION 43

To increase total throughput and redundancy on the links between the wireless controller and switch, the customer enabled LAG on the wireless controller Which EtherChannel mode must be configured on the switch to allow the WLC to connect?

- A. Auto
- B. Active
- C. On
- D. Passive

Answer: C

NEW QUESTION 45

Refer to the exhibit.

PYTHON CODE

```
import requests
import json

url='http://YOURIP/ins'
switchuser='USERID'
switchpassword='PASSWORD'

myheaders={'content-type': 'application/json'}
payload={
    "ins_api": {
        "version": "1.0",
        "type": "cli_show",
        "chunk": "0",
        "sid": "1",
        "input": "show version",
        "output_format": "json"
    }
}
response = requests.post(url,data=json.dumps(payload), headers=myheaders,auth=(switchuser,switchpassword)) json()
print(response[ins_api][outputs][output][body][kickstart_ver_str])
```

HTTP JSON Response

```
{
  "ins_api": {
    "type": "cli_show",
    "version": "1.0",
    "sid": "eoc",
    "outputs": {
      "output": {
        "input": "show version",
        "msg": "Success",
        "code": "200",
        "body": {
          "bios_ver_str": "07.61",
          "kickstart_ver_str": "7.0(3)I7(4)",
          "bios_cmpl_time": "04/06/2017",
          "kick_file_name": "bootflash://nxos.7.0.3.I7.4.bin",
          "kick_cmpl_time": "6/14/1970 2:00:00",
          "kick_tmstamp": "06/14/1970 09:49:04",
          "chassis_id": "Nexus5000 03180YC-FX chassis",
          "cpu_name": "Intel(R) Xeon(R) CPU @ 1.80GHz",
          "memory": 24633488,
          "mem_type": "kB",
          "tr_usesc": 134703,
          "tr_ctime": "Sun Mar 10 15:41:46 2019",
          "tr_reason": "Reset Requested by CLI command reload",
          "tr_sys_ver": "7.0(3)I7(4)",
          "tr_service": "",
          "manufacturer": "Cisco Systems, Inc.",
          "TABLE_package_lst": {
            "ROW_package_lst": {
              "package_id": []
            }
          }
        }
      }
    }
  }
}
```

Which HTTP JSON response does the python code output give?

- A. NameError: name 'json' is not defined
- B. KeyError 'kickstart_ver_str'
- C. 7.61
- D. 7.0(3)I7(4)

Answer: B

NEW QUESTION 47

What does this EEM applet event accomplish?
 "event snmp oid 1.3.6.1.3.7.1.5.1.2.4.2.9 get-type next entry-op g entry-val 75 poll-interval 5"

- A. It issues email when the value is greater than 75% for five polling cycles.
- B. It reads an SNMP variable, and when the value exceeds 75% for live polling cycles.

- C. It presents a SNMP variable that can be interrogated.
- D. Upon the value reaching 75%, a SNMP event is generated and sent to the trap server.

Answer: B

NEW QUESTION 51

What are two common sources of interference for WI-FI networks? (Choose two.)

- A. radar
- B. LED lights
- C. rogue AP
- D. conventional oven
- E. fire alarm

Answer: AC

NEW QUESTION 52

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 350-401 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 350-401 Product From:

<https://www.2passeasy.com/dumps/350-401/>

Money Back Guarantee

350-401 Practice Exam Features:

- * 350-401 Questions and Answers Updated Frequently
- * 350-401 Practice Questions Verified by Expert Senior Certified Staff
- * 350-401 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 350-401 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year