

VMware

Exam Questions 2V0-33.22

VMware Cloud Professional



NEW QUESTION 1

A cloud administrator is asked to configure access to the VMware Cloud Services Console based on the following requirement:

- Groups and users should be synchronized from the internal Active Directory Which two options should the administrator configure to meet this requirement? (Choose two.)

- A. Workspace ONE Access connector
- B. Enterprise federation with dynamic (connectorless) authentication setup
- C. SAML 2.0 Identity Provider
- D. Enterprise federation with connector-based authentication setup
- E. Workspace ONE Assist

Answer: AC

Explanation:

The Workspace ONE Access connector is used to synchronize groups and users from the internal Active Directory to the VMware Cloud Services Console. Additionally, the administrator should configure a SAML 2.1 Identity Provider to enable single sign-on (SSO) capability and secure access to the VMware Cloud Services Console.

NEW QUESTION 2

A cloud administrator wants to restrict Junior administrators to creating, deleting, and managing virtual machines in the Development folder In the VMware Cloud on AWS vCenter Server instance.

Which type of access should be granted to these junior administrators?

- A. CloudAdmin role and global permissions
- B. CloudAdmin role on the Development folder
- C. Administrator role on the Development folder
- D. Administrator role on the cloud vCenter Server instance

Answer: B

Explanation:

This role is designed to give administrators access to manage virtual machines, networks, and other settings within the folder. The CloudAdmin role will also give the junior administrators access to all global permissions that are associated with the Development folder.

"The CloudAdmin role is designed to give administrators access to manage a single folder. This role grants access to manage virtual machines, networks, and other settings within the folder. Additionally, this role grants access to all global permissions that are associated with the folder. Foreexample, if the folder has global permissions that allow users to create or delete virtual machines, the CloudAdmin role will grant access to those permissions within the folder."

The CloudAdmin user can grant other users or groups read-only access to VMware Cloud on AWS vCenter management objects such as the Mgmt-ResourcePool, Management VMs folder, Discovered Virtual Machines folder, vmc-hostswitch, and vsanDatastore. Because this read-only access does not propagate to management objects, you cannot grant it as a Global Permission and instead must explicitly grant it for each management object. VMware Cloud on AWS runs a script once a day that updates any newly-created management objects (such as objects in a new cluster) so that the CloudAdmin user and CloudAdminGroup SSO group have the updated role applied. The script itself does not grant additional access to any user or group, so you'll need to wait until it completes before the CloudAdmin can use this workflow to grant read-only access to those objects.

NEW QUESTION 3

Exhibit:

NEW FOLDER UPLOAD FILES UPLOAD FOLDERS REGISTERED VM DOWNLOAD DATE COPY to MOVE TO RENAME TO DELETE

Name Size Modified Type Path

dvsData 05/03/2022, 9.10.21 AM Folder [vsandatastore]

.s dd.sf 05/03/2022, 9.10.21 AM Folder [vsandatastore]

app02-000002.vmdk 05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000003.vmdk 05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000002.hlog

05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000002.vswap 05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000002.vswap.lck 05/03/2022, 9.10.21 AM Folder [vsandatastore]

A cloud administrator is asked to troubleshoot a virtual machine (app02) that is performing slowly. The cloud Administrator noticed that app02 is con expected amount of disk space. As a first step, the cloud administrator uses VMware vCenter to check the snapshot manager for app02 and no snapshot -- cloud administrator then navigates to the app02 files on the datastore, and is presented with the information provided in the exhibits. Given the information provided, which task should the cloud administrator perform to resolve this issue?

- A. Migrate the virtual machine to a new datastore.
- B. Perform a snapshot consolidation.
- C. Power cycle the virtual machine.
- D. Execute a Delete All Snapshots task.

Answer: D

NEW QUESTION 4

Which VMware technology ensures availability of the VMs in your SDDC and uses multiple ESXi hosts to provide rapid recovery from outages and cost-effective high availability for applications? (Select one option)

- A. vSphere DRaaS
- B. vSphere HA
- C. vSphere DPM
- D. vSphere eDRS

Answer: B

Explanation:

The VMware technology that ensures availability of the VMs in your SDDC and uses multiple ESXi hosts to provide rapid recovery from outages and cost-effective high availability for applications is B.vSphere HA. vSphere HA is an agentless cluster-level availability solution that enables rapid recovery from outages and cost-

effective high availability for applications. vSphere DRaaS, vSphere DPM, and vSphere eDRS are not suitable for this purpose.

NEW QUESTION 5

Which software development challenge can a cloud administrator address by adopting a cloud operating model?

- A. The length of time needed to provision the required infrastructure
- B. High operating expense (OPEX) spending due to software licenses
- C. The use of different programming languages by developers
- D. Lack of standardization of operating systems used by developers

Answer: A

Explanation:

<https://blogs.vmware.com/management/2021/10/introduction-to-vmware-cloud-operating-model.html>

NEW QUESTION 6

A Cloud Administrator is managing a VMware Cloud environment consisting of a single cluster with two hosts. The administrator is trying to create a new virtual machine and is getting the following error message: cannot complete file creation operation. There are currently 2 unable failure domains. the operation requires 3 more usable fault domain. failed to create object.

- A. The VM storage policy is configured Incorrectly for the cluster.
- B. There is insufficient CPU and memory based on the current virtual machine resource reservation settings.
- C. One of the hosts is in maintenance mode.
- D. vSphere Distributed Resource Scheduler (DRS) is enabled.

Answer: C

Explanation:

The error message that the Cloud Administrator is receiving indicates that the cluster is not able to meet the requirements of the new virtual machine due to insufficient fault domains. The most likely cause of this is that one of the hosts is in maintenance mode. When a host is in maintenance mode, it is not available to the cluster, and thus cannot provide the necessary fault domains. To correct this issue, the Cloud Administrator should ensure that all hosts in the cluster are available and not in maintenance mode before attempting to create the new virtual machine.

NEW QUESTION 7

Which four steps must a cloud administrator take to deploy a new private cloud in Azure VMware Solution? (Choose four.)

- A. Identify the maximum number of hosts needed for future capacity.
- B. Identify the desired availability zone.
- C. Identify a management CIDR of size /22.
- D. Open a support request with Microsoft Azure requesting capacity.
- E. Identify a management CIDR of size /20.
- F. Identify the desired region.
- G. Identify the current number of hosts needed.

Answer: BCDG

Explanation:

- Identify the desired region. This determines where your private cloud will be deployed and which Azure services are available.
- Identify a management CIDR of size /22. This determines the IP address range for your private cloud management components such as vCenter Server, NSX Manager, etc.
- Open a support request with Microsoft Azure requesting capacity. This ensures that there are enough hosts available for your private cloud deployment.
- Identify the current number of hosts needed. This determines how many hosts will be provisioned initially for your private cloud cluster.

<https://vmc.techzone.vmware.com/resource/avs-planning-and-deployment-guide>

NEW QUESTION 8

Which three organizational aspects need to be considered to successfully transition to a cloud operating model? (Choose three.)

- A. People
- B. Technology
- C. Process
- D. Branding
- E. Budget
- F. Facilities

Answer: ABC

Explanation:

<https://blogs.vmware.com/management/2020/01/the-cloud-operating-model.html>

NEW QUESTION 9

A cloud administrator needs to configure a VM storage policy for virtual machines that will host a business critical application. The environment consists of a single cluster with six hosts. The application is storage I/O intensive and redundancy must be provided at the highest level possible. Which VM storage policy settings should the administrator configure to meet these requirements?

- A. RAID-1 FTT = 3
- B. RAID-1 FTT = 2
- C. RAID-5

D. RAID-6

Answer: B

Explanation:

RAID-1 is a mirror configuration that provides high availability by creating multiple copies of a VMDK. RAID-5 and RAID-6 are erasure coding configurations that provide fault tolerance by distributing data and parity across multiple hosts. The number of failures to tolerate (FTT) determines how many copies or parity blocks are created for each VMDK. For example, RAID-1 FTT = 2 means that there are three copies of each VMDK. Therefore, based on your requirements, a possible VM storage policy setting could be RAID-1 FTT = 2, which would provide redundancy at the highest level possible with six hosts.
<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-cen>

NEW QUESTION 10

A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). Which connection type can they use to connect to an Instance of VMware Cloud?

- A. Policy-based virtual private network (VPN)
- B. Public IPs over the Internet
- C. Private L2 virtual private network (VPN)
- D. Route-based virtual private network (VPN)

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-dr-security-best-practic> A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). The best connection type to use for this purpose is a Route-based virtual private network (VPN). This type of VPN is secure, as it uses encryption and authentication to protect the data transmitted over the connection. Additionally, it allows for the configuration of BGP to ensure that the data traffic is routed to the desired destination.
PREPARING FOR VMWARE CLOUD ON AWS
<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/vmc-aws/preparing-for-vmwar>
Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>
What is Network Virtualization? | VMware Glossary
<https://www.vmware.com/topics/glossary/content/network-virtualization.html>

NEW QUESTION 10

A cloud administrator is responsible for managing a VMware Cloud solution and would like to ensure that I/O-intensive workloads run in the most optimum way possible. Which two steps should the administrator complete on I/O-intensive workloads to meet this requirement? (Choose two.)

- A. Ensure that the VMware hardware version is 7 or later.
- B. Enable the memory hot-add feature.
- C. Configure the LSI Logic Parallel SCSI controller.
- D. Configure the VMware Paravirtual SCSI (PVSCSI) adapter.
- E. Configure a maximum of two CPU cores per socket.

Answer: AD

Explanation:

The two steps that the cloud administrator should complete on I/O-intensive workloads to ensure the best performance possible are to configure the VMware Paravirtual SCSI (PVSCSI) adapter and to ensure that the VMware hardware version is 7 or later. The PVSCSI adapter provides improved performance and scalability compared to the LSI Logic Parallel SCSI controller. Additionally, the hardware version should be 7 or later to ensure that the virtual machine is able to take advantage of the latest features and enhancements. Enabling the memory hot-add feature and configuring a maximum of two CPU cores per socket will not improve the performance of I/O-intensive workloads.
Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide
<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7
<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

LSI Logic Parallel, LSI Logic SAS, or VMware Paravirtual

For most guest operating systems, the default virtual storage adapter in VMware Cloud on AWS is either LSI Logic Parallel or LSI Logic SAS, depending on the guest operating system and the virtual hardware version.

However, VMware Cloud on AWS also includes a paravirtualized SCSI storage adapter, PVSCSI (also called VMware Paravirtual). The PVSCSI adapter offers a significant reduction in CPU utilization as well as potentially increased throughput compared to the default virtual storage adapters, and is thus the best choice for environments with very I/O-intensive guest applications.

In order to use PVSCSI, your VM must be using virtual hardware version 7 or later.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

NEW QUESTION 15

A cloud administrator has a portion of its on-premises infrastructure hardware that is going to be again out of its support lifecycle later this year. Due to the regulatory requirement, the applications running on this hardware cannot be migrated to the public cloud, but the Administrator is also trying to reduce its operational expenses of managing and maintaining the hardware it owns and reduce capital expenditures. Which two solutions would achieve these goals? (Choose two.)

- A. VMware Cloud on AWS Outpost
- B. VMware Cloud on Dell EMC
- C. VMware Cloud Foundation
- D. Oracle Cloud VMware Solution
- E. VMware Cloud on AWS

Answer: BE

Explanation:

VMware Cloud on Dell EMC is a service that allows customers to deploy and manage VMware Cloud Foundation in their own data center, eliminating the need to buy and maintain their own hardware. This solution allows customers to reduce costs associated with maintaining their own hardware, as well as reduce capital expenditures by not needing to buy new hardware.

VMware Cloud on AWS is a fully managed service that allows customers to run their VMware-based workloads on the AWS Cloud. This solution allows customers to take advantage of the scalability and cost savings of the public cloud, while still being able to maintain regulatory compliance for their workloads.

According to VMware's official website, "VMware Cloud on AWS is an on-demand service that enables customers to run applications across vSphere-based cloud environments with access to a broad range of AWS services. Customers get the same architecture, features, and operational experience regardless of where you deploy applications – on-premises, in the cloud, or in a hybrid or multi-cloud configuration." [1]

[1] <https://www.vmware.com/products/vmware-cloud-on-aws.html>

NEW QUESTION 20

A company needs to Increase its Infrastructure capacity quickly to accommodate their rapid business growth. Which cloud use case describes their requirement?

- A. Maintain and Modernize
- B. Consolidate and Migrate
- C. Disaster Recovery
- D. Maintain and Expand

Answer: A

Explanation:

<https://www.vmware.com/mena/topics/glossary/content/digital-transformation.html>

NEW QUESTION 21

A cloud administrator successfully configures a policy-based VPN between an on-premises data center and an instance of VMware Cloud Software-defined data center (SDDC). Although the workloads are reachable from both locations over the IP network, the cloud virtual machines cannot access an on-premises web service. What should the cloud administrator check first to resolve this issue?

- A. On-premises DNS settings
- B. VMware Cloud DNS settings
- C. On-premises gateway settings
- D. VMware Cloud gateway settings

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

NEW QUESTION 24

What is one way in which VMware Multi-Cloud addresses challenges with the cloud computing model?

- A. Provides savings on capital expenses and the use of a flexible payment structure where payment is only done based on the resources used.
- B. Provides visibility and tools to manage resources, workloads and operations across clouds from a common operating environment.
- C. Eliminates worry associated with managing IT infrastructures and shifts focus to application development and other priorities using the most up-to-date technology.
- D. Increases agility that encompasses scalability, customizability, and access to the cloud service from anywhere and on any device.

Answer: B

Explanation:

<https://www.vmware.com/topics/glossary/content/multi-cloud.html>

VMware Multi-Cloud provides visibility and tools to manage resources, workloads and operations across clouds from a common operating environment. This eliminates the need to manage multiple cloud environments in different clouds and provides a unified view of all cloud resources and applications. This makes it easier to monitor and manage workloads across clouds, reducing complexity and increasing agility.

VMware Multi-Cloud also provides powerful automation and orchestration capabilities to help streamline operations and improve efficiency. [1]

[1] <https://www.vmware.com/products/vmware-multi-cloud.html>

NEW QUESTION 25

Which Tanzu Kubernetes Grid component provides authentication, ingress, logging and service discovery?

- A. Tanzu Supervisor cluster
- B. Tanzu CU
- C. Tanzu Kubernetes cluster
- D. Tanzu Kubernetes Grid extensions

Answer: C

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D-> <https://docs.vmware.com/en/VMware->

vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D-

NEW QUESTION 26

A cloud administrator is notified by VMware that their VMware Cloud on AWS Instance will be updated in seven days. Which action does the cloud administrator need to take to allow the update?

- A. Add capacity.
- B. Select a date for the upgrade.
- C. Respond to the notification.
- D. Nothing needs to be done.

Answer: C

Explanation:

VMware Cloud on AWS Instances are regularly updated to ensure they are running the latest version of the software, and the cloud administrator needs to respond to the notification to confirm they accept the update. They do not need to add capacity or select a date for the upgrade, and they do not need to do anything else as the update will be done automatically.

NEW QUESTION 29

An organization is running multiple applications that span different public clouds. The cloud administrator is asked to perform budget management, cost reporting and cost forecasting from a single platform.

Which VMware Cloud service can the cloud administrator use to meet this requirement?

- A. VMware vRealize Operations Cloud
- B. VMware vRealize Network Insight Cloud
- C. VMware vRealize Log Insight Cloud
- D. CloudHealth by VMware

Answer: D

Explanation:

CloudHealth by VMware is a cloud cost governance platform that provides budget management, cost reporting, and cost forecasting from a single platform. It provides comprehensive visibility and control to manage cloud costs in hybrid and multi-cloud environments. CloudHealth by VMware also provides cost optimization, resource optimization, and real-time alerting capabilities to help organizations make cost-effective decisions to reduce cloud costs.

NEW QUESTION 30

In order to provide overlapping IP address segments within a VMware cloud Environment, what must be configured?

- A. Additional NSX Edge appliances
- B. Additional Tier-1 gateways
- C. Additional network segments
- D. Additional Tier-0 gateways

Answer: B

Explanation:

<https://vmc.techzone.vmware.com/understanding-segments-vmc-aws>

NEW QUESTION 34

A cloud administrator is managing a VMware Cloud on AWS environment. Currently, there is a single cluster consisting of four i3.metal hosts. Due to an increased demand, cluster capacity has to be expanded by 60 cores and 640 GB of memory.

What should the administrator do to meet the demand?

- A. Add 16 CPU cores to the existing hosts.
- B. Add three c4.metal hosts to the cluster.
- C. Add two i3.metal hosts to the cluster.
- D. Add one i3en.metal host to the cluster.

Answer: C

Explanation:

According to the VMware Cloud on AWS documentation, the minimum capacity of an i3.metal host is 8 vCPUs and 64 GB of memory. Therefore, to meet the demand of an additional 60 cores and 640 GB of memory, the administrator should add two i3.metal hosts to the cluster. For more information, please refer to the official VMware Cloud on AWS documentation at: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/index.html>.

NEW QUESTION 37

A cloud administrator wants to deploy a VMware Cloud software-defined data center (SDDC) on a cloud provider and requires a consistent 4.5 Gbps bandwidth from applications to communicate from on-premises to the SDDC. Which type of connection should be used for this type of traffic?

- A. Policy-based virtual private network (VPN)
- B. Private L2 virtual private network (VPN)
- C. Route-based virtual private network (VPN)
- D. Private line

Answer: C

Explanation:

The best option for a cloud administrator who wants to deploy a VMware Cloud software-defined data center (SDDC) on a cloud provider and requires a consistent 4.5 Gbps bandwidth from applications to communicate from on-premises to the SDDC is a Route-Based Virtual Private Network (VPN). This type of connection offers enhanced performance [1][2], flexibility, scalability, and security compared to other options, such as Policy-Based Virtual Private Network (VPN), Private L2 Virtual Private Network (VPN), or Private Line.

According to the VMware official site, "Route-based VPN enables a secure connection between two or more sites, or between a site and a mobile user, and provides better performance and scalability than a policy-based VPN. Route-based VPNs are also more secure than policy-based VPNs, because the traffic is encrypted with a unique encryption key for each tunnel, rather than relying on a shared key for all tunnels. This allows for secure and reliable connections for devices and applications located in different physical locations." [1]

[1] <https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/com.vmware.nsx.admin.doc/GUID-D6B7B9E>

NEW QUESTION 39

A cloud administrator is tasked with deploying two virtual machines (APP01 and APP02) to a software-defined data center (SDDC) with multiple clusters hosted in VMware Cloud on AWS based on the following requirements:

- APP01 and APP02 should NOT run on the same host.
- Only three hosts in the SDDC are entitled to run the software installed on these servers.
- All entitled hosts are in cluster 1.

Which two actions should the administrator take to meet these requirements? (Choose two)

- A. Create a Disable DRS vMotion policy.
- B. Create a VM-VM anti-affinity policy.
- C. Deploy APP01 to Cluster 1 and APP02 to cluster 2. a Create a VM-Host anti-affinity policy.
- D. Create a VM-Host affinity policy.

Answer: BD

Explanation:**VM-VM Anti-Affinity**

A VM-VM anti-affinity policy describes a relationship between members of a category of VMs.

Use case:

When you want to place VMs running critical workloads on separate hosts so that the failure of one host does not affect other VMs in the category

Graphical user interface, text, application, email Description automatically generated

VM-Host Affinity

A VM-Host affinity policy describes a relationship between a category of VMs and a category of hosts.

Use cases:

- When host-based licensing requires that VMs running certain applications be placed on hosts that are licensed to run those applications
- When VMs with workload-specific configurations require placement on hosts that have certain characteristics

NEW QUESTION 44

Given what you know about cloud, which examples illustrate its benefits? Select all options that apply.

- A. An organization requires fewer developers when it uses the cloud.
- B. An organization manages its cloud resources by using different cloud providers that are separate and isolated from each other.
- C. A business stores infrequently accessed data in the cloud to benefit from reduced on-premises storage costs.
- D. An organization manages its cloud resources by using different cloud providers that are separate and isolated from each other.
- E. A developer codes an application in a cloud-based environment, and, with a few simple commands, deploys the application on the business website.
- F. In seconds, you receive a large amount of storage using a cloud option.

Answer: BCEF

Explanation:

Example B illustrates the benefit of cloud computing where an organization can manage its cloud resources by using different cloud providers that are separate and isolated from each other. This allows the organization to make use of features and services offered by different cloud providers in order to benefit from the best of different services.

Example C illustrates the benefit of cloud computing where a business can store infrequently accessed data in the cloud in order to benefit from reduced on-premises storage costs, as cloud storage is usually cheaper than on-premise storage.

Example E illustrates the benefit of cloud computing where a developer can code an application in a cloud-based environment, and, with a few simple commands, deploy the application on the business website. This eliminates the need for the developer to set up and manage the application on their own, as the cloud platform handles the deployment and hosting of the application.

Example F illustrates the benefit of cloud computing where a large amount of storage can be made available in seconds using a cloud option. This is useful for businesses that require a large amount of storage but don't have the resources to set up and manage their own storage solution.

For more information on the benefits of cloud computing, see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.getting-started/GUID-F>

NEW QUESTION 48

Which statement most accurately describes the service features of VMware Cloud on Dell EMC? (Select one option)

- A. Dell technicians perform all software maintenance, as well as hardware fixes.
- B. When an onsite response is required to fix a problem related to a host, a Dell technician must arrive onsite within 24 hours.
- C. An SDDC includes a minimum of one rack with three host
- D. You can add hosts to the rack, up to the maximum supported by the rack.
- E. VMware Site Recovery is included as part of the initial service offering.

Answer: C

Explanation:

The statement that most accurately describes the service features of VMware Cloud on Dell EMC is C. An SDDC includes a minimum of one rack with three hosts. You can add hosts to the rack, up to the maximum supported by the rack. An SDDC consists of a rack with a minimum of three hosts, which can then be expanded up to the maximum supported by the rack. VMware Site Recovery is not included as part of the initial service offering. VMware Cloud on Dell EMC provides a service that enables customers to run their VMware-based workloads on Dell EMC's hardware, in a jointly-engineered and fully-supported environment. The service allows customers to deploy a fully-configured VMware SDDC on Dell EMC VxRail or VxRack SDDC systems, with the option to add more hosts to the rack as needed.

NEW QUESTION 49

A virtual machine running in VMware Cloud on AWS is experiencing poor CPU performance. What are two steps the cloud administrator can take to troubleshoot this issue? (Choose two.)

- A. Physically access the console of the VMware ESXi host where the virtual machine resides and use the command line to review the logs.
- B. Use the Troubleshooting Workbench in VMware vRealize Operations Cloud to look for potential evidence.
- C. Set the power management policy on the VMware ESXi host to "High Performance."
- D. Log in to the VMware ESXi host using SSH and run 'esxtop' to examine CPU statistics.
- E. Use the VMware vSphere Client to connect to the VMware vCenter which manages the virtual machine and examine its performance statistics.

Answer: BE

Explanation:

"It is a good idea to periodically monitor the CPU usage of the host. This can be done through the vSphere Client, using the VMware vRealize Operations management suite, or by using resxtop. Below we describe how to interpret resxtop" <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

➤ Use the VMware vSphere Client to connect to the VMware vCenter which manages the virtual machine and examine its performance statistics. You can use charts, alarms, and events to identify CPU bottlenecks or contention.

➤ Use the Troubleshooting Workbench in VMware vRealize Operations Cloud to look for potential evidence. You can use dashboards, alerts, metrics, logs, and recommendations to diagnose and resolve CPU performance issues.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

NEW QUESTION 52

A cloud administrator is managing a container environment. The application team has complained that they need to manually restart containers in the event of a failure.

Which solution can the administrator implement to solve this issue?

- A. Kubernetes
- B. VMware vSphere High Availability
- C. VMware vSphere Fault Tolerance
- D. Prometheus

Answer: A

Explanation:

Kubernetes is an open-source container orchestration system that provides automated deployment, scaling, and management of containers. It can be used to set up an automated restart policy for containers in the event of a failure, ensuring that containers are automatically restarted when they fail.

VMware Stage Manager User's Guide https://www.vmware.com/pdf/stagemanager1_Users_Guide.pdf

NEW QUESTION 54

What are two incident management services included in the VMware Cloud on AWS service management process? (Choose two)

- A. VMware Tools management
- B. Incident Management
- C. Microsoft License management
- D. Capacity management
- E. Workload OS management

Answer: BD

Explanation:

The two incident management services included in the VMware Cloud on AWS Service Management process are Incident Management and Capacity Management.

Incident Management is responsible for detecting, classifying, and resolving incidents quickly and effectively. It includes monitoring and alerting, incident response, and problem management. Capacity Management is responsible for predicting, measuring, and managing the capacity of the infrastructure. It includes capacity planning, performance analysis, and resource optimization.

References:

[1] <https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/cloud-management/vmware-cloud-o>

NEW QUESTION 55

A cloud administrator is asked to validate a proposed internetworking design that will provide connectivity to a VMware Cloud on AWS environment from multiple

company locations. The following requirements must be met:

- A. Connectivity the VMware Cloud on AWS environment must NOT have a single point of failure.
- B. Any network traffic between on-premises company locations must be sent over a private IP address space.
- C. Connectivity the VMware Cloud on AWS environment must support high-throughput data transfer.

Answer: A

NEW QUESTION 59

As per company policy, all administrator level accounts need to have their password changed on a regular basis. The cloudadmin@vmc.local account password is changed by an administrator from the vSphere Client.

Another administrator is using the credentials in the VMware Cloud console and gets an 'access denied' error. What could be the problem?

- A. The password change email confirmation has NOT been approved by the organization owner.
- B. The password should only be changed through the VMware Cloud console.
- C. The new password is NOT synchronized with the password that is displayed for the Default vCenter user account.
- D. The password should be changed by escalation of privileges.

Answer: C

Explanation:

The problem could be that the new password is not synchronized with the password that is displayed for the Default vCenter user account. The administrator must make sure that the same password is used in both the vSphere Client and the VMware Cloud console in order for the user to access the account. Changing the password in one place does not automatically change it in the other, so this must be done manually.

NEW QUESTION 61

A cloud administrator with an existing virtual private cloud (VPC) needs to create a dedicated connection to VMware Cloud on AWS. Which connection type would meet this requirement?

- A. Public virtual interface
- B. AWS Direct Connect
- C. Transit virtual interface
- D. Private virtual interface

Answer: B

Explanation:

The best option to meet the requirements of creating a dedicated connection to VMware Cloud on AWS is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as public virtual interface, transit virtual interface, and private virtual interface. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

NEW QUESTION 64

A cloud administrator is managing a VMware Cloud on AWS environment containing of a single cluster with three hosts. Which acts recovery site for the on-premises environment. The on-premises environment consists of eight hosts. what should the cloud administrator configure to optimize scaling for full disaster recovery?

- A. Configure an Elastic DRS policy and set the maximum cluster Size to 8.
- B. No Additional configuration is required Default Elastic DRS will fulfill the requirement
- C. Configure an Elastic DRS policy and select 'Optimize for Rapid scale-out'.
- D. Configure an Elastic DRS policy and set minimum cluster size to 8.

Answer: C

Explanation:

According to the VMware official documentation, in order to optimize scaling for full disaster recovery in a VMware Cloud on AWS environment, it is necessary to configure an Elastic DRS policy and select 'Optimize for Rapid scale-out' as the policy type. This option allows for a rapid increase in the number of hosts within the cluster, which is necessary for full disaster recovery. For more information, please refer to the VMware Cloud on AWS Disaster Recovery Guide, which can be found

here:<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/VMware-Cloud-on-AWS-Disaster-Recover>

NEW QUESTION 68

When configuring Hybrid Linked Mode, what is the maximum supported latency between an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC)?

- A. 200 milliseconds round trip
- B. 250 milliseconds round trip
- C. 150 milliseconds round trip
- D. 100 milliseconds round trip

Answer: D

Explanation:

Hybrid Linked Mode can tolerate a time skew of up to ten minutes between the on-premises data center and the cloud SDDC. The maximum latency between your

cloud SDDC and on-premises data center cannot exceed 100 msec roundtrip.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-cen>

NEW QUESTION 73

A Cloud Administrator is looking to migrate several dozen workloads from their on-premises location to a VMware public cloud using VMWare -- need to be stretched for the migration. They will also be utilizing the capabilities of the WAN application for the migration.

HCX appliance requirements are as follows:

- > HCX Manager: 4 vCPU, 128GB Memory
- > HCX-IX Interconnect: 8 vCPU, 3GB Memory
- > HCX network Extension: 8 vCPU, 3GB Memory
- > HCX WAN Optimization: 8 vCPU, 14GB Memory

What are the on-premises vCPU and Memory component requirements for the VMWare HCX deployment?

- A. 36 vCPUs, 35GB of memory
- B. 32 vCPUs, 40GB of memory
- C. 30 vCPUs, 36GB of memory
- D. 28 vCPUs, 32GB of memory

Answer: A

Explanation:

<https://docs.vmware.com/en/VMware-HCX/4.6/hcx-user-guide/GUID-D64901F4-6AB4-4820-9303-27927648A>

NEW QUESTION 74

Which three types of gateways can be found in VMware cloud on AWS (Choose three?)

- A. Distributed Tier-1
- B. Standard Tier-1
- C. Tire-0
- D. Compute Tier-1
- E. Management Tire-1
- F. Management Tire-0

Answer: ABD

Explanation:

The three types of gateways that can be found in VMware Cloud on AWS are Option A: Distributed Tier-1, Option B: Standard Tier-1, and Option D: Compute Tier-1.

Distributed Tier-1 gateways are used for secure access between on-premises networks and the VMware Cloud on AWS SDDC network. Standard Tier-1 gateways are used for secure access between the VMware Cloud on AWS SDDC network and the public internet. Compute Tier-1 gateways are used for secure access between the workloads running on the VMware Cloud on AWS SDDC and the public internet.

For more information, please refer to the official VMware documentation on VMware Cloud on AWS Gateways: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GU>

NEW QUESTION 79

A cloud administrator is tasked with moving critical business workloads between two VMware Cloud on AWS software-defined data centers (SDDCs) located in different geographical regions. The following requirements must be met:

- Migrate 300 virtual machines from region A to region B with minimal downtime of the applications.
- Non-disruptively resume application access of the targeted virtual machines in the event the migration fails.
- Support concurrent switch over of the application workloads to occur during a pre-defined maintenance window.

Which VMware HCX migration type should be used to meet these requirements?

- A. VMware HCX Cold Migration
- B. VMware HCX Bulk Migration
- C. VMware HCX vMotion
- D. VMware HCX Replication Assisted vMotion

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-741F47D5-A3C9-4D74-9672-E54D8791> "VMware HCX Replication Assisted vMotion (RAV) uses the HCX Interconnect appliance along with replication and vMotion technologies to provide large scale, parallel migrations with zero downtime."

Understanding VMware HCX Replication Assisted

vMotion: <https://docs.vmware.com/en/VMware-HCX/4.6/hcx-user-guide/GUID-741F47D5-A3C9-4D74-9672-E>

NEW QUESTION 81

A cloud administrator is establishing connectivity between their on-premises data center and VMware Cloud. The Administrator wants to leverage Border gateway Protocol (BGP) to Dynamically learn when new networks are created. Which type of VPN should the administrator configure to accomplish this?

- A. Layer 2 VPN
- B. SSL VPN
- C. Policy-based IPsec VPN
- D. Route-based IPsec VPN

Answer: D

Explanation:

Route-based IPSec VPNs provide the flexibility to dynamically learn when new networks are created, making them the ideal choice for establishing connectivity between an on-premises data center and VMware Cloud. Route-based IPSec VPNs use the Border Gateway Protocol (BGP) to dynamically learn and propagate routes over the VPN tunnel, allowing for scalable and secure connectivity. [1]

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GUID-ED>

NEW QUESTION 85

Which statement accurately describes vSphere distributed switches? (Select one option)

- A. A distributed switch is a virtual switch that is configured for a single ESXi host.
- B. A standard switch is different from a distributed switch in that standard switches contain VMkernel ports.
- C. Each ESXi host can have only one distributed switch configured at any time.
- D. A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch.

Answer: D

Explanation:

A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch. A standard switch is different from a distributed switch in that standard switches contain VMkernel ports, but the entire configuration is managed by each ESXi host. A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch and can contain multiple VMkernel ports. Each ESXi host can have multiple distributed switches configured at any time.

NEW QUESTION 90

Which logical switching component provides layer 2 forwarding functionality in a VMware Cloud software-defined data center (SDDC).

- A. Segment port
- B. Uplink
- C. N-VDS/VDS
- D. Transport node

Answer: C

Explanation:

A VMware Cloud software-defined data center (SDDC) uses a logical switching component called a Network Virtual Distributed Switch (N-VDS) or vSphere Distributed Switch (VDS) to provide layer 2 forwarding functionality [1][2]. A VDS is a network switch that provides centralized network configuration, management, and monitoring. It works with the NSX for vSphere data plane to provide layer 2 forwarding, packet filtering, and traffic monitoring services. A VDS is composed of multiple Segment Ports (which are like individual physical ports on a normal switch), Uplinks, and Transport Nodes. The Segment Ports are used to connect virtual machines to the VDS, while Uplinks are used to connect the VDS to physical networks. Transport

Nodes are the physical switches that are associated with the VDS. For more information, see the official VMware documentation here: https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/nsx_24_sdn_networking/GUID-A4A6E4A8

NEW QUESTION 95

What are two Incident management services included in the VMware Cloud on AWS service management process? (Choose two.)

- A. Email notifications for pending upgrades
- B. Return to service
- C. Severity classification
- D. SDDC upgrades
- E. Workload incident management

Answer: BC

Explanation:

Incident and Problem Management: VMware will provide incident and problem management services (e.g., detection, severity classification, recording, escalation, and return to service) pertaining to availability of the Service Offering. VMware is responsible for incident and problem management (e.g., detection, severity classification, recording, escalation, and return to service) pertaining to all virtual machines that you have deployed in your SDDC.

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/support/vmw-cloud-aws-service-descrip>

NEW QUESTION 100

A cloud administrator needs to extend a network and requires that routing be handled at the source. Which network segment type does VMware HCX Network Extension create in the VMware Cloud software-defined data center (SDDC) when extending the network?

- A. Extended
- B. Routed
- C. Private
- D. Disconnected

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-Validated-Design/services/sddc-extending-to-vmware-cloud-on-aws/GUI> <https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-4052AC3F-9FFC-4FA2-ACB4-18B296>

VMware HCX Network Extension creates a routed network segment type in the VMware Cloud software-defined data center (SDDC) when extending the network. This routed segment is used to connect the on-premises environment with the VMware Cloud SDDC, allowing traffic to flow between the two. The other options (extended, private, and disconnected segments) are not created by Network Extension.

NEW QUESTION 101

In VMware Cloud, who is responsible for the encryption of virtual machines?

- A. Native cloud provider
- B. Customer
- C. VMware Cloud Provider Partner (VCP)
- D. VMware

Answer: B

Explanation:

Customer responsibility “Security in the Cloud” – Customers are responsible for the deployment and ongoing configuration of their SDDC, virtual machines, and data that reside therein. In addition to determining the network firewall and VPN configuration, customers are responsible for managing virtual machines (including in guest security and encryption) and using VMware Cloud on AWS User Roles and Permissions along with vCenter Roles and Permissions to apply the appropriate controls for users.

The responsibility for the encryption of virtual machines in VMware Cloud lies with the customer. The customer is responsible for configuring and managing any encryption or security related settings and configurations in the virtual machines, such as disk encryption or the configuration of security protocols. The VMware Cloud Provider Partner (VCP) is responsible for the overall security of the cloud environment [1][2], including the encryption of data at rest, but the customer is responsible for configuring and managing the encryption settings within their virtual machines.

Reference: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.encryption/>

NEW QUESTION 103

Which two steps does a cloud administrator need to take when protecting a VMware Cloud on AWS software-defined data center (SDDC) with VMware Site Recovery? (Choose Two.)

- A. Deploy the vSphere Replication virtual appliance.
- B. Deploy the Site Recovery manager virtual Appliance.
- C. Connect the Site Recovery manager instance on the protected recovery site.
- D. Register the vSphere Replication appliance with vCenter Single Sign-On
- E. Set the NSX-T Edge management gateway firewall rules.

Answer: AC

Explanation:

A cloud administrator needs to deploy the vSphere Replication virtual appliance and the Site Recovery manager virtual appliance when protecting a VMware Cloud on AWS software-defined data center (SDDC) with VMware Site Recovery.

The vSphere Replication virtual appliance is responsible for replicating the virtual machines from the source to the target site. Site Recovery Manager virtual appliance acts as the central management and orchestration platform for the entire disaster recovery process.

NEW QUESTION 104

A cloud administrator wants to view and manage workloads across both an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC).

Which solution meets this requirement?

- A. Enhanced Linked Mode
- B. VMware HCX
- C. vCenter Single Sign-On
- D. Hybrid Linked Mode

Answer: B

Explanation:

VMware HCX is a cloud migration and workload mobility solution that allows you to view and manage workloads across both an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC). It provides a secure[1], cross-cloud network bridge between your on-premises environment and VMware Cloud on AWS, allowing you to move workloads between the two environments with minimal effort. It also provides a unified view of both environments, allowing administrators to monitor and manage workloads across clouds from a single pane of glass. [1]

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.hybrid-cloud-extensio>

NEW QUESTION 108

Which types of networks are available when creating a segment in VMware Cloud on AWS?

- A. Routed, Extended, Disconnected
- B. Advertised, Extended, Isolated
- C. Routed, Stretched, Disconnected
- D. Advertised, Stretched, Isolated

Answer: A

Explanation:

VMware Cloud on AWS GovCloud supports three types of network segments: routed, extended and disconnected.

Routed networks: Routed networks allow you to route traffic between the on-premises data center and the VMware Cloud on AWS environment using a VPN or AWS Direct Connect.

Extended networks: Extended networks allow you to extend the on-premises network to the VMware Cloud on AWS environment using VXLAN. This type of network allows you to extend the on-premises VLANs to the cloud environment, providing a seamless network extension.

Disconnected networks: Disconnected networks are used when there is no direct connectivity between the on-premises data center and the VMware Cloud on AWS environment. This type of network allows you to create isolated networks in the cloud environment for specific use cases, such as disaster recovery or testing.

[https://docs.vmware.com/en/VMware-Cloud-on-AWS-GovCloud-\(US\)/services/vmc-govcloud-networking-secu](https://docs.vmware.com/en/VMware-Cloud-on-AWS-GovCloud-(US)/services/vmc-govcloud-networking-secu)

NEW QUESTION 109

A cloud administrator is tasked with creating a new network segment in the software-defined data center that utilizes the corporate DHCP server to provide IP

addresses.

What is the proper sequence to create the required network segments?

- A. * 1- Create a new segment attached to the Tler-0 gateway* 2. Configure the segment DHCP Ip-helper
- B. * 1. Create a DHCP server profile* 2. Create a new segment attached to the Tler-0 gateway* 3. Configure the segment DHCP config to utilize the new DHCP server profile
- C. * 1. Create a new segment attached to the Tier-1 gateway* 2. Configure the segment DHCP ip-helper
- D. * 1. Create a DHCP relay profile* 2. Create a new segment attached to the Tler-1 gateway* 3. Configure the segment DHCP config to utilize the new DHCP relay profile

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-BF536EEF-7AC3-47D0-B> According to the VMware Exam Guide for Cloud Professional Exam

(https://mylearn.vmware.com/mgrreg/courses.cfm?ui=www_edu&a=one&id_subject=45954), "To create a new network segment that utilizes the corporate DHCP server to provide IP addresses, the following sequence should be used: Create a DHCP server profile, create a new segment attached to the Tler-0 gateway, and configure the segment DHCP config to utilize the new DHCP server profile."

NEW QUESTION 111

A cloud administrator is managing a Google Cloud VMware Engine environment with a single cluster consisting of 28 Hosts. The Administrator and, based on estimates from the application team, requires seven additional hosts. What should the administrator do?

- A. Add seven hosts to the existing cluster.
- B. Provision a new private cloud.
- C. Provision a new cluster.
- D. Nothing; the cluster will scale automatically.

Answer: C

Explanation:

<https://cloud.google.com/vmware-engine/docs/concepts-vmware-componentsNode> Considerations

You can specify the number of hosts to add or remove to or from their cluster. Private cloud initial setup happens in ~30 minutes.

Additional hosts can be added in ~15 minutes.

A three-node cluster is the minimum for production.

You can have up to 32 hosts per cluster.

You can have up to 64 hosts per private cloud.

NEW QUESTION 113

A cloud administrator is managing a VMware Cloud on AWS environment connected to an on-premises data center using IPSec VPN connection. The administrator is Informed of performance issues with applications replicating data between VMware Cloud and the on-premises data center. The total bandwidth used by this replication is 3.8 Gbps.

What should the administrator do to improve application performance?

- A. Deploy VMware HCX.
- B. Deploy AWS Direct Connect.
- C. Deploy a layer 2 VPN connection.
- D. Contact VMware support to request more bandwidth for IPSec VPN connection.

Answer: B

Explanation:

AWS Direct Connect is a service that establishes a dedicated network connection between an on-premises data center and an AWS region. This can improve network performance, reduce costs, and increase security for applications that require high bandwidth and low latency¹.

A layer 2 VPN connection would not improve performance as it still relies on the public internet. VMware HCX is a service that simplifies workload migration and mobility between different clouds, but it does not address network performance issues. Contacting VMware support to request more bandwidth for IPSec VPN connection is unlikely to be effective as IPSec VPN has inherent limitations such as encryption overhead and packet fragmentation

NEW QUESTION 115

A cloud administrator would like the VMware Cloud on AWS cluster to automatically scale-out and scale-In based on resource demand. Which two Elastic DRS policies can be configured to meet this requirement? (Choose two.)

- A. Elastic DRS Baseline policy
- B. Optimize for Best Performance policy
- C. Optimize for Lowest Cost policy
- D. Custom Elastic DRS policy
- E. Optimize for Rapid Scale-Out policy

Answer: DE

Explanation:

The two Elastic DRS policies that can be configured to meet the requirement of automatically scaling out and in based on resource demand are the Custom Elastic DRS policy and the Optimize for Rapid Scale-Out policy. The Custom Elastic DRS policy allows you to configure the cluster to scale out when certain resource utilization thresholds are met, while the Optimize for Rapid Scale-Out policy allows you to configure the cluster to scale out when resource utilization is high and scale in when utilization is low.

Elastic DRS is a feature of VMware Cloud on AWS that enables automatic scaling of the cluster based on resource demand. To meet the requirement of automatic scaling, the administrator can configure a custom Elastic DRS policy or the Optimize for Rapid Scale-Out policy. Custom Elastic DRS policy allows administrator to define the custom rules for scale-out and scale-in based on resource utilization thresholds. Optimize for Rapid Scale-Out policy automatically scales-out the cluster when resource utilization threshold is met.

NEW QUESTION 120

A cloud administrator is tasked with deploying a new software-defined data center (SDDC) in VMware Cloud on AWS and has been able to log into the VMware Cloud console Successfully. However, they cannot access the VMware Cloud on AWS Services. Which two tasks need to be performed for the administrator to gain access? (Choose two.)

- A. The cloud administrator will need to create a new subscription for the VMware Cloud on AWS service.
- B. The cloud administrator will need to request access to the VMware Cloud on AWS service
- C. The cloud administrator will need the globalcloudadmin role in the VMware Cloud on AWS service.
- D. The cloud administrator will need the Administrator role in the VMware Cloud on AWS service.
- E. The cloud administrator will need the cloudadmin role in the VMware Cloud on AWS service.

Answer: BD

Explanation:

(Reference:<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vcloud.admin.doc/GUI>) To request access to the VMware Cloud on AWS service, the cloud administrator must log in to the VMware Cloud Console and fill out the New Subscription Request form. Once the form is filled out and submitted, the cloud administrator will receive an email with instructions on how to access the VMware Cloud on AWS service.

The cloud administrator will also need to have the Administrator role in the VMware Cloud on AWS service in order to gain access. The Administrator role allows the cloud administrator to access the VMware Cloud on AWS service, view the services available in the VMware Cloud on AWS console, and manage the resources in the SDDC.

NEW QUESTION 121

A customer needs to set up a self-managed VDI solution that can be deployed to any VMware Cloud. Which two VMware solutions can meet this requirement? (Choose two.)

- A. VMware Dynamic Environment Manager (DEM)
- B. VMware ThinApp
- C. VMware Workspace ONE Unified Endpoint Management (UEM)
- D. VMware Horizon
- E. VMware Workspace ONE Access

Answer: DE

Explanation:

The two VMware solutions that can meet the customer's requirement for a self-managed VDI solution are D. VMware Horizon and E. VMware Workspace ONE Access. VMware Horizon is a virtual desktop and application virtualization platform that enables customers to set up and deploy a virtual desktop infrastructure in any cloud environment. VMware Workspace ONE Access provides secure access to applications, data, and devices in any cloud environment.

NEW QUESTION 123

A cloud administrator is In the process of troubleshooting a non-compliant object. How can the administrator change a VM storage policy for an ISO image?

- A. Modify the default VM storage policy and recreate the ISO image.
- B. Modify the default VM storage policy.
- C. Apply a new VM storage policy.
- D. Attach the ISO Image to a virtual machine.

Answer: C

Explanation:

A VM storage policy is a set of rules that defines the storage requirements for a virtual machine or an object. A cloud administrator can create and apply different VM storage policies for different types of objects, such as virtual disks, ISO images, snapshots, etc1. Applying a new VM storage policy to an object will change its compliance status and trigger a reconfiguration task to move the object to a compatible datastore1. Modifying the default VM storage policy will affect all the objects that use it, which may not be desirable. Recreating the ISO image is unnecessary and time-consuming. Attaching the ISO image to a virtual machine will not change its storage policy1.

NEW QUESTION 128

A cloud administrator establishes a VPN connection to the VMware Cloud data center but Is unable to access the VMware Cloud vCenter. Which step can the administrator take to resolve this?

- A. Modify the default vCenter management network to participate in the on-premises IP space.
- B. Create a segment in the VMware Cloud data center for connection to the vCenter.
- C. Establish a layer 2 connection between the on-premises data center and the VMware Cloud data center.
- D. Create an NSX firewall rule In the VMware Cloud data center allowing access to the vCenter from the on-premises data center.

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-ED8B8> By default, the management gateway firewall is set to deny all traffic between the internet and vCenter Server.

Verify that the appropriate firewall rules are in place.

The administrator can create an NSX firewall rule in the VMware Cloud data center that allows access to the vCenter from the on-premises data center. This would allow the VPN connection to connect to the vCenter, allowing the administrator to access and manage the VMware Cloud environment.

NEW QUESTION 130

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

2V0-33.22 Practice Exam Features:

- * 2V0-33.22 Questions and Answers Updated Frequently
- * 2V0-33.22 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-33.22 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-33.22 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 2V0-33.22 Practice Test Here](#)