

1Y0-204 Dumps

Citrix Virtual Apps and Desktops 7 Administration

<https://www.certleader.com/1Y0-204-dumps.html>



NEW QUESTION 1

A Citrix Administrator receives complaints from some users that authentication for the Citrix Gateway site fails. Which tool can the administrator use to find data regarding time of failure and a list of users facing this issue?

- A. Gateway Insight
- B. Security Insight
- C. Web Insight
- D. HDX Insight

Answer: A

NEW QUESTION 2

Scenario: Users report that they are receiving new sessions instead of reconnecting to their disconnected sessions. A Citrix Administrator investigates the issues and finds the sessions are in a disconnected state when the users leave work.

What should the administrator configure to allow the users to reconnect to their disconnected sessions while roaming?

- A. Session Pre-launch
- B. Workspace Control
- C. Session Linger
- D. Session Timeout

Answer: B

NEW QUESTION 3

Scenario: A Citrix Administrator has made changes to the Citrix ADC, deleting parts of the configuration, and then saved the new configurations. The changes caused an outage which needs to be resolved as quickly as possible. There is no Citrix ADC backup.

What does the administrator need to do to recover the configuration quickly?

- A. Restore from revision history.
- B. Restart the Citrix ADC.
- C. Run HA file synchronization.
- D. Run Save v/s Running configuration.

Answer: A

NEW QUESTION 4

Scenario: A Citrix Administrator of a large, multi-domain company needs to configure specific Group Policy Object (GPO) settings for Citrix Workspace app (Receiver) on managed endpoints that are in various locations. The administrator needs to have the ability to save the GPO template file to the Active Directory central store, so that Group Policy Administrators located in other domains can utilize it.

Which step should the administrator take to accomplish this task?

- A. Use the available Receiver ADMX and ADML template to configure the required settings locally.
- B. Use the available Receiver ADML template to configure the required settings at the domain level.
- C. Use the available Receiver ADML template to configure the required settings locally.
- D. Use the available Receiver ADMX and ADML template to configure the required settings at the domain level.

Answer: D

NEW QUESTION 5

Which three statements are correct regarding Citrix printing? (Choose three.)

- A. Citrix printing does NOT assign each printer a unique namespace within a given session.
- B. The Citrix Print Manager Service monitors session events, such as logon and logoffs or session termination.
- C. Citrix printing sets the default security descriptor for auto-created printers to ensure client printer security.
- D. Citrix printing allows administrators, but NOT users, to print to any other users' active session client printers.
- E. The Citrix Print Manager Service handles requests by impersonating the actual session user.

Answer: BCE

NEW QUESTION 6

Scenario: A Citrix Administrator has executed the following command:

```
set cs vserver Vserver-CS-1 -caseSensitive ON
add cs action CS_Act_1 -targetLBVserver MYVPN_http
add cs policy CS_Pol_1 -rule "http.REQ.HOTSNAME.CONTAINS(!"server.citrix.lab!")" -action CS_Act_1
bind cs vserver CS_vserver1 -policyName CS_Pol_1 -priority 100
```

What will be the outcome of this configuration?


- A. The users trying to access HTTP://SERVER.CITRIX.LAB will NOT be connected to the Vserver MYVPN_http.
- B. The users trying to access HTTP://SERVER.CITRIX.LAB will be connected to the Vserver MYVPN_http.
- C. The users trying to access http://server.citrix.lab will be connected to CS Vserver Vserver-CS-1.
- D. The users trying to access HTTP://SERVER.CITRIX.LAB will be connected to CS Vserver Vserver-CS-1.

Answer: B

NEW QUESTION 7

A Citrix Administrator complains that between the two rewrite policies bound to the vserver, only one policy, whichever has lower priority, works. The other policy is never used.

Click the 'Exhibit' button to view the screenshot of the relevant policy binding.



What is the cause of the issue?

- A. The Invoke label is NOT configured.
- B. GotoExpression value for Policy RP_remove_srv_header is configured as 'END'.
- C. The Policy expression of the no_chunk_pol is 'true' and 'NOT HTTP.REQ.IS_VALID'.
- D. The Priority of the no_chunk_pol is a higher numeric value than 100.

Answer: C

NEW QUESTION 8

Scenario: A Citrix ADC appliance is having intermittent issues. A Citrix Administrator is unable to identify the root cause and fix them. The administrator opened a Support ticket and the Engineer assigned to the case requested all the logs and configuration information from the Citrix ADC.

Which technical support tool can the administrator use to gather all the information on the Citrix ADC to send to the Support Engineer?

- A. Start New Trace
- B. Get Back Trace
- C. Generate Support File
- D. Batch Configuration

Answer: C

NEW QUESTION 9

After creating a new machine catalog using the Machine Creation Services (MCS) wizard in Citrix Studio, a Citrix Administrator determines that Windows activation fails for all new machines in that catalog.

Which two conditions can cause this to happen? (Choose two.)

- A. The base image rearm count has been exceeded.
- B. The Microsoft License Server is unreachable.
- C. The version of Windows installed uses Multiple Activation Key (MAK) licensing.
- D. The version of Windows installed is Windows Server 2012 R2.

Answer: BC

NEW QUESTION 10

Scenario: A Citrix Administrator wants to add machines to a Delivery Group. The administrator has two machine catalogs containing unallocated machines. On the screen to choose machines from machine catalogs, the administrator can see that only one machine catalog is available.

A possible cause of this issue is that the machines in the unavailable machine catalog are . (Choose the correct option to complete the sentence.)

- A. different OS types
- B. provisioned with another provisioning method
- C. unregistered
- D. turned off

Answer: A

NEW QUESTION 10

Scenario: A Citrix Administrator needs to configure StoreFront to allow external users access to internal resources. The external users will authenticate on StoreFront.

Which StoreFront authentication method can the administrator configure?

- A. Smart card
- B. Pass-through from NetScaler Gateway
- C. HTTP Basic
- D. Username and password

Answer: B

NEW QUESTION 15

What are three daily steps a Citrix Administrator should take to monitor a Citrix Virtual Apps and Desktops infrastructure? (Choose three.)

- A. Review Citrix policies.
- B. Perform a capacity assessment.
- C. Test environment access.
- D. Check virtual machine power states.
- E. Review available Citrix software upgrades.
- F. Check for warnings or alerts with Citrix Director.

Answer: CDF

NEW QUESTION 19

Which log records detailed information such as statistics, metrics and debug information on the Citrix ADC in a proprietary binary format?

- A. Syslog
- B. Nstrace
- C. Nsconfig
- D. Nslog

Answer: D

NEW QUESTION 21

Which tool can a Citrix Administrator utilize to verify that a policy is bound and showing the number of hits?

- A. nstcpdump.sh
- B. nstrace.sh
- C. nsconmsg
- D. nscollect

Answer: C

NEW QUESTION 23

Scenario: A Citrix Administrator is performing a disaster recovery test and decided to fail over the Citrix ADC high availability (HA) pair appliances. The administrator noticed that the failover is NOT working as expected in item text, and the Secondary Citrix ADC is NOT taking over as Primary. The administrator suspects that networking issues may be causing the failure.

What could be the cause of this issue with the Citrix ADCs?

- A. HA heartbeats are only seen on some enabled interfaces of the Secondary Node.
- B. HA monitoring is enabled on an interface of the Secondary Node that shows as ENABLED, DOWN.
- C. The Independent network configuration (INC) mode is enabled on the Primary Node.
- D. HA monitoring is enabled on a disabled interface of the Primary Node.

Answer: D

NEW QUESTION 26

Scenario: A Citrix Administrator suspects an attack on a load balancing virtual server. The administrator needs to restrict access to the load balancing virtual server (192.168.100.25) for 10 minutes.

Which Access Control List (ACL) will help to accomplish this requirement?

- A. add simpleacl rule1 DENY -srcIP 192.168.100.25-TTL 600
- B. add ns acl rule1 DENY -destIP 192.168.100.25 -TTL 600
- C. add simpleacl rule1 DENY -srcIP 192.168.100.25 -TTL 600000
- D. add ns acl rule1 DENY -destIP 192.168.100.25 -TTL 600000

Answer: B

NEW QUESTION 31

When creating a new Delegated Administrator with a custom scope, a Citrix Administrator notices that the Full Administrator role is NOT available. The administrator is experiencing this behavior because the custom scope . (Choose the correct option to complete the sentence.)

- A. created did NOT contain all the required objects
- B. must use the Read Only role
- C. was created with the hosting object selected
- D. cannot use the Full Administrator role

Answer: D

NEW QUESTION 35

Scenario: A Citrix Administrator currently manages a Citrix ADC environment in a retail company that is growing quickly and may soon double its volume of business. Currently, a Citrix ADC MPX 5550, which handles web and SSL transactions, is in place, but is close to full capacity. Due to the forecasted growth increase, the administrator needs to find a cost effective solution.

What can the administrator recommend to management in order to cost effectively handle the growth?

- A. Another MPX 5550 appliance
- B. Performance hardware upgrade to Citrix ADC SDX 14100
- C. Perform license upgrade to Citrix ADC MPX 5650
- D. Perform hardware upgrade to Citrix ADC MPX 8005

Answer: C

NEW QUESTION 38

Scenario: A Citrix Administrator would like to grant access to a Junior Administrator on the Citrix ADC. The administrator would like to grant full access to everything except the following:

- > Shell Access
- > User Configuration access
- > Partition Configuration access

Which pre-existing command policy would meet the needs of the scenario?

- A. Operator
- B. Sysadmin
- C. Network
- D. Superuser

Answer: A

NEW QUESTION 40

Scenario: A Citrix ADC MPX is using one of four 10G ports available in an environment. A Citrix Administrator found a traffic bottleneck at the Citrix ADC. What can the administrator do to increase bandwidth on the Citrix ADC?

- A. Add another 10G Citrix ADC port to the switch and configure Link Aggregation Control Protocol (LACP).
- B. Purchase another Citrix ADC MPX appliance.
- C. Add two more 10 Citrix ADC ports to the network and configure VLAN.
- D. Plug another 10G Citrix ADC port into the router.

Answer: A

NEW QUESTION 44

Scenario: A Citrix Administrator has configured an HTTP load-balancing virtual server with Least Response Time as the load-balancing algorithm. The administrator notices that requests to the virtual server appear to be using the Round Robin load-balancing algorithm.

What could be causing the virtual server to use the Round Robin load-balancing algorithm?

- A. The Citrix ADC configuration has NOT been saved yet.
- B. The virtual server is in startup round robin mode.
- C. The services that are bound to the HTTP virtual server are using the PING monitor.
- D. Least Response Time CANNOT be used as a load-balancing algorithm on an HTTP virtual server.

Answer: B

NEW QUESTION 48

Scenario: A Citrix Administrator has deployed machines using Machine Creation Services (MCS). A user logs on to a desktop from a random/non-persistent pool of Windows 10 desktops. During the session, the user installs Microsoft Office 2016.

To which disk is the Microsoft Office installation data written during the session?

- A. Differencing
- B. Identity
- C. Temporary
- D. Personal

Answer: A

NEW QUESTION 53

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with a large number of Windows users running various locally attached client printers. No network printers are being used. The administrator has enabled the HDX printer mapping policy to 'Auto-create all client printers', which has resulted in a large number of drivers being loaded onto the Virtual Delivery Agent (VDA) machines. New standards are requiring the administrator to limit these Windows drivers on the VDA machines.

Which printing feature can the administrator enable to meet the new standards?

- A. The Auto-create PDF universal printer policy
- B. The Auto-create local (non-network) client printers only policy
- C. The Citrix Universal Print Server

D. The Citrix Universal Printer Driver

Answer: C

NEW QUESTION 58

Which two options should a Citrix Administrator configure to stop the First-Time wizard from automatically popping up? (Choose two.)

- A. Host Name is NOT configured on the appliance.
- B. The Default Admin Password has NOT been changed.
- C. Licenses are NOT present on the appliance.
- D. The appliance is configured with the default IP address (192.168.100.1)

Answer: CD

NEW QUESTION 61

Which two actions must be true for a client to connect to an SSL offload virtual server without any SSL errors? (Choose two.)

- A. The Root Certificate is installed on the client's device.
- B. The Server Certificate is from a private certificate authority (CA).
- C. The Server Certificate is bound to the load-balancing virtual server.
- D. The Root Certificate is installed on the Citrix ADC.

Answer: AC

NEW QUESTION 64

Which two statements are valid when using Citrix Profile Streaming? (Choose two.)

- A. Registry entries and files in the pending area are fetched when accessed.
- B. Profile Streaming is disabled by default.
- C. The files and folders are fetched on demand.
- D. Profile Streaming will delay the logon process.

Answer: AC

Explanation:

Citrix profile streaming enables and disables the Citrix streamed user profiles feature. When enabled, files and folders contained in a profile are fetched from the user store to the local computer only when they are accessed by users after they have logged on. Registry entries and files in the pending area are fetched immediately.

NEW QUESTION 67

Which Citrix ADC Access Control List (ACL) command can a Citrix Administrator use to bridge traffic originating from 192.168.10.200?

- A. add ns simpleacl6
- B. add ns acl6
- C. add ns acl
- D. add ns simpleacl

Answer: C

NEW QUESTION 71

Which utility can a Citrix Administrator use to resolve the Domain Name System (DNS) request being looked up frequently?

- A. nslookup
- B. dig +trace
- C. curl -K -d
- D. ping

Answer: B

Explanation:

<https://www.citrix.com/blogs/2019/05/31/dig-into-gslb-dns-problems-with-citrix-adc-no-shovel-required/>

NEW QUESTION 72

Scenario: A Citrix Administrator needs to configure persistence on a Global Server Load Balancing (GSLB) virtual server to which a service is bound, so that the service continues to serve requests from the client event after it is disabled manually, accepting new requests or connections only to honor persistence. After a configured period of time, no new requests or connections are directed to the service and all of the existing connections are closed. Which parameter can the administrator configure while disabling the service to achieve this requirement?

- A. Request Threshold
- B. Persistence Time-Out
- C. Persistence Threshold
- D. Wait Time

Answer: B

NEW QUESTION 75

Scenario: A Citrix Administrator is required to maximize the usage of the Citrix Virtual Apps and Desktops Site by enabling users to access the Site from external devices and reducing the cost and the effort required to maintain the infrastructure. The desktops for the users are provisioned using Citrix Provisioning. Which set of resources will enable the administrator to achieve the objective?

- A. Citrix Virtual Apps and Desktops service, Citrix Gateway service, on-premises resources
- B. Citrix Virtual Apps and Desktops service, Citrix Gateway, public cloud
- C. Citrix Virtual Apps and Desktops service, Citrix Gateway, on-premises resources
- D. Citrix Virtual Apps and Desktops service, Citrix Gateway service, public cloud

Answer: A

NEW QUESTION 77

Which mode on the Citrix ADC can a Citrix Administrator utilize to avoid asymmetrical packet flows and multiple route/ARP lookups?

- A. Use Subnet IP (USNIP)
- B. MAC-based forwarding (MBF)
- C. Layer 2
- D. Layer 3

Answer: B

NEW QUESTION 78

Which console can a Citrix Administrator use to provide customized permissions to a junior administrator for adding applications?

- A. Citrix Studio
- B. StoreFront
- C. Citrix Director
- D. Citrix Application Delivery Management

Answer: A

NEW QUESTION 80

A Citrix Administrator has executed the commands in the screenshot on the Citrix ADC using the command-line interface. Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
> add transform profile prof_url_change
Done
> add transform action "URL change" prof_url_change 10
Done
> set transform action "URL change" -priority 10 -reqUrlFrom "https://*" -reqUrlInto
"http://*" -resUrlFrom "http://*" -resUrlInto "https://*"
Done
> add transform policy pol_url_change true prof_url_change
Done
> bind lb vserver LB_vserver -policyName pol_url_change -priority 100 -
gotoPriorityExpression END -type REQUEST
```

Which two replacements will be the outcome of executing these commands? (Choose two.)

- A. https:// will be replaced by http:// in the HTTP REQUEST
- B. http:// will be replaced by https:// in the HTTP REQUEST
- C. http:// will be replaced by https:// in the HTTP RESPONSE
- D. https:// will be replaced by http:// in the HTTP RESPONSE

Answer: AD

NEW QUESTION 81

Scenario: A Citrix Administrator is in the process of migrating the existing 7.15 LTSR Virtual Delivery Agent (VDA) machines used on premises to Citrix Cloud. The administrator has created a new manual machine catalog and Delivery Group in Citrix Cloud and pointed to the existing Device Collection in Citrix Provisioning. The administrator also restarted the VDA machines.

What could prevent the VDA machines from registering in Citrix Cloud?

- A. The VDA master image was NOT updated to communicate with the Cloud Connectors.
- B. One of the two Cloud Connectors is down and unresponsive.
- C. The Citrix policies have NOT been migrated to Citrix Cloud.
- D. The VDA on the master image has NOT been updated to a later version.

Answer: A

NEW QUESTION 85

A user calls the help desk and states that launching a pooled random desktop takes as long as five minutes. Which Citrix Director report can a Citrix Administrator review to find out what might be causing the delay?

- A. Resource Utilization
- B. Connection Failures
- C. Logon Performance
- D. Load Evaluators

Answer: C

NEW QUESTION 88

A Citrix Administrator needs to block all the DNS requests from subnet 10.107.149.0/24. Which expression can the administrator use to match the required traffic?

- A. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24)&& client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)
- B. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24)&& (client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))
- C. CLIENT.IP.SRC(10.107.149.0) && (client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))
- D. CLIENT.IP.SRC(10.107.149.0) && client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)

Answer: B

NEW QUESTION 90

A Citrix Administrator needs to block access to multiple URLs for security reasons. Which configuration should the administrator use to accomplish this requirement?

```

A
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(\"BAD_URL\")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE

B
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(\"BAD_URL\")" DROP
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE

C
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(\"BAD_URL\")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ

D
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS_ANY(\"BAD_URL\")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE

```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 95

Scenario: A Citrix Administrator has received user complaints about issues connecting to the domain through the Citrix ADC using AAA. The administrator investigated the issue and found that the domain session cookie that was used during authentication is failing due to resolution issues. What can the administrator do to fix the issue?

- A. Configure DNS to assign authentication and traffic management virtual servers to FQDNs in the domain.
- B. Configure FQDNs for the Session Cookies in the domain.

- C. Change the Session Cookie timeout in DNS.
- D. Configure DNS to assign an FQDN for the Citrix ADC in the domain.

Answer: A

NEW QUESTION 96

Scenario: A Citrix Administrator needs to review the current state of specific machine sessions and application instances that are running in a Citrix Virtual Apps and Desktops Site. The administrator also needs to power-manage sessions. The Site is a premium licensed Site. Where should the administrator navigate to within Citrix Director to obtain this information?

- A. Filters
- B. Trends
- C. Dashboard
- D. Alerts

Answer: A

NEW QUESTION 101

Scenario: A Citrix Administrator has deployed a Citrix Cloud-managed Citrix Virtual Apps and Desktops Site with one on-premises resource location and two Cloud Connectors. An on-premises StoreFront server group is used to access published resources. During user acceptance testing, due to adverse weather conditions, network connectivity between the on-premises location and Citrix Cloud was broken for several hours. Which statement describes what will occur in this scenario?

- A. One of the Citrix Cloud Connectors at the resource location is elected to be the primary broker and uses its Local Host Cache to broker new sessions and manage existing HDX connections.
- B. Users will NOT be able to access published resources, and existing sessions will be disconnected until network connectivity to Citrix Cloud is restored.
- C. The Citrix Cloud Connectors at the resource location will continue to manage existing sessions, but no new sessions can be initiated until network connectivity to Citrix Cloud is restored.
- D. Each Citrix Cloud Connector at the resource location will continue to broker new connections, for certain FlexCast models, using Connection Leasing and existing HDX connections will NOT be impacted.

Answer: A

NEW QUESTION 102

How can a Citrix Administrator configure a rewrite policy to change the version of HTTP from HTTP 1.1 to HTTP 1.0 in every request?

```

A
add rewrite action RW_ACT replace http.req.version "\"HTTP/1.0\""
add rewrite policy RW_POL true RW_ACT

B
add rewrite action RW_ACT replace http.res.version "\"HTTP/1.0\""
add rewrite policy RW_POL true RW_ACT

C
add rewrite action RW_ACT replace http.res.version "\"HTTP/1.1\""
add rewrite policy RW_POL true RW_ACT

D
add rewrite action RW_ACT replace http.req.version "\"HTTP/1.1\""
add rewrite policy RW_POL true RW_ACT
    
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 105

On which two components must the Secure Ticket Authority (STA) server locations be configured if a Citrix Administrator wants to configure secure external access to a Citrix Virtual Apps and Desktops Site? (Choose two.)

- A. Citrix Workspace app
- B. Citrix Gateway

- C. Delivery Controller
- D. StoreFront
- E. Virtual Delivery Agent (VDA)

Answer: BD

NEW QUESTION 108

Which three database high availability features are supported for on-premises deployments of Citrix Virtual Apps and Desktops? (Choose three.)

- A. Always On Availability Groups
- B. Automatic Storage Management
- C. Mirroring
- D. Clustered Instances
- E. Flashback

Answer: ACD

NEW QUESTION 112

Scenario: A Citrix Administrator is in the process of creating a new machine catalog. The administrator discovers that the option to power-manage the catalog is NOT available.

What is causing this issue?

- A. The Site database is offline.
- B. The Virtual Delivery Agent (VDA) is NOT installed on the master image.
- C. The master image has a version older than 7.6 installed on the Virtual Delivery Agent (VDA).
- D. No resource connection is defined in Citrix Studio.

Answer: D

NEW QUESTION 115

Scenario: A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair with an existing Primary Citrix ADC with all resources configured. The administrator added the Secondary Citrix ADC in high availability and found that the configuration on the existing primary was removed. It is now the Secondary Citrix ADC in the HA pair.

Which two configurations could the administrator have made to prevent this from happening? (Choose two.)

- A. Enable HA monitoring on all the interfaces of the SECONDARY device.
- B. Set the Secondary Citrix ADC to STAY SECONDARY in the Configure HA Node settings.
- C. Set the Primary Citrix ADC to STAY PRIMARY in the Configure HA Node settings.
- D. Enable HA monitoring on all the interfaces of the PRIMARY device.

Answer: CD

NEW QUESTION 117

Scenario: A Citrix Administrator configured the “-denySSLReneg” Parameter using the below command on Citrix ADC to enhance security.

```
set ssl parameter -denySSLReneg <option>
```

Which two options can the administrator use to complete the command? (Choose two.)

- A. NONSECURE
- B. HIGHSECURE
- C. FRONTEND_CLIENT
- D. NO
- E. ALL

Answer: AC

NEW QUESTION 119

Which tool should a Citrix Administrator use when a user reports “event ID 1022: The Citrix Desktop Service Failed to register with any controller”?

- A. HDX Monitor
- B. VDA Cleanup Utility
- C. Citrix Scout
- D. Citrix Health Assistant

Answer: D

NEW QUESTION 122

Scenario: A Citrix Administrator needs to deploy 300 virtual Windows 10 desktops in an environment. The deployment should have a low impact on the existing network infrastructure. The environment also requires user-installed applications and persistency.

Which Citrix technology can the administrator use to provision the desktops?

- A. Citrix Provisioning
- B. Existing Machines
- C. Machine Creation Services
- D. Manual Provisioning

Answer: C

NEW QUESTION 127

Scenario: A Citrix Administrator has enabled an HDX Session printers policy within a Citrix Virtual Apps and Desktops Site. The administrator added a printer to a print server and assigned the printer to all users through a session printer policy. In addition, several local client printers are auto-created within HDX sessions. No other printing policies are configured.

How will print jobs be routed when users send print jobs to a printer managed by the print server?

- A. Directly to the network print server and then to the specified printer.
- B. Over the HDX virtual channel to the specified printer attached to the print server.
- C. Directly from the session Virtual Delivery Agent (VDA) machine to the printer.
- D. Over the HDX virtual channel, through the endpoint, and then to the print server.

Answer: A

NEW QUESTION 132

Scenario: A Citrix Administrator is configuring load balancing on a Citrix ADC appliance for the company web servers. The administrator needs to create a custom monitor that will look for a specific keyword response from the website and will be used to keep the services in an UP state.

Which type of monitor can the administrator create to accomplish this scenario?

- A. HTTP-ECV monitor with the keyword in the Special Parameters – Receive String field.
- B. A HTTP monitor with the keyword in the Special Parameters – Response Codes field.
- C. A TCP monitor with the keyword in the Special Parameters – Response Code field.
- D. An UDP-ECV monitor with the keyword in the Special Parameters – Receive String field.

Answer: A

NEW QUESTION 136

Which three policy settings can a Citrix Administrator configure to improve HDX session performance for high-latency, low bandwidth user connections? (Choose three.)

- A. Maximum number of sessions
- B. View window contents while dragging
- C. CPU usage
- D. Target frame rate and color depth
- E. Limit video quality
- F. Application launch wait timeout

Answer: BDE

NEW QUESTION 138

Scenario: A Citrix Administrator has received complaints from published application users. They report that it takes a long time to relaunch an application after they close it by mistake.

The administrator needs a solution that will reduce application launch times in these situations. Which feature should the administrator enable?

- A. Session Sharing
- B. Session Reliability
- C. Application Lingering
- D. Application Prelaunch

Answer: D

NEW QUESTION 140

Scenario: A Citrix Administrator has configured an Authentication, Authorization, and Auditing (AAA) action policy to allow users access through the Citrix ADC. The Administrator bound the policy to a specific vServer.

Which policy expression will allow all users access through the vServer?

- A. ns_disallow
- B. ns_false
- C. ns_true
- D. ns_allow

Answer: D

NEW QUESTION 144

Which three methods can a Citrix Administrator choose from when creating a Featured App Group for a set of applications? (Choose three.)

- A. Application names
- B. Installed locally
- C. Keyword
- D. Application category
- E. Delivery Group

Answer: ACD

Explanation:

You can create product featured app groups for your end users that are related to or fit in a specific category. For example, you can create a Sales Department featured app group containing applications that are used by that department. You can define featured apps in the StoreFront administration console by using application names or by using keywords or application categories that were defined in the Studio console.

NEW QUESTION 145

Scenario: A Citrix Administrator is working on a published application. The network connection remains active for 240 seconds but is interrupted and applications become unusable. The session then prompts for authentication. After the administrator successfully authenticates, the session is reconnected. Which policy makes this possible?

- A. Load Management
- B. Auto Client Reconnect
- C. Session Reliability
- D. ICA Keep Alive

Answer: C

NEW QUESTION 149

Which method, according to Citrix leading practices, can a Citrix Administrator use to successfully make a configuration change for a StoreFront server group?

- A. Make the change on one StoreFront server in the group, then restart all servers in the group to synchronize the change.
- B. Make the same change manually on all StoreFront servers in the group, then run a Site health check.
- C. Make the same change on all StoreFront servers in the group using remote PowerShell commands.
- D. Make the change on one StoreFront server in the group, then use the Propagate Changes feature.

Answer: D

NEW QUESTION 154

Scenario: A Citrix Administrator needs to create local user accounts for other administrators with limited privileges. The other administrators will need only:

- > Read-only access
- > The ability to enable and disable services and servers

Which built-in Command Policy permission level can the administrator use?

- A. Network
- B. Read-Only
- C. Operator
- D. Sysadmin

Answer: C

NEW QUESTION 156

A Citrix Administrator needs to confirm that all the client certificates presented to the authentication vServer are valid until year 2020. Which expression can the administrator use to meet this requirement?

- A. CLIENT.SSL.CLIENT_CERT.VALID_NOT_AFTER.EQ(GMT2020)
- B. CLIENT.SSL.CLIENT_CERT.DAYS_TO_EXPIRE.EQ(2020)
- C. CLIENT.SSL.ORIGIN_SERVER_CERT.VALID_NOT_AFTER.EQ(GMT2020)
- D. CLIENT.SSL.CLIENT_CERT.VALID_NOT_BEFORE.EQ(GMT2020)

Answer: A

NEW QUESTION 161

How can a Citrix Administrator guarantee the availability of resource locations in a Citrix Cloud deployment?

- A. Deploy at least two Cloud Connectors for each resource location and load-balance them using Citrix ADC.
- B. Deploy at least two Cloud Connectors for each resource location.
- C. Convert one Cloud Connector to a template and deploy it when another Cloud Connector goes down.
- D. Deploy one Cloud Connector in each resource location.

Answer: B

NEW QUESTION 163

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator has executed the following command: bind vlan 20 –ifnum 1/1 What is the result of executing the command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.

Answer: B

NEW QUESTION 166

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1Y0-204 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1Y0-204-dumps.html>