

## AI-102 Dumps

### Designing and Implementing an Azure AI Solution

<https://www.certleader.com/AI-102-dumps.html>



**NEW QUESTION 1**

- (Exam Topic 1)

HOTSPOT

You are developing the shopping on-the-go project.

You are configuring access to the QnA Maker resources.

Which role should you assign to AllUsers and LeadershipTeam? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

AllUsers:	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> <span></span> <span>▼</span> </div> <div style="padding: 2px;"> <p>Cognitive Service User</p> <p>Contributor</p> <p>Owner</p> <p>QnA Maker Editor</p> <p>QnA Maker Read</p> </div> </div>
LeadershipTeam:	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> <span></span> <span>▼</span> </div> <div style="padding: 2px;"> <p>Cognitive Service User</p> <p>Contributor</p> <p>Owner</p> <p>QnA Maker Editor</p> <p>QnA Maker Read</p> </div> </div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: QnA Maker Editor

Scenario: Provide all employees with the ability to edit Q&As. The QnA Maker Editor (read/write) has the following permissions: Create KB API Update KB API Replace KB API Replace Alterations "Train API" [in new service model v5]

Box 2: Contributor

Scenario: Only senior managers must be able to publish updates. Contributor permission: All except ability to add new members to roles

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/reference-role-based-access-control>

**NEW QUESTION 2**

- (Exam Topic 1)

You are developing the smart e-commerce project.

You need to implement autocomplete as part of the Cognitive Search solution.

Which three actions should you perform? Each correct answer presents part of the solution. (Choose three.) NOTE: Each correct selection is worth one point.

- A. Make API queries to the autocomplete endpoint and include suggesterName in the body.
- B. Add a suggester that has the three product name fields as source fields.
- C. Make API queries to the search endpoint and include the product name fields in the searchFields query parameter.
- D. Add a suggester for each of the three product name fields.
- E. Set the searchAnalyzer property for the three product name variants.
- F. Set the analyzer property for the three product name variants.

**Answer:** ABF

**Explanation:**

Scenario: Support autocomplete and autosuggestion based on all product name variants.

A: Call a suggester-enabled query, in the form of a Suggestion request or Autocomplete request, using an API. API usage is illustrated in the following call to the Autocomplete REST API.

POST /indexes/myxboxgames/docs/autocomplete?search&api-version=2020-06-30

```
{
  "search": "minecraf", "suggesterName": "sg"
}
```

B: In Azure Cognitive Search, typeahead or "search-as-you-type" is enabled through a suggester. A suggester provides a list of fields that undergo additional tokenization, generating prefix sequences to support matches on partial terms. For example, a suggester that includes a City field with a value for "Seattle" will have prefix combinations of "sea", "seat", "seatt", and "seattl" to support typeahead.

F: Use the default standard Lucene analyzer ("analyzer": null) or a language analyzer (for example, "analyzer": "en.Microsoft") on the field.

Reference:

<https://docs.microsoft.com/en-us/azure/search/index-add-suggesters>

**NEW QUESTION 3**

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the

stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent named FindContact. A conversational expert provides you with the following list of phrases to use for training. Find contacts in London. Who do I know in Seattle? Search for contacts in Ukraine. You need to implement the phrase list in Language Understanding. Solution: You create a new intent for location. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

An intent represents a task or action the user wants to perform. It is a purpose or goal expressed in a user's utterance. Define a set of intents that corresponds to actions users want to take in your application. Reference: <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

**NEW QUESTION 4**

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent named FindContact. A conversational expert provides you with the following list of phrases to use for training. Find contacts in London. Who do I know in Seattle? Search for contacts in Ukraine. You need to implement the phrase list in Language Understanding. Solution: You create a new pattern in the FindContact intent. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Instead use a new intent for location. Note: An intent represents a task or action the user wants to perform. It is a purpose or goal expressed in a user's utterance. Define a set of intents that corresponds to actions users want to take in your application. Reference: <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

**NEW QUESTION 5**

- (Exam Topic 2)

You build a custom Form Recognizer model. You receive sample files to use for training the model as shown in the following table.

Name	Type	Size
File1	PDF	20 MB
File2	MP4	100 MB
File3	JPG	20 MB
File4	PDF	100 MB
File5	GIF	1 MB
File6	JPG	40 MB

Which three files can you use to train the model? Each correct answer presents a complete solution. (Choose three.) NOTE: Each correct selection is worth one point.

- A. File1
- B. File2
- C. File3
- D. File4
- E. File5
- F. File6

**Answer:** ACF

**Explanation:**

Input requirements  
Form Recognizer works on input documents that meet these requirements:  
Format must be JPG, PNG, PDF (text or scanned), or TIFF. Text-embedded PDFs are best because there's no possibility of error in character extraction and location.  
File size must be less than 50 MB. Reference: <https://docs.microsoft.com/en-us/azure/cognitive-services/form-recognizer/overview>

**NEW QUESTION 6**

- (Exam Topic 2)

You are developing a call to the Face API. The call must find similar faces from an existing list named employeefaces. The employeefaces list contains 60,000 images.

How should you complete the body of the HTTP request? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Values**

- "faceListId"
- "LargeFaceListId"
- "matchFace"
- "matchPerson"

**Answer Area**

```
{
  "faceId": "18c51a87-3a69-47a8-aedc-a54745f708a1",
  [ ]: "employeefaces",
  "maxNumOfCandidatesReturned": 1,
  "mode": [ ]
}
```

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: LargeFaceListID

LargeFaceList: Add a face to a specified large face list, up to 1,000,000 faces.

Note: Given query face's faceId, to search the similar-looking faces from a faceId array, a face list or a large face list. A "faceListId" is created by FaceList - Create containing persistedFaceIds that will not expire. And a "largeFaceListId" is created by LargeFaceList - Create containing persistedFaceIds that will also not expire.

Reference:

<https://docs.microsoft.com/en-us/rest/api/faceapi/face/findsimilar>

**NEW QUESTION 7**

- (Exam Topic 2)

You are building a retail chatbot that will use a QnA Maker service.

You upload an internal support document to train the model. The document contains the following question: "What is your warranty period?"

Users report that the chatbot returns the default QnA Maker answer when they ask the following question: "How long is the warranty coverage?"

The chatbot returns the correct answer when the users ask the following question: "What is your warranty period?"

Both questions should return the same answer.

You need to increase the accuracy of the chatbot responses.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

**Actions**

- Add a new question and answer (QnA) pair.
- Retrain the model.
- Add additional questions to the document.
- Republish the model.
- Add alternative phrasing to the question and answer (QnA) pair.

**Answer Area**

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Step 1: Add alternative phrasing to the question and answer (QnA) pair.

Add alternate questions to an existing QnA pair to improve the likelihood of a match to a user query. Step 2: Retrain the model.

Periodically select Save and train after making edits to avoid losing changes. Step 3: Republish the model

Note: A knowledge base consists of question and answer (QnA) pairs. Each pair has one answer and a pair contains all the information associated with that answer.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/how-to/edit-knowledge-base>

**NEW QUESTION 8**

- (Exam Topic 2)

You are creating an enrichment pipeline that will use Azure Cognitive Search. The knowledge store contains unstructured JSON data and scanned PDF documents that contain text.

Which projection type should you use for each data type? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

JSON data: 

	▼
File projection	
Object projection	
Table projection	

Scanned data: 

	▼
File projection	
Object projection	
Table projection	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Object projection

Object projections are JSON representations of the enrichment tree that can be sourced from any node. Box 2: File projection

File projections are similar to object projections and only act on the normalized\_images collection. Reference:

<https://docs.microsoft.com/en-us/azure/search/knowledge-store-projection-overview>

**NEW QUESTION 9**

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You develop an application to identify species of flowers by training a Custom Vision model. You receive images of new flower species.

You need to add the new images to the classifier.

Solution: You create a new model, and then upload the new images and labels. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

The model needs to be extended and retrained.

**NEW QUESTION 10**

- (Exam Topic 2)

You need to create a new resource that will be used to perform sentiment analysis and optical character recognition (OCR). The solution must meet the following requirements:

- > Use a single key and endpoint to access multiple services.
- > Consolidate billing for future services that you might use.
- > Support the use of Computer Vision in the future.

How should you complete the HTTP request to create the new resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

**NEW QUESTION 14**

- (Exam Topic 2)

You are building an Azure WebJob that will create knowledge bases from an array of URLs.

You instantiate a QnAMakerClient object that has the relevant API keys and assign the object to a variable named client.

You need to develop a method to create the knowledge bases.

Which two actions should you include in the method? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a list of FileDTO objects that represents data from the WebJob.
- B. Call the client
- C. Knowledgebases
- D. CreateAsync method.
- E. Create a list of QnADTO objects that represents data from the WebJob.
- F. Create a CreateKB object.

**Answer:** AC

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/rest/api/cognitiveservices-qnamaker/qnamaker4.0/knowledgebase/create>

**NEW QUESTION 19**

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You develop an application to identify species of flowers by training a Custom Vision model. You receive images of new flower species.

You need to add the new images to the classifier.

Solution: You add the new images, and then use the Smart Labeler tool. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

The model need to be extended and retrained.

Note: Smart Labeler to generate suggested tags for images. This lets you label a large number of images more quickly when training a Custom Vision model.

**NEW QUESTION 24**

- (Exam Topic 2)

You plan to build a chatbot to support task tracking.

You create a Language Understanding service named lu1.

You need to build a Language Understanding model to integrate into the chatbot. The solution must minimize development time to build the model.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose four.)

**Actions**

**Answer Area**

- Train the application.
- Publish the application.
- Add a new application.
- Add example utterances.
- Add the prebuilt domain ToDo.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Step 1: Add a new application Create a new app

- > Sign in to the LUIS portal with the URL of <https://www.luis.ai>.
- > Select Create new app.
- >

Etc.

Step 2: Add example utterances.

In order to classify an utterance, the intent needs examples of user utterances that should be classified with this intent.

Step 3: Train the application Step 4: Publish the application

In order to receive a LUIS prediction in a chat bot or other client application, you need to publish the app to the prediction endpoint.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/tutorial-intents-only>

**NEW QUESTION 26**

- (Exam Topic 2)

You need to upload speech samples to a Speech Studio project. How should you upload the samples?

- A. Combine the speech samples into a single audio file in the .wma format and upload the file.
- B. Upload a .zip file that contains a collection of audio files in the .wav format and a corresponding text transcript file.
- C. Upload individual audio files in the FLAC format and manually upload a corresponding transcript in Microsoft Word format.
- D. Upload individual audio files in the .wma format.

**Answer: B**

**Explanation:**

To upload your data, navigate to the Speech Studio . From the portal, click Upload data to launch the wizard and create your first dataset. You'll be asked to select a speech data type for your dataset, before allowing you to upload your data.

The default audio streaming format is WAV

Use this table to ensure that your audio files are formatted correctly for use with Custom Speech:

Property	Value
File format	RIFF (WAV)
Sample rate	8,000 Hz or 16,000 Hz
Channels	1 (mono)
Maximum length per audio	2 hours
Sample format	PCM, 16-bit
Archive format	.zip
Maximum archive size	2 GB

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/speech-service/how-to-custom-speech-test-and-train>

**NEW QUESTION 28**

- (Exam Topic 2)

You are using a Language Understanding service to handle natural language input from the users of a web-based customer agent.

The users report that the agent frequently responds with the following generic response: "Sorry, I don't understand that."

You need to improve the ability of the agent to respond to requests.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

**Actions**

**Answer Area**

- Add prebuilt domain models as required.
- Validate the utterances logged for review and modify the model.
- Migrate authoring to an Azure resource authoring key.
- Enable active learning.
- Enable log collection by using Log Analytics.
- Train and republish the Language Understanding model.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Step 1: Add prebuilt domain models as required.

Prebuilt models provide domains, intents, utterances, and entities. You can start your app with a prebuilt model or add a relevant model to your app later.

Note: Language Understanding (LUIS) provides prebuilt domains, which are pre-trained models of intents and entities that work together for domains or common categories of client applications.

The prebuilt domains are trained and ready to add to your LUIS app. The intents and entities of a prebuilt domain are fully customizable once you've added them to your app.

Step 2: Enable active learning

To enable active learning, you must log user queries. This is accomplished by calling the endpoint query with the log=true querystring parameter and value.

Step 3: Train and republish the Language Understanding model

The process of reviewing endpoint utterances for correct predictions is called Active learning. Active learning captures endpoint queries and selects user's endpoint utterances that it is unsure of. You review these utterances to select the intent and mark entities for these real-world utterances. Accept these changes into your example utterances then train and publish. LUIS then identifies utterances more accurately.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user-> <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-prebuilt-model>

**NEW QUESTION 32**

- (Exam Topic 2)

You are building a natural language model. You need to enable active learning.

What should you do?

- A. Add show-all-intents=true to the prediction endpoint query.
- B. Enable speech priming.
- C. Add log=true to the prediction endpoint query.
- D. Enable sentiment analysis.

**Answer: C**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user>

**NEW QUESTION 35**

- (Exam Topic 2)

You are building a Language Understanding model for an e-commerce chatbot. Users can speak or type their billing address when prompted by the chatbot.

You need to construct an entity to capture billing addresses. Which entity type should you use?

- A. machine learned
- B. Regex
- C. list
- D. Pattern.any

**Answer: B**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-entity-types>

**NEW QUESTION 39**

- (Exam Topic 2)

You are designing a conversation flow to be used in a chatbot.

You need to test the conversation flow by using the Microsoft Bot Framework Emulator.

How should you complete the .chat file? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

user=User1
bot=watchbot
user: I want a new watch.
bot: [ Attachment
        ConversationUpdate
        Typing ] [Delay=3000]
bot: I can help you with that! Let me see what I can find.
bot: Here's what I found.
bot: [AttachmentLayout= adaptivecard
        carousel
        thumbnail ]
[Attachment=https://contoso.blob.core.windows.net/watch01.jpg]
[Attachment=https://contoso.blob.core.windows.net/watch02.jpg]
user: I like the first one.
bot: Sure, pulling up more information.
bot: [Attachment=cards\watchProfileCard.json adaptivecard
        carousel
        list ]
user: That's nice! Thank you.
bot: Sure, you are most welcome!

```

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-howto-add-media-attachments?view=azure-bot-s>

**NEW QUESTION 43**

- (Exam Topic 2)

You need to build a chatbot that meets the following requirements:

- > Supports chit-chat, knowledge base, and multilingual models
- > Performs sentiment analysis on user messages
- > Selects the best language model automatically

What should you integrate into the chatbot?

- A. QnA Maker, Language Understanding, and Dispatch
- B. Translator, Speech, and Dispatch
- C. Language Understanding, Text Analytics, and QnA Maker
- D. Text Analytics, Translator, and Dispatch

**Answer:** C

**Explanation:**

Language Understanding: An AI service that allows users to interact with your applications, bots, and IoT devices by using natural language.

QnA Maker is a cloud-based Natural Language Processing (NLP) service that allows you to create a natural conversational layer over your data. It is used to find the most appropriate answer for any input from your custom knowledge base (KB) of information.

Text Analytics: Mine insights in unstructured text using natural language processing (NLP)—no machine learning expertise required. Gain a deeper understanding of customer opinions with sentiment analysis. The Language Detection feature of the Azure Text Analytics REST API evaluates text input

Reference:

<https://azure.microsoft.com/en-us/services/cognitive-services/text-analytics/> <https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/overview/overview>

**NEW QUESTION 45**

- (Exam Topic 2)

You deploy a web app that is used as a management portal for indexing in Azure Cognitive Search. The app is configured to use the primary admin key.

During a security review, you discover unauthorized changes to the search index. You suspect that the primary access key is compromised.

You need to prevent unauthorized access to the index management endpoint. The solution must minimize downtime.

What should you do next?

- A. Regenerate the primary admin key, change the app to use the secondary admin key, and then regenerate the secondary admin key.
- B. Change the app to use a query key, and then regenerate the primary admin key and the secondary admin key.
- C. Regenerate the secondary admin key, change the app to use the secondary admin key, and then regenerate the primary key.
- D. Add a new query key, change the app to use the new query key, and then delete all the unused query keys.

**Answer:** A

**Explanation:**

Regenerate admin keys.

Two admin keys are created for each service so that you can rotate a primary key, using the secondary key for business continuity.

- \* 1. In the Settings >Keys page, copy the secondary key.
- \* 2. For all applications, update the API key settings to use the secondary key.
- \* 3. Regenerate the primary key.
- \* 4. Update all applications to use the new primary key.

Note: Two admin api-keys, referred to as primary and secondary keys in the portal, are automatically generated when the service is created and can be individually regenerated on demand. Having two keys allows you to roll over one key while using the second key for continued access to the service.

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-security-api-keys#regenerate-admin-keys>

**NEW QUESTION 48**

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent named FindContact.

A conversational expert provides you with the following list of phrases to use for training. Find contacts in London.

Who do I know in Seattle? Search for contacts in Ukraine.

You need to implement the phrase list in Language Understanding. Solution: You create a new entity for the domain.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Instead use a new intent for location.

Note: An intent represents a task or action the user wants to perform. It is a purpose or goal expressed in a user's utterance.

Define a set of intents that corresponds to actions users want to take in your application. Reference: <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

**NEW QUESTION 52**

- (Exam Topic 2)

You develop a test method to verify the results retrieved from a call to the Computer Vision API. The call is used to analyze the existence of company logos in images. The call returns a collection of brands named brands.

You have the following code segment.

```
foreach (var brand in brands)
{
    if (brand.Confidence >= .75)
        Console.WriteLine($"Logo of {brand.Name} between {brand.Rectangle.X},
{brand.Rectangle.Y} and {brand.Rectangle.W}, {brand.Rectangle.H}");
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

<b>Statements</b>	<b>Yes</b>	<b>No</b>
The code will return the name of each detected brand with a confidence equal to or higher than 75 percent.	<input type="radio"/>	<input type="radio"/>
The code will return coordinates for the bottom-left corner of the rectangle that contains the brand logo of the displayed brands.	<input type="radio"/>	<input type="radio"/>
The code will return coordinates for the bottom-right corner of the rectangle that contains the brand logo of the displayed brands.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes

Box 2: Yes

If several logs are detected, or the logo image and the stylized brand name are detected as two separate logos, it starts numbering them from the bottom-left

corner.

Box 3: No Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/computer-vision/concept-brand-detection>

**NEW QUESTION 54**

- (Exam Topic 2)

You are building a bot and that will use Language Understanding. You have a LUDown file that contains the following content.

```
## Confirm
- confirm
- ok
- yes

## ExtractName
- call me steve !
- i am anna
- (i'm|i am) {@PersonName.Any}[.]
- my name is {@PersonName.Any}[.]

## Logout
- forget me
- log out

## SelectItem
- choose last
- choose the {@DirectionalReference=bottom left}
- choose {@DirectionalReference=top right}
- i like {@DirectionalReference=left} one

## SelectNone
- none

@m1 DirectionalReference
@prebuilt personName
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

SelectItem is [answer choice]

a domain
an entity
an intent
an utterance

Choose {@DirectionalReference=top right} is [answer choice]

a domain
an entity
an intent
an utterance

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://github.com/solliancenet/tech-immersion-data-ai/blob/master/ai-exp1/README.md>

**NEW QUESTION 59**

- (Exam Topic 2)

You are building an Azure Cognitive Search custom skill. You have the following custom skill schema definition.

```
{
  "@odata.type": "#Microsoft.Skills.Custom.WebApiSkill",
  "description": "My custom skill description",
  "uri": "https://contoso-webskill.azurewebsites.net/api/process",
  "context": "/document/organizations/*",
  "inputs": [
    {
      "name": "companyName",
      "source": "/document/organizations/*"
    }
  ],
  "outputs": [
    {
      "name": "companyDescription",
    }
  ]
}
```

For each of the following statements, select Yes if the statement. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
CompanyDescription is available for indexing.	<input type="radio"/>	<input type="radio"/>
The definition calls a web API as part of the enrichment process.	<input type="radio"/>	<input type="radio"/>
The enrichment step is called only for the first organization under "/document/organizations".	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes  
Once you have defined a skillset, you must map the output fields of any skill that directly contributes values to a given field in your search index.  
Box 2: Yes  
The definition is a custom skill that calls a web API as part of the enrichment process. Box 3: No  
For each organization identified by entity recognition, this skill calls a web API to find the description of that organization.  
Reference:  
<https://docs.microsoft.com/en-us/azure/search/cognitive-search-output-field-mapping>

**NEW QUESTION 61**

- (Exam Topic 2)

You have a Custom Vision resource named acvdev in a development environment. You have a Custom Vision resource named acvprod in a production environment.

In acvdev, you build an object detection model named obj1 in a project named proj1. You need to move obj1 to acvprod.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Use the ExportProject endpoint on acvdev.	
Use the GetProjects endpoint on acvdev.	
Use the ImportProject endpoint on acvprod.	<input type="button" value="←"/>
Use the ExportIteration endpoint on acvdev.	<input type="button" value="→"/>
Use the GetIterations endpoint on acvdev.	
Use the UpdateProject endpoint on acvprod.	<input type="button" value="↑"/> <input type="button" value="↓"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/custom-vision-service/copy-move-projects>

**NEW QUESTION 65**

- (Exam Topic 2)

You build a conversational bot named bot1.

You need to configure the bot to use a QnA Maker application.

From the Azure Portal, where can you find the information required by bot1 to connect to the QnA Maker application?

- A. Access control (IAM)
- B. Properties
- C. Keys and Endpoint
- D. Identity

**Answer:** C

**Explanation:**

Obtain values to connect your bot to the knowledge base

\* 1. In the QnA Maker site, select your knowledge base.

\* 2. With your knowledge base open, select the SETTINGS tab. Record the value shown for service name. This value is useful for finding your knowledge base of interest when using the QnA Maker portal interface. It's not used to connect your bot app to this knowledge base.

\* 3. Scroll down to find Deployment details and record the following values from the Postman sample HTTP request:

\* 4. POST /knowledgebases/<knowledge-base-id>/generateAnswer

\* 5.Host: <your-host-url>

\* 6. Authorization: EndpointKey <your-endpoint-key> Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-howto-qna>

**NEW QUESTION 68**

- (Exam Topic 2)

You develop an application that uses the Face API. You need to add multiple images to a person group.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

```
Parallel.For(0, PersonCount, async i =>
{
    Guid personId = persons[i].PersonId;
    string personImageDir = $"/path/to/person/{i}/images";
    foreach (string imagePath in Directory.GetFiles(personImageDir, "*.jpg"))
    {
        using (
            

|        |
|--------|
| ▼      |
| File   |
| Stream |
| Uri    |
| Url    |


            t = File.OpenRead(imagePath))
        {
            await faceClient.PersonGroupPerson.
            

|                        |
|------------------------|
| ▼                      |
| AddFaceFromStreamAsync |
| AddFaceFromUrlAsync    |
| CreateAsync            |
| GetAsync               |


            (personGroupId, personId, t);
        }
    }
});
```

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Stream

The File.OpenRead(String) method opens an existing file for reading. Example: Open the stream and read it back.

using (FileStream fs = File.OpenRead(path)) Box 2: CreateAsync

Create the persons for the PersonGroup. Persons are created concurrently. Example:

await faceClient.PersonGroupPerson.CreateAsync(personGroupId, personName);

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/face/face-api-how-to-topics/how-to-add-faces>

**NEW QUESTION 71**

- (Exam Topic 2)

You are developing an internet-based training solution for remote learners.

Your company identifies that during the training, some learners leave their desk for long periods or become distracted.

You need to use a video and audio feed from each learner's computer to detect whether the learner is present and paying attention. The solution must minimize development effort and identify each learner.

Which Azure Cognitive Services service should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

From a learner's video feed, verify whether the learner is present:

▼

Face
Speech
Text Analytics

From a learner's facial expression in the video feed, verify whether the learner is paying attention:

▼

Face
Speech
Text Analytics

From a learner's audio feed, detect whether the learner is talking:

▼

Face
Speech
Text Analytics

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/what-are-cognitive-services>

**NEW QUESTION 72**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your AI-102 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/AI-102-dumps.html>