

Exam Questions OmniStudio-Developer

Salesforce Certified OmniStudio Developer (SU21)

<https://www.2passeasy.com/dumps/OmniStudio-Developer/>



NEW QUESTION 1

A developer needs to create . DataRaptor to retrieve the name of an account for a contact. Following best practices, how should a developer configure the extraction steps?

- A. Define an extraction step for the Contact object and set the Extract JSON Path to Contact Account.Name
- B. Define extraction steps for the Contact and the Account objects, and set the Extract JSON Path to Contact Account.Name
- C. Define extraction steps for the Contact and the Account objects, and set the Extract 3SON Path to Account.Name
- D. Define an extractionstep for the Account object, and set the Extract JSON Path to AccountContact.Name

Answer: A

NEW QUESTION 2

A developer writes an OmniScript that includes a DataRaptor that updates the Account statue based on information provided from the OmniScript. The information must be updated only if the Account record already exists. Otherwise, a new account must be created. How should the developer accomplish this task?

- A. Populate the Lookup object and Lookup fields
- B. Check the Upset key and is required for Upsert checkboxes on the Account id field
- C. Check the Upsert key checkbox on the Account Status field
- D. Check Overwrite Target for all Null input checkbox on the Account id field

Answer: B

NEW QUESTION 3

A developer need to use the CONTIF function to process data entered by the user in an OmniScript. The output of the function needs to be displayed to the user immediately in the current step. Based on best practice, what element should the developer use this function in?

- A. A Calculation Action element
- B. A Set Valueselement
- C. A formula element
- D. A Range element

Answer: C

NEW QUESTION 4


A developer examines data received from an external data source. The data is nested two levels down in the JSON structure. Which OmniStudio tool could the developer use to simplify this data?

- A. A guided workflow
- B. ADataRaptor Transform
- C. An HTTP Action Element
- D. An integration Procedure

Answer: B

NEW QUESTION 5

Refer to the exhibit below.



What is the reason that the fields fail to displaythe fetched data?

- A. Lookup Mode is selected in the properties of the Type Ahead Block.
- B. FirstName, LastName, and BirthDate are not placed inside the Type Ahead Block.

- C. The typeHead key is not in the correct format.
D. Use Data JSON is Not selected in the properties of the Type Ahead Block.

Answer: B

NEW QUESTION 6

Refer to the following row-versioned calculation matrix.

Version 1				
Input	Input	Output	RowStartDate	RowEndDate
State	County	Code		
CA	San Francisco	CA-SF	Jan011980	Jun301980
CA	San Mateo	CA-SM	Jan011980	Jun301980

Version 2				
Input	Input	Output	RowStartDate	RowEndDate
State	County	Code		
CA	San Francisco	CA-SF	Jan011980	Jun301980
CA	San Mateo	CA-SM	Jan011980	Jun301980
CA	Mountain View	CA-MV	Jul011980	Dec311980

Version 3				
Input	Input	Output	RowStartDate	RowEndDate
State	County	Code		
CA	San Francisco	CA-SF	Jan011980	Jun301980
CA	San Mateo	CA-SM	Jan011980	Jun301980
CA	Mountain View	CA-MV	Jul011980	Jan311980
CA	San Carlos	CA-SC	Jul011980	Dec311980

Color Yellow - represents the rows that are shared across versions.

The developer needs to delete the row that contains the Code CA-SF. If the developer deletes that row in Version 3, what is the result?

- A. The row is delete only in Version 3.
B. The row is deleted In Versions 2 and 3 but will remain in Version1.
C. The row is deleted in Version 3 and Version 1.
D. The row is deleted in all versions

Answer: A

NEW QUESTION 7

A developer needs to change some field labels on a FlexCard. The FlexCard is currently deployed to production. The developer that the best course of action is to version the FlexCard rather than cloning it.
Which factor would lead the developer to this decision?

- A. The new version of the FlexCard will be used in a new Console, and the current version of the FlexCard should remain unchanged.
B. Another team member is developing new action, fields and styling for the current version of the FlexCard.
C. The new and current versions will be displayed together on the same target.
D. All instance of the FlexCard must be updated with the changes.

Answer: B

NEW QUESTION 8

..... configure Additional input to send exactly the same data?
Assume that the develop checked Send Only Additional input.



A)

Key	Value
SecondaryAccount	%DRExtractAction:Account%

B)

Key	Value
DRExtractAction:Account	SecondaryAccount

C)

Key	Value
%DRExtractAction:Account%	SecondaryAccount

D)

Key	Value
SecondaryAccount	DRExtractAction:Account

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 9

An integration Procedure uses an HTTP action to make a REST API call. The response from the REST API must be converted into a specific XML structure before sending it as an input to another external web service.

How should the developer configure the Integration Procedure to meet this requirement?

- A. Use a Remote Action that calls the XMLStreamReader class
- B. Use a Remote Action that calls the XMLStreamWriter class
- C. Use a DataRaptor Transform to convert JSON to XML
- D. Use a DataRaptor Extract and check the XML checkbox on the Output JSON Path.

Answer: C

NEW QUESTION 10

Users receive an APEX CPU limit Exceeded error when running an OmniScript in a Salesforce Community. The OmniScript includes an Integration Procedure that contains two DataRaptors.

Which two Location should the developer check to troubleshoot the issue? Choose 2 answers

- A. Script configuration
- B. Community logs
- C. DataRaptor configuration
- D. Action Debugger

Answer: CD

NEW QUESTION 10

An integration procedure contains a Remote Action element that calls a method of an APEX class. The method requires two fields as input: AccountId and ProductId. The integration Procedure data JSON contains the following nodes:

How should the Remote Action element be configured to pass the data correctly to the method?

- A. Check the Send Only Additional Input checkbox, and the following/ value pairs to Additional input:

```
* AccountId: %AccountId%
* ProductId: %Details:ProductId%
```

- B. Set Return Only AdditionalOutput to true, and add the following Key/Value pairs to additional input.

```
* AccountId: %AccountId%
* ProductId: %Details:ProductId%
```

- C. Check the DataRaptor Transform checkbox, and add the following Key/Value pairs to Output JSON Path:

```
* AccountId: %AccountId%
* ProductId: %Details:ProductId%
```

- D. Add the following to Send JSON Path: accountId: %Accountd% ProductId%Details Products%

Answer: B

NEW QUESTION 12

A developer creates a Flexcard that displays a contact's mailing address and passes the contact's postal code to a child FlexCard. When configuration text elements in the child FlexCard, what syntax should a developer use to refer to the contact's postal code?

- A. {Postalcode}
- B. {Parent.postalcode}
- C. {Records.postalcode}
- D. {Params.postalcode}

Answer: D

NEW QUESTION 13

A developer is troubleshooting an Integration Procedure with two elements: A Remote Action named FetchCart and a Response Action named ResponseCart. In Preview, what JSON node shows the data sent to the Response Action?

- A. FetchCart
- B. Response
- C. ResponseCartDebug
- D. ResponseCart

Answer: C

NEW QUESTION 15

Which two of these options can a developer use to retrieve data from a Salesforce object? Choose 2 answers

- A. A DataRaptor Load Action
- B. A DataRaptor Extract Action
- C. A Lookup Input Element
- D. A DataRaptor or Post Action

Answer: BD

NEW QUESTION 20

A developer needs to retrieve data from an external system that stores policy data. The external system supports REST APIs to access and update the policies. Due to the volume of the policy data and peak hours of hours of business, calls to the REST APIs sometimes take longer than expected to response. The developer creates an Integration Procedure to retrieve the policy data for use in an OmniScript. Given the external system's known performance issues, which configuration should be used to implement the call to the external system? Choose 2 answers

- A. Set the Timeout property on the HTTP Action in the Integration Procedure
- B. Configure a Remote action with timeout settings of 120000
- C. Check the Chainable checkbox on the integration procedure Action in the OmniScript
- D. Check the Chain on Step Check on the HTTP Action in the Integration Procedure

Answer: BD

NEW QUESTION 21


In a calculation procedure, what is required for the output of a calculation step to be used in an aggregation step?

- A. It must be included in constants.
- B. It must be a matrix lookup step.
- C. It must be a calculation step.
- D. It must be included in the calculation output.

Answer: D

NEW QUESTION 22

Refer to the exhibit.



A developer creates an OmniScript display FirstName, LastName, and BirthDate of a contact using a Type Ahead Block. The DataRaptor used in the Type Ahead has been tested and fetches the correct data. When previewing Omniscript, the developer enters a name in the TypeAhead and makes a selection of a contact from the list. However, the text fields FirstName, LastName, and BirthDate are not getting populated with the data.

What is the reason that the fields fail to display the fetched data?

- A. Lookup Mode is not selected in the properties of the Type A Head Block.
- B. Use Data JSON is not selected in the properties of the Type Ahead Block.
- C. FirstName, LastName, and BirthDate are not placed inside the Type ahead Block.
- D. The Typeahead ley is not in the correct format

Answer: C

NEW QUESTION 24

A developer is creating a FlexCard for a new Community page. The FlexCard will display case information along with action to close the case and update the case. And it will be styled using the Community's theme.

What must be developer do to configure the FlexCard for deployment in a Community?

- A. Add the FlexCard's API name to FlexCard Player component
- B. Set the Target property in publish Options to Communitypage"
- C. Configure the Component visibility in the custom Component.
- D. Set the Developer property in Card Configuration to "Community"

Answer: B

NEW QUESTION 28

A company wants to allow agents to send customers a quote for signature. The quote is a document created using a DocuSign template that has been prefilled with all of the quote details. The document will be emailed to one or more recipients for signature.

How should a developer configure this functionality in an OmniScript?

- A. DocuSign Envelope Action
- B. PDF Acwm
- C. DocuSign Signature Action
- D. Email Action

Answer: C

NEW QUESTION 32

Refer to the exhibit.



A)

```

"Step1": {
  "Block1": {
    "Text1": "Text",
    "Block2": {
      "Telephone1": "1234567890",
      "Checkbox1": false
    }
  },
  "Block3": {
    "Multi-select1": "Value A;Value B"
  }
}

```

B)

```

"Step1": {
  "Block1": {
    "Text1": "Text",
    "Telephone1": "1234567890",
    "Block2": {
      "Checkbox1": false
    }
  },
  "Block3": {
    "Multi-select1": "Value A;Value B"
  }
}

```

- A. Option A
- B. Option B

Answer: A

NEW QUESTION 37

A developer creates an OmniScript to update billing information. After analyzing the different types of customer interactions that occur at the company, the developer determines updating billing information should be included in the majority of customer interactions, which are represented by more than 20 different FlexCards. What is the most efficient way for the developer to configure the action that invokes the OmniScript?

- A. As an OS Action
- B. As a Custom Action
- C. As an OmniStudio Action
- D. As a Lightning Action

Answer: C

NEW QUESTION 38

A developer is creating a FlexCard and needs to display additional information using a Flyout. Which two types of components can the developer embed in the flyout? Choose 2 answer

- A. An OmniScript
- B. An Integration Procedure
- C. ADataRaptor
- D. A Child FlexCard

Answer: BD

NEW QUESTION 42

A developer configure a Flexcard with a DataRaptor data source that uses the params.id as an. When the developer clicks Views Data on the FlexCard, valid datadisplays. However, when the developer previews the layout, the FlexCard does not display. What could cause this error? Choose 2 answers

- A. The Data Node field for the FlexCard is empty.
- B. The RecordId in the Test Data Source settings ins for the wrong record type.
- C. The attribute haven't been configured to pass the data to the fields.
- D. There is not Salesforce record for the FlexCard based on the RecordId in the layout's Test Data Source Settings.

Answer: BC

NEW QUESTION 46


A developer creates a DataRaptor Extract to retrieve data to pass to anexternal service. The external service expects the field value to be integer. However, the DataRaptor is sending it as a string. Which action can the developer take to fix this?

- A. In the DataRaptor Output tab, select the Output Data Type of that field toInteger.
- B. In the DataRaptor Output tab, enter the default value as 0 on the field.
- C. In the DataRaptor Extract tab, set the Input Data Type field to Integer.
- D. In the DataRaptor Formula tab, define a formula using the function TOINTEGER and use theformula as output.

Answer: A

NEW QUESTION 48

Refer to the exhibit.

Input Data	Output Data
ProductCode (Text) 	BasePrice (\$)
<input type="text" value="Search column"/>	<input type="text" value="Search column"/>
ACC154	10.23
CAA876B	20.36
HRA320	12.99
HRA320B	13.99

All inputs to the Calculation Matric are set correctly. The Calculation Matrix has the following input:

```
{
  "input": {
    "ProductCode": "HRA320"
  }
}
```

What is the output?

- A. Null
- B. 13.99
- C. 12.99,13.99
- D. 12.99

Answer: D

NEW QUESTION 52


Which two in an integration Procedure or DataRaptor can execute a function like CONCAT or DATEDIFF? Choose 2 answers

- A. In a Set Values Action in a Value field.
- B. In a DataRaptor in an Output Tab Output JSON Path.
- C. In a DataRaptor Action in an Input Parameters value field.
- D. In a Remote Action in an Additional Output value field.

Answer: AD

NEW QUESTION 55

Refer to the exhibit below.



What is the merge code needed for this integration procedure structure to pass a CaseNumber node from the DRReadCase DataRaptor Extract Action to the HTTP Action's HTTP URL?

- A. %DRReadCase: CaseNumber%
- B. ((DRReadCase,CaseNumber))
- C. MTTOPDetCaseDetail: CaseNumber%
- D. ((CaseNumber))

Answer: A

NEW QUESTION 56

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual OmniStudio-Developer Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the OmniStudio-Developer Product From:

<https://www.2passeasy.com/dumps/OmniStudio-Developer/>

Money Back Guarantee

OmniStudio-Developer Practice Exam Features:

- * OmniStudio-Developer Questions and Answers Updated Frequently
- * OmniStudio-Developer Practice Questions Verified by Expert Senior Certified Staff
- * OmniStudio-Developer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * OmniStudio-Developer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year