

## Exam Questions AZ-801

Configuring Windows Server Hybrid Advanced Services

<https://www.2passeasy.com/dumps/AZ-801/>



**NEW QUESTION 1**

HOTSPOT

You need to implement a security policy solution to authorize the applications. The solution must meet the security requirements.

Which service should you use to enforce the security policy, and what should you use to manage the policy settings? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

Enforce the security policy:

- Microsoft Defender Application Control
- Microsoft Defender Application Guard
- Microsoft Defender Credential Guard
- Microsoft Defender for Endpoint

Manage the policy settings:

- Configuration profiles in Microsoft Intune
- Compliance policies in Microsoft Intune
- Group Policy Objects (GPOs)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-defender-application-control/wdacand-applockeroverview>

**NEW QUESTION 2**

HOTSPOT

You need to configure BitLocker on Server4.

On which volumes can you turn on BitLocker, and on which volumes can you turn on auto-unlock? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

BitLocker:

- D only
- C and D only
- D, E, and F only
- C, D, E, and F

Auto-unlock:

- D only
- C and D only
- D, E, and F only
- C, D, E, and F

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/refs/refs-overview>  
<https://docs.microsoft.com/enus/powershell/module/bitlocker/enable-bitlockerautounlock?view=windowsserver2022-ps>

**NEW QUESTION 3**

HOTSPOT

What is the effective minimum password length for User1 and Admin1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

User1:

8
9
10
11
12

Admin1:

8
9
10
11
12

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: 9

When multiple PSOs apply to a user, the PSO with the highest precedence (lowest precedence number) applies which in this case is PSO1.

Box 2: 8

There are no PSOs applied to Admin1 so the password policy from the Default Domain GPO applies.

The Minimum password length setting in GPO1 would only apply to local user accounts on computers in OU1. It does not apply to domain user accounts.

**NEW QUESTION 4**

HOTSPOT

With which servers can Server1 and Server3 communicate? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

Server1 can communicate with:

Server2 only
Server3 only
Server2 and Server3 only
Server2, Server3, and Server4
None of the servers

Server3 can communicate with:

Server2 only
Server1 and Server2 only
Server1 and Server4 only
Server1, Server2, and Server4
None of the servers

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Server1 can communicate with:

- Server2 only
- Server3 only
- Server2 and Server3 only
- Server2, Server3, and Server4**
- None of the servers

Server3 can communicate with:

- Server2 only
- Server1 and Server2 only**
- Server1 and Server4 only
- Server1, Server2, and Server4
- None of the servers

**NEW QUESTION 5**

You need to meet the technical requirements for Cluster3. What should you include in the solution?

- A. Enable integration services on all the virtual machines.
- B. Add a Windows Server server role.
- C. Configure a fault domain for the cluster.
- D. Add a failover cluster role.

**Answer: D**

**Explanation:**

The Hyper-V replica broker role is required on the cluster.

Reference: <https://docs.microsoft.com/en-us/virtualization/community/team-blog/2012/20120327-why-is-the-hyper-v-replicabroker-required>

**NEW QUESTION 6**

**HOTSPOT**

You are planning the www.fabrikam.com website migration to support the Azure migration plan. How should you configure WebApp1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

To enable WebApp1 to handle requests for the website:

- Add a custom domain name.
- Create a deployment slot.
- Create a private endpoint.

To point client connections to WebApp1:

- Add HTTP redirect rules on WEB1 and WEB2.
- Implement Azure Front Door.
- Implement Azure Traffic Manager.
- Modify a DNS record.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1: Add a custom domain name

To migrate www.fabrikam.com website to an Azure App Service web app, you need to add Fabrikam.com as a custom domain in Azure. This will make the domain name available to use in the web app.

Box 2: Modify a DNS record

You need to change the DNS record for www.fabrikam.com to point to the Azure web app. HTTP redirect rules won't work because WEB1 and WEB2 will be decommissioned.

Reference: <https://docs.microsoft.com/en-us/azure/app-service/app-service-web-tutorial-custom-domain?tabs=a%2Cazurecli>

**NEW QUESTION 7**

**HOTSPOT**

You are planning the DHCP1 migration to support the DHCP migration plan.

Which two PowerShell cmdlets should you run on DHCP1, and which two PowerShell cmdlets should you run on DHCP2?

To answer, drag the appropriate cmdlets to the correct servers. Each cmdlet may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

**Cmdlets**

- Add-DhcpServerInDC
- Add-DhcpServerv4Scope
- Export-DhcpServer
- Import-DhcpServer
- Remove-DhcpServerInDC
- Remove-DhcpServerv4Scope

**Answer Area**

DHCP1:

DHCP2:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://theitbros.com/how-to-migrate-dhcp-to-windows-server-2016/>

**NEW QUESTION 8**

You need to meet the technical requirements for User1. To which group in contoso.com should you add User1?

- A. Domain Admins
- B. Account Operators
- C. Schema Admins
- D. Backup Operators

**Answer:** A

**NEW QUESTION 9**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server.

You need to ensure that only specific applications can modify the data in protected folders on Server1. Solution: From Virus & threat protection, you configure Tamper Protection Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-controlledfolders?view=o365-worldwide>

**NEW QUESTION 10**

**DRAG DROP**

Your network contains an Active Directory Domain Services (AD DS) domain.

You need to implement a solution that meets the following requirements:

Ensures that the members of the Domain Admins group are allowed to sign in only to domain controllers Ensures that the lifetime of Kerberos

Ticket Granting Ticket (TGT) for the members of the Domain Admins group is limited to one hour Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

**Actions**

- Create a Dynamic Access Control central access policy.
- Configure the Kerberos Policy settings for the Default Domain Policy Group Policy Object (GPO).
- Create a Dynamic Access Control claim type.
- Create an authentication policy.
- Assign the authentication policy silo to user and computer accounts.
- Create an authentication policy silo.

**Answer Area**

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/manage/how-to-configure-protected-accounts>

**NEW QUESTION 10**

**HOTSPOT**

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains the organizational units (OUs) shown in the following table.

Name	Contents
Domain Controllers	All the domain controllers in the domain
Domain Servers	All the servers that run Windows Server in the domain
Domain Client Computers	All the client computers that run Windows 10 in the domain
Domain Users	All the users in the domain

In the domain, you create the Group Policy Objects (GPOs) shown in the following table.

Name	IPsec setting
GPO1	Require authentication by using Kerberos V5 for inbound connections
GPO2	Request authentication by using Kerberos V5 for inbound connections
GPO3	Require authentication by using X.509 certificates for inbound connections
GPO4	Request authentication by using X.509 certificates for inbound connections

You need to implement IPsec authentication to ensure that only authenticated computer accounts can connect to the members in the domain.

The solution must minimize administrative effort.

Which GPOs should you apply to the Domain Controllers OU and the Domain Servers OU? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

Domain Controllers:

▼

GPO1

GPO2

GPO3

GPO4

Domain Servers:

▼

GPO1

GPO2

GPO3

GPO4

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-firewall/configure-authenticationmethods>

**NEW QUESTION 11**

You have a Microsoft Sentinel deployment and 100 Azure Arc-enabled on-premises servers. All the Azure Arc-enabled resources are in the same resource group. You need to onboard the servers to Microsoft Sentinel. The solution must minimize administrative effort.

What should you use to onboard the servers to Microsoft Sentinel?

- A. Azure Automation
- B. Azure Policy
- C. Azure virtual machine extensions
- D. Microsoft Defender for Cloud

**Answer:** B

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/manage/hybrid/server/best-practices/arc-policies-mma>

**NEW QUESTION 12**

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant by using password hash synchronization.

You have a Microsoft 365 subscription.

All devices are hybrid Azure AD-joined.

Users report that they must enter their password manually when accessing Microsoft 365 applications. You need to reduce the number of times the users are prompted for their password when they access Microsoft 365 and Azure services. What should you do?

- A. In Azure AD, configure a Conditional Access policy for the Microsoft Office 365 applications.
- B. In the DNS zone of the AD DS domain, create an autodiscover record.
- C. From Azure AD Connect, enable single sign-on (SSO).
- D. From Azure AD Connect, configure pass-through authentication.

**Answer:** C

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-ssso-quick-start>

**NEW QUESTION 17**

**HOTSPOT**

Your network contains an Active Directory Domain Services (AD DS) forest. The forest contains the domains shown in the following table.

Name	Domain controller	Configuration
fabrikam.com	DC1	PDC emulator
	DC2	Infrastructure master
	DC3	Read-only domain controller (RODC)
eu.fabrikam.com	DC4	PDC emulator
	DC5	Infrastructure master
	DC6	Read-only domain controller (RODC)

You are implementing Microsoft Defender for Identity sensors. You need to install the sensors on the minimum number of domain controllers. The solution must ensure that Defender for Identity will detect all the security risks in both the domains. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

Domain controllers that require the sensors:

- DC1 and DC4 only
- DC2 and DC5 only
- DC1, DC2, DC4, and DC5 only
- All the domain controllers in the forest

Authentication information that must be provided during the sensor installation:

- An AD DS group managed service account (gMSA)
- A cloud-only user from Azure Active Directory (Azure AD)
- The access key generated by the Microsoft Defender for Identity portal

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/defender-for-identity/technical-faq#deployment> <https://docs.microsoft.com/en-us/defenderforidentity/install-step4>

**NEW QUESTION 20**

You have 10 servers that run Windows Server in a workgroup. You need to configure the servers to encrypt all the network traffic between the servers. The solution must be as secure as possible. Which authentication method should you configure in a connection security rule?

- A. NTLMv2
- B. pre-shared key
- C. Kerberos V5
- D. computer certificate

**Answer:** D

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-firewall/create-an-authenticationrequest-rule>

**NEW QUESTION 24**

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains two servers named Server1 and Server2 that run Windows Server.

You need to ensure that you can use the Computer Management console to manage Server2. The solution must use the principle of least privilege. Which two Windows Defender Firewall with Advanced Security rules should you enable on Server2? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. the COM+ Network Access (DCOM-In) rule
- B. all the rules in the Remote Event Log Management group
- C. the Windows Management Instrumentation (WMI-In) rule
- D. the COM+ Remote Administration (DCOM-In) rule
- E. the Windows Management Instrumentation (DCOM-In) rule

**Answer:** AB

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows-server/administration/server-manager/configure-remote-managementin-servermanager>

**NEW QUESTION 26**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.


After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)



The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)



Server1 shuts down unexpectedly.  
 You need to ensure that when you start Server1, App1 continues to run on Server2.  
 Solution: From the Failover settings, you select Prevent failback.  
 Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**


The Prevent failback setting will prevent the cluster failing back to Server1.

**NEW QUESTION 27**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a failover cluster named Cluster1 that hosts an application named App1. The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)



The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)



Server1 shuts down unexpectedly.  
 You need to ensure that when you start Server1, App1 continues to run on Server2.  
 Solution: From the General settings, you move Server2 up.  
 Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Server1 and Server2 are both unticked so the order they are listed in has no effect on whether the cluster will fail back.

**NEW QUESTION 30**

**DRAG DROP**

You have three servers named Server1, Server2, Server3 that run Windows Server and have the Hyper-V server role installed.  
 You plan to create a hyper-converged cluster to host Hyper-V virtual machines.  
 You need to ensure that you can store virtual machines in Storage Spaces Direct.  
 Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Create a failover cluster.	
Create a Distributed File System (DFS) namespace.	
Enable Storage Spaces Direct.	
Create a volume.	
Add a Scale-Out File Server for application role.	
Create a file share.	

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/system-center/vmm/s2d-hyper-converged?view=sc-vmm-2019>

**NEW QUESTION 35**

**HOTSPOT**

You have a Hyper-V failover cluster named Cluster1 that uses a cloud witness. Cluster1 hosts a virtual machine named VM1 that runs Windows Server.  
 You need to fail over VM1 automatically to a different node when a service named Service1 on VM1 fails.  
 What should you do on Cluster1 and VM1? To answer, select the appropriate options in the answer area.  
 NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

Cluster1: ▼

- Modify the settings of the VM1 cluster role.
- Configure monitoring of the VM1 cluster role.
- Change the startup priority of the VM1 cluster role.

VM1: ▼

- Configure the Startup Type of Service1.
- Configure the Recovery settings of Service1.
- Configure the Startup and Recovery settings.
- Install and configure the Azure Monitor agent.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Cluster1: ▼

- Modify the settings of the VM1 cluster role.
- Configure monitoring of the VM1 cluster role.
- Change the startup priority of the VM1 cluster role.

VM1: ▼

- Configure the Startup Type of Service1.
- Configure the Recovery settings of Service1.
- Configure the Startup and Recovery settings.
- Install and configure the Azure Monitor agent.

**NEW QUESTION 37**

You have three Azure virtual machines named VM1, VM2, and VM3 that host a multitier application. You plan to implement Azure Site Recovery. You need to ensure that VM1, VM2, and VM3 fail over as a group. What should you configure?

- A. an availability zone
- B. a recovery plan
- C. an availability set

**Answer:** B

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-overview>

**NEW QUESTION 41**

DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain that has the Active Directory Recycle Bin enabled. The domain contains two domain controllers named DC1 and DC2. The system state of the domain controllers is backed up daily at 23:00 by using Windows Server Backup.

You have an organizational unit (OU) named ParisUsers that contains 1,000 users.

At 08:00, DC1 shuts down for hardware maintenance. The maintenance completes, but DC1 remains shut down.

At 09:00, an administrative error causes the manager attribute of each user in ParisUsers to be deleted.

You need to recover the user account details as quickly as possible. The solution must minimize data loss.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions
Start DC1 normally.
Perform an authoritative restore on DC1.
Recover all the user objects in the Active Directory Recycle Bin.
Start DC1 by using the Last Known Good Configuration.
Start DC1 in Directory Services Restore Mode.
Perform a system state restore on DC1.

Answer Area

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Actions
Start DC1 normally.
Recover all the user objects in the Active Directory Recycle Bin.
Start DC1 by using the Last Known Good Configuration.

Answer Area
Start DC1 in Directory Services Restore Mode.
Perform a system state restore on DC1.
Perform an authoritative restore on DC1.

**NEW QUESTION 42**

You have an on-premises server named Server1 that runs Windows Server and has the Hyper-V server role installed. You have an Azure subscription. You plan to back up Server1 to Azure by using Azure Backup. Which two Azure Backup options require you to deploy Microsoft Azure Backup Server (MABS)? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Bare Metal Recovery
- B. Files and folders
- C. System State
- D. Hyper-V Virtual Machines

**Answer:** AC

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/azure/backup/backup-mabs-system-state-and-bmr>

**NEW QUESTION 43**

**DRAG DROP**

Your network contains an Active Directory Domain Services (AD DS) domain that has the Active Directory Recycle Bin enabled. All domain controllers are backed up daily. You accidentally remove all the users from a domain group. You need to get a list of the users that were previously in the group. Which four actions should you perform in sequence from a domain controller? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Action
Mount Active Directory to port 51389.
View the membership of the group.
Restore the system state to an alternate location.
From the Deleted Objects container in Active Directory Administrative Center, run the Restore task.
From Active Directory Users and Computers, change the domain controller to localhost:51389.
Restore the group from the Active Directory Recycle Bin.

Answer Area

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: <http://sysadmindoc.blogspot.com/2018/10/mount-active-directory-database-from.html>

**NEW QUESTION 45**

You have a server named Server1 that runs Windows Server and has the Hyper-V server role installed. You have a Hyper-V failover cluster named Cluster1. All servers are members of the same domain.

You need to ensure that you use Hyper-V Replica with Kerberos authentication on the default port to replicate virtual machines from Cluster1 to Server1. What should you do on Server1?

- A. Add primary servers to the Hyper-V Replica Broker configuration.
- B. From Hyper-V Settings, select Enable incoming and outgoing live migrations.
- C. From Windows Defender Firewall with Advanced Security, enable the Hyper-V Replica HTTPS Listener (TCP-In) rule.
- D. From Windows Defender Firewall with Advanced Security, enable the Hyper-V Replica HTTP Listener (TCP-In) rule.

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/manage/set-up-hyper-v-replica>

**NEW QUESTION 47**

You need to meet technical requirements for Share1.

What should you use?

- A. Storage Migration Service
- B. File Server Resource Manager (FSRM)
- C. Server Manager
- D. Storage Replica

**Answer:** A

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-migration-service/overview>

**NEW QUESTION 48**

You have two file servers named Server1 and Server2 that run Windows Server. Server1 contains a shared folder named Data. Data contains 10TB of data.

You plan to decommission Server1.

You need to migrate the files from Data to a new shared folder on Server2. The solution must meet the following requirements:

Ensure that share, file, and folder permissions are copied.

After the initial copy occurs, ensure that changes in \\Server1\Data can be synced to the destination without initiating a full copy. Minimize administrative effort.

What should you use?

- A. xcopy
- B. Storage Replica
- C. Storage Migration Service
- D. azcopy

**Answer:** C

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-migration-service/overview#why-use-storagemigration-service>

**NEW QUESTION 50**

**HOTSPOT**

You have a server that runs Windows Server and has the Web Server (IIS) server role installed. Server1 hosts a single website that has the following configurations:

Is accessible by using a URL of <https://www.contoso.com:8443> and has an SSL certificate that was issued by a third-party certification authority (CA) in the Microsoft Trusted Root Program Uses anonymous authentication Was developed by using PHP You plan to use APP Service Migration Assistant to migrate the website to Azure App Service.

You need to migrate the website. The solution must minimize the number of changes made to the existing website.

What should you do manually to ensure that the website migration is successful? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

On Server1:

Change the authentication method.  
Change the listening port of the website.  
Redevelop the website code by using ASP.NET.

In Azure:

Create an App Service plan.  
Copy the source files of the website.  
Configure a certificate and a custom domain name.

- A. Mastered  
B. Not Mastered

**Answer:** A**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/learn/modules/migrate-app-service-migration-assistant/3-understand-assessment><https://docs.microsoft.com/en-us/learn/modules/migrate-app-service-migration-assistant/5-understand-migration>**NEW QUESTION 55**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains a single-domain Active Directory Domain Services (AD DS) forest named contoso.com. The functional level of the forest is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Sysvol replicates by using the File Replication Service (FRS).

You plan to replace the existing domain controllers with new domain controllers that will run Windows Server 2022.

You need to ensure that you can add the first domain controller that runs Windows Server 2022.

Solution: You migrate sysvol from FRS to Distributed File System (DFS) Replication.

Does this meet the goal?

- A. Yes  
B. No

**Answer:** A**Explanation:**

Reference:

<https://www.rebeladmin.com/2021/09/step-by-step-guide-active-directory-migration-from-windows-server-2008-r2-towindows-server-2022/>**NEW QUESTION 57**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains a single-domain Active Directory Domain Services (AD DS) forest named contoso.com. The functional level of the forest is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Sysvol replicates by using the File Replication Service (FRS).

You plan to replace the existing domain controllers with new domain controllers that will run Windows Server 2022.

You need to ensure that you can add the first domain controller that runs Windows Server 2022.

Solution: You run the Active Directory Migration Tool (ADMT).

Does this meet the goal?

- A. Yes  
B. No

**Answer:** B**NEW QUESTION 59**

You have an on-premises network and an Azure virtual network.

You establish a Site-to-Site VPN connection from the on-premises network to the Azure virtual network, but the connection frequently disconnects.

You need to debug the IPsec tunnel from Azure.

Which Azure VPN Gateway diagnostic log should you review?

- A. GatewayDiagnosticLog  
B. RouteDiagnosticLog  
C. IKEDiagnosticLog  
D. TunnelDiagnosticLog

**Answer:** D

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics>

**NEW QUESTION 60**

You have an Azure virtual machine named VM1. Crash dumps for a process named Process1 are enabled for VM1. When process1.exe on VM1 crashes, a technician must access the memory dump files on the virtual machine. The technician must be prevented from accessing the virtual machine. To what should you provide the technician access?

- A. an Azure file share
- B. an Azure Log Analytics workspace
- C. an Azure Blob Storage container
- D. a managed disk

**Answer: C**

**Explanation:**

Reference: <https://docs.microsoft.com/en-us/azure/azure-monitor/agents/diagnostics-extension-overview>

**NEW QUESTION 65**

You have a server named Server1 that runs the Remote Desktop Session Host role service. Server1 has five custom applications installed. Users who sign in to Server1 report that the server is slow. Task Manager shows that the average CPU usage on Server1 is above 90 percent. You suspect that a custom application on Server1 is consuming excessive processor capacity. You plan to create a Data Collector Set in Performance Monitor to gather performance statistics from Server1. You need to view the resources used by each of the five applications. Which object should you add to the Data Collector Set?

- A. Processor information
- B. Processor
- C. Process
- D. Processor performance

**Answer: C**

**NEW QUESTION 68**

**HOTSPOT**

You have a server named Server1 that runs Windows Server. On Server1, you create a Data Collector Set named CollectorSet1 based on the Basic template. You need to configure CollectorSet1 to meet the following requirements: Older performance counter logs must be overwritten by new ones. Performance counter logging must stop if there is less than 500 MB of free disk space. What should you configure for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

Older performance counter logs must be overwritten by new ones:

- The Configuration properties
- The Data Manager properties
- The Performance Counter properties

Performance counter logging must stop if there is less than 500 MB of free disk space:

- The Configuration properties
- The Data Manager properties
- The Performance Counter properties

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Answer Area

Older performance counter logs must be overwritten by new ones:

- The Configuration properties
- The Data Manager properties
- The Performance Counter properties

Performance counter logging must stop if there is less than 500 MB of free disk space:

- The Configuration properties
- The Data Manager properties
- The Performance Counter properties

NEW QUESTION 71

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AZ-801 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AZ-801 Product From:

<https://www.2passeasy.com/dumps/AZ-801/>

### Money Back Guarantee

#### **AZ-801 Practice Exam Features:**

- \* AZ-801 Questions and Answers Updated Frequently
- \* AZ-801 Practice Questions Verified by Expert Senior Certified Staff
- \* AZ-801 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* AZ-801 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year