

350-701 Dumps

Implementing and Operating Cisco Security Core Technologies

<https://www.certleader.com/350-701-dumps.html>



NEW QUESTION 1

Refer to the exhibit.

```
aaa new-model

radius-server host 10.0.0.12 key secret12
```

Which statement about the authentication protocol used in the configuration is true?

- A. The authentication request contains only a password
- B. The authentication request contains only a username
- C. The authentication and authorization requests are grouped in a single packet.
- D. There are separate authentication and authorization request packets.

Answer: C

NEW QUESTION 2

Which policy is used to capture host information on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. correlation
- B. intrusion
- C. access control
- D. network discovery

Answer: D

NEW QUESTION 3

An engineer is configuring a Cisco ESA and wants to control whether to accept or reject email messages to a recipient address. Which list contains the allowed recipient addresses?

- A. SAT
- B. BAT
- C. HAT
- D. RAT

Answer: D

NEW QUESTION 4

Which two capabilities does TAXII support? (Choose two.)

- A. exchange
- B. pull messaging
- C. binding
- D. correlation
- E. mitigating

Answer: BC

NEW QUESTION 5

An administrator wants to ensure that all endpoints are compliant before users are allowed access on the corporate network. The endpoints must have the corporate antivirus application installed and be running the latest build of Windows 10. What must the administrator implement to ensure that all devices are compliant before they are allowed on the network?

- A. Cisco Identity Services Engine and AnyConnect Posture module
- B. Cisco Stealthwatch and Cisco Identity Services Engine integration
- C. Cisco ASA firewall with Dynamic Access Policies configured
- D. Cisco Identity Services Engine with PxGrid services enabled

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/vpn_client/anyconnect/anyconnect46/administration/guide/b_AnyConnect_Administrator_Guide_4-6/configure-posture.html

NEW QUESTION 6

Which two conditions are prerequisites for stateful failover for IPsec? (Choose two.)

- A. Only the IKE configuration that is set up on the active device must be duplicated on the standby device; the IPsec configuration is copied automatically.
- B. The active and standby devices can run different versions of the Cisco IOS software but must be the same type of device.
- C. The IPsec configuration that is set up on the active device must be duplicated on the standby device.
- D. Only the IPsec configuration that is set up on the active device must be duplicated on the standby device; the IKE configuration is copied automatically.
- E. The active and standby devices must run the same version of the Cisco IOS software and must be the same type of device.

Answer: BC

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpnv/configuration/15-mt/sec-vpn-availability-15-mt-book/sec-state-fail-ipsec.html

NEW QUESTION 7

What two mechanisms are used to redirect users to a web portal to authenticate to ISE for guest services? (Choose two.)

- A. TACACS+
- B. central web auth
- C. single sign-on
- D. multiple factor auth
- E. local web auth

Answer: BE

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_01110.html

NEW QUESTION 8

Which deployment model is the most secure when considering risks to cloud adoption?

- A. public cloud
- B. hybrid cloud
- C. community cloud
- D. private cloud

Answer: D

NEW QUESTION 9

Which exfiltration method does an attacker use to hide and encode data inside DNS requests and queries?

- A. DNS tunneling
- B. DNSCrypt
- C. DNS security
- D. DNSSEC

Answer: A

Explanation:

Reference: <https://learn-umbrella.cisco.com/cloud-security/dns-tunneling>

NEW QUESTION 10

Which algorithm provides encryption and authentication for data plane communication?

- A. AES-GCM
- B. SHA-96
- C. AES-256
- D. SHA-384

Answer: A

NEW QUESTION 10

Which network monitoring solution uses streams and pushes operational data to provide a near real-time view of activity?

- A. SNMP
- B. SMTP
- C. syslog
- D. model-driven telemetry

Answer: D

Explanation:

Reference: <https://developer.cisco.com/docs/ios-xe/#!streaming-telemetry-quick-start-guide>

NEW QUESTION 11

DRAG DROP

Drag and drop the Firepower Next Generation Intrusion Prevention System detectors from the left onto the correct definitions on the right.

PortScan Detection	many-to-one PortScan in which multiple hosts query a single host for open ports
Port Sweep	one-to-one PortScan, attacker mixes spoofed source IP addresses with the actual scanning IP address
Decoy PortScan	one-to-many port sweep, an attacker against one or a few hosts to scan a single port on multiple target hosts
Distributed PortScan	one-to-one PortScan, an attacker against one or a few hosts to scan one or multiple ports

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/640/configuration/guide/fpmc-config-guide-v64/detecting_specific_threats.html

NEW QUESTION 12

Which two key and block sizes are valid for AES? (Choose two.)

- A. 64-bit block size, 112-bit key length
B. 64-bit block size, 168-bit key length
C. 128-bit block size, 192-bit key length
D. 128-bit block size, 256-bit key length
E. 192-bit block size, 256-bit key length

Answer: CD

Explanation:

Reference: https://en.wikipedia.org/wiki/Advanced_Encryption_Standard

NEW QUESTION 14

In which cloud services model is the tenant responsible for virtual machine OS patching?

- A. IaaS
B. UCaaS
C. PaaS
D. SaaS

Answer: A

Explanation:

Reference: <https://www.cmswire.com/cms/information-management/cloud-service-models-iaas-saas-paas-how-microsoft-office-365-azure-fit-in-021672.php>

NEW QUESTION 17

An engineer configured a new network identity in Cisco Umbrella but must verify that traffic is being routed through the Cisco Umbrella network. Which action tests the routing?

- A. Ensure that the client computers are pointing to the on-premises DNS servers.
B. Enable the Intelligent Proxy to validate that traffic is being routed correctly.
C. Add the public IP address that the client computers are behind to a Core Identity.
D. Browse to <http://welcome.umbrella.com/> to validate that the new identity is working.

Answer: B

NEW QUESTION 20

Which command enables 802.1X globally on a Cisco switch?

- A. dot1x system-auth-control
B. dot1x pae authenticator
C. authentication port-control auto
D. aaa new-model

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/routers/nfvis/switch_command/b-nfvis-switch-command-reference/802_1x_commands.html

NEW QUESTION 21

DRAG DROP

Drag and drop the descriptions from the left onto the correct protocol versions on the right.
[MISSING]

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
[MISSING]

NEW QUESTION 25

Which two activities can be done using Cisco DNA Center? (Choose two.)

- A. DHCP
- B. design
- C. accounting
- D. DNS
- E. provision

Answer: BE

Explanation:
Reference: https://www.cisco.com/c/en/us/td/docs/cloud-systems-management/network-automation-and-management/dna-center/1-2-1/user_guide/b_dnac_ug_1_2_1/b_dnac_ug_1_2_chapter_00.pdf

NEW QUESTION 30

Which ID store requires that a shadow user be created on Cisco ISE for the admin login to work?

- A. RSA SecureID
- B. Internal Database
- C. Active Directory
- D. LDAP

Answer: C

NEW QUESTION 35

How is ICMP used an exfiltration technique?

- A. by flooding the destination host with unreachable packets
- B. by sending large numbers of ICMP packets with a targeted hosts source IP address using an IP broadcast address
- C. by encrypting the payload in an ICMP packet to carry out command and control tasks on a compromised host
- D. by overwhelming a targeted host with ICMP echo-request packets

Answer: C

NEW QUESTION 36

What is the difference between deceptive phishing and spear phishing?

- A. Deceptive phishing is an attacked aimed at a specific user in the organization who holds a C-level role.
- B. A spear phishing campaign is aimed at a specific person versus a group of people.
- C. Spear phishing is when the attack is aimed at the C-level executives of an organization.
- D. Deceptive phishing hijacks and manipulates the DNS server of the victim and redirects the user to a false webpage.

Answer: B

NEW QUESTION 41

An engineer needs a solution for TACACS+ authentication and authorization for device administration. The engineer also wants to enhance wired and wireless network security by requiring users and endpoints to use 802.1X, MAB, or WebAuth. Which product meets all of these requirements?

- A. Cisco Prime Infrastructure
- B. Cisco Identity Services Engine
- C. Cisco Stealthwatch
- D. Cisco AMP for Endpoints

Answer: B

NEW QUESTION 45

The Cisco ASA must support TLS proxy for encrypted Cisco Unified Communications traffic. Where must the ASA be added on the Cisco UC Manager platform?

- A. Certificate Trust List
- B. Endpoint Trust List
- C. Enterprise Proxy Service
- D. Secured Collaboration Proxy

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/special/unified-communications/guide/unified-comm/unified-comm-tlsproxy.html>

NEW QUESTION 48

Which two behavioral patterns characterize a ping of death attack? (Choose two.)

- A. The attack is fragmented into groups of 16 octets before transmission.
- B. The attack is fragmented into groups of 8 octets before transmission.
- C. Short synchronized bursts of traffic are used to disrupt TCP connections.
- D. Malformed packets are used to crash systems.
- E. Publicly accessible DNS servers are typically used to execute the attack.

Answer: BD

Explanation:

Reference: https://en.wikipedia.org/wiki/Ping_of_death

NEW QUESTION 49

Which VPN technology can support a multivendor environment and secure traffic between sites?

- A. SSL VPN
- B. GET VPN
- C. FlexVPN
- D. DMVPN

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/products/collateral/routers/asr-1000-series-aggregation-services-routers/data_sheet_c78-704277.html

NEW QUESTION 50

Which feature is supported when deploying Cisco ASAv within AWS public cloud?

- A. multiple context mode
- B. user deployment of Layer 3 networks
- C. IPv6
- D. clustering

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa96/asav/quick-start-book/asav-96-qsg/asav-aws.html>

NEW QUESTION 54

An MDM provides which two advantages to an organization with regards to device management? (Choose two.)

- A. asset inventory management
- B. allowed application management
- C. Active Directory group policy management
- D. network device management
- E. critical device management

Answer: AB

NEW QUESTION 57

Which Talos reputation center allows you to track the reputation of IP addresses for email and web traffic?

- A. IP Blacklist Center
- B. File Reputation Center
- C. AMP Reputation Center
- D. IP and Domain Reputation Center

Answer: D

NEW QUESTION 59

Under which two circumstances is a CoA issued? (Choose two.)

- A. A new authentication rule was added to the policy on the Policy Service node.
- B. An endpoint is deleted on the Identity Service Engine server.
- C. A new Identity Source Sequence is created and referenced in the authentication policy.
- D. An endpoint is profiled for the first time.
- E. A new Identity Service Engine server is added to the deployment with the Administration persona.

Answer: BD

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_prof_pol.html

NEW QUESTION 64

Which solution combines Cisco IOS and IOS XE components to enable administrators to recognize applications, collect and send network metrics to Cisco Prime and other third-party management tools, and prioritize application traffic?

- A. Cisco Security Intelligence
- B. Cisco Application Visibility and Control
- C. Cisco Model Driven Telemetry
- D. Cisco DNA Center

Answer: B

NEW QUESTION 69

Which two endpoint measures are used to minimize the chances of falling victim to phishing and social engineering attacks? (Choose two.)

- A. Patch for cross-site scripting.
- B. Perform backups to the private cloud.
- C. Protect against input validation and character escapes in the endpoint.
- D. Install a spam and virus email filter.
- E. Protect systems with an up-to-date antimalware program.

Answer: DE

NEW QUESTION 70

Why would a user choose an on-premises ESA versus the CES solution?

- A. Sensitive data must remain onsite.
- B. Demand is unpredictable.
- C. The server team wants to outsource this service.
- D. ESA is deployed inline.

Answer: A

NEW QUESTION 72

What is the purpose of the Decrypt for Application Detection feature within the WSA Decryption options?

- A. It decrypts HTTPS application traffic for unauthenticated users.
- B. It alerts users when the WSA decrypts their traffic.
- C. It decrypts HTTPS application traffic for authenticated users.
- D. It provides enhanced HTTPS application detection for AsyncOS.

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/wsa/wsa11-7/user_guide/b_WSA_UserGuide_11_7/b_WSA_UserGuide_11_7_chapter_01011.html

NEW QUESTION 73

Which two features of Cisco DNA Center are used in a Software Defined Network solution? (Choose two.)

- A. accounting
- B. assurance
- C. automation
- D. authentication
- E. encryption

Answer: BC

Explanation:

Reference: <https://www.cisco.com/c/en/us/products/cloud-systems-management/dna-center/index.html>

NEW QUESTION 77

Which two features are used to configure Cisco ESA with a multilayer approach to fight viruses and malware? (Choose two.)

- A. Sophos engine
- B. white list
- C. RAT
- D. outbreak filters
- E. DLP

Answer: AD

NEW QUESTION 82

What is the primary difference between an Endpoint Protection Platform and an Endpoint Detection and Response?

- A. EPP focuses on prevention, and EDR focuses on advanced threats that evade perimeter defenses.
- B. EDR focuses on prevention, and EPP focuses on advanced threats that evade perimeter defenses.
- C. EPP focuses on network security, and EDR focuses on device security.
- D. EDR focuses on network security, and EPP focuses on device security.

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/products/security/endpoint-security/what-is-endpoint-detection-response-edr.html>

NEW QUESTION 86

Which functions of an SDN architecture require southbound APIs to enable communication?

- A. SDN controller and the network elements
- B. management console and the SDN controller
- C. management console and the cloud
- D. SDN controller and the cloud

Answer: A

NEW QUESTION 91

What is a characteristic of traffic storm control behavior?

- A. Traffic storm control drops all broadcast and multicast traffic if the combined traffic exceeds the level within the interval.
- B. Traffic storm control cannot determine if the packet is unicast or broadcast.
- C. Traffic storm control monitors incoming traffic levels over a 10-second traffic storm control interval.
- D. Traffic storm control uses the Individual/Group bit in the packet source address to determine if the packet is unicast or broadcast.

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/routers/7600/ios/12-1E/configuration/guide/storm.html>

NEW QUESTION 95

In a PaaS model, which layer is the tenant responsible for maintaining and patching?

- A. hypervisor
- B. virtual machine
- C. network
- D. application

Answer: D

Explanation:

Reference: <https://www.bmc.com/blogs/saas-vs-paas-vs-iaas-whats-the-difference-and-how-to-choose/>

NEW QUESTION 97

What can be integrated with Cisco Threat Intelligence Director to provide information about security threats, which allows the SOC to proactively automate responses to those threats?

- A. Cisco Umbrella
- B. External Threat Feeds
- C. Cisco Threat Grid
- D. Cisco Stealthwatch

Answer: C

NEW QUESTION 99

What provides visibility and awareness into what is currently occurring on the network?

- A. CMX
- B. WMI
- C. Prime Infrastructure
- D. Telemetry

Answer: C

NEW QUESTION 103

An engineer must force an endpoint to re-authenticate an already authenticated session without disrupting the endpoint to apply a new or updated policy from ISE. Which CoA type achieves this goal?

- A. Port Bounce
- B. CoA Terminate
- C. CoA Reauth
- D. CoA Session Query

Answer: C

NEW QUESTION 108

Refer to the exhibit.

```
Sysauthcontrol          Enabled
Dot1x Protocol Version      3

Dot1x Info for GigabitEthernet1/0/12
-----
PAE                      = AUTHENTICATOR
PortControl              = FORCE_AUTHORIZED
ControlDirection        = Both
HostMode                 = SINGLE_HOST
QuietPeriod              = 60
ServerTimeout            = 0
SuppTimeout              = 30
ReAuthMax                = 2
MaxReq                   = 2
TxPeriod                 = 30
```

Which command was used to display this output?

- A. show dot1x all
- B. show dot1x
- C. show dot1x all summary
- D. show dot1x interface gi1/0/12

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_usr_8021x/configuration/xe-3se/3850/sec-user-8021x-xe-3se-3850-book/config-ieee-802x-pba.html

NEW QUESTION 113

How does Cisco Stealthwatch Cloud provide security for cloud environments?

- A. It delivers visibility and threat detection.
- B. It prevents exfiltration of sensitive data.
- C. It assigns Internet-based DNS protection for clients and servers.
- D. It facilitates secure connectivity between public and private networks.

Answer: A

Explanation:

<https://www.content.shi.com/SHIcom/ContentAttachmentImages/SharedResources/FBLP/Cisco/Cisco-091919-Simple-IT-Whitepaper.pdf>

NEW QUESTION 114

Which two application layer preprocessors are used by Firepower Next Generation Intrusion Prevention System? (Choose two.)

- A. SIP
- B. inline normalization
- C. SSL
- D. packet decoder
- E. modbus

Answer: AC

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/60/configuration/guide/fpmc-config-guide-v60/Application_Layer_Preprocessors.html

NEW QUESTION 117

Which information is required when adding a device to Firepower Management Center?

- A. username and password
- B. encryption method
- C. device serial number
- D. registration key

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/60/configuration/guide/fpmc-config-guide-v60/Device_Management_Basics.html#ID-2242-0000069d

NEW QUESTION 121

What is a characteristic of Cisco ASA Netflow v9 Secure Event Logging?

- A. It tracks flow-create, flow-teardown, and flow-denied events.
- B. It provides stateless IP flow tracking that exports all records of a specific flow.
- C. It tracks the flow continuously and provides updates every 10 seconds.
- D. Its events match all traffic classes in parallel.

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa92/configuration/general/asa-general-cli/monitor-nse1.html>

NEW QUESTION 122

Which feature within Cisco Umbrella allows for the ability to inspect secure HTTP traffic?

- A. File Analysis
- B. SafeSearch
- C. SSL Decryption
- D. Destination Lists

Answer: C

NEW QUESTION 125

Which two kinds of attacks are prevented by multifactor authentication? (Choose two.)

- A. phishing
- B. brute force
- C. man-in-the-middle
- D. DDOS
- E. tear drop

Answer: BC

NEW QUESTION 130

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 350-701 Exam with Our Prep Materials Via below:

<https://www.certleader.com/350-701-dumps.html>