

IBM

Exam Questions 1Y0-204

Citrix Virtual Apps and Desktops 7 Administration



NEW QUESTION 1

Which Citrix ADC Access Control List (ACL) command can a Citrix Administrator use to bridge traffic originating from 192.168.10.200?

- A. add ns simpleacl6
- B. add ns acl6
- C. add ns acl
- D. add ns simpleacl

Answer: C

NEW QUESTION 2

Which command should a Citrix Administrator use to configure a Content Switching virtual server for implementing the Citrix Secure Web Gateway in the transparent proxy mode?

- A. add cs vserver swgVS PROXY * 21 –Authn401 on –authnVsName transparent-auth-vs
- B. add cs vserver swgVS PROXY** -Authn401 on –authnVsName explicit-auth-vs
- C. add cs vserver swgVS PROXY 192.168.10.1 –Authn401 on –authnVsName transparent-auth-vs
- D. add cs vserver swgVS PROXY 192.168.10.1 80 –Authn401 on –authnVsName transparent-auth-vs

Answer: C

NEW QUESTION 3

What two options are limitations of a typical Global Server Load Balancing (GSLB) setup? (Choose two.)

- A. An administrator CANNOT define a backup for a backup Vserver in an active standby GSLB setup for a given GSLB domain
- B. Apply spillover policies on a subset of GSLB services and the user CANNOT have a backup for a subset of GSLB services.
- C. Restrict the selection of a GSLB service from a subset of GSLB services bound to a GSLB virtual server for the given domain.
- D. Any given GSLB Vserver can load-balance only one FQDN.

Answer: BC

NEW QUESTION 4

Which PowerShell command should a Citrix Administrator run to obtain the name of a deployment, the local host cache configuration and the license level?

- A. Get-BrokerCatalog
- B. Get-BrokerController
- C. Get-BrokerResource
- D. Get-BrokerSite

Answer: D

NEW QUESTION 5

Which two options should a Citrix Administrator configure to stop the First-Time wizard from automatically popping up? (Choose two.)

- A. Host Name is NOT configured on the appliance.
- B. The Default Admin Password has NOT been changed.
- C. Licenses are NOT present on the appliance.
- D. The appliance is configured with the default IP address (192.168.100.1)

Answer: CD

NEW QUESTION 6

What are three daily steps a Citrix Administrator should take to monitor a Citrix Virtual Apps and Desktops infrastructure? (Choose three.)

- A. Review Citrix policies.
- B. Perform a capacity assessment.
- C. Test environment access.
- D. Check virtual machine power states.
- E. Review available Citrix software upgrades.
- F. Check for warnings or alerts with Citrix Director.

Answer: CDF

NEW QUESTION 7

Scenario: A Citrix Administrator needs to power-manage a group of Server OS Virtual Delivery Agent (VDA) machines that are all in the same Delivery Group. The administrator needs all the machines to be restarted once a week during the weekend. Additionally, a subset of the machines should be restarted every day during non-peak hours.

Which feature must the administrator change from the default values in order to fulfill the requirements?

- A. Restart duration
- B. Weekday and weekend hours
- C. Peak and non-peak hours
- D. Tag restrictions

Answer:

D

NEW QUESTION 8

Scenario: A Citrix Administrator has configured an Authentication, Authorization, and Auditing (AAA) action policy to allow users access through the Citrix ADC. The Administrator bound the policy to a specific vServer. Which policy expression will allow all users access through the vServer?

- A. ns_disallow
- B. ns_false
- C. ns_true
- D. ns_allow

Answer: D

NEW QUESTION 9

A Citrix Administrator has disabled User Subscriptions (Mandatory Store) for the StoreFront internal store. Which two experiences will users have when they authenticate to the Citrix Virtual Apps and Desktops Site through the internal store? (Choose two.)

- A. Users can manually add additional StoreFront stores if desired.
- B. Applications cannot be removed from Citrix Workspace app on the Favorites screen.
- C. Users can choose which applications they would like to add to the desktop.
- D. Applications will automatically be placed in the Start menu.
- E. Users can choose which applications they would like to add to their Favorites.

Answer: BD

NEW QUESTION 10

Which two options would provide an end-to-end encryption of data, while allowing the Citrix ADC to optimize the responses? (Choose two.)

- A. SSL Bridge protocol for the services
- B. SSL Bridge protocol for the virtual server
- C. HTTP protocol for the services
- D. HTTP protocol for the virtual server
- E. SSL protocol for the services
- F. SSL protocol for the virtual server

Answer: CF

NEW QUESTION 10

Scenario: While using Citrix Studio to create a new Delivery Group, a Citrix Administrator does NOT see any machine catalogs listed, but does see an error message. The administrator successfully verified the presence of machine catalogs in the Machine Catalogs node of Citrix Studio. Which issue can cause this to happen?

- A. The Virtual Delivery Agent (VDA) version is lower than 7.15 LTSR.
- B. There are no unassigned machine catalog machines.
- C. No machine catalog machines have been started.
- D. The administrator has insufficient permissions to create the Delivery Group.

Answer: A

NEW QUESTION 13

After creating a new machine catalog using the Machine Creation Services (MCS) wizard in Citrix Studio, a Citrix Administrator determines that Windows activation fails for all new machines in that catalog.

Which two conditions can cause this to happen? (Choose two.)

- A. The base image rearm count has been exceeded.
- B. The Microsoft License Server is unreachable.
- C. The version of Windows installed uses Multiple Activation Key (MAK) licensing.
- D. The version of Windows installed is Windows Server 2012 R2.

Answer: BC

NEW QUESTION 15

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with a large number of Windows users running various locally attached client printers. No network printers are being used. The administrator has enabled the HDX printer mapping policy to 'Auto-create all client printers', which has resulted in a large number of drivers being loaded onto the Virtual Delivery Agent (VDA) machines. New standards are requiring the administrator to limit these Windows drivers on the VDA machines.

Which printing feature can the administrator enable to meet the new standards?

- A. The Auto-create PDF universal printer policy
- B. The Auto-create local (non-network) client printers only policy
- C. The Citrix Universal Print Server
- D. The Citrix Universal Printer Driver

Answer: C

NEW QUESTION 16

Scenario: A Citrix Administrator currently manages a Citrix ADC environment in a retail company that is growing quickly and may soon double its volume of business. Currently, a Citrix ADC MPX 5550, which handles web and SSL transactions, is in place, but is close to full capacity. Due to the forecasted growth increase, the administrator needs to find a cost effective solution.

What can the administrator recommend to management in order to cost effectively handle the growth?

- A. Another MPX 5550 appliance
- B. Performance hardware upgrade to Citrix ADC SDX 14100
- C. Perform license upgrade to Citrix ADC MPX 5650
- D. Perform hardware upgrade to Citrix ADC MPX 8005

Answer: C

NEW QUESTION 18

Which Citrix component acts as Secure Ticket Authority (STA) in a Citrix Virtual Apps and Desktops environment?

- A. Delivery Controller
- B. StoreFront server
- C. Citrix License Server
- D. Citrix Gateway

Answer: D

NEW QUESTION 20

When the Local Host Cache (LHC) is enabled, during a Site database outage _____ will reference _____ to broker new sessions. (Choose the correct option to complete the sentence.)

- A. the principal Delivery Controller, its local database
- B. the principal Delivery Controller, its local XML file
- C. all Delivery Controllers; their local database
- D. all Delivery Controllers; their local XML file

Answer: A

NEW QUESTION 25

Scenario: A Citrix Administrator would like to grant access to a Junior Administrator on the Citrix ADC. The administrator would like to grant full access to everything except the following:

- Shell Access
- User Configuration access
- Partition Configuration access

Which pre-existing command policy would meet the needs of the scenario?

- A. Operator
- B. Sysadmin
- C. Network
- D. Superuser

Answer: A

NEW QUESTION 28

Scenario: A Citrix Administrator needs to create local user accounts for other administrators with limited privileges. The other administrators will need only:

- Read-only access
- The ability to enable and disable services and servers

Which built-in Command Policy permission level can the administrator use?

- A. Network
- B. Read-Only
- C. Operator
- D. Sysadmin

Answer: C

NEW QUESTION 32

Which Citrix ADC hardware or software platform offers a Multi-Tenant solution?

- A. VPX
- B. MPX
- C. CPX
- D. SDX

Answer: D

NEW QUESTION 36

Scenario: A Citrix Administrator is concerned about the amount of health checks the Citrix ADC is sending to the backend resources. The administrator would like to find a way to remove health checks from specific bound services.

How can the administrator accomplish this?

- A. Use reverse condition monitoring.
- B. Use the No-Monitor option.
- C. Unbind the current monitor.
- D. Use Service Groups to minimize health checks.

Answer: B

NEW QUESTION 40

What is the minimum built-in delegated administration role required to create an Application Group?

- A. Host Administrator
- B. Delivery Group Administrator
- C. Help Desk Administrator
- D. Machine Catalog Administrator

Answer: B

NEW QUESTION 45

Which PowerShell command can be used to display all the Citrix services installed on the Delivery Controller?

- A. Get-Service -DisplayName *site*
- B. Get-Service -DisplayName *citrix*
- C. Get-Service -DisplayName *controller*
- D. Get-Service -DisplayName *broker*

Answer: B

NEW QUESTION 49

A Citrix Administrator is in the process of installing Citrix Cloud Connector, but the installation fails. What could be causing the Citrix Cloud Connector installation to fail on the machine?

- A. It is in sync with UTC time instead of local time.
- B. Enhanced Security Configuration (ESC) is set to 'off'.
- C. It cannot run on a machine template cloned across multiple machines.
- D. It is NOT joined to the domain.

Answer: D

NEW QUESTION 53

Scenario: A Citrix Administrator needs to configure persistence on a Global Server Load Balancing (GSLB) virtual server to which a service is bound, so that the service continues to serve requests from the client event after it is disabled manually, accepting new requests or connections only to honor persistence. After a configured period of time, no new requests or connections are directed to the service and all of the existing connections are closed.

Which parameter can the administrator configure while disabling the service to achieve this requirement?

- A. Request Threshold
- B. Persistence Time-Out
- C. Persistence Threshold
- D. Wait Time

Answer: B

NEW QUESTION 58

Which disk type will always be created for each virtual machine, when creating new virtual machines using Machine Creation Services (MCS)?

- A. Personal vDisk
- B. Differencing (Diff) disk
- C. Identity disk
- D. Full-clone base disk

Answer: C

NEW QUESTION 60

Scenario: A Citrix Administrator has given permissions to team members to access their own admin partition, so they can add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.

One team member was trying to use the command-line interface to troubleshoot an authentication issue and cloud NOT use aaad.debug. However, the team member has full permissions on the admin partition.

What can be the cause of this issue?

- A. The team member does NOT have permission to use the CLI.
- B. The team member does NOT have Shell access by design.
- C. The team member needs to troubleshoot the issue from the GUI.
- D. The team member is NOT using the CLI correctly.

Answer: B

NEW QUESTION 61

Scenario: A Citrix Administrator is configuring the Workspace Experience to provide users with access to their applications and desktops. The administrator deployed Microsoft Azure Active Directory (AD) already and wants to leverage it to support user access to the Workspace Experience.

Which two steps does the administrator need to take to enable users to authenticate using Azure AD to the Workspace Experience? (Choose two.)

- A. Add Cloud Connector information to the Azure AD console.
- B. Enable Azure AD authentication under Workspace Configuration in Citrix Cloud.
- C. Add Azure AD Account under Identity Providers in Citrix Cloud.
- D. Deploy Cloud Connectors to support Azure AD authentication.

Answer: BC

NEW QUESTION 63

A Citrix Administrator has executed the commands in the screenshot on the Citrix ADC using the command-line interface.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
> add transform profile prof_url_change
Done
> add transform action "URL change" prof_url_change 10
Done
> set transform action "URL change" -priority 10 -reqUrlFrom "https://*" -reqUrlInto
"http://*" -resUrlFrom "http://*" -resUrlInto "https://"
Done
> add transform policy pol_url_change true prof_url_change
Done
> bind lb vserver LB_vserver -policyName pol_url_change -priority 100 -
gotoPriorityExpression END -type REQUEST
```

Which two replacements will be the outcome of executing these commands? (Choose two.)

- A. https:// will be replaced by http:// in the HTTP REQUEST
- B. http:// will be replaced by https:// in the HTTP REQUEST
- C. http:// will be replaced by https:// in the HTTP RESPONSE
- D. https:// will be replaced by http:// in the HTTP RESPONSE

Answer: AD

NEW QUESTION 64

Which qualifier is used to configure the Content filter action to modify the HTTP header of an HTTP Request?

- A. Corrupt
- B. Forward
- C. Add
- D. Error Code

Answer: A

NEW QUESTION 66

A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair and needs to ensure that one Citrix ADC is UP and primary at all times to ensure the business websites are always available.

What does the administrator need to do to ensure that the Citrix ADCs still handle web traffic in the event that both nodes become unavailable or fail a health check?

- A. Disable HA Fail-safe mode on the Primary Citrix ADC only.
- B. Configure HA Fail-safe mode on each Citrix ADC independently.
- C. Configure HA Fail-safe mode on the Primary Citrix ADC only.
- D. Disable HA Fail-safe mode on the Secondary Citrix ADC.

Answer: B

NEW QUESTION 70

Scenario: Users are calling the help desk because they are unable to launch published applications. The users mention the sessions are opening and immediately closing; however, a Citrix Administrator observes that more than 150 sessions are already being delivered.

Which tool can the administrator use to review the state of the Citrix infrastructure from a single location?

- A. Citrix Studio
- B. Citrix PowerShell SDK
- C. Citrix Director
- D. StoreFront

Answer: C

NEW QUESTION 75

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with a number of network print servers being used for all users. Currently, the print servers use native Windows drivers. No client printers are being used. New company guidelines require a reduction in the number of native drivers being used within the Site infrastructure.

Which step can the administrator take to meet the new company guidelines?

- A. Enable the Citrix Universal Print Driver (EMF) driver and leave the default Universal printer driver usage policy setting.
- B. Install the Universal Print Server on all print servers in the Site and leave the default Universal printer driver usage policy setting.
- C. Configure the Citrix Universal Generic Printer and update the Auto-create generic universal printer policy setting.
- D. Install the Universal Print Server on all print servers in the Site and update the Universal printer usage policy setting.

Answer: C

NEW QUESTION 77

Which three database high availability features are supported for on-premises deployments of Citrix Virtual Apps and Desktops? (Choose three.)

- A. Always On Availability Groups
- B. Automatic Storage Management
- C. Mirroring
- D. Clustered Instances
- E. Flashback

Answer: ACD

NEW QUESTION 80

Which tool should a Citrix Administrator use to monitor the overall daily performance of a Citrix Virtual Apps and Desktops Site?

- A. Citrix Studio
- B. HDX Monitor
- C. Citrix Director
- D. CDF Traces

Answer: C

NEW QUESTION 82

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site where mandatory profiles are being used for all users. Users need to maintain the different printer property settings that are available for their HDX sessions. The administrator has enabled the HDX Printer properties retention policy for the Site.

Which setting could the administrator use for this environment?

- A. Held in profile only if NOT saved on client
- B. Do NOT retain printer properties
- C. Saved on the client device only
- D. Retained in user profile only

Answer: D

Explanation:

Reference

:<https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/printing/printing-policies-preferences.html>

NEW QUESTION 86

Scenario: A Citrix Administrator needs to review the current state of specific machine sessions and application instances that are running in a Citrix Virtual Apps and Desktops Site. The administrator also needs to power-manage sessions. The Site is a premium licensed Site.

Where should the administrator navigate to within Citrix Director to obtain this information?

- A. Filters
- B. Trends
- C. Dashboard
- D. Alerts

Answer: A

NEW QUESTION 88

Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC.

What will the Citrix ADC do with the packets in this scenario?

- A. Drop the packets
- B. Bridge the packets.
- C. Route the packets.
- D. Process the packets.

Answer: C

NEW QUESTION 93

Which Front-End Optimization (FEO) action can a Citrix Administrator use to achieve the results shown in the screenshots?

Click the Exhibit button to view the screenshots.



```
<html>
<head>
</head>
<body>
<script src="abc.js" type= "text/javascript"></script>
<div class= "monday tuesday">
  Hi!
</div>
<style type= "text/css">
  .foo {day : wednesday; }
</style>
<link rel= "stylesheet" type= "text/css" href= "styles/all_styles/css">
</body>
</html>

<html>
<head>
<style type= "text/css">
  .foo { day: wednesday; }
</style>
</head>
<body>
<script src= "abc.js" type= "text/javascript"></script>
<div class= "monday tuesday">
  Hi!
</div>
<link rel= "stylesheet" type= "text/css" href= "styles/all_styles.css">
</body>
</html>
```

- A. Truncate CSS
- B. Inline CSS
- C. Move CSS to head
- D. Rearrange CSS

Answer: B

NEW QUESTION 97

Scenario: A Citrix Administrator needs to add 10 new web servers to an existing server farm. The new servers are configured to serve the same applications and connections and are twice the capacity of the existing servers. The administrator wants to ensure that they are being fully utilized. Currently in the environment, the default load-balancing method is being used.

To ensure that only the 10 new servers are receiving twice the connections of the old servers without changing the load balancing to the rest of the environment, the administrator needs to add a weight of to the services attached to the servers. (Choose the correct option to complete the sentence.)

- A. 50; new
- B. 2; old
- C. 50; old
- D. 2; new

Answer: D

NEW QUESTION 99

Scenario: A Citrix ADC appliance is having intermittent issues. A Citrix Administrator is unable to identify the root cause and fix them. The administrator opened a Support ticket and the Engineer assigned to the case requested all the logs and configuration information from the Citrix ADC.

Which technical support tool can the administrator use to gather all the information on the Citrix ADC to send to the Support Engineer?

- A. Start New Trace
- B. Get Back Trace
- C. Generate Support File
- D. Batch Configuration

Answer: C

NEW QUESTION 101

Scenario: A Citrix Administrator needs to grant permissions to a contractor to manage an inventory application in Citrix Virtual Apps and Desktops Service managed in Citrix Cloud. The administrator needs to minimize the access granted to the contractor to only administer the inventory application.

Which two permissions will the administrator need to grant to the contractor? (Choose two.)

- A. Custom access in Citrix Cloud
- B. Cloud Administrator in the Citrix Virtual Apps and Desktops Service
- C. Help Desk Administrator in Citrix Virtual Apps and Desktops Service
- D. Full Administrator in Citrix Cloud
- E. Delivery Group Administrator in the Citrix Virtual Apps and Desktops Service

Answer: AE

NEW QUESTION 102

Scenario: A Citrix Administrator configured the “-denySSLReneg” Parameter using the below command on Citrix ADC to enhance security.

set ssl parameter -denySSLReneg <option>

Which two options can the administrator use to complete the command? (Choose two.)

- A. NONSECURE
- B. HIGHSECURE
- C. FRONTEND_CLIENT
- D. NO
- E. ALL

Answer: AC

NEW QUESTION 105

When creating a new Delegated Administrator with a custom scope, a Citrix Administrator notices that the Full Administrator role is NOT available.

The administrator is experiencing this behavior because the custom scope . (Choose the correct option to complete the sentence.)

- A. created did NOT contain all the required objects
- B. must use the Read Only role
- C. was created with the hosting object selected
- D. cannot use the Full Administrator role

Answer: D

NEW QUESTION 107

On which two components must the Secure Ticket Authority (STA) server locations be configured if a Citrix Administrator wants to configure secure external access to a Citrix Virtual Apps and Desktops Site? (Choose two.)

- A. Citrix Workspace app
- B. Citrix Gateway
- C. Delivery Controller
- D. StoreFront
- E. Virtual Delivery Agent (VDA)

Answer: BD

NEW QUESTION 108

Scenario: A Citrix Administrator configured the following policies in a Citrix Virtual Desktops Site environment, in descending priority order.

- * 1. “Marketing Office A” has a filter on Marketing users. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
- * 2. “Marketing Office B” has a filter on Marketing users' internal IP. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
- * 3. “Accounting” has a filter on Accounting Users. 'Client Network Drives' is enabled; 'Client Fixed Drives' is NOT configured.
- * 4. “Baseline” is configured without a filter. 'Client Network Drives' and 'Client Fixed Drives' are both disabled.

Based on these policies, what will Accounting users be able to access?

- A. Client network drives only
- B. Neither the client network drive nor the client fixed drive
- C. Client fixed drives only
- D. Client fixed and network drives

Answer: A

NEW QUESTION 113

Scenario: A Citrix Administrator would like to better monitor traffic within the Citrix Gateway and Citrix Virtual Apps and Desktops Site. The administrator decides to implement the Citrix Application Delivery Management appliance for use with Citrix Director.

Which three additional pieces of infrastructure information can the administrator now review within Citrix Director? (Choose three.)

- A. Latency and bandwidth effects for applications and desktops.
- B. Peak Connected Sessions information for specific user sessions.
- C. Latency and bandwidth information for specific user sessions.
- D. Average ICA round trip time for specific user sessions.
- E. Peak Concurrent Total Sessions for specific applications and desktops.

Answer: CDE

NEW QUESTION 118

Which three statements are correct regarding Citrix printing? (Choose three.)

- A. Citrix printing does NOT assign each printer a unique namespace within a given session.
- B. The Citrix Print Manager Service monitors session events, such as logon and logoffs or session termination.

- C. Citrix printing sets the default security descriptor for auto-created printers to ensure client printer security.
- D. Citrix printing allows administrators, but NOT users, to print to any other users' active session client printers.
- E. The Citrix Print Manager Service handles requests by impersonating the actual session user.

Answer: BCE

NEW QUESTION 120

What must a Citrix Administrator do to encrypt XML traffic between StoreFront and the Delivery Controllers?

- A. Install a private server certificate on each StoreFront server and then add a new Internet Information Services (IIS) binding for HTTPS.
- B. Install a private server certificate on each Delivery Controller and bind the certificates to port 443.
- C. Install a private certificate on each Delivery Controller and StoreFront serve
- D. Restart each server to force XML communication to be encrypted.
- E. Install a private server certificate on each StoreFront serve
- F. Open the StoreFront console and use the https:// prefix with the base URL.

Answer: A

NEW QUESTION 125

Scenario: A StoreFront store supports 150 users who have full access to all enterprise resources. A Citrix Administrator needs to create a new StoreFront store for contractors who will work onsite for two months. The contractors need access to specific resources but will NOT be Active Directory users. Which option should the administrator select while creating the store for contractors?

- A. HTTP Basic
- B. Unauthenticated
- C. Smart card
- D. Pass-through

Answer: B

NEW QUESTION 126

Scenario: A Citrix Administrator created a machine catalog using Machine Creation Services. The Desktop Experience was set to 'Random'. Where will the unique information for the virtual machines be stored?

- A. In the identity disk of each virtual machine
- B. In the PERSONALITY.INI file at the root directory of each virtual machine
- C. Only in the Site database
- D. In the differencing disk of each virtual machine

Answer: A

NEW QUESTION 129

Scenario: A Citrix Administrator notices an intermittent latency issue within a Citrix Virtual Apps and Desktops environment. The issue only involves external users entering through a Citrix Gateway.

The administrator reviews Citrix ADC logs, identifies the problem as a networking issue, and now wants a more granular view of the data in order to isolate the issue further.

Which Citrix tool can the administrator use to view the network information?

- A. Citrix Diagnostic Toolkit
- B. HDX Insight
- C. Citrix Scout
- D. Configuration Logging

Answer: A

NEW QUESTION 130

Which Citrix Profile Management feature maintains a backup of the NTUSER.DAT file?

- A. Active Write Back
- B. Profile Caching
- C. Profile Streaming
- D. Profile Protection

Answer: D

NEW QUESTION 133

Scenario: A Citrix Administrator has enabled an HDX Session printers policy within a Citrix Virtual Apps and Desktops Site. The administrator added a printer to a print server and assigned the printer to all users through a session printer policy. In addition, several local client printers are auto-created within HDX sessions. No other printing policies are configured.

How will print jobs be routed when users send print jobs to a printer managed by the print server?

- A. Directly to the network print server and then to the specified printer.
- B. Over the HDX virtual channel to the specified printer attached to the print server.
- C. Directly from the session Virtual Delivery Agent (VDA) machine to the printer.
- D. Over the HDX virtual channel, through the endpoint, and then to the print server.

Answer: A

NEW QUESTION 136

Scenario: A Citrix Administrator needs to deploy Citrix Virtual Apps. Project requirements dictate that management and maintenance should be minimized for the administrator, while still maintaining control of the Virtual Delivery Agent (VDA) machines.
Which hosting platform should the administrator choose to meet these requirements?

- A. Service provider
- B. On-premises
- C. Public Cloud-hosted
- D. Citrix Cloud

Answer: D

NEW QUESTION 140

A master image that will be used to deploy machines for a Citrix Virtual Apps and Desktops environment should have the installed on it so that . (Choose the correct option to complete the sentence.)

- A. Virtual Delivery Agent (VDA); users can access resources on the machines
- B. Citrix Workspace app; users can access resources on the machines
- C. Virtual Delivery Agent (VDA); machines can communicate with the Site database
- D. Citrix Workspace app; machines can communicate with the Site database

Answer: A

NEW QUESTION 143

Scenario: A Citrix ADC MPX is using one of four 10G ports available in an environment. A Citrix Administrator found a traffic bottleneck at the Citrix ADC.
What can the administrator do to increase bandwidth on the Citrix ADC?

- A. Add another 10G Citrix ADC port to the switch and configure Link Aggregation Control Protocol (LACP).
- B. Purchase another Citrix ADC MPX appliance.
- C. Add two more 10 Citrix ADC ports to the network and configure VLAN.
- D. Plug another 10G Citrix ADC port into the router.

Answer: A

NEW QUESTION 144

Scenario: A Citrix Administrator ran the Get-BrokerSite PowerShell command on the primary Delivery Controller to obtain overview information of the infrastructure. The administrator received the error as shown in the exhibit. Click on the Exhibit button to view the error.



```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) 2016 Microsoft Corporation. All rights reserved.

PS C:\Users\Administrator\WORKSPACE\LAB> Get-BrokerSite

Get-BrokerSite : The term 'Get-BrokerSite' is not recognized as the name of a cmdlet, function, script file, or operable program.
Check the spelling of the name, or if a path was included, verify that the path is correct and try again.
At line:1 char:1
+ Get-BrokerSite
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (Get-BrokerSite:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException
```

Why did the administrator receive this PowerShell error?

- A. The Get-BrokerSite PowerShell command was performed with a syntax error.
- B. The Get-BrokerSite PowerShell command was performed before running the Add-PSSnapin Citrix* command.
- C. The incorrect PowerShell command for retrieving Site information was performed.
- D. The Get-BrokerSite PowerShell command was performed without Administrator privileges in PowerShell.

Answer: B

NEW QUESTION 146

Which two actions must be true for a client to connect to an SSL offload virtual server without any SSL errors? (Choose two.)

- A. The Root Certificate is installed on the client's device.
- B. The Server Certificate is from a private certificate authority (CA).
- C. The Server Certificate is bound to the load-balancing virtual server.
- D. The Root Certificate is installed on the Citrix ADC.

Answer: AC

NEW QUESTION 150

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator has executed the following command: bind vlan 20 -ifnum 1/1

What is the result of executing the command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.

Answer: B

NEW QUESTION 154

Scenario: A Citrix Administrator is configuring the Citrix Workspace app to allow users to access their applications and desktops. Management requires users to be logged on to the Citrix Workspace app without entering their credentials and for sessions to be pre-launched in the background for expedited application access. Which experience does the administrator need to configure for users in this environment?

- A. Citrix Workspace app for Windows
- B. Citrix Workspace for Web
- C. Citrix Workspace app for Universal Windows Platform
- D. Citrix Workspace app for HTML5

Answer: A

NEW QUESTION 158

A Citrix Administrator needs to secure communication between StoreFront and the Delivery Controllers for a Citrix Workspace app implementation by configuring the setting in the . (Choose the correct option to complete the sentence.)

- A. Set-BrokerSite TrustManagedAnonymousXmlServiceRequests=\$true; Delivery Controllers
- B. Set-BrokerSite TrustManagedAnonymousXmlServiceRequests=\$true; StoreFront
- C. Set-BrokerSite TrustRequestsSentToTheXmlServicePort=\$true; StoreFront
- D. Set-BrokerSite TrustRequestsSentToTheXmlServicePort=\$true; Delivery Controllers

Answer: D

NEW QUESTION 161

How can a Citrix Administrator configure a rewrite policy to change the version of HTTP from HTTP 1.1 to HTTP 1.0 in every request?

A

```
add rewrite action RW_ACT replace http.req.version "\"HTTP/1.0\""  
add rewrite policy RW_POL true RW_ACT
```

B

```
add rewrite action RW_ACT replace http.res.version "\"HTTP/1.0\""  
add rewrite policy RW_POL true RW_ACT
```

C

```
add rewrite action RW_ACT replace http.res.version "\"HTTP/1.1\""  
add rewrite policy RW_POL true RW_ACT
```

D

```
add rewrite action RW_ACT replace http.req.version "\"HTTP/1.1\""  
add rewrite policy RW_POL true RW_ACT
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 166

A Citrix Administrator receives complaints from some users that authentication for the Citrix Gateway site fails. Which tool can the administrator use to find data regarding time of failure and a list of users facing this issue?

- A. Gateway Insight
- B. Security Insight
- C. Web Insight
- D. HDX Insight

Answer: A

NEW QUESTION 168

Which feature can a Citrix Administrator use to create a consistent set of front-end SSL parameters across multiple SSL virtual servers?

- A. SSL Profile
- B. SSL Bridge
- C. SSL Offload
- D. SSL Policy

Answer: A

NEW QUESTION 172

Scenario: A Citrix Administrator has configured the Citrix ADC as a DNS Proxy Server. The administrator executed the commands in the screenshot on the Citrix ADC using the command-line interface.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>  
>add responder action Act_1 respondwidth DNS.NEW_RESPONSE(true, true, NOERROR)  
Done  
> add responder policy Pol_1 dns.REQ.TRANSPORT.EQ(udp) Act_1  
Done  
> bind lb vserver DNS -policyName Pol_1 -type request -priority 100
```

What will be the effect of this configuration?

- A. Create a DNS Request with TC bit set and rcode as NOERROR
- B. Create a DNS Response with TC bit set and rcode as NOERROR
- C. Set TC bit and rcode as NOERROR in the DNS Request from Client
- D. Set TC bit and rcode as NOERROR in the DNS Response from DNS server

Answer: B

NEW QUESTION 177

Scenario: A Citrix Administrator created an SSL virtual server using only the following commands:

```
add lb vserver sslvserver SSL 10.102.29.133.444  
add service sslsvc1 192.168.0.14 SSL 443  
add service sslsvc2 192.168.0.15 SSL 443  
bind lb vserver sslvserver sslsvc1  
bind lb vserver sslvserver sslsvc2  
set ssl vserver sslvserver -ssl3 disabled
```

The SSL virtual server is currently in a DOWN state.

What could be the reason the SSL virtual server is in a down state?

- A. The SSL services are NOT on the 10.102.29.X network.
- B. SSLv3 is disabled.
- C. The virtual server SSL port is NOT set to port 443.
- D. The SSL Certificate is NOT bound to the virtual server.

Answer: D

NEW QUESTION 178

By default, what is the printing behavior when no printing policy is configured?

- A. Direct connections to print servers are prohibited.
- B. All client printers are auto-created.
- C. The generic universal printer is automatically created.
- D. The Universal Print Server is enabled.

Answer: B

NEW QUESTION 179

A Citrix Administrator has configured the Citrix ADC as a DNS Proxy Server. The administrator executed the following commands on the Citrix ADC using command-line interface:

```
add rewrite action Act_1 replace_dns_header_field "dns.res.header.flags.set(aa)"  
add rewrite policy Pol_1 true Act_1  
bind rewrite global Pol_1 100 -type dns_res_override
```

What will be the effect of executing the above commands?

- A. Set the AA bit of DNS Request
- B. Set the AA bit of DNS Response
- C. Unset the AA bit of DNS Request
- D. Unset the AA bit of DNS Response

Answer: B

NEW QUESTION 181

Scenario: A Citrix Administrator needs to ensure that a user request is redirected to the next available data center in order to ensure the best user experience based upon location.

Below are the Global Server Load Balancing (GSLB) vserver settings:

```
sh gslb vserver gslb.outscale.cloud
gslb.outscale.cloud-SSL    State: UP
DNS Record Type: A
Last state changed was at Tue May 16 23:47:54 2017
Time since last state change: 16 days, 16:13:23.390
Configured Method: RTT
BackupMethod: LEASTCONNECTION
No. of Bound Services: 2(Total)    1(Active)
Persistence: NONE
Disable Primary Vserver on Down: DISABLED
Site Persistence: ConnectionProxy
```

To which setting should the administrator change the configured method?

- A. StaticProximity
- B. RoundRobin
- C. LeastConnection
- D. LeastBandwidth

Answer: C

NEW QUESTION 184

For which three components can Citrix Director capture utilization statistics? (Choose three.)

- A. CPU
- B. IOPS
- C. Disk space
- D. Network
- E. Memory

Answer: ABE

NEW QUESTION 187

Scenario: A Citrix Administrator configured the HTTP_Callout feature on the Citrix ADC using the command-line interface. After configuring the commands, the device is facing the HTTP callout recursion issue.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
> add policy httpCallout myCallout
Done
> set policy httpCallout myCallout - IPAddress 10.102.3.95 -port 80 -returnType TEXT -
hostExpr "\"10.102.3.95\" \" -urlStemExpr \"\"/cgi-bin/check_clnt_from_database.pl
lout Request\") -parameters cip (CLIENT.IP.SRC) -resultExpr \"HTTP.RES.BODY(100) \"
Done
> add responder policy Poll \"SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\") \" RESET
Done
> bind responder global Poll 100 END -type OVERRIDE
```

How will the administrator rectify the issue?

- A. Change the expression of the Responder policy to "HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\")"
- B. Change the expression of the Responder policy to "HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\").NOT"
- C. In the HTTP Callout policy, change the -parameters to "cip(CLIENT.IP.SRC)&&HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\")"
- D. In the HTTP Callout policy, change the -parameters to "cip(CLIENT.IP.DST)&&HTTP.REQ.HEADER(\"Request\").EQ(\"Callout Request\")"

Answer: B

NEW QUESTION 189

Which Citrix ADC-owned IP address will send traffic from the Citrix ADC to NTP servers by default?

- A. CLIP
- B. VIP
- C. SNIP
- D. NSIP

Answer: D

NEW QUESTION 191

Scenario: A Citrix Administrator has executed the following command:
set httpcallout httpcallout1 –cacheForSecs 120 What will be the effect of this command?

- A. The cache duration of the HTTP request is set to 120 seconds.
- B. The cache duration of the HTTP callout request is set to 120 seconds.
- C. The cache duration of the HTTP response is set to 120 seconds.
- D. The cache duration of the HTTP callout response is set to 120 seconds.

Answer: D

NEW QUESTION 196

How can a Citrix Administrator guarantee the availability of resource locations in a Citrix Cloud deployment?

- A. Deploy at least two Cloud Connectors for each resource location and load-balance them using Citrix ADC.
- B. Deploy at least two Cloud Connectors for each resource location.
- C. Convert one Cloud Connector to a template and deploy it when another Cloud Connector goes down.
- D. Deploy one Cloud Connector in each resource location.

Answer: B

NEW QUESTION 200

Scenario: The Help Desk team is troubleshooting a printing issue. Users connect to print servers located in two different datacenters. The print servers host identical drivers and queues. Upon investigation, a Citrix Administrator finds that users can only print to one of the print servers successfully. The Network team informed the administrator that only Citrix-related traffic is allowed between the two Sites. How can the administrator fix this issue?

- A. Create a Citrix policy that limits the bandwidth consumption used by printing.
- B. Create a Citrix policy that disables direct connections to the print servers.
- C. Install Universal printer drivers to all print servers.
- D. Create a Citrix policy to auto-create printers.

Answer: B

NEW QUESTION 205

Which two statements are valid when using Citrix Profile Streaming? (Choose two.)

- A. Registry entries and files in the pending area are fetched when accessed.
- B. Profile Streaming is disabled by default.
- C. The files and folders are fetched on demand.
- D. Profile Streaming will delay the logon process.

Answer: AB

NEW QUESTION 210

Scenario: Users report that they are receiving new sessions instead of reconnecting to their disconnected sessions. A Citrix Administrator investigates the issues and finds the sessions are in a disconnected state when the users leave work. What should the administrator configure to allow the users to reconnect to their disconnected sessions while roaming?

- A. Session Pre-launch
- B. Workspace Control
- C. Session Linging
- D. Session Timeout

Answer: B

NEW QUESTION 215

Scenario: A Citrix Administrator is configuring the Citrix Workspace app to allow users to access their applications and desktops. Management requires that users can log on to the environment from any device without having to remember the server address. What should the administrator do to meet these requirements?

- A. Deploy and configure the Citrix Workspace app using scripts.
- B. Configure a DNS Service Record for the Citrix Workspace app.
- C. Allow users to download the configuration from Citrix.com.
- D. Configure the Citrix Workspace app using a Group Policy Template File.

Answer: D

NEW QUESTION 218

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1Y0-204 Practice Exam Features:

- * 1Y0-204 Questions and Answers Updated Frequently
- * 1Y0-204 Practice Questions Verified by Expert Senior Certified Staff
- * 1Y0-204 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 1Y0-204 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1Y0-204 Practice Test Here](#)