Amazon

Exam Questions AWS-Certified-Advanced-Networking-Specialty

Amazon AWS Certified Advanced Networking - Specialty

NEW QUESTION 1
From the following options, select the answer that correctly describes the implementation of the HTTP protocol

A. By definition, HTTP is a connection-less oriented protocol and therefore utilises TCP
B. By definition, HTTP is a connection orientated protocol and therefore utilises TCP
C. By definition, HTTP is a connection-less oriented protocol and therefore utilises UDP
D. By definition, HTTP can be configured to be either connection or connection-less oriented - by specifying the appropriate HTTP header.

Answer: B

Explanation:
 Reference:
https://en.wikipedia.org/wiki/Hypertext_Transfer_Protocol

NEW QUESTION 2
You are your company's AWS cloud architect. You have created a VPC topology that consists of 3
VPCs. You have a centralised VPC (VPC-Shared) that provides shared services to the remaining 2 departmental dedicated VPCs (VPC-Dept1 and VPC-Dept2). The centralised VPC is VPC peered to both of the departmental VPCs, that is a VPC peering connection exists between VPC-Shared and VPC-Dept1, and a VPC peering connection exists between VPC-Shared and VPC-Dept2. Select the correct option from the list below.

A. Network traffic is possible between VPC-Shared instances and VPC-Dept1 and VPC-Dept2 instances as long as the appropriate routes and security groups are in place, but only for communication that is initiated from VPC1-Shared instances as the default peering bi-directional communication flag has been disabled.
B. Instances within VPC-Dept1 can communicate directly with instances in VPC-Shared, as long as the appropriate routes and security groups are in place, and vice versa regardless of who initiates communication
C. All network communication remains blocked between all VPCs until the respective peering bidirectional communication flags are set to the appropriate setting that allows traffic to flow.
D. Network traffic is possible between VPC-Shared instances and VPC-Dept1 and VPC-Dept2 instances as long as the appropriate routes and security groups are in place, but only for communication that is initiated from VPC1-Shared instances as the default peering bi-directional communication flag has been enabled.

Answer: B

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonVPC/latest/PeeringGuide/peering-configurations-partialaccess. html#one-to-two-vpcs-instances

NEW QUESTION 3
The IPsec protocol suite is made up of various components covering aspects such as confidentiality, encryption, and integrity. Select the correct statement below regarding the correct configuration options for ensure IPsec confidentiality:

A. The following protocols may be used to configure IPsec confidentiality, DES, 3DES, MD5
B. The following protocols may be used to configure IPsec confidentiality, DES, 3DES, AES
C. The following protocols may be used to configure IPsec confidentiality, PSK, RSA
D. The following protocols may be used to configure IPsec confidentiality, PSK, MD5
E. The following protocols may be used to configure IPsec confidentiality, PSK, RSA

Answer: B

Explanation:
 Reference:
https://en.wikipedia.org/wiki/IPsec

NEW QUESTION 4
Which of the following statements does not describe Jumbo Frames in an AWS VPC environment?

A. For instances that are collocated inside a placement group, jumbo frames help to achieve the maximum network throughput possible
B. Jumbo Frames are not supported for traffic that exits the Virtual Private Gateway
C. Jumbo Frames are not supported for traffic that exits the Internet Gateway
D. T2.micro instances do not support Jumbo Frames

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/network_mtu.html

NEW QUESTION 5
Within the TCP/IP model what is the name of the Packet Data Unit (PDU) used between Transport Layers for communication between sender and receiver

A. Frames
B. Packets
C. Data
D. Segments

Answer: D

Explanation:

Reference:
https://en.wikipedia.org/wiki/Transmission_Control_Protocol

NEW QUESTION 6
Which statement is NOT true about accessing remote AWS region in the US by your AWS Direct Connect which is located in the US?

A. To connect to a VPC in a remote region, you can use a virtual private network (VPN) connection over your public virtual interface.
B. To access public resources in a remote region, you must set up a public virtual interface and establish a border gateway protocol (BGP) session.
C. If you have a public virtual interface and established a BGP session to it, your router learns the routes of the other AWS regions in the US.
D. Any data transfer out of a remote region is billed at the location of your AWS Direct Connect data transfer rate.

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/remote_regions.html

NEW QUESTION 7
True or false: A VPC contains multiple subnets, where each subnet can span multiple Availability Zones.

A. This is true only for US regions.
B. This is false.
C. This is true.
D. This is true only if requested during the set-up of VP

Answer: B

Explanation:
 Reference:
https://aws.amazon.com/vpc/faqs/

NEW QUESTION 8
Over which of the following Ethernet standards does AWS Direct Connect link your internal network to an AWS Direct Connect location?

A. Copper backplane cable
B. Twisted pair cable
C. Single mode fiber-optic cable
D. Shielded balanced copper cable

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/Welcome.html

NEW QUESTION 9
Fill in the blanks: One of the basic characteristics of security groups for your VPC is that you _____ .

A. can specify allow rules, but not deny rules
B. can specify deny rules, but not allow rules
C. can specify allow rules as well as deny rules
D. can neither specify allow rules nor deny rules

Answer: A

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_SecurityGroups.html

NEW QUESTION 10
In AWS Direct Connect, to provide for failover, AWS recommends that you request and configure two dedicated connections to AWS.
These connections can terminate on one or two routers in your network. You can do this while _____ with AWS Direct Connect step.

A. creating a Virtual Interface
B. configuring redundant connections
C. completing the cross-connect
D. verifying your Virtual Interface

Answer: B

Explanation:
 Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#RedundantConnectio ns

NEW QUESTION 10
To get started using AWS Direct Connect, in which of the following steps do you configure Border Gateway Protocol (BGP)?

A. Complete the Cross Connect
B. Verify your Virtual Interface
C. Create a Virtual Interface
D. Submit AWS Direct Connect Connection Request

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#createvirtualinterfac

NEW QUESTION 12
Imagine you are using AWS Direct Connect with just one connection from your router to the AWS Direct Connect router. If your connection becomes unavailable, the communication with AWS cloud is lost. What is the best method to prevent this from happening?

A. AWS Direct Connect neither provides BGP nor provides the failover.
B. AWS Direct Connect recommends to have the same configuration set up in a multi AZ zone to prevent such loss in connections.
C. AWS Direct Connect recommends that you request and configure two dedicated connections to AWS either using BGP Multipath (Active/Active) connection or the failover (Active/Passive) connection.
D. AWS Direct connect does not have a provision to prevent the situation but when you design the system, it is recommended to request a back-up instance to which the traffic can be re-routed.

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#RedundantConnectio ns

NEW QUESTION 17
After setting an AWS Direct Connect, which of the following cannot be done with an AWS Direct Connect Virtual Interface?

A. You can delete a virtual interface; if its connection has no other virtual interfaces, you can delete the connection.
B. You can change the region of your virtual interface.
C. You can create a hosted virtual interface.
D. You can exchange traffic between the two ports in the same region connecting to different Virtual Private Gateways (VGWs) if you have more than one virtual interface.

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/WorkingWithVirtualInterfaces.html

NEW QUESTION 18
In the context of CloudFront RTMP Distribution, the Adobe Flash Media Server _____ file specifies which domains can access media files in a particular domain.

A. accessdomain.JSON
B. crossdomain.xml
C. accessdomain.xml
D. crossdomain.JSON

Answer: B

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Streaming_CrossDomain.h tml

NEW QUESTION 23
In Amazon CloudFront, you cannot configure CloudFront to process cookies for _____.

A. HTTPS web distributions
B. Web and RTMP distributions
C. RTMP distributions
D. HTTP web distributions

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html

NEW QUESTION 25
For ____ distributions, CloudFront does not cache cookies in edge caches.

A. AMI
B. Web
C. RTMP

D. Web and RTMP

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html

NEW QUESTION 30
What is the maximum size of a response body that Amazon CloudFront will return to the viewer?

A. Unlimited
B. 5 GB
C. 100 MB
D. 20 GB

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/RequestAndResponseBeha viorS3Origin.html#ResponseBehaviorS3Origin

NEW QUESTION 34
Which of the following does not configure Amazon CloudFront cache behaviors to forward cookies to an origin for web distributions?

A. Origin server
B. AWS CLI
C. Amazon EMR
D. Amazon S3

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html

NEW QUESTION 38
In Amazon CloudFront, while creating a web distribution, which of the following can be used as origin servers?

A. Any combination AWS Glacier archives and Oracle server
B. Any combination of Amazon DB intances and XML servers
C. Any combination of Amazon S3 buckets and HTTP servers
D. Any combination of Amazon Data Insights and PHP servers

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/distribution-webcreating. html

NEW QUESTION 43
In Amazon CloudFront, to link to your objects, if your domain name is d111111abcdef8.cloudfront.net and your object is image.jpg, then the URL for the link in your webpage will be _____.

A. http://d111111abcdef8.cloudfront.net/images/image.jpg
B. http://d111111abcdef8.dns/images/image.jpg
C. http://d111111abcdef8.dns/image.jpg
D. http://d111111abcdef8.cloudfront.net/image.jpg

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/GettingStarted.html

NEW QUESTION 44
Which service is used by default to store the CloudTrail log files?

A. Elastic Block Store (EBS)
B. Redshift
C. Simple Storage Service (S3)
D. Glacier

Answer: C

Explanation:
 Reference:

http://docs.aws.amazon.com/awscloudtrail/latest/userguide/cloudtrail-working-with-log-files.html

NEW QUESTION 48
In AWS, which service provides a reliable and inexpensive way to backup and archive CloudTrail log files?

A. Amazon Archiver
B. Amazon Glacier
C. AWS Storage Gateway
D. Amazon Elastic Block Store

Answer: B

Explanation:
 Reference:
https://aws.amazon.com/cloudtrail/faqs/

NEW QUESTION 53
Which of the following statements is true of AWS Elastic Beanstalk?

A. AWS Elastic Beanstalk uses CloudWatch for monitoring and alarms, meaning CloudWatch costs are applied to your AWS account for any alarms that you use.
B. AWS Elastic Beanstalk uses CloudWatch for monitoring and alarms, and both are free of charge.
C. AWS Elastic Beanstalk doesn't use CloudWatch for monitoring and alarms, but you pay extra for any AWS Elastic Beanstalk Alarm you set in the monitoring tool.
D. AWS Elastic Beanstalk has its own free-of-charge monitoring tool, and you are not charged for the alarm you set.

Answer: A

Explanation:
 Reference:
http://docs.aws.amazon.com/elasticbeanstalk/latest/dg/using-features.alarms.html

NEW QUESTION 55
Which of the following services is used to send an alert from CloudWatch?

A. AWS SNS
B. AWS EBS
C. AWS SES
D. AWS SQS

Answer: A

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/related_services.html

NEW QUESTION 56
To determine whether a log file was modified, deleted, or unchanged after CloudTrail delivered it, you can use _____.

A. trusted signers
B. optimistic locking
C. integrity validation
D. root credentialing

Answer: C

Explanation:
 Reference:
https://aws.amazon.com/cloudtrail/

NEW QUESTION 57
What does the term "statistics" mean with respect to CloudWatch metrics?

A. Time of a metric collection
B. Data aggregation over a specific period of time
C. Status of a metric
D. Unit of a metric

Answer: B

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/cloudwatch_concepts.ht ml#Statistic

NEW QUESTION 62
You can turn on the AWS Config service from the AWS CLI by running the subscribe command and passing as parameters a valid IAM role, SNS topic, and _____.

A. EBS volume
B. EC2 instance
C. S3 bucket
D. Kinesis stream

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/gs-cli-subscribe.html

NEW QUESTION 64
You would like to automate the monitoring of changes in the configurations of your AWS resources and respond programmatically to configurations of only a certain type. To do this, you could use Amazon _____ as the endpoint for the Amazon SNS topics that generate messages from AWS Config.

A. Kinesis
B. Simple Email Service (SES)
C. Simple Storage Service (S3)
D. Simple Queue Service (SQS)

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/monitor-resource-changes.html

NEW QUESTION 65
When an AWS Config rule is triggered a JSON object known as an AWS Config Event is created. This object contains another JSON string in its _____ parameter, which describes the event that
triggered the rule.

A. resultToken
B. eventLeftScope
C. invokingEvent
D. configRuleName

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_ example-events.html

NEW QUESTION 68
An AWS Config rule can be set to be evaluated if a certain set of resources undergoes a configuration change. The set of resources to which the rule applies can be restricted by the rule's _____ , which can include a combination of a resource type and a resource ID, for example.

A. trigger
B. domain
C. manifest
D. scope

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config-rules.html

NEW QUESTION 71
Which other AWS service is used to track 'Related Events' within the Configuration Item?

A. AWS WAF
B. SQS
C. AWS CloudTrail
D. S3

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/resource-config-reference.html#configitem- table

NEW QUESTION 72
Which AWS service is used within an AWS Config Rule to perform the logic evaluation of that rule?

A. Inspector
B. WAF
C. Lambda

D. SWF

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_develop-rules_nodejssample. html

NEW QUESTION 74
Each custom AWS Config rule you create must be associated with a(n) AWS _____ , which contains the logic that evaluates whether your AWS resources comply with the rule.

A. Lambda function
B. Configuration trigger
C. EC2 instance
D. S3 bucket

Answer: A

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_develop-rules.html

NEW QUESTION 77
You would like to ensure that all Amazon S3 buckets going forward, current and newly created ones, have logging enabled. What type of trigger(s) should you use?

A. only a periodic trigger
B. only a configuration change trigger
C. both configuration change and periodic triggers
D. only a transitioning trigger

Answer: B

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config-rules.html

NEW QUESTION 81
A user is running a batch process on EBS backed EC2 instances. The batch process launches few EC2 instances to process hadoop Map reduce jobs which can run between 50 – 600 minutes or
sometimes for even more time. The user wants a configuration that can terminate the instance only when the process is completed. How can the user configure this with CloudWatch?

A. Configure a job which terminates all instances after 600 minutes
B. It is not possible to terminate instances automatically
C. Set up the CloudWatch with Auto Scaling to terminate all the instances
D. Configure the CloudWatch action to terminate the instance when the CPU utilization falls below 5%

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/UsingAlarmActions.html

NEW QUESTION 86
......

About Exambible

Your Partner of IT Exam

Found in 1998

Exambible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, Exambible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

    All examinations will be up to date.

* 24/7 Quality Support

    We will provide service round the clock.

* 100% Pass Rate

    Our guarantee that you will pass the exam.

* Unique Gurantee

    If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1
From the following options, select the answer that correctly describes the implementation of the HTTP protocol

A. By definition, HTTP is a connection-less oriented protocol and therefore utilises TCP
B. By definition, HTTP is a connection orientated protocol and therefore utilises TCP
C. By definition, HTTP is a connection-less oriented protocol and therefore utilises UDP
D. By definition, HTTP can be configured to be either connection or connection-less oriented - by specifying the appropriate HTTP header.

Answer: B

Explanation:
 Reference:
https://en.wikipedia.org/wiki/Hypertext_Transfer_Protocol

NEW QUESTION 2
You are your company's AWS cloud architect. You have created a VPC topology that consists of 3
VPCs. You have a centralised VPC (VPC-Shared) that provides shared services to the remaining 2 departmental dedicated VPCs (VPC-Dept1 and VPC-Dept2). The centralised VPC is VPC peered to both of the departmental VPCs, that is a VPC peering connection exists between VPC-Shared and VPC-Dept1, and a VPC peering connection exists between VPC-Shared and VPC-Dept2. Select the correct option from the list below.

A. Network traffic is possible between VPC-Shared instances and VPC-Dept1 and VPC-Dept2 instances as long as the appropriate routes and security groups are in place, but only for communication that is initiated from VPC1-Shared instances as the default peering bi-directional communication flag has been disabled.
B. Instances within VPC-Dept1 can communicate directly with instances in VPC-Shared, as long as the appropriate routes and security groups are in place, and vice versa regardless of who initiates communication
C. All network communication remains blocked between all VPCs until the respective peering bidirectional communication flags are set to the appropriate setting that allows traffic to flow.
D. Network traffic is possible between VPC-Shared instances and VPC-Dept1 and VPC-Dept2 instances as long as the appropriate routes and security groups are in place, but only for communication that is initiated from VPC1-Shared instances as the default peering bi-directional communication flag has been enabled.

Answer: B

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonVPC/latest/PeeringGuide/peering-configurations-partialaccess. html#one-to-two-vpcs-instances

NEW QUESTION 3
The IPsec protocol suite is made up of various components covering aspects such as confidentiality, encryption, and integrity. Select the correct statement below regarding the correct configuration options for ensure IPsec confidentiality:

A. The following protocols may be used to configure IPsec confidentiality, DES, 3DES, MD5
B. The following protocols may be used to configure IPsec confidentiality, DES, 3DES, AES
C. The following protocols may be used to configure IPsec confidentiality, PSK, RSA
D. The following protocols may be used to configure IPsec confidentiality, PSK, MD5
E. The following protocols may be used to configure IPsec confidentiality, PSK, RSA

Answer: B

Explanation:
 Reference:
https://en.wikipedia.org/wiki/IPsec

NEW QUESTION 4
Which of the following statements does not describe Jumbo Frames in an AWS VPC environment?

A. For instances that are collocated inside a placement group, jumbo frames help to achieve the maximum network throughput possible
B. Jumbo Frames are not supported for traffic that exits the Virtual Private Gateway
C. Jumbo Frames are not supported for traffic that exits the Internet Gateway
D. T2.micro instances do not support Jumbo Frames

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/network_mtu.html

NEW QUESTION 5
Within the TCP/IP model what is the name of the Packet Data Unit (PDU) used between Transport Layers for communication between sender and receiver

A. Frames
B. Packets
C. Data
D. Segments

Answer: D

Explanation:

Reference:
https://en.wikipedia.org/wiki/Transmission_Control_Protocol

NEW QUESTION 6
Which statement is NOT true about accessing remote AWS region in the US by your AWS Direct Connect which is located in the US?

A. To connect to a VPC in a remote region, you can use a virtual private network (VPN) connection over your public virtual interface.
B. To access public resources in a remote region, you must set up a public virtual interface and establish a border gateway protocol (BGP) session.
C. If you have a public virtual interface and established a BGP session to it, your router learns the routes of the other AWS regions in the US.
D. Any data transfer out of a remote region is billed at the location of your AWS Direct Connect data transfer rate.

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/remote_regions.html

NEW QUESTION 7
True or false: A VPC contains multiple subnets, where each subnet can span multiple Availability Zones.

A. This is true only for US regions.
B. This is false.
C. This is true.
D. This is true only if requested during the set-up of VP

Answer: B

Explanation:
 Reference:
https://aws.amazon.com/vpc/faqs/

NEW QUESTION 8
Over which of the following Ethernet standards does AWS Direct Connect link your internal network to an AWS Direct Connect location?

A. Copper backplane cable
B. Twisted pair cable
C. Single mode fiber-optic cable
D. Shielded balanced copper cable

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/Welcome.html

NEW QUESTION 9
Fill in the blanks: One of the basic characteristics of security groups for your VPC is that you _____ .

A. can specify allow rules, but not deny rules
B. can specify deny rules, but not allow rules
C. can specify allow rules as well as deny rules
D. can neither specify allow rules nor deny rules

Answer: A

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_SecurityGroups.html

NEW QUESTION 10
In AWS Direct Connect, to provide for failover, AWS recommends that you request and configure two dedicated connections to AWS.
These connections can terminate on one or two routers in your network. You can do this while _____ with AWS Direct Connect step.

A. creating a Virtual Interface
B. configuring redundant connections
C. completing the cross-connect
D. verifying your Virtual Interface

Answer: B

Explanation:
 Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#RedundantConnectio ns

NEW QUESTION 10
To get started using AWS Direct Connect, in which of the following steps do you configure Border Gateway Protocol (BGP)?

A. Complete the Cross Connect
B. Verify your Virtual Interface
C. Create a Virtual Interface
D. Submit AWS Direct Connect Connection Request

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#createvirtualinterfac

NEW QUESTION 12
Imagine you are using AWS Direct Connect with just one connection from your router to the AWS Direct Connect router. If your connection becomes unavailable, the communication with AWS cloud is lost. What is the best method to prevent this from happening?

A. AWS Direct Connect neither provides BGP nor provides the failover.
B. AWS Direct Connect recommends to have the same configuration set up in a multi AZ zone to prevent such loss in connections.
C. AWS Direct Connect recommends that you request and configure two dedicated connections to AWS either using BGP Multipath (Active/Active) connection or the failover (Active/Passive) connection.
D. AWS Direct connect does not have a provision to prevent the situation but when you design the system, it is recommended to request a back-up instance to which the traffic can be re-routed.

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#RedundantConnectio ns

NEW QUESTION 17
After setting an AWS Direct Connect, which of the following cannot be done with an AWS Direct Connect Virtual Interface?

A. You can delete a virtual interface; if its connection has no other virtual interfaces, you can delete the connection.
B. You can change the region of your virtual interface.
C. You can create a hosted virtual interface.
D. You can exchange traffic between the two ports in the same region connecting to different Virtual Private Gateways (VGWs) if you have more than one virtual interface.

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/WorkingWithVirtualInterfaces.html

NEW QUESTION 18
In the context of CloudFront RTMP Distribution, the Adobe Flash Media Server _____ file specifies which domains can access media files in a particular domain.

A. accessdomain.JSON
B. crossdomain.xml
C. accessdomain.xml
D. crossdomain.JSON

Answer: B

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Streaming_CrossDomain.h tml

NEW QUESTION 23
In Amazon CloudFront, you cannot configure CloudFront to process cookies for _____.

A. HTTPS web distributions
B. Web and RTMP distributions
C. RTMP distributions
D. HTTP web distributions

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html

NEW QUESTION 25
For _____ distributions, CloudFront does not cache cookies in edge caches.

A. AMI
B. Web
C. RTMP

D. Web and RTMP

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html

NEW QUESTION 30
What is the maximum size of a response body that Amazon CloudFront will return to the viewer?

A. Unlimited
B. 5 GB
C. 100 MB
D. 20 GB

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/RequestAndResponseBeha viorS3Origin.html#ResponseBehaviorS3Origin

NEW QUESTION 34
Which of the following does not configure Amazon CloudFront cache behaviors to forward cookies to an origin for web distributions?

A. Origin server
B. AWS CLI
C. Amazon EMR
D. Amazon S3

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html

NEW QUESTION 38
In Amazon CloudFront, while creating a web distribution, which of the following can be used as origin servers?

A. Any combination AWS Glacier archives and Oracle server
B. Any combination of Amazon DB intances and XML servers
C. Any combination of Amazon S3 buckets and HTTP servers
D. Any combination of Amazon Data Insights and PHP servers

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/distribution-webcreating. html

NEW QUESTION 43
In Amazon CloudFront, to link to your objects, if your domain name is d111111abcdef8.cloudfront.net and your object is image.jpg, then the URL for the link in your webpage will be _____.

A. http://d111111abcdef8.cloudfront.net/images/image.jpg
B. http://d111111abcdef8.dns/images/image.jpg
C. http://d111111abcdef8.dns/image.jpg
D. http://d111111abcdef8.cloudfront.net/image.jpg

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/GettingStarted.html

NEW QUESTION 44
Which service is used by default to store the CloudTrail log files?

A. Elastic Block Store (EBS)
B. Redshift
C. Simple Storage Service (S3)
D. Glacier

Answer: C

Explanation:
 Reference:

http://docs.aws.amazon.com/awscloudtrail/latest/userguide/cloudtrail-working-with-log-files.html

NEW QUESTION 48
In AWS, which service provides a reliable and inexpensive way to backup and archive CloudTrail log files?

A. Amazon Archiver
B. Amazon Glacier
C. AWS Storage Gateway
D. Amazon Elastic Block Store

Answer: B

Explanation:
 Reference:
https://aws.amazon.com/cloudtrail/faqs/

NEW QUESTION 53
Which of the following statements is true of AWS Elastic Beanstalk?

A. AWS Elastic Beanstalk uses CloudWatch for monitoring and alarms, meaning CloudWatch costs are applied to your AWS account for any alarms that you use.
B. AWS Elastic Beanstalk uses CloudWatch for monitoring and alarms, and both are free of charge.
C. AWS Elastic Beanstalk doesn't use CloudWatch for monitoring and alarms, but you pay extra for any AWS Elastic Beanstalk Alarm you set in the monitoring tool.
D. AWS Elastic Beanstalk has its own free-of-charge monitoring tool, and you are not charged for the alarm you set.

Answer: A

Explanation:
 Reference:
http://docs.aws.amazon.com/elasticbeanstalk/latest/dg/using-features.alarms.html

NEW QUESTION 55
Which of the following services is used to send an alert from CloudWatch?

A. AWS SNS
B. AWS EBS
C. AWS SES
D. AWS SQS

Answer: A

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/related_services.html

NEW QUESTION 56
To determine whether a log file was modified, deleted, or unchanged after CloudTrail delivered it, you can use _____.

A. trusted signers
B. optimistic locking
C. integrity validation
D. root credentialing

Answer: C

Explanation:
 Reference:
https://aws.amazon.com/cloudtrail/

NEW QUESTION 57
What does the term "statistics" mean with respect to CloudWatch metrics?

A. Time of a metric collection
B. Data aggregation over a specific period of time
C. Status of a metric
D. Unit of a metric

Answer: B

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/cloudwatch_concepts.ht ml#Statistic

NEW QUESTION 62
You can turn on the AWS Config service from the AWS CLI by running the subscribe command and passing as parameters a valid IAM role, SNS topic, and _____.

A. EBS volume
B. EC2 instance
C. S3 bucket
D. Kinesis stream

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/gs-cli-subscribe.html

NEW QUESTION 64
You would like to automate the monitoring of changes in the configurations of your AWS resources and respond programmatically to configurations of only a certain type. To do this, you could use Amazon _____ as the endpoint for the Amazon SNS topics that generate messages from AWS Config.

A. Kinesis
B. Simple Email Service (SES)
C. Simple Storage Service (S3)
D. Simple Queue Service (SQS)

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/monitor-resource-changes.html

NEW QUESTION 65
When an AWS Config rule is triggered a JSON object known as an AWS Config Event is created. This object contains another JSON string in its _____ parameter, which describes the event that
triggered the rule.

A. resultToken
B. eventLeftScope
C. invokingEvent
D. configRuleName

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_ example-events.html

NEW QUESTION 68
An AWS Config rule can be set to be evaluated if a certain set of resources undergoes a configuration change. The set of resources to which the rule applies can be restricted by the rule's _____ , which can include a combination of a resource type and a resource ID, for example.

A. trigger
B. domain
C. manifest
D. scope

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config-rules.html

NEW QUESTION 71
Which other AWS service is used to track 'Related Events' within the Configuration Item?

A. AWS WAF
B. SQS
C. AWS CloudTrail
D. S3

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/resource-config-reference.html#configitem- table

NEW QUESTION 72
Which AWS service is used within an AWS Config Rule to perform the logic evaluation of that rule?

A. Inspector
B. WAF
C. Lambda

D. SWF

Answer: C

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_develop-rules_nodejssample. html

NEW QUESTION 74
Each custom AWS Config rule you create must be associated with a(n) AWS _____ , which contains the logic that evaluates whether your AWS resources comply with the rule.

A. Lambda function
B. Configuration trigger
C. EC2 instance
D. S3 bucket

Answer: A

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_develop-rules.html

NEW QUESTION 77
You would like to ensure that all Amazon S3 buckets going forward, current and newly created ones, have logging enabled. What type of trigger(s) should you use?

A. only a periodic trigger
B. only a configuration change trigger
C. both configuration change and periodic triggers
D. only a transitioning trigger

Answer: B

Explanation:
 Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config-rules.html

NEW QUESTION 81
A user is running a batch process on EBS backed EC2 instances. The batch process launches few EC2 instances to process hadoop Map reduce jobs which can run between 50 – 600 minutes or
sometimes for even more time. The user wants a configuration that can terminate the instance only when the process is completed. How can the user configure this with CloudWatch?

A. Configure a job which terminates all instances after 600 minutes
B. It is not possible to terminate instances automatically
C. Set up the CloudWatch with Auto Scaling to terminate all the instances
D. Configure the CloudWatch action to terminate the instance when the CPU utilization falls below 5%

Answer: D

Explanation:
 Reference:
http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/UsingAlarmActions.html

NEW QUESTION 86
......

Relate Links

100% Pass Your AWS-Certified-Advanced-Networking-Specialty Exam with Exambible Prep Materials

https://www.exambible.com/AWS-Certified-Advanced-Networking-Specialty-exam/

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - https://www.exambible.com/