Fortinet

Exam Questions NSE7_SDW-7.0

Fortinet NSE 7 - SD-WAN 7.0

NEW QUESTION 1
Refer to the exhibit.

```
config system virtual-wan-link
    set status enable
    set load-balance-mode source-ip-based
    config members
        edit 1
                set interface "port1"
                set gateway 100.64.1.254
                set source 100.64.1.1
                set cost 15
        next
        edit 2
                set interface "port2"
                set gateway 100.64.2.254
                set priority 10
        next
    end
end
```

Based on the output shown in the exhibit, which two criteria on the SD-WAN member configuration can be used to select an outgoing interface in an SD-WAN rule? (Choose two.)

A. Set priority 10.
B. Set cost 15.
C. Set load-balance-mode source-ip-ip-based.
D. Set source 100.64.1.1.

Answer: AB

NEW QUESTION 2
Refer to the exhibit, which shows the IPsec phase 1 configuration of a spoke.

```
config vpn ipsec phase1-interface
    edit "T_INET_0_0"
        set interface "port1"
        set ike-version 2
        set keylife 28800
        set peertype any
        set net-device disable
        set proposal aes128-sha256 aes256-sha256 aes128gcm-prfsha256 aes256gcm-prfsha384
chacha20poly1305-prfsha256
        set comments "[created by FMG VPN Manager]"
        set idle-timeout enable
        set idle-timeoutinterval 5
        set auto-discovery-receiver enable
        set remote-gw 100.64.1.1
        set psksecret ENC
6D5rVsaK1MeAyVYt1z95BS24Psew761wY023hnFVviwb6deItSc51tCa+iNYhujT8gycfD4+WuszpmuIv8rRzrVh
7DFkHaW2auAAprQ0dHUfaCzjOhME7mPw+8he2xB7Edb9ku/nZEHb0cKLkKYJc/p9J9IMweV21ZUgFjvIpXNxHxpH
LReOFShoH01SPFKz5IYCVA==
    next
end
```

What must you configure on the IPsec phase 1 configuration for ADVPN to work with SD-WAN?

A. You must set ike-version to 1.
B. You must enable net-device.
C. You must enable auto-discovery-sender.
D. You must disable idle-timeout.

Answer: B

NEW QUESTION 3
Which two performance SLA protocols enable you to verify that the server response contains a specific value? (Choose two.)

A. http
B. icmp
C. twamp
D. dns

Answer: AD

NEW QUESTION 4
Which CLI command do you use to perform real-time troubleshooting for ADVPN negotiation?

A. get router info routing-table all
B. diagnose debug application ike
C. diagnose vpn tunnel list

D. get ipsec tunnel list

Answer: B

NEW QUESTION 5
Refer to the exhibits.
Exhibit A

```
branch1_fgt (3) # show
config service
    edit 3
        set name "Corp"
        set mode sla
        set dst "Corp-net"
        set src "LAN-net"
        config sla
            edit "VPN_PING"
                set id 1
            next
            edit "VPN_HTTP"
                set id 1
            next
        end
        set priority-members 3 4 5
        set gateway enable
    next
end
```

Exhibit B

```
branch1_fgt # diagnose sys sdwan service 3

Service(3): Address Mode(IPV4) flags=0x200 use-shortcut-sla
  Gen(1), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(sla), sla-compare-order
  Members(2):
    1: Seq_num(5 T_MPLS_0), alive, sla(0x3), gid(0), cfg_order(2), cost(0), selected
    2: Seq_num(4 T_INET_1_0), alive, sla(0x1), gid(0), cfg_order(1), cost(0), selected
    3: Seq_num(3 T_INET_0_0), alive, sla(0x0), gid(0), cfg_order(0), cost(0), selected
  Src address(1):
        10.0.1.0-10.0.1.255

  Dst address(1):
        10.0.0.0-10.255.255.255


branch1_fgt # get router info routing-table all | grep T_
S       10.0.0.0/8 [1/0] via T_INET_0_0 tunnel 100.64.1.1
                   [1/0] via T_INET_1_0 tunnel 100.64.1.9
S       10.201.1.254/32 [15/0] via T_INET_0_0 tunnel 100.64.1.1
S       10.202.1.254/32 [15/0] via T_INET_1_0 tunnel 100.64.1.9
S       10.203.1.254/32 [15/0] via T_MPLS_0 tunnel 172.16.1.5


branch1_fgt # diagnose sys sdwan member | grep T_
Member(3): interface: T_INET_0_0, flags=0x4 , gateway: 100.64.1.1,  peer: 10.201.1.254,
priority: 0 1024, weight: 0
Member(4): interface: T_INET_1_0, flags=0x4 , gateway: 100.64.1.9,  peer: 10.202.1.254,
priority: 0 1024, weight: 0
Member(5): interface: T_MPLS_0, flags=0x4 , gateway: 172.16.1.5,  peer: 10.203.1.254,
priority: 0 1024, weight: 0
```

Exhibit A shows the configuration for an SD-WAN rule and exhibit B shows the respective rule status, the routing table, and the member status.
The administrator wants to understand the expected behavior for traffic matching the SD-WAN rule. Based on the exhibits, what can the administrator expect for traffic matching the SD-WAN rule?

A. The traffic will be load balanced across all three overlays.
B. The traffic will be routed over T_INET_0_0.
C. The traffic will be routed over T_MPLS_0.
D. The traffic will be routed over T_INET_1_0.

Answer: C

NEW QUESTION 6
Which best describes the SD-WAN traffic shaping mode that bases itself on a percentage of available
bandwidth?

A. Interface-based shaping mode
B. Reverse-policy shaping mode
C. Shared-policy shaping mode
D. Per-IP shaping mode

Answer: A

Explanation:
Interface-based shaping goes further, enabling traffic controls based on percentage of the interface bandwidth.

NEW QUESTION 7
What are two reasons why FortiGate would be unable to complete the zero-touch provisioning process? (Choose two.)

A. The FortiGate cloud key has not been added to the FortiGate cloud portal.
B. FortiDeploy has connected with FortiGate and provided the initial configuration to contact FortiManager
C. The zero-touch provisioning process has completed internally, behind FortiGate.
D. FortiGate has obtained a configuration from the platform template in FortiGate cloud.
E. A factory reset performed on FortiGate.

Answer: AC

NEW QUESTION 8
Which two protocols in the IPsec suite are most used for authentication and encryption? (Choose two.)

A. Encapsulating Security Payload (ESP)
B. Secure Shell (SSH)
C. Internet Key Exchange (IKE)
D. Security Association (SA)

Answer: AC

NEW QUESTION 9
Which two settings can you configure to speed up routing convergence in BGP? (Choose two.)

A. update-source
B. set-route-tag
C. holdtime-timer
D. link-down-failover

Answer: CD

NEW QUESTION 10
Refer to the exhibits.
Exhibit A

Exhibit B

```
dc1_fgt # show system global
config system global
    set admin-https-redirect disable
    set admintimeout 480
    set alias "FortiGate-VM64"
    set hostname "dc1_fgt"
    set timezone 04
end

dc1_fgt # show system settings
config system settings
    set tcp-session-without-syn enable
    set allow-subnet-overlap enable
    set gui-allow-unnamed-policy enable
    set gui-multiple-interface-policy enable
end
```

Exhibit A shows a site-to-site topology between two FortiGate devices: branch1_fgt and dc1_fgt. Exhibit B shows the system global and system settings configuration on dc1_fgt.

When branch1_client establishes a connection to dc1_host, the administrator observes that, on dc1_fgt, the reply traffic is routed over T_INET_0_0, even though T_INET_1_0 is the preferred member in the matching SD-WAN rule.

Based on the information shown in the exhibits, what configuration change must be made on dc1_fgt so dc1_fgt routes the reply traffic over T_INET_1_0?

A. Enable auxiliary-session under config system settings.
B. Disable tp-session-without-syn under config system settings.
C. Enable snat-route-change under config system global.
D. Disable allow-subnet-overlap under config system settings.

Answer: A

Explanation:
Controlling return path with auxiliary session When multiple incoming or outgoing interfaces are used in ECMP or for load balancing, changes to routing, incoming, or return traffic interfaces impacts how an existing sessions handles the traffic. Auxiliary sessions can be used to handle these changes to traffic patterns.https://docs.fortinet.com/document/fortigate/7.0.11/administration-guide/14295/controlling-return-path

NEW QUESTION 10
Which are three key routing principles in SD-WAN? (Choose three.)

A. FortiGate performs route lookups for new sessions only.
B. Regular policy routes have precedence over SD-WAN rules.
C. SD-WAN rules have precedence over ISDB routes.
D. By default, SD-WAN members are skipped if they do not have a valid route to the destination.
E. By default, SD-WAN rules are skipped if the best route to the destination is not an SD-WAN member.

Answer: BDE

NEW QUESTION 12
......

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

NSE7_SDW-7.0 Practice Exam Features:

* NSE7_SDW-7.0 Questions and Answers Updated Frequently

* NSE7_SDW-7.0 Practice Questions Verified by Expert Senior Certified Staff

* NSE7_SDW-7.0 Most Realistic Questions that Guarantee you a Pass on Your FirstTry

* NSE7_SDW-7.0 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The NSE7_SDW-7.0 Practice Test Here](https://www.surepassexam.com/NSE7_SDW-7.0-exam-dumps.html)