

Exam Questions PL-100

Microsoft Power Platform App Maker

<https://www.2passeasy.com/dumps/PL-100/>



NEW QUESTION 1

- (Exam Topic 1)

You need to create a flow for sending required emails to the regional manager.

How should you create the flow? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Option	Type
Flow type to use	<div> <div></div> <div>▼</div> </div> <div> <div>Instant</div> <div>Automated</div> <div>Business Process</div> <div>Scheduled</div> </div>
Trigger to start flow	<div> <div></div> <div>▼</div> </div> <div> <div>HTTP Webhook</div> <div>Power Apps</div> <div>Common Data Service when a record is created</div> <div>Office 365 Outlook Send an email</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Business Process

Scenario: If a sales representative submits a status report and assigns the At Risk status to a process, the app must prompt the sales representative to enter a detailed description for the risk. This information must be emailed to the regional manager.

Business process flows provide a guide for people to get work done. They provide a streamlined user experience that leads people through the processes their organization has defined for interactions that need to be advanced to a conclusion of some kind. This user experience can be tailored so that people with different security roles can have an experience that best suits the work they do.

Box 2: Common Data Service when a record is created

The Microsoft Dataverse (Common Data Service) connector provides the following triggers to help you define when your flows start:

- > When a row is created, updated, or deleted
- > When an action is performed
- > When a flow step is run from a business process flow Reference:

<https://docs.microsoft.com/en-us/power-automate/flow-types> <https://docs.microsoft.com/en-us/power-automate/dataverse/overview>

NEW QUESTION 2

- (Exam Topic 1)

You need to provide the app to Tailwind Traders. What should you do?

- A. Within Managed Properties, set the value of the Allow customizations option to tru
- B. Export the app as a managed solution.
- C. Use the Share App feature.
- D. Within Managed Properties, set the value of the Allow customizations option to fals
- E. Export the app as a managed solution.
- F. Within Managed Properties, set the value of the Allow customizations option to fals
- G. Export the app as an unmanaged solution.

Answer: C

Explanation:

Scenario: The completed app and all supporting components must be provided to Tailwind Traders. Tailwind Traders must not be able to make changes to any of the components.

Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited. Deleting the Managed Solution will remove all its customisations as well as data contained. Managed Solutions become read only once deployed so they cannot be manipulated.

Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>

NEW QUESTION 3

- (Exam Topic 1)

You need to modify the app design to meet the accessibility needs of the sales associates.

Which properties should you configure? To answer, drag the appropriate properties to the correct restrictions. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Properties	Restriction	Property
TabIndex		
DisplayMode	Design for User2	
AccessibleLabel	Design for User3	
Tooltip		

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: AccessibleLabel

Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines.

User2 is visually impaired and cannot see images. AccessibleLabel is a label for screen readers.

An empty value for Image, Icon, and Shape controls will hide the controls from screen reader users. Box 2: TabIndex

User3 is unable to use a mouse.

TabIndex determines if the control participates in keyboard navigation.

Keyboard navigation is an important aspect of any app. For many, the keyboard is more efficient than using touch or a mouse. The navigation order should:

Mirror what is seen visually.

Only have a tab stop at controls that are interactive.

Follow either an intuitive across and then down "Z" order or a down and then across "reverse-N" order.

NEW QUESTION 4

- (Exam Topic 1)

You need to configure the app to meet the requirements.

Which object properties should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Property
Provide a visual indicator when the app is offline.	<div><div></div><div>Visible</div><div>OnSelect</div><div>DisplayMode</div><div>Fill</div></div>
Store data when the app is offline.	<div><div></div><div>OnSelect</div><div>LoadData</div><div>SubmitForm</div><div>Now</div></div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Fill

Scenario: You must display a visual indicator in the app so that sales representatives know whether the app is offline before submitting reports.

Fill – The background color of a control. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-screen> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION 5

- (Exam Topic 1)

You need to create the mobile app. Which type of app should you create?

- A. model-driven app
B. portal app
C. Microsoft 365 web app
D. canvas app

Answer: D

Explanation:

An accessible canvas app will allow users with vision, hearing, and other impairments to successfully use the app. In addition to being a requirement for many governments and organizations, following the below guidelines increases usability for all users, regardless of their abilities.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessible-apps>

NEW QUESTION 6

- (Exam Topic 2)

You need to connect to the data source for the Job Setup app. What should you do?

- A. Configure a scheduled synchronization with the Common Data Service database
- B. Configure SQL Server database permissions
- C. Create a stored procedure that retrieves time records for a specific employee
- D. Configure an on-premises data gateway

Answer: D

Explanation:

Scenario: The Job Setup entity must store its data in the existing on-premises SQL Server instance.

The on-premises data gateway acts as a bridge to provide quick and secure data transfer between onpremises data (data that isn't in the cloud) and several Microsoft cloud services. These cloud services include Power BI, Power Apps, Power Automate, Azure Analysis Services, and Azure Logic Apps. By using a gateway, organizations can keep databases and other data sources on their on-premises networks, yet securely use that on-premises data in cloud services.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/gateway-reference>

NEW QUESTION 7

- (Exam Topic 2)

You need to meet the requirement for the time tracking app.

Which controls should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Solution
Automatically record the duration of work when a job number is read.	<div><div></div><div>Card</div><div>Rating</div><div>Slider</div><div>Timer</div></div>
Read the employee's number into the app.	<div><div></div><div>Barcode-scanner</div><div>Card</div><div>Image</div><div>Shape</div></div>
Display a photo of an employee when the employee badge is read.	<div><div></div><div>Camera</div><div>Card</div><div>Icon</div><div>Image</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Timer

A Timer control in Power Apps is a control that can determine how your app responds after a certain amount of time passes.

Box 2: Barcode scanner

The Barcode scanner control for canvas apps scans barcodes, QR codes, and data-matrix codes on an Android or iOS device.

Box 3: Image

Image control in Power Apps is a control that shows an image from, for example, a local file or a data source. If you add one or more Image controls to your app, you can show individual images that aren't part of a data set, or you can incorporate images from records in data sources.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-new-barcode-scanner> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-image>

NEW QUESTION 8

- (Exam Topic 2)

You need to resolve the issues found during testing.

Which option should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Issue	Option
Testers see all time entries.	<div>▼</div> <div>Hierarchical security</div> <div>Security group</div> <div>Security role</div>
Testers are able to edit existing time entries.	<div>▼</div> <div>Control property</div> <div>Field-level security</div> <div>Security role</div>
Managers cannot see required information.	<div>▼</div> <div>Access team template</div> <div>Field-level security</div> <div>Hierarchical security</div>

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Security role

Scenario: Employees must only be able to access their own time tracking records from the app. Testers report that they can see time entries in the Time Tracker app, not just their own.

Box 2: Field-level security

Scenario: Employees must only be able to modify time records for the current and previous day. Testers report that they can edit any existing time entries.

Box 3: Hierarchical security

You use field security tables to apply field-level security, which restricts field access to specified users and teams.

NEW QUESTION 9

- (Exam Topic 2)

You need to implement logic in the app for lost sales. What should you do?

- A. Create a business process flow.
 B. Define a business rule for the Sales Log edit form.
 C. Set the required field property of the Won/Lost field to Required.
 D. Create a formula for the Description field that uses the Update function.

Answer: B

Explanation:

Scenario: Requests for quotes are currently stored in a Sales Log workbook. The workbook includes the following information:

➤ Status of the Request for Quote (RFQ) with the values of Won, Lost, No Bid, and Cancelled Salespeople often do not set status of RFQs in the Sales Log to Won when a sale is closed and the customer purchase order is received.

You can create business rules and recommendations to apply logic and validations without writing code or creating plug-ins. Business rules provide a simple interface to implement and maintain fast-changing and commonly used rules.

Business rules defined for an entity apply to both canvas apps and model-driven apps if the entity is used in the app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 10

- (Exam Topic 2)

You need to resolve the user's issue with the time tracking app.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a component to the time tracking screen for tracking total time.
 B. Create a new component inside of the component library for the time tracking app.
 C. Upload the component to AppSource.
 D. Add the Total Time field to the screen and set the value of the field property to Rollup

Answer: AB

Explanation:

Scenario Issue: Users want to be able to see their weekly total time entered from all screens.

A component library provides a centralized and managed repository of components for reusability. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 10

- (Exam Topic 3)

HOTSPOT

A company is building several Power Apps apps to help with sales operations collaboration. You need to identify the right solution for data storage.

Which solution should you use? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<div>Microsoft Dataverse for Teams</div> <div>Microsoft Dataverse</div> <div>Microsoft Dataverse for Teams</div>
Allows for advanced development tasks for apps specific to Microsoft Teams.	<div>Microsoft Dataverse</div> <div>Microsoft Dataverse</div> <div>Microsoft Dataverse for Teams</div>
Has the most granular level of security to account for column-level security in Microsoft Teams.	<div>Microsoft Dataverse</div> <div>Microsoft Dataverse</div> <div>Microsoft Dataverse for Teams</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<div>Microsoft Dataverse for Teams</div> <div>Microsoft Dataverse</div> <div>Microsoft Dataverse for Teams</div>
Allows for advanced development tasks for apps specific to Microsoft Teams.	<div>Microsoft Dataverse</div> <div>Microsoft Dataverse</div> <div>Microsoft Dataverse for Teams</div>
Has the most granular level of security to account for column-level security in Microsoft Teams.	<div>Microsoft Dataverse</div> <div>Microsoft Dataverse</div> <div>Microsoft Dataverse for Teams</div>

NEW QUESTION 14

- (Exam Topic 3)


You create an automated flow by using Power Automate. The flow appears under My Flows and is connected to the development environment. The development environment has a solution to move components into a production environment. You need to ensure that you can transfer the flow to another environment. What should you do?

- A. Add the flow to the default solution of the development environment and export as a managed solution.
- B. Change the environment for the flow.
- C. Add the flow to the existing solution.
- D. Add the flow to the default solution of the production environment.

Answer: A

Explanation:

It is very normal for a developer to build the power automate in one environment and then export that automate & import it to another destination environment. Exporting our Solution
After validating our flows work in our test environment, we now want to promote it to our production environment. We can export our solution by finding it in our Solutions experience, clicking on the ..., selecting Export.
Graphical user interface, application, Teams Description automatically generated



Reference:
<https://flow.microsoft.com/en-us/blog/solutions-in-microsoft-flow/>

NEW QUESTION 17

- (Exam Topic 3)

You are creating a canvas app.

You need to display a limited list of choices to the end user. You must standardize the values and appearance of the list across all forms.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a drop-down field in the app
- B. Create a Global Option Set
- C. Add a new business rule
- D. Add a component to the component library

Answer: AB

Explanation:

A global Option Set can be shared across entities. Reference:

<https://powerapps.microsoft.com/en-us/blog/option-sets-and-many-to-many-relationships-for-canvas-apps/>

NEW QUESTION 19

- (Exam Topic 3)

You need to store a list of products and their colors. You have a Power Apps app that includes the following elements:

- a text box for the product name
- a drop-down list for the product color
- a button to add a product to the list
- a status message that shows whether the addition of a product to the list was successful

The button uses the following formula:

```
Collect(
colProductList,
{
Product: txtProductName.Text, Color: drpColors.Selected.Value
}
);
Set(
vStatusMessage, "Added '" & txtProductName.Text & "'"
);
timStatusMessage.Start;
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You must explicitly declare the collection before you can add product names and colors to the collection.	<input type="radio"/>	<input type="radio"/>
The formula stores the product name and the color in a collection.	<input type="radio"/>	<input type="radio"/>
vStatusMessage is a context variable that is used to store the status message.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: No

The Collect function adds records to a data source. If the data source doesn't already exist, a collection is created.

Box 2: Yes

Box 3: No

Use the Set function to set the value of a global variable, which temporarily holds a piece of information, such as the number of times the user has selected a button or the result of a data operation.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-clear-collect-clearcollect> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-set>

NEW QUESTION 24

- (Exam Topic 3)

HOTSPOT

A company uses Power Apps and Microsoft Data verse. You need to perform the following activities:

* Create a model-driven app.

* Design navigation for the app
* Show an approval name field on the form if the amount is greater than \$1,000.
Which features should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Activity	Feature
Create model driven app.	<div>App designer</div> <div>App designer</div> <div>Solution checker</div> <div>App checker</div>
Design app navigation.	<div>Site map</div> <div>Site map</div> <div>Solutions area</div> <div>Table designer</div>
Show approval name field if amount > \$1,000.	<div>Table designer</div> <div>Form designer</div> <div>Table designer</div> <div>Business rule designer</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Activity	Feature
Create model driven app.	<div>App designer</div> <div>App designer</div> <div>Solution checker</div> <div>App checker</div>
Design app navigation.	<div>Site map</div> <div>Site map</div> <div>Solutions area</div> <div>Table designer</div>
Show approval name field if amount > \$1,000.	<div>Table designer</div> <div>Form designer</div> <div>Table designer</div> <div>Business rule designer</div>

NEW QUESTION 28

- (Exam Topic 3)

You are a technical assistant for a legal services organization. The company uses SharePoint to manage documents and Microsoft Dataverse as the data store. The company has strict rules about access, permissions, and privacy. Lawyers and paralegals use Microsoft Teams for communications and collaboration. Employees use personal devices to access legal files. You do not have access to the admin area in Microsoft Power Platform. You need to ensure that these rules are observed consistently and managed in one place. Which type of app should you create? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Requirement	App type
Access client billing details	<div></div> <div>Canvas app in Microsoft Teams</div> <div>Canvas app in SharePoint</div> <div>Model-driven app in SharePoint</div> <div>Model-driven app in Microsoft Teams</div>
Log phone calls and schedule appointments with clients and the team assigned to them	<div></div> <div>Dynamics 365 App for Outlook</div> <div>Microsoft Teams calendar</div> <div>SharePoint calendar</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Model-driven app in Microsoft Teams

A user's ability to see and use apps is controlled by sharing the application with the user. Sharing of canvas apps is done directly with a user or Azure AD group but is still subject to Dataverse security roles. Sharing of model-driven apps is done via Dataverse security roles.

Box 2: Sharepoint Calendar Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/database-security>

NEW QUESTION 31

- (Exam Topic 3)

DRAG DROP

A company uses Microsoft Power Platform. Users create charts based on specific needs in the production environment. Users cannot create system charts in production.

You create a solution in a development environment. You rebuild personal charts of the users inside the solution. All charts must appear on one page.

You need to create a single page that includes all charts without switching to classic.

Which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create a new dashboard.

Open the solution in the Maker portal.

Add the charts to the dashboard.

Create a new interactive experience dashboard.

>

<

Answer Area

^

v

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Create a new dashboard.

Open the solution in the Maker portal.

Add the charts to the dashboard.

Create a new interactive experience dashboard.

>

<

Answer Area

Open the solution in the Maker portal.

Add the charts to the dashboard.

Create a new interactive experience dashboard.

^

v

NEW QUESTION 35

- (Exam Topic 3)

You create a Power Platform solution. Solution data is stored in a variety of documented cloud services. You must also be able to connect to one or more industry data sources.

You need to configure the data sources. What should you do?

- A. Create a business process flow.
- B. Create a data policy template.
- C. Create a UI flow.
- D. Use an existing data connector.

Answer: D

Explanation:

In Power Apps, add a data connection to an existing canvas app or to an app that you're building from scratch. Your app can connect to SharePoint, Common Data Service, Salesforce, OneDrive, or many other data sources.


Note:

Add data source


* 1. In the center pane, select connect to data to open the Data pane.

* 2. Select Add data source.


* 3. If the list of connections includes the one that you want, select it to add it to the app. Otherwise, skip to the next step.



* 4. Select New connection to display a list of connections.



* 5. In the search bar, type or paste the first few letters of the connection you want, and then select the connection when it appears.



* 6. Select Create to both create the connection and add it to your app. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/add-data-connection>

NEW QUESTION 40

- (Exam Topic 3)

DRAG DROP

A company uses Microsoft Power Platform. All users in the company have read/write and create access to SharePoint.

You create a canvas app that displays data from a SharePoint list. A group of users must use the app without the ability to change the data source.

You need to share the app with the users.

What should you do? To answer, drag the appropriate actions to the correct components. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 45

- (Exam Topic 3)


You are developing an app for a package delivery company. Delivery team members will use the app on their phones. Distribution center team members will use a web-based version of the app that runs on tablet devices.

When a delivery person arrives at a location and the package recipient is present, the app must capture the recipient's signature. If the recipient is not available, the app must capture a picture of the drop-off location or the person receiving the package.

You need to design phone-based and web-based versions of the app.

Which app type and media control should you use? To answer, configure the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

App Type: Screens

To insert the Camera control in your PowerApps program you can use the blank screen, and select Insert->Media->Camera.

Media Type: Camera

Use the Camera control to capture pictures with a device's camera. The device must have a camera and the user must authorize the app to use the camera.

Tap or select the camera control to capture a picture from the camera.

The most recently captured picture is available through the Photo property. With this property, the images can be:

- Viewed with the Image control. Use the Image control to view the captured image.

- Temporarily put in a variable or a collection.
- Stored in a database.
- Transmitted as a base64 encoded text string.

Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-camera>

NEW QUESTION 47

- (Exam Topic 3)

DRAG DROP

You develop Microsoft Power Platform solutions for Contoso, Ltd You create a Power Virtual Agents chatbot in a Microsoft Teams team. You need to make the chatbot available to all users in your organization. Which three actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Access the chatbot in the Teams app store in the Built by your colleagues category.

Publish the chatbot.

Access the chatbot in the Teams app store in the Built for Contoso category.

Submit the chatbot for admin approval.

>

<

Answer area

>

<

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions

Access the chatbot in the Teams app store in the Built by your colleagues category.

Publish the chatbot.

Access the chatbot in the Teams app store in the Built for Contoso category.

Submit the chatbot for admin approval.

>

<

Answer area

Publish the chatbot.

Access the chatbot in the Teams app store in the Built for Contoso category.

Submit the chatbot for admin approval.

>

<

NEW QUESTION 49

- (Exam Topic 3)

DRAG DROP

You are creating a Power Automate cloud flow to update a column on each Item in a list of Microsoft Dataverse records. Records are sorted in order of priority. You must use a complex expression to determine the column value. The column value must be stored in a variable to make future maintenance easier. Records must be processed based on the sorted order. You need to add flow steps to process the list of records. Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Filter the array.

Use the Apply to each loop running in parallel.

Initialize the variable.

Use the Apply to each loop running sequentially.

Set the variable.

Update the Microsoft Dataverse row.

>

<

Answer Area


>

<

- A. Mastered
B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 51

- (Exam Topic 3)

A company has an on-premises system that stores product information. The company plans to replace the information with a Power Platform solution that uses the Common Data Service.

The Power Platform solution needs to use data from the product information system. You need to transform and import the data from the product information system. Which two tools should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Dataflow
- B. Business process flow
- C. Power BI Desktop
- D. Data gateway

Answer: AD

Explanation:

The on-premises data gateway acts as a bridge to provide quick and secure data transfer between onpremises data (data that isn't in the cloud) and several Microsoft cloud services. These cloud services include Power BI, PowerApps, Power Automate, Azure Analysis Services, and Azure Logic Apps. By using a gateway, organizations can keep databases and other data sources on their on-premises networks, yet securely use that on-premises data in cloud services.

Can use the Power Platform dataflows to load entity in CDS with the option to transform data. Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-onprem> <https://nishantrana.me/2020/07/07/load-data-from-sql-on-premise-to-cds-common-data-service-using-powerplat>

NEW QUESTION 55

- (Exam Topic 3)

A company has ten sales regions. Each salesperson is assigned to one region. You create a set of five standard views that all salespeople will use.

Sales users only want to see information for their own region. Sales users must call sales leads within a week of receiving a lead.

You need to recommend a solution for sales users.

Which two actions will you recommend? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Instruct users to create personal views that filter by region.
- B. Instruct users to filter the view by region.
- C. Configure the definition for each view to sort by region.
- D. Configure the definition for each view to filter by region.

Answer: BD

NEW QUESTION 59

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents.

The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution: Create a model-driven chart on the country/region table that aggregates the total amount of the orders by country/region.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes

NEW QUESTION 60

- (Exam Topic 3)

You are developing a Power BI report for a company.

The Power BI report must display company performance metrics in Power BI service. The report must include three fields in a visualization. The data for the report exists in a dataset.

The company will display the report on a large television screen during team meetings. You need to create the report.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer and arrange them in the correct order.

Actions

Add the report to a new dashboard

Create a report

Add a visualization to the report

Create a paginated report

Select a dataset

Answer Area

>

<

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: Select a dataset

Sign in to your Power BI online account, or sign up, if you don't have an account yet. Open the Power BI service.

Get some data and open it in report view. Box 2: Create a report

Use that data to create visualizations and save it as a report. Box 3: Add a visualization to the report

Box 4: Add the report to a new dashboard

Visualizations (known as visuals for short) display insights that have been discovered in the data. A Power BI report might have a single page with one visual or it might have pages full of visuals. In the Power BI service, visuals can be pinned from reports to dashboards.

Reference:

https://docs.microsoft.com/en-us/power-bi/fundamentals/service-get-started https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-report-visualizations

NEW QUESTION 62

- (Exam Topic 3)

A company is building a Power Apps app to track key project tasks.

Users assign three tasks a risk status on a scale of 0 to 100 by using slider input controls named RiskStatus on the app. The highest risks use the risk status value of 100.

Task name	Slider input control name
Task1	RiskStatus1 [0–100]
Task2	RiskStatus2 [0–100]
Task3	RiskStatus3 [0–100]

If the combined value of all the tasks is 150 or above, a header bar on the screen must display the text HIGH RISK.

You need to configure a solution to change the text on the header bar.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Configuration

Where should you apply logic to change the text?

On the header control.

On each RiskStatus slider input.

In the global variables of the Power Apps app.

On the OnStart property of the Power Apps app.

Which formula should you use?

SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)>=150? "HIGH RISK" : ""

IF(SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)<150, "", HIGH RISK)

Updateif((RiskStatus1.value+RiskStatus2.value+RiskStatus3.value)>=150, "HIGH RISK")

UpdateContext(IF(RiskStatus1.value+RiskStatus2.value+RiskStatus3.value>=150), "HIGH RISK")

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Box 1: On each RiskStatus slider input You can change the value based on input. Box 2: Updateif(..)

Use the Updateif function to modify one or more values in one or more records that match one or more conditions. The condition can be any formula that results in a true or false and can reference columns of the data source by name. The function evaluates the condition for each record and modifies any record for which the result is true.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-formulas#change-a-value-based-> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-update-updateif>

NEW QUESTION 67

- (Exam Topic 3)

You have a model-driven app that has an entity named Marinas. You have an entity named Boats that list the boats associated with each marina.

You must add a list of boats to the Marinas form. You must also add an option for users to select different views including boat owners and marina members.

You need to embed the list of boats associated with a Marina record in the entity form.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Add a Subgrid component to a form

Select **Show related records** and then select the related entity and default view for the subgrid

Save and publish the form

Select the **Allow users to change view** option

Answer Area

>

<

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Step 1: Add a Subgrid component to a form

You add a subgrid component the same way as you add any other component.

Step 2: Select Show related records and then select the related entity and default view for the subgrid Configure a subgrid component.

Properties available to configure when using a subgrid component on a form using the form designer include:

> Show related rows

When selected, the subgrid displays only rows related to the current row that is displayed on the form.

Step 3: Select the Allow users to change view option

Configure a subgrid component.

Properties available to configure when using a subgrid component on a form using the form designer include:

> Allow users to change view

When selected, app users can change from the Default view to another view of the table selected in the Table property.

Step 4: Save and publish the form Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/form-designer-add-configure-subgrid>

NEW QUESTION 72

- (Exam Topic 3)

A production line app maker at a manufacturing company creates a canvas app that looks for available inventory in a SQL database. The production line workers use the inventory app across all work centers.

The production line workers report the following app issues from the shop floor:

> The app reports a delegation warning.

> Voice command functionality is unreliable.

You have minimal information about the issues. You are not allowed to enter the production facility.

You need to troubleshoot the issues.

How should you troubleshoot the issues? To answer, select the appropriate options in the answer area.

Issue	Action
The app reports a delegation warning.	<div>▼</div> <div>Use the LookUp function</div> <div>Check the number of items in the collection</div> <div>Check the number of dataset items</div>
Voice command functionality is unreliable.	<div>▼</div> <div>Use the App checker/Runtime feature</div> <div>Use the Advanced Tools/Monitor feature</div> <div>Use the App checker/Accessibility feature</div> <div>Use Advanced Tools/Performance feature</div>

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated

Box 1: Check the number of items in the collection

If the data in your data source exceeds 500 records and a function can't be delegated, Power Apps might not be able to retrieve all of the data, and your app may have wrong results.

Note: Delegation is where the expressiveness of Power Apps formulas meets the need to minimize data moving over the network. In short, Power Apps will delegate the processing of data to the data source, rather than moving the data to the app for processing locally.

Box 2: Use the Advanced Tools/Monitor feature

Monitor is available by default for all canvas apps. Using Monitor, you can trace events as they occur in a canvas app during the authoring experience in Power Apps Studio, or you can use Monitor to debug the published version of a canvas app.

Example: Consider the scenario where an app has been deployed, and the initial version of the app experiences performance degradation. The app also intermittently generates errors with no clear pattern. Loading data in the app succeeds most of the time, but fails sometimes.

When you check Monitor, you see data operations as expected. However, you also see several responses that have HTTP status code 429, indicating that there have been too many requests in a specific timeframe.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/delegation-overview> <https://docs.microsoft.com/en-us/powerapps/maker/monitor-canvasapps>

NEW QUESTION 77

- (Exam Topic 3)

You create an app with multiple screens.

Test users report that the size and type of gallery displayed on each screen are different. You must improve the consistency for the app screens.

You need to create a reusable gallery that displays information based on the current record. Which three actions should you perform?

NOTE: Each correct selection is worth one point.

- A. Add a gallery control
 B. Add an input property
 C. Create a component
 D. Create a form
 E. Add a screen
 F. Add an output property

Answer: ABC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/add-gallery> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component>

NEW QUESTION 80

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Category classification model.

Does the solution meet the goal?

- A. Yes
 B. No

Answer: B

Explanation:

A Category classification model categorizes text by its meaning. Reference:

<https://knowledgefrommanish.com/powerplatform/ai-builder-entity-extraction-ai-model/>

NEW QUESTION 82

- (Exam Topic 3)

A company uses Power Apps and Microsoft Dataverse. The company has a managed solution in the production environment

You make changes to the solution in the development environment. Some components are unused. The changes to the solution must be reflected in the production environment

You need to ensure that all unused components are removed. What should you do?

- A. Create a new solution
- B. Upgrade the solution.
- C. Update the solution.
- D. Patch the solution.

Answer: B

NEW QUESTION 85

- (Exam Topic 3)

You have a canvas app that uses multiple inputs for calculations.

You must use Test Studio to create automated tests and confirm that the app works as expected. You need to organize your test scenarios into a hierarchy.

In which order should you create the objects? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Test assertions

Test steps

Test suites

Test cases

Answer Area

⏪
⏩

⏴
⏵

⏴
⏵

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated with medium confidence

Step 1: Test suites

By default, a test suite and test case are created for you in Test Studio. Test suites are used to organize your test cases. An app can contain one or more test suites.

Step 2: Test cases

Depending on how you want to organize or group your tests, you can create multiple test cases in a test suite. Each case can test a specific feature or a subset of functionalities in your app.

Step 3: Test steps Step 4: Test assertions

A test case consists of test steps that contain actions. Test actions are written using Power Apps expressions that perform a task. You can use the recorder to automatically generate the test steps as you interact with your app. After you record, you can update the test case, add new steps, delete steps, and write test assertions to validate the result of your test.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-test-studio>

NEW QUESTION 87

- (Exam Topic 3)

A clothing retailer is creating a Power Virtual Agents chatbot in Microsoft Teams. The chatbot will use Microsoft Dataverse for Teams to provide sales metrics by store.

A user wants to be able to ask the chatbot to see all the sales for pants.

You need to configure the chatbot to provide sales data for pants even when a user enters the terms jeans, slacks, or trousers.

Which chatbot component should you use?

- A. Skills
- B. Tables
- C. Topics
- D. Supported languages
- E. Entities

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>

NEW QUESTION 91

- (Exam Topic 3)

HOTSPOT

A company uses Microsoft Teams and Microsoft 365. Employees use Microsoft Excel to create checklist and capture measurements. The company requires a Microsoft Power Platform app to consolidate the checklists and perform the measurements- Network connectivity may not be available when measurements are taken. You need to determine which features to use for the app. Which features should you use? To answer, select the appropriate options in the answer area NOTE: Each coned selection is worth one point.

Answer Area

Requirement	Feature
App type	<input type="checkbox"/> Model-driven app <input type="checkbox"/> Canvas app <input checked="" type="checkbox"/> Model-driven app
Data source	<input type="checkbox"/> Cloud Excel table <input type="checkbox"/> Local Excel table <input checked="" type="checkbox"/> Cloud Excel table
Offline mode	<input type="checkbox"/> Power Apps mobile <input type="checkbox"/> Field Service Mobile <input checked="" type="checkbox"/> Power Apps mobile <input type="checkbox"/> Power Apps for Windows <input type="checkbox"/> Power Apps wrap

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Feature
App type	<input type="checkbox"/> Model-driven app <input type="checkbox"/> Canvas app <input checked="" type="checkbox"/> Model-driven app
Data source	<input type="checkbox"/> Cloud Excel table <input type="checkbox"/> Local Excel table <input checked="" type="checkbox"/> Cloud Excel table
Offline mode	<input type="checkbox"/> Power Apps mobile <input type="checkbox"/> Field Service Mobile <input checked="" type="checkbox"/> Power Apps mobile <input type="checkbox"/> Power Apps for Windows <input type="checkbox"/> Power Apps wrap

NEW QUESTION 96

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

- Provision a trial environment named T1 and a sandbox environment named S1.
- Copy the production environment to T1 and S1.
- Use T1 for development and S1 for testing.

Does the solution meet the goal?

- A. Yes
 B. No

Answer: B

Explanation:

Using trial environments, companies and customers can try out new features and solutions. Do not use a trial environment for development.

A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/trial-environments> <https://docs.microsoft.com/en-us/power-platform/admin/sandbox-environments>

NEW QUESTION 99

- (Exam Topic 3)

DRAG DROP

A company uses Power Apps and Microsoft Dataverse.

The company has three solutions that you must move to a target environment:

- One solution is created for security roles. You must be able to add roles to the solution in the target environment
- One solution is created for table additions and modifications. Table structures must be updated in the solution in the target environment.
- One solution is for customizations. The custom actions must not be modified in the solution in the target environment

You need to create the solutions.

Which type of solutions should you create? To answer, drag the appropriate solutions to the correct requirements- Each solution may be used once, more than once, or not at all You may need to drag the split bar between panes or scroll to view content.

Solutions

Unmanaged

Managed

Answer Area

Requirement

Security roles

Tables

Customizations

Solution

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Solutions

Unmanaged

Managed

Answer Area

Requirement

Security roles

Tables

Customizations

Solution

Unmanaged

Unmanaged

Managed

NEW QUESTION 103

- (Exam Topic 3)

HOTSPOT

Users in your company vote on color choices for marketing materials by using the following canvas app:

Enter new color:

Marine blue

Add color

Color Options

☐ Sky blue

☒ Dark blue

☐ Marine blue

Clear Selection

Users enter color names into a text control and then select Add color to add the color to the Color options radio control. You must remove all the listed colors when a user selects Clear Selection

You need to implement the functionality.

Which Power Fx formulas should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Action

User selects **Add color.**

User selects **Clear Selection**

Power Fx formula

If(txtColor.Value <>"", Collect(ColorList, txtColor.Value))

If(txtColor.Value <>"", Collect(ColorList, txtColor.Value))

If(Value(txtColor.Text) <>"", Collect(ColorList, txtColor.Text))

If(Value(txtColor.Color) <>"", Collect(ColorList, txtColor.Color))

Revert(radioselector); ClearCollect(ColorList, txtColor.Value)

Reset(radioselector); Clear(ColorList)

Reset(radioselector); Refresh(ColorList)

Revert(radioselector); Remove(ColorList)

Revert(radioselector); ClearCollect(ColorList, txtColor.Value)

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Action	Power Fx formula
User selects Add color.	<div>If(txtColor.Value <>"", Collect(ColorList, txtColor.Value)) If(txtColor.Value <>"", Collect(ColorList, txtColor.Value)) If(Value(txtColor.Text) <>"", Collect(ColorList, txtColor.Text)) If(Value(txtColor.Color) <>"", Collect(ColorList, txtColor.Color))</div>
User selects Clear Selection	<div>Revert(radioselector); ClearCollect(ColorList, txtColor.Value) Reset(radioselector); Clear(ColorList) Reset(radioselector); Refresh(ColorList) Revert(radioselector); Remove(ColorList) Revert(radioselector); ClearCollect(ColorList, txtColor.Value)</div>

NEW QUESTION 108

- (Exam Topic 3)

DRAG DROP

You are creating a model-driven app.

You must create new components to ensure data from related records can be displayed on a record form. You need to select the component types.

Which component types should you use? To answer, drag the appropriate component types to the correct data. Each component type may be used once, more than once, or not at all. You may need to drag the spirit bar between panes or scroll to view/ content.

NOTE: Each correct selection is worth one point.

Component types	Answer Area	Data	Component type
Card form		Columns from a single record found in a lookup	
System view		List of related records	
Public view			
Quick view form			

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Component types	Answer Area	Data	Component type
Card form		Columns from a single record found in a lookup	System view
System view		List of related records	Public view
Public view			
Quick view form			

NEW QUESTION 110

- (Exam Topic 3)

DRAG DROP

A company uses Power Apps.

The company requites a canvas app that connects to the following sources:

- SharePoint list
- Microsoft 365 mailbox
- SOAP API

You need to select connector types.

Which connector types should you use' To answer, drag the appropriate connector types to the correct sources. Each connector type may be used once, more than once, or not at all You may need to drag the split bar between panes or scroll to view content.

Connector types	Answer Area	Sources	Connector type
Standard		SharePoint list	
Custom		Microsoft 365 mailbox	
		SOAP API	

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Connector types

Standard

Custom

Answer Area

SharePoint list

Microsoft 365 mailbox

SOAP API

Connector type

Standard

Standard

Custom

NEW QUESTION 115

- (Exam Topic 3)

You are creating entities in a Common Data Service database to capture sales data. You create an entity named Sales that includes the following fields:

Field	Description
SalesPerson	The name of the salesperson who made the sale
Quantity	The number of units sold
Rate	The sale price per unit
GrossAmount	A value obtained by multiplaying the Quantity times the Rate. This value is for display purposes only
DiscountAmount	An amount that a salesperson enters into the app to discount a sale
NetAmount	A value obtained by subtracting the DiscountAmount from the GrossAmount

You create a new entity that includes a field named TotalSales. The field is used to capture the aggregated sales for each salesperson.

You need to configure the fields for the entities.

Which field types should you use? To answer, drag the appropriate field types to the correct field names. Each field type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Field types

Rollup

Calculated

Simple

Answer Area

Field name	Field type
GrossAmount	Field type
DiscountAmount	Field type
TotalSales	Field type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Calculated

Calculated columns are calculated in real-time when they are retrieved. Calculated columns can be composed using different data types. For example, an Integer calculated column may reference values from Decimal or Currency columns.

Box 2: Simple

A simple column isn't defined as a calculated or rollup column. Box 3: Rollup

Because rollup columns persist in the database, they can be used for filtering or sorting just like regular columns.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 120

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

- > Provision sandbox environments named S1 and S2.
- > Copy the production environment to both S1 and S2.
- > Use S1 for development and S2 for testing.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 125

- (Exam Topic 3)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security.

Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. cr7b_accountid

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security. ownerid, processid, stageid, accountid, contactid

createdby, modifiedby, OwningTeam, OwningUser

createdon, EntityImage_ Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 128

- (Exam Topic 3)

A company is using Power Virtual Agents in Microsoft Teams to expose Microsoft Dataverse data to employees.

You create a chatbot that retrieves a list of customers by postal code from a Dataverse table. The chatbot will accept requests from a user and must connect to Dataverse to retrieve the data.

You need to connect the chatbot to the Dataverse table. What should you use?

- A. Table
- B. Power Apps
- C. Microsoft Teams
- D. Power Virtual Agents
- E. Power Automate

Answer: C

Explanation:

Dataverse for Teams is the "lite" version of Dataverse. It is a low-code platform designed to build relatively simple (but still powerful) apps, using a user-friendly interface and remaining within Microsoft Teams. This new update means that users now have the possibility to create Power Apps apps, Power Automate flows and Power Virtual Agents bots without leaving the Teams platform.

Reference:

<https://docs.microsoft.com/en-us/learn/paths/work-power-platform-teams/>

<https://docs.microsoft.com/en-us/learn/modules/create-chatbot-power-virtual-agents-dataverse-teams/5-call-acti>

NEW QUESTION 133

- (Exam Topic 3)

You create a custom field on the Account entity.

Members of TeamA must have full access to the field. Members of TeamB must have no access to the field. You need to configure security.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Add TeamA to the field security profile.
- Create a field security profile and set all the permissions for the custom attribute to **Yes**.
- Add TeamB to the field security profile.
- Create a field security profile and set all the permissions for the custom attribute to **No**.
- Enable field-level security for the field.

Answer Area

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Step 1: Enable field security for the field

Step 2: Create a field security profile and set all the permissions for the custom attribute to Yes.

Step 3: Add TeamA to the field security profile.

Note: Field-level security is available for the default fields on most out-of-box entities, custom fields, and custom fields on custom entities. Field-level security is managed by the security profiles. To implement field-level security, a system administrator performs the following tasks.

- Enable field security on one or more fields for a given entity.
- Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.

NEW QUESTION 137

- (Exam Topic 3)

You are creating a Power Automate flow.

You have an array that contains items with different color attributes. You plan to filter the array by using the following filter expression within the flow:

@or(equals(item()['color'], 'red'),contains(item()['color'],'blue')) The filter returns results only when the expression resolves to true.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The filter expression yields a result if the array contains the color orange	<input type="radio"/>	<input type="radio"/>
The filter expression yields a result if the array contains the color red	<input type="radio"/>	<input type="radio"/>
The filter expression yields a result if the array contains the color sky blue	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with medium confidence

Box 1: No

Box 2: Yes

The item color must be red, or item color contains blue.

Box 3: Yes

NEW QUESTION 138

- (Exam Topic 3)

You create a model-driven app for a company. The app will be used to manage events that the company organizes.

The Events entity ownership type is set to User or team. Members of the marketing team are assigned the MarketingTeam security role. All privileges for the role are set to User access.

All employees must be able to view event records. Only members of the marketing team are permitted to create or edit event records. You create a role named OtherEmployees.

You need to configure the MarketingTeam and OtherEmployees security roles.

Which three actions should you perform? Each correct selection presents a part of the solution.

NOTE: Each correct selection is worth one point.

- A. Set the access level for the OtherEmployees security role to Organization for the Read permission.
B. Set the access level for the MarketingTeam security role to Organization for the Read permission.
C. Set the access level for the OtherEmployees security role to None Selected for the Read permission.
D. Set the access level for the MarketingTeam security role to None Selected for the Read permission.
E. Set the access level for the MarketingTeam security role to None Selected for the Create and White permission.
F. Set the access level for the OtherEmployees security role to None Selected for the Create and Write permission.

Answer: ABE

NEW QUESTION 141

- (Exam Topic 3)

You are developing a canvas app to monitor time. The app includes a Text Input control named TIC1 and a Timer control named TIM1.

You need to set TIM1 to a default value. What should you do?

- A. In the OnChange property of TIC1, set the value of the Text property for TIC1 to a context variable that stores the duration value.
B. Assign the value of the variable to the OnTimerStart property for TIM1.
C. Assign the Text property of TIC1 to the Duration property of TIM1.
D. Assign the Text property of TIC1 to the OnSelect property of a TIM1.

E. Write code in the OnChange property of TIC1 that assigns the value of the Duration property of the Timercontrol to Text property of the TIC1. In the OnChange property of TIC1, assign the value to the Duration property for TIM1.

Answer: D

Explanation:

The OnTimerStart, OnTimerEnd and OnSelect are the configurations where you can add your code. Reference:
<https://sharepains.com/2019/08/22/all-about-timers-in-powerapps/>

NEW QUESTION 143

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up. Proposed solution: Create a Power Automate flow with conditions that use entered data as default data. Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed.

Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-cl>

NEW QUESTION 148

- (Exam Topic 3)

A company has the following divisions: wholesale and retail.

The manufacturer wants to create a single Power BI report to allow users to view data from a Microsoft SQL Server database.

You need to ensure that each user sees data only for the team to which the user is assigned. How should you secure the report?

To answer, drag the appropriate options to the correct action. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options

Answer Area

- Power BI Service
- Power BI Desktop
- Common Data Service
- Power Platform Admin center

Action

Option

Create the team as a role.

Option

Add members to the role.

Option

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Box 1: Power BI Desktop

You can define roles and rules within Power BI Desktop. When you publish to Power BI, it also publishes the role definitions.

To define security roles, follow these steps.

- Import data into your Power BI Desktop report, or configure a DirectQuery connection.
- From the Modeling tab, select Manage Roles.
- From the Manage roles window, select Create.
- Etc.

Box 2: Power BI Service


After you save your report in Power BI Report Server, you manage security and add or remove members on the server.

* 1. In Power BI Desktop, save the report to Power BI Report Server. You need to use the version of Power BI Desktop for Power BI Report Server.

* 2. In Power BI Report Service, select the ellipsis (...) next to the report.

* 3. Select Manage > Row-level security.

Graphical user interface, text, application, email Description automatically generated



On the Row-level security page, you add members to a role you created in Power BI Desktop. Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-rls>

NEW QUESTION 153

- (Exam Topic 3)

HOTSPOT

You are designing edit forms to display individual records selected from a list in a canvas app.

The control layout must respond to a variety of screen sizes and orientations that demonstrate the following behaviors:

- Automatically resize and arrange controls from top to bottom
- Maintain the original position of the controls.
- Require no additional property changes. You need to select the layout type.

Which layouts should you use? To answer, select the appropriate options in the answer area.

Answer Area


Behavior	Layout
Automatically resize and arrange controls from top to bottom.	<div>Vertical container</div> <div>Vertical gallery</div> <div>Horizontal gallery</div> <div>Vertical container</div> <div>Horizontal container</div>
Maintain the original position of the controls.	<div>Container</div> <div>Container</div> <div>Blank vertical gallery</div> <div>Flexible height gallery</div> <div>Section</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 154

- (Exam Topic 3)

A company is building a canvas app.

A user needs to understand which data they can make available for the 500 contacts that are present in the Contact table. All relevant data must be shown in the app. Single fields must show one record and grids must show multiple records. Only the primary fields for each related table should be shown for a contact.

Display name	Relationship name	Related table	Relationship type	Type	Customizable
Company Name	contact_customer_contacts	Contact	Many-to-one	Managed	Yes
Connected From	contact_connections1	Connection	One-to-many	Managed	Yes
Owning Team	Team_contacts	Team	Many-to-one	Standard	Yes

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

How should you design a screen to display the Connection table information for each contact in the Contacts table?

▼

Use a grid for the Contact table and a grid for the Connection table

Use a single field for the Contact table and a grid for the Connection table

Use a grid for the Contact table and a single field for the Connection table

Use a single field for the Contact table and a single field for the Connection table

How should you design a screen to display the Team table information for each contact in the Contact table?

▼

Use a grid for the Contact table and a grid for the Team table

Use a single field for the Contact table and a grid for the Team table

Use a grid for the Contact table and a single field for the Team table

Use a single field for the Contact table and a single field for the Team table

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Box 1: Use a single field for Contact table and a grid for the Connection table The Contact table is on 1-side of the 1-to-many relation to the Connection table. Box

2: Use a single field for Team table and a grid for the Connect table

The Team table is on 1-side of the 1-to-many relation to Contact.

NEW QUESTION 159

- (Exam Topic 3)

You are designing a canvas app that will be used by all users including users who have vision impairments. Which outcome is achieved by each action? To answer, drag the appropriate outcomes to the correct actions.

Each outcome may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Outcomes	Answer Area	
Not visible to any users	Action Set the values for the X and Y properties of a control to move the control off-screen. Set the Color and other related properties of a control to transparent. Set the Height and Width properties of a control to 1.	Outcome
Visible to sighted users only		Outcome
Visible to screen-reader users only		Outcome
Visible to both sighted and screen-reader users		Outcome

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/sv-se/powerapps/maker/canvas-apps/accessible-apps>

NEW QUESTION 164

- (Exam Topic 3)

DRAG DROP

You are designing several new Microsoft Power Platform apps for a company. You have the following requirements:

Department	Requirement
Sales	The app must be able to enforce consistent business processes including native workflows.
Direct marketing	The app must provide a simplistic user interface with three buttons that allow users to navigate to other pages.

All apps must be able to run from the Power Apps mobile app.

You need to determine which app type to create for each department.

Which app type should you use? To answer, drag the appropriate app types to the correct departments. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

App types	Answer Area	Department	App type
Canvas		Sales	
Model driven		Direct marketing	
Portal			

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

App types

- Canvas
- Model driven
- Portal

Answer Area

Department

- Sales
- Direct marketing

App type

- Model driven
- Canvas

NEW QUESTION 165

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents.

The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution:

Create a custom column that converts the order total to USD by using the relationship between local currency and the USD exchange rate table in Power BI Desktop and display this column in a Power BI chart by country/region.

Does the solution meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.
Calculated columns are calculated in real-time when they are retrieved. Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 168

- (Exam Topic 3)

You plan to create apps for a company.

You need to identify the Power Platform tools required.

What should you use? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools	Requirement	Tool
Power Virtual Agents bot	Create an app with a customized user interface that allows users to quickly create support tickets.	Tool
Power Automate	Create an app that uses a guided business process to navigate through all records associated with a support ticket.	Tool
Canvas app	Send an email to a customer support manager every time a support ticket is created.	Tool
Model-driven app	Create an automated chat tool that guides a customer through the support ticket creation process.	Tool

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Canvas App

Box 2: Model-driven app

Model-driven app design is a component-focused approach to app development. Model-driven app design doesn't require code and the apps you make can be simple or very complex. Unlike canvas app development where the designer has complete control over app layout, with model-driven apps much of the layout is determined for you and largely designated by the components you add to the app.

Box 3: Power Automate

Power Automate is a service that helps you create automated workflows between your favorite apps and services to synchronize files, get notifications, collect data, and more.

Box 4: Power Virtual Agents bot

When you create bots with Power Virtual Agents, you author and edit topics.

NEW QUESTION 172

- (Exam Topic 3)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security.

Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. description

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security.

ownerid, processid, stageid, accountid, contactid createdby, modifiedby, OwningTeam, OwningUser

createdon, EntityImage_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 174

- (Exam Topic 3)

You have the following Common Data Service entities: BusinessContracts and BusinessAccounts. You need to configure an N:N relationship between the two entities.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Select Add relationship and then select the many-to-many relationship option.	
Select the BusinessAccounts entity as the related entity.	
Open the relationship tab of the BusinessContracts entity.	
Choose the Relationship Name and Relationship Entity Prefix.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Open the relationship tab of the BusinessContracts entity. View entity relationships
From the Power Apps portal, select either Model-driven or Canvas design mode. Select Data > Entities and select the entity that has the relationships you want to view. With the Relationships tab selected, you can select the following views:
Step 2: Select Add relationship.. Create relationships
While viewing entity relationships, in the command bar, select Add relationship and choose Many-to-many. Step 3: Select the BusinessAccounts entity as the related entity.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/create-edit-nn-relationships-portal>

NEW QUESTION 179

- (Exam Topic 3)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
A company has locations in multiple countries and regions across four continents.
The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.
You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution:
Create a custom calculated field of type currency on the order table that converts the order total to USD and displays the total amounts by region in a Power BI chart.
Does the solution meet the goal?

A. Yes
B. No

Answer: A

Explanation:

Instead use a calculated field.
Need to calculate the exchange rate in USD.
Calculated columns are calculated in real-time when they are retrieved.
Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 182

- (Exam Topic 3)
You are configuring a new Common Data Service environment by using the Power Apps Maker portal. You need to create an entity that uses the prefix xyz.
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an entity in the new solution.	
Enter the entity Display Name and use the existing prefix.	
Add a new solution.	
Enter the entity Display Name and modify the prefix to xyz .	
Add a new publisher with the prefix xyz .	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-entity>

NEW QUESTION 187

- (Exam Topic 3)

You have a Power Apps solution that includes three model-driven apps, a business process flow, and a scheduled flow. The solution is deployed to a datacentre in the United States.

You plan to deploy the solution to Canada.

You need to identify applicable government regulations for all components of the solution. Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. View results in the Service Trust portal.
- B. Check the results of the Solution checker.
- C. Identify regulations for the region where the tenant resides.
- D. Identify all regulations for the region where the Common Data Service database resides.
- E. Configure data loss prevention (DLP) policies in the Power Platform Admin center.

Answer: ADE

Explanation:

A: The Microsoft Service Trust Portal provides a variety of content, tools, and other resources about Microsoft security, privacy, and compliance practices.

D: The Service Trust Portal contains details about Microsoft's implementation of controls and processes that protect our cloud services and the customer data therein.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/get-started-with-service-trust-portal>

NEW QUESTION 190

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PL-100 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PL-100 Product From:

<https://www.2passeasy.com/dumps/PL-100/>

Money Back Guarantee

PL-100 Practice Exam Features:

- * PL-100 Questions and Answers Updated Frequently
- * PL-100 Practice Questions Verified by Expert Senior Certified Staff
- * PL-100 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * PL-100 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year