

MS-203 Dumps

Microsoft 365 Messaging

<https://www.certleader.com/MS-203-dumps.html>



NEW QUESTION 1

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Miriam Graham has the required rights to create new recipients by using the Exchange Online admin center. Miriam must be prevented from managing recipients. The solution must use the principle of least privilege. To complete this task, sign in to the Microsoft 365 admin center.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

➤ From the Microsoft 365 admin center dashboard, go to Admin >Exchange.

➤ In the Exchange admin center, go to Roles >Admin roles, select the Recipient Management role group.

➤ In Assigned section, add Miriam Graham to the role group.

➤ When you're finished, click Save.

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/role-groups> <https://docs.microsoft.com/en-us/exchange/permissions-exo/permissions-exo>

NEW QUESTION 2

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains three Azure Active Directory (Azure AD) security groups named Administrators, Managers, and Marketing. The tenant contains the users shown in the following table.

Name	Group membership
User1	Managers
User2	Marketing
User3	Administrators
User4	None

The tenant contains the resources shown in the following table.

Name	Type
ConferenceRoom1	Room
ConferenceRoom2	Room
Projector1	Equipment

ConferenceRoom1 has the following policy.

```
PS C:\> get-calendarprocessing "ConferenceRoom1"|fl Allb*,allr*,booking*,req*,res*
AllBookInPolicy      : False
AllRequestOutOfPolicy : False
AllRequestInPolicy   : False
BookInPolicy         : {/o=ExchangeLabs/ou=Exchange Administrative Group
                        (FYDIBOHF23SPDLT)/cn=Recipients/cn=7fddfd211974ea68d22dae2c891db02-Managers}
RequestOutOfPolicy   : {}
RequestInPolicy      : {/o=ExchangeLabs/ou=Exchange Administrative Group
                        (FYDIBOHF23SPDLT)/cn=Recipients/cn=03a5a93a90ad4296907830a3ecla8f94-User2}
ResourceDelegates    : {User4}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can book ConferenceRoom1 automatically without the approval of User4.	<input type="radio"/>	<input type="radio"/>
User2 can book ConferenceRoom1 automatically without the approval of User4.	<input type="radio"/>	<input type="radio"/>
User4 can book ConferenceRoom1 pending approval from User3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The BookInPolicy allows the Managers group. User1 is in the Managers group so User 1 can book ConferenceRoom1 automatically without the approval of User4.

Box 2: No

The BookInPolicy allows the Managers group. User2 is not in the Managers group so User 2 cannot book ConferenceRoom1 automatically without the approval of User4.

Box 3: No

The RequestInPolicy does not include User4. Therefore, User3 is not allowed to request to book the meeting room either with or without approval.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-calendarprocessing?view=exchange-ps>

NEW QUESTION 3

- (Exam Topic 5)

Your company has a Microsoft Exchange Online subscription for an email domain named contoso.com. The company works with a partner company that uses an email domain named tailspintoys.com.

You need to configure the environment only to accept email from tailspintoys.com if the email is sent from an IP address of 131.107.12.85.

How should you configure the connector from the Exchange admin center? To answer, drag the appropriate options to the correct message settings. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area
<div>Office 365</div>	
<div>Your organization's email server</div>	To: <div></div>
<div>Partner organization</div>	From: <div></div>
<div>Internet</div>	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 4

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains two SMTP domains named contoso.com and litwareinc.com.

You need to ensure that users who have a contoso.com email address are prevented from seeing users who have a litwareinc.com email address in the global address list (GAL). The litwareinc.com users must be able to see the contoso.com users in the GAL.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Modify the Default Address book policy to exclude the litwareinc.com users
B. Create an offline address book (OAB) that contains the contoso.com users
C. Create a separate GAL that contains the contoso.com users
D. Modify the default GAL to exclude the litwareinc.com users
E. Create a new email address policy for the contoso.com users
F. Create a new address book policy (ABP) and assign the ABP to the contoso.com mailboxes

Answer: BCF

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 5

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You plan to implement Hybrid Modern Authentication (HMA).

You retrieve the Exchange virtual directory settings, and you discover the following output.

```
InternalUrl           : https://mail.contoso.com
ExternalUrl           : https://mail.contoso.com
IISAuthenticationMethods : {Ntlm, Negotiate}
InternalAuthenticationMethods : {Ntlm, Negotiate}
ExternalAuthenticationMethods : {Ntlm, Negotiate}
```

You need to prepare the virtual directories for the planned implementation of HMA. What should you do?

- A. Add OAuth as an authentication method.
B. Remove NTLM as an authentication method.
C. Delete https://mail.contoso.com from the ExternalUrl value.
D. Modify the InternalUrl value to http://mail.contoso.com.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modernauthent>

NEW QUESTION 6

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- > Adatum.com
>

Contoso.com

➤ Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain. You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Exchange Management Shell, you run Set-Mailbox cmdlet.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Set-Mailbox -PrimarySmtpAddress <SmtpAddress> Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 7

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. You need to grant User1 the Send on Behalf permission for 20 mailboxes. Which PowerShell cmdlet should you use?

- A. Add-MailboxPermission
- B. Add-MailboxFolderPermission
- C. Set-Mailbox
- D. Add-RecipientPermission

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-permissions?view=exchserver-2019>

NEW QUESTION 8

- (Exam Topic 5)

You manage a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are located both on-premises and in the cloud.

You need to configure the deployment so that the on-premises mailboxes can access the public folders. Which three commands should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Sync-MailPublicFolders.ps1
- B. Set-OrganizationConfig –PublicFoldersEnabled Remote
- C. Import-PublicFolderMailboxes.ps1
- D. Sync-MailPublicFoldersCloudToOnprem.ps1
- E. Set-OrganizationConfig –PublicFoldersEnabled Local –RemotePublicFolderMailboxes PFMailbox1

Answer: BCD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-exo-hybrid-public-folders>

NEW QUESTION 9

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are migrated to Exchange Online.

You need to migrate the public folders from the on-premises organizations to Exchange Online.

Which three actions should you perform in sequence before you create the migration batch? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From Exchange Online, create the target public folder mailboxes.	
From Exchange Online, run the Set-organizationConfig -RemotePublicFoldermailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the SetmailPublicFolderExternalAddress.ps1 script	
From Exchange on-premises, run the Export-ModernPublicFolderStatistics.ps1 script	
From Exchange on-premises, run the Set-OrganizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the ModernPublicFolderToMailboxMapgenerator.ps1 script	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch> <https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch> <https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch>

NEW QUESTION 10

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to provide a user named User1 with the ability to create and manage transport rules. To which management role group should you add User1?

- A. Compliance Management
- B. Server Management
- C. Records Management
- D. Hygiene Management

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/records-management-exchange-2013-help>

NEW QUESTION 10

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant and the devices shown in the following table.

Name	Operating system	Microsoft Outlook version
Device1	Windows	Outlook 2019
Device2	MacOS	Outlook 2016 for Mac
Device3	iOS	Outlook for iOS
Device4	Windows	Outlook on the web

You plan to implement sensitivity labels for users to apply to email messages.

Which Microsoft Outlook versions will support sensitivity labels without requiring additional software?

- A. Outlook 2019 and Outlook on the web only
- B. Outlook on the web only
- C. Outlook 2019. Outlook 2016 for Ma
- D. Outlook for iO
- E. and Outlook on the web
- F. Outlook for iOS and Outlook on the web only
- G. Outlook 2019 only

Answer: D

NEW QUESTION 14

- (Exam Topic 5)

You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.

An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.

You have tie anti-malware policy shown in following exhibit.

Default (Default)
Always on | Priority Lowest

Protection settings

To enable only the members of the App1support group to receive the JAR files, you must [answer choice].

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice].

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Default (Default)
Always on | Priority Lowest

Protection settings

To enable only the members of the App1support group to receive the JAR files, you must [answer choice].

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice].

NEW QUESTION 18

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an email domain named contoso.com. You plan to move several mailboxes to Microsoft 365.

You need to configure hybrid mail flow to meet the following requirements:

- > All email messages received from the internet must be filtered for spam by Microsoft 365.
- > Your company's on-premises firewall must allow email messages between the on-premises Exchange servers and Microsoft 365.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Mail exchanger (MX) record to configure:

Firewall port to allow:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment-prerequisites>**NEW QUESTION 20**

- (Exam Topic 5)

You have a Microsoft 365 subscription.

A safe attachments policy that uses Dynamic Delivery is applied to all recipients who match your SMTP domains.

You need to prevent attachments from being scanned when internal users send email to one another. What should you do?

- A. From the Security & and Compliance admin center, modify the safe attachments policy.
- B. From the Security & and Compliance admin center, modify the Service assurance settings.
- C. From the Exchange admin center, create a transport rule.
- D. From the Exchange admin center, modify the malware filter.

Answer: C**Explanation:**

Create a transport rule (or mail flow rule as they are called nowadays) to configure the message header: X-MS-Exchange-Organization-SkipSafeAttachmentProcessing.

Reference:

<https://docs.microsoft.com/en-gb/archive/blogs/office365labs/eo-atp-considerations-reports-demonstrations>**NEW QUESTION 22**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

The mail exchanger (MX) record of your company points to a third-party message hygiene provider that forwards email messages to the tenant.

You need to ensure that Exchange Online can filter the email by using the original IP address of the sender's company.

What should you do?

- A. Modify the Inbound connector to use the -EFSkipIPs parameter.
- B. Modify the Receive connector to use the -EFSkipIPs parameter.
- C. Enable DMARC.
- D. Create a remote domain.

Answer: A**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/enha>**NEW QUESTION 25**

- (Exam Topic 5)

You have a hybrid deployment that contains a Microsoft exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

On Server1, you create a new mailbox that uses an email address of user1@contoso.com

Users hosted in Exchange Online report that they receive a non-delivery report (NDR) When they attempt to send email messages to user1@contoso.com. The NDR contains the following text: "User1 wasn't found at contoso.com."

You verify that the Exchange Online users can send email successfully to the other mailboxes hosted on Server1. Users hosted on Server1 can send email to user1@contoso.com successfully.

You need to identify what causes the email delivery to fail. What should you use?

- A. the Azure Active Directory admin center
- B. the Exchange admin center
- C. Azure AD Connect Health
- D. the on-premises Exchange admin center

Answer: C**Explanation:**

It's likely that the new user account hasn't replicated to Azure Active Directory. Azure AD Connect is responsible for account replication between on-prem AD and Azure AD.

NEW QUESTION 26

- (Exam Topic 4)

You need to email a list of configuration changes to the Exchange Online environment that were recently performed by Allan Deyoung.

What should you do?

- A. Run the admin audit log report
- B. Run the external admin audit log report
- C. Export the admin audit log
- D. Run an administrator role group report
- E. Export the mailbox audit logs

Answer: C**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/exchange-auditing-reports/exchange-auditi>

NEW QUESTION 31

- (Exam Topic 4)

You discover that email messages sent to contoso.com are NOT delivered through Contoso Connector.

You need to ensure that all email sent to contoso.com is delivered through Contoso Connector. Which connector setting should you modify?

- A. Routing
- B. Security restrictions
- C. Use of connector
- D. Status

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 33

- (Exam Topic 3)

How many default policy tags (DPTs), retention policy tags (RPTs), and personal tags should you create to meet the retention requirements? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

DPTs:

0

1

2

3

4

RPTs:

0

1

2

3

4

5

6

7

Personal tags:

0

1

2

3

4

5

6

7

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Table Description automatically generated

Box 1: 1

Default Policy Tags apply to any item that doesn't have another tag applied to it. We need one to meet the following requirement:

➤ Ensure that any items without a retention tag are moved to the Archive mailbox two years after they were created and permanently deleted seven years after they were created.

Box 2: 2

Retention Policy Tags apply to default mailbox folders (Inbox, Sent Items etc). We need two to meet the following requirements:

➤ Automatically delete items in the Junk Email folder after 30 days.

➤ Automatically delete items in the Sent Items folder after 300 days.

Box 3: 3

Personal tags can be applied by users to custom folders or individual emails. We need three to meet the following requirements:

- Enable users to tag items for deletion after one year.
- Enable users to tag items for deletion after two years.
- Enable users to tag items to be archived after one year.

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-t>

NEW QUESTION 38

- (Exam Topic 3)

User3 leaves the company.

You need to ensure that Admin1 and Admin2 can access the mailbox of User3. The solution must meet the technical requirements.

What should you do?

- A. Migrate the mailbox of User3 to a distribution group.
- B. Migrate the mailbox of User3 to a Microsoft 365 group.
- C. Convert the mailbox of User3 into a resource mailbox.
- D. Convert the mailbox of User3 into a shared mailbox.

Answer: D

Explanation:

Fabrikam identifies the following technical requirements:

- When users leave the company, remove their licenses and ensure that their mailbox is accessible to Admin1 and Admin2.

If you remove the license from User3, the mailbox will be deleted after 30 days. Converting the mailbox to a shared mailbox will ensure that the mailbox is not deleted. You would still need to give Admin1 and Admin2 permissions to access the mailbox.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/email/convert-user-mailbox-to-shared-mailbox?view=o3>

NEW QUESTION 41

- (Exam Topic 3)

You need to perform a remote wipe of the devices of User2 and User3. You run the following commands.

Clear-MobileDevice -id User2-Device

-NotificationEmailAddress "admin@Fabrikam.com" Clear-MobileDevice -id User3-Device

-NotificationEmailAddress "admin@Fabrikam.com"

What occurs on each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On the device of User2:

- ☐ All data is deleted.
- ☐ Only email messages are deleted.
- ☐ Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

- ☐ All data is deleted.
- ☐ Only email messages are deleted.
- ☐ Only email messages and calendar, contact, and file data are deleted.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/remote-wipe?view=exchserver-2019>

NEW QUESTION 44

- (Exam Topic 3)

You need to encrypt email between Fabrikam and Litware to support the planned changes. What should you configure in the Exchange admin center?

- A. a connector
- B. an organization relationship
- C. a sharing policy
- D. a remote domain

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 46

- (Exam Topic 2)

You need to implement a solution to meet the technical requirements for the SCL.

How should you complete the command? To answer, select the appropriate options in the answer area.

<div>▼</div> <div>Set-ContentFilterConfig</div> <div>Set-MailboxDatabase</div> <div>Set-OrganizationConfig</div> <div>Set-transportServer</div>	<div>▼</div> <div>-PoisonThreshold</div> <div>-SCLJunkThreshold</div> <div>-SCLRejectThreshold</div> <div>-SCLQuarantineThreshold</div>	3
---	---	---

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/organization/set-organizationconfig?view=exchange-ps>

NEW QUESTION 49

- (Exam Topic 2)

You need to implement a solution to support the planned changes for the branch office administrators. What should you do?

- A. Assign the Mail Recipients role to the branch office administrators and use a default management scope.
B. Assign the Mail Recipients role to the branch office administrators and create a custom management scope.
C. Assign the Recipient Policies role to the branch office administrators and use a default management scope.
D. Assign the Recipient Policies role to the branch office administrators and create a custom management scope.

Answer: B

Explanation:

Ensure that the branch office administrators can configure the properties of the mailboxes in their respective offices only.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-recipients-role-exchange-2013-help>

NEW QUESTION 53

- (Exam Topic 2)

You need to configure the required objects for the branch office administrators. What should you create for each administrator?

- A. a management role assignment policy and a management role group
B. a management role scope and a management role assignment
C. a management role scope and a management role group
D. a management role and a management role assignment policy

Answer: C

Explanation:

Reference:

<https://practical365.com/exchange-server/exchange-server-role-based-access-control-in-action/>

NEW QUESTION 56

- (Exam Topic 2)

You need to recommend a solution to retain the items in the public folders. The solution must support the planned changes.

What should you recommend?

- A. Create an Outlook rule that forwards all the items in each public folder to a compliance mailbox.
B. Place an In-Place Hold on all the mailboxes of the public folders.
C. Increase the frequency of the backups.
D. Modify the public folder permissions.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/in-place-and-litigation-holds#placingpublic>

NEW QUESTION 57

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the

user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the –EmailAddressPolicyEnabled \$true parameter.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

NEW QUESTION 58

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent email messages from a domain named fabrikam.com from being delivered to the mailboxes of your organization.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & Collaboration >

Policies & Rules

>Threat policies

>Anti-spam

in the Policies

section. To go directly to the

Anti-spam policies

page, use <https://security.microsoft.com/antispam>.

➤ On the Anti-spam policies

page, click Create policy

and then select Inbound

from the drop down list.

➤ The policy wizard opens. On the Name your policy page, configure these settings:

- Name: Enter a unique, descriptive name for the policy.

- Description: Enter an optional description for the policy. When you're finished, click Next.

➤ On the Users, groups, and domains

applies to (recipient conditions):

page that appears, identify the internal recipients that the policy

- Users: The specified mailboxes, mail users, or mail contacts in your organization.

- Groups: The specified distribution groups, mail-enabled security groups, or Microsoft 365 Groups in your organization.

- Domains: All recipients in the specified accepted domains in your organization.

Click in the appropriate box, start typing a value, and select the value that you want from the results. Repeat

this process as many times as necessary. To remove an existing value, click remove

x next to the value.

For users or groups, you can use most identifiers (name, display name, alias, email address, account name, etc.), but the corresponding display name is shown in

the results. For users, enter an asterisk (*) by itself to see all available values.

Multiple values in the same condition use OR logic (for example, <recipient1>

or <recipient2>). Different

conditions use AND logic (for example, <recipient1>

and <member of group 1>).

- Exclude these users, groups, and domains: To add exceptions for the internal recipients that the policy applies to (recipient exceptions), select this option and

configure the exceptions. The settings and behavior are exactly like the conditions.

When you're finished, click Next.

➤ On the Bulk email threshold & spam properties

page that appears, configure the following settings:

- Bulk email threshold: Specifies the bulk complaint level (BCL) of a message that triggers the specified

action for the Bulk

spam filtering verdict that you configure on the next page (greater than the specified value,

not greater than or equal to). A higher value indicates the message is less desirable (more likely to resemble spam). The default value is 7. For more information,

see Bulk complaint level (BCL) in EOP and What's the difference between junk email and bulk email?.

By default, the PowerShell only setting MarkAsSpamBulkMail

is On in anti-spam policies. This setting

dramatically affects the results of a Bulk

filtering verdict:

MarkAsSpamBulkMail is On: A BCL that's greater than the threshold is converted to an SCL 6 that

corresponds to a filtering verdict of Spam, and the action for the Bulk

_message.

filtering verdict is taken on the

next.

is taken for Bulk

filtering verdict. In effect, the BCL threshold and Bulk

filtering verdict action are irrelevant.

- Increase spam score, Mark as spam* and Test mode: Advanced Spam Filter (ASF) settings that are turned off by default.

The Contains specific languages

and from these countries

settings are not part of ASF.

- Contains specific languages: Click the box and select On

or Off

from the drop down list. If you turn it on, a

box appears. Start typing the name of a language in the box. A filtered list of supported languages will appear. When you find the language that you're looking for,

select it. Repeat this step as many times as necessary. To

remove an existing value, click remove x

next to the value.

- From these countries*: Click the box and select On

or Off

from the drop down list. If you turn it on, a box

appears. Start typing the name of a country in the box. A filtered list of supported countries will appear. When you find the country that you're looking for, select it.

Repeat this step as many times as necessary. To remove

an existing value, click remove x

When you're finished, click Next.

next to the value.

➤ On the Actions

page that appears, configure the following settings:

- Message actions: Select or review the action to take on messages based on the following spam filtering verdicts:

_ Spam

_ High confidence spam

_ Phishing

_ High confidence phishing

_ Bulk

- Retain spam in quarantine for this many days: Specifies how long to keep the message in quarantine if

you selected Quarantine message

as the action for a spam filtering verdict. After the time period expires, the

message is deleted, and is not recoverable. A valid value is from 1 to 30 days.

- Add this X-header text: This box is required and available only if you selected Add X-header as the action

for a spam filtering verdict. The value you specify is the header field name that's added to the message header.

The header field value

is always This message appears to be spam.

- Prepend subject line with this text: This box is required and available only if you selected Prepend subject line with text message's subject line.

as the action for a spam filtering verdict. Enter the text to add to the beginning of the

- Redirect to this email address: This box is required and available only if you selected the Redirect message to email address

as the action for a spam filtering verdict. Enter the email address where you want to

deliver the message. You can enter multiple values separated by semicolons (;).

- Enable safety Tips: By default, Safety Tips are enabled, but you can disable them by clearing the checkbox.

- Enable zero-hour auto purge (ZAP): ZAP detects and takes action on messages that have already been delivered to Exchange Online mailboxes.

ZAP is turned on by default. When ZAP is turned on, the following settings are available:

_ Enable ZAP for phishing messages: By default, ZAP is enabled for phishing detections, but you can disable it by clearing the checkbox.

_ Enable ZAP for spam messages: By default, ZAP is enabled for spam detections, but you can disable it by clearing the checkbox.

When you're finished, click Next.

➤ On the Allow & block list

flyout that appears, you are able to configure message senders by email address or email domain that are allowed to skip spam filtering.

In the Allowed

section, you can configure allowed senders and allowed domains. In the Blocked section, you

can add blocked senders and blocked domains.

The steps to add entries to any of the lists are the same:

- Click the link for the list that you want to configure:

_ Allowed >Senders: Click Manage (nn) sender(s).

_ Allowed >Domains: Click Allow domains.

_ Blocked >Senders: Click Manage (nn) sender(s).

_ Blocked >Domains: Click Block domains.

_ In the flyout that appears, do the following steps:

Click + Add senders

or Add domains.

In the Add senders

or Add domains

flyout that appears, enter the sender's email address in the Sender box or

the domain in the Domain

box. As you're typing, the value appears below the box. When you're finished

_ typing the email address or domain, select the value below the box.

Repeat the previous step as many times as necessary. To remove an existing value, click remove x

_ value.

next to the

When you're finished, click Add senders

or Add domains.

- Back on the main flyout, the senders or domains that you added are listed on the page. To remove an entry from this page, do the following steps:

Select one or more entries from the list. You can also use the Search

box to find values in the list.

ies

ies

When you're finished, click Done.

Back on the Allow & block list

page, click Next

when you're ready to continue.

➤ On the Review

page that appears, review your settings. You can select it

in each section to modify

the settings within the section. Or you can click Back

When you're finished, click Create.

➤ On the confirmation page that appears, click Done.

or select the specific page in the wizard.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-your-spam-filter-policies>

NEW QUESTION 59

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 organization.

The company has 10,000 mailboxes. Each department at the company has 1,000 mailboxes.

You need to ensure that when users query the global address list (GAL), they can view only the list of the users in their department.

What should you create?

A. One GAL, 10 offline address books (OABs), 10 address lists, 10 address policies (ABPs), and one email address policy

B. 10 GALs, 10 offline address books (OABs), 10 address lists, 10 room lists, and 10 address book policies (ABPs)

C. One GAL, 10 offline address books (OABs), 10 address lists, 10 room lists, and one address book policy (ABP)

D. 10 GALs, 10 offline address books (OABs), 10 address lists, and 10 email address policies

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/create-global-address-list> <https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 61

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 server. The company has five departments. The server contains one mailbox database for each department. Each mailbox database contains all the users in its respective department. The databases contain 1,000 users.

You create an address book policy for each department. You need to assign the address book policies to the users. Which cmdlet should you run?

- A. Set-Mailbox
- B. Set-AddressList
- C. Set-MailboxDatabase
- D. Sec-AddressBookPolicy

Answer: A**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/assign-an-address-book-policy>

NEW QUESTION 66

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security Reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: A**Explanation:**

Security Administrator can view the audit reports but cannot create a message trace. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

NEW QUESTION 70

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You purchase a Microsoft 365 subscription and configure Active Directory synchronization.

You use a smart host for all email communication between the organization and the Internet. The smart host performs email hygiene and alerts message headers.

You plan to run the Hybrid Configuration wizard to create an Exchange hybrid deployment and change the MX record to point to Exchange Online.

You need to decommission the smart host from the organization. What should you do first?

- A. Create a Receive connector that allows anonymous authentication.
- B. Modify the InternalSmtpServer value by running the Set-TransportConfig cmdlet.
- C. Modify the Send connector to use DNS delivery.
- D. Modify the TLSReceiveDomainSecureList value by running the Set-TransportConfig cmdlet.

Answer: D**Explanation:**

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/set-transportconfig?view=exchange-ps>

NEW QUESTION 72

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You use Advanced Threat Protection (ATP).

You have safe attachments policies configured as shown in the following table.

Name	Action	Action On Error	Enable redirect
Policy1	Dynamic Delivery	Enabled	Enabled
Policy2	Block	Enabled	Disabled

You have the users shown in the following table.

Name	Location	Safe attachments policy
User1	On-premises	Policy1
User2	Exchange Online	Policy2
User3	Exchange Online	None
User4	Exchange Online	Policy1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User1 receives an email message that contains an attachment, the message will be delivered immediately with a placeholder file. The attachment will be reattached if no malware is detected.	<input type="radio"/>	<input type="radio"/>
If User2 receives an email message that has detected malware, the message will be placed in quarantine.	<input type="radio"/>	<input type="radio"/>
If User4 receives an email message that contains an attachment, and then forwards the message to User3 before attachment scanning is complete, User3 will receive the attachment after the initial attachment scanning is complete.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: No

Dynamic Delivery cannot make changes to on-premise mailboxes after the message has been delivered. Box 2: Yes

Policy2 applies to User2. Policy2 has a block action so the message will be placed in quarantine. Box 3: No

User3 does not have a policy assigned so the attachment will be forwarded without being scanned. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/atp-safe-attachments?view=o365-w> <https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/atp-safe-attachments?view=o365-w>

NEW QUESTION 73

- (Exam Topic 5)

You have a Microsoft Exchange Server 2016 hybrid deployment.

You plan to migrate mailboxes from the on-premises Exchange organization to Exchange Online. You have the appropriate permissions to perform the mailbox migrations.

You need to prepare the environment for the planned migration. What should you do?

- A. Disable Microsoft Outlook for the web.
B. Install the Hybrid Agent.
C. Run Get-MigrationBatch -Identity "MyMigrationBatch".
D. Enable the MRSPProxy service on an on-premises Exchange server.

Answer: D

Explanation:

Mailbox replication service (MRS) proxy is used for cross forest mailbox move and remote move migration between on premise exchange and exchange online (Office 365)

Reference:

<https://docs.microsoft.com/en-us/Exchange/hybrid-deployment/move-mailboxes>

NEW QUESTION 78

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

Name	Type
Standard Preset Security Policy	Preset security policy
Policy1	Anti-malware

You need to track any modifications made to Policy1 by the identifying following:

- The name of the user that modified the policy

- The old and new values of settings modified in Policy!
- How the modifications compare to the baseline settings of Standard Preset Security Policy What should you use in the Microsoft 365 Defender portal?

- A. Threat tracker
- B. Threat analytics
- C. Audit
- D. Configuration analyzer

Answer: D

NEW QUESTION 79

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and on-premises Exchange Server 2019 organization. The on-premises organization contains several Exchange Server 2019 servers.

You discover that delivery fails for all email messages sent from the on-premises organization to Microsoft 365.

You discover that the certificate for an on-premises Exchange server expired.

You need to resolve the issue as quickly possible. The solution must minimize administrative effort. What should you do on the on-premises Exchange server?

- A. Create a new self-signed certificate.
- B. Generate a certificate renewal request.
- C. Generate a certificate request.
- D. Add the certificate for a new root certification authority (CA).

Answer: B

Explanation:

Reference:

<https://practical365.com/exchange-server/how-to-generate-ssl-certificate-request-exchange-2016/>

NEW QUESTION 81

- (Exam Topic 5)

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers in a database availability group (DAG).

You plan to implement a hybrid deployment by using the Exchange Modern Hybrid connection option. Which three configurations will be transferred automatically from the on-premises organization to Exchange

Online? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the device access rules
- B. the address book policies (ABPs)
- C. the Messaging Records Management (MRM) settings
- D. the mail flow rules
- E. the address lists

Answer: ACE

Explanation:

Reference:

<https://practical365.com/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

NEW QUESTION 85

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the users shown in the following table.

Name	Mailbox location
User1	Exchange Online
User2	Exchange on-premises

You need to provide each user with an archive mailbox that is stored in Exchange Online.

Which admin center should you use to perform the configuration for each user? To answer, drag the appropriate admin centers to the correct users. Each admin center may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Admin Centers

The Exchange admin center from an on-premises server

The Exchange admin center from Exchange Online

The Microsoft 265 admin center

The Security and Compliance admin center

Answer Area

User1:

Admin Center

User2:

Admin Center

A. Mastered

B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/enable-archive-mailboxes> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/create-cloud-based-archive>

NEW QUESTION 90

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You have the Address Book Policies (ABP) and address lists in the following table.

Name	Global address list	Offline address book	Address list
ABP1	GAL_1	OAB_1	List 1
ABP2	GAL_2	Default Offline Address Book	List 2

You have the users in the following table.

Name	Global address list	Address List
User1	GAL_1	List 1
User2	GAL_2	List 2
User3	GAL_2	<i>none</i>

You assign ABP1 to User1 and User2.

User3 is NOT assigned to an Address Book Policy.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can view the membership of List 2	<input type="radio"/>	<input type="radio"/>
User2 can only view the membership of GAL_2	<input type="radio"/>	<input type="radio"/>
User3 can view the membership of List 1	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:


References:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/address-book-policies/address-b>

NEW QUESTION 95

- (Exam Topic 5)

You have an Exchange Online tenant that has the anti-spam settings configured as shown in the following exhibit.

Standard settings  On

Standard

Spam action	Move message to Junk Email folder
Mark bulk email as spam	On
Bulk threshold	7
Mark NDR backscatter as spam	Off
Safety Tips	On
Bulk email	Move message to Junk Email folder
Phishing email	Quarantine message

To change these settings or add new ones, switch to custom settings

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Users will see safety tips when they access their mailbox from [answer choice].

Outlook on the web only

Microsoft Outlook 2019 only

Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

modify Spam action

increase the value of Bulk threshold

decrease the value of Bulk threshold

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/safety-tips-in-office-365?view=o36> <https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/bulk-complaint-level-values?view=>

NEW QUESTION 99

- (Exam Topic 5)
You have a Microsoft Exchange Server 2019 hybrid deployment. All Mailbox servers and domain controllers are in the same site. You deploy an Edge Transport server.
You need to ensure that all SMTP traffic between the on-premises organization and Exchange Online is routed through the Edge Transport server.
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

On a Mailbox server, modify the accepted domains.

Copy the Edge Subscription file to a Mailbox server.

On the Edge Transport server, run New-EdgeSubscription.

On a Mailbox server, run New-EdgeSubscription.

Run the Microsoft Office 365 Hybrid Configuration wizard.

Answer Area

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

New-EdgeSubscription -FileName "c:\EdgeServerSubscription.xml" This example creates the Edge Subscription file. It should be run on your Edge Transport server. New-EdgeSubscription -FileData ([byte[]]\$(Get-Content -Path "C:\EdgeServerSubscription.xml" -Encoding Byte -ReadCount 0)) -Site "Default-First-Site-Name" This example also imports the Edge Subscription file generated in Example 1 to the Active Directory site Default-First-Site-Name; however, the end result is accomplished using one command. You must run this command on the Mailbox server. ref.
<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/new-edgesubscription?view=exchange>

NEW QUESTION 102

- (Exam Topic 5)
You have a Microsoft Exchange Online subscription.
You need to generate a CSV file containing all the email messages that failed to send from the user1@contoso.com email address during the last 30 days.
What are two possible ways to achieve the goal? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. From Exchange Online PowerShell, run the Get-MessageTrace cmdlet.
B. From the Exchange admin center, run a message trace.
C. From the Security & Compliance admin center, export the mailbox audit logs.

- D. From Exchange Online PowerShell, run the Get-MessagetraceDetail cmdlet.
E. From the Security & Compliance admin center, run a message trace.

Answer: BD

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-re> <https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/get-messagetracedetail?view=exchang>

NEW QUESTION 105

- (Exam Topic 5)

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

Name	Member of
User1	Sales
User2	Managers

You have a connector for a remote domain named contoso.com as shown in the following exhibit.

Mail flow scenario

From: Office 365

To: Partner organization

Name

TLS to Contoso

Description

None

Status

Turn it on after saving

When to use the connector

Use only when I have a transport rule set up that redirects messages to this connector.

Routing method

Use the MX record associated with the partner's domain.

Security restrictions

Always use Transport Layer Security (TLS) and connect only if the recipient's email server has a digital certificate.

You have a transport rule as shown in the following exhibit.

new rule

Name:

TLS to Contoso

* Apply this rule if...

* A recipient's domain is...

'Contoso.com'

and

* The subject or body includes...

'Confidential'

add condition

* Do the following...

Use the following connector...

TLS to Contoso

add action

Except if...

* The sender is a member of...

'Managers'

add exception

Properties of this rule:

☒ Audit this rule with severity level:

Medium ▾

User1 sends an email message to user3@contoso.com that has a subject line containing the word Confidential.
User2 sends an email message to user4@contoso.com that has a subject line of New report. The body of the message contains the word confidential.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
All email sent to contoso.com is TLS-encrypted.	<input type="radio"/>	<input type="radio"/>
The message sent by User1 uses the TLS to Contoso connector.	<input type="radio"/>	<input type="radio"/>
The message sent by User2 uses the TLS to Contoso connector.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:
Reference:
<https://docs.microsoft.com/en-us/compliance/assurance/assurance-encryption-in-transit>

NEW QUESTION 108

- (Exam Topic 5)
SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.
When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.
Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.
Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.
Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with users in the tenant and users in a domain named contoso.com.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ From the Microsoft 365 admin center dashboard, go to Admin >Exchange.

➤ Go to Organization >Sharing.

➤ Under Organization Sharing, click New +.

➤ In new organization relationship, in the Relationship name box, type a friendly name for the

➤ In the Domains to share with box, type the domain for the external Microsoft 365, Office 365, or

Exchange on-premises organization you want to let see your calendars. If you need to add more than one domain, you can do it after you create the organization relationship by editing it.

➤ Select the Enable calendar free/busy information sharing check box to turn on calendar sharing with the domains you listed. Set the sharing level for calendar free/busy information and set which users can share calendar free/busy information.

➤ To set the free/busy access level, select one of the following values:

- Calendar free/busy information with time only
- Calendar free/busy with time, subject, and location

To set which users will share calendar free/busy information, select one of the following values:

- Everyone in your organization
- A specified security group

➤ Click Browse

to pick the security group from a list, then clickOK.

➤ Click Save

to create the organization relationship.

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationshi>

NEW QUESTION 109

- (Exam Topic 5)

You purchase a Microsoft 365 subscription.

You create mailboxes for 10 users. Each user has a PST file stored in a network share. You need to migrate the PST files to the mailboxes.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions		Answer Area
Create a PST Import mapping file		
Upload the PST files to Microsoft Office 365		
Install AzCopy	➤	⬆
Start the PST Import job	⬅	⬇
Create a PST Import job		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 113

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 115

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 user mailboxes and 10 main enabled users. The mail-enabled users have email addresses in two SMTP domains named fabrikam.com and contoso.com.

You need to convert the mail-enabled users into user mailboxes. What should you do first?

- A. Add the users to an Office 365 group.
- B. Assign a license to each user.
- C. Remove the remote domains of fabrikam.com and contoso.com
- D. Modify the email forwarding settings of each user.

Answer: C

Explanation:

You need to remove the remote domains first then assign a license to the user account.

NEW QUESTION 118

- (Exam Topic 5)

Your company has a Microsoft 365 subscription for a domain named contoso.com.

The company acquires a company named Litware, Inc. that uses an IMAP-based messaging system. The SMTP domain of Litware is named litwareinc.com.

You need to migrate the mailboxes of Litware to Microsoft Office 365. The solution must ensure that users from Litware can receive email by using their current email address.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrating-imap-mailb>

NEW QUESTION 121

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

A compliance manager plans to create retention policies for the mailboxes of executive users. The policies will move specific emails to an archive mailbox.

You need to create an archive mailbox for each executive user. What should you do?

- A. Run the New-Mailbox cmdlet
- B. Enable mailbox journaling.
- C. Enable In-Place Archiving for each mailbox.
- D. Run the set-Mailbox cmdlet.

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=>

NEW QUESTION 124

- (Exam Topic 5)

Your company named ADatum Corporation has a Microsoft Exchange Online subscription that contains the sharing policies shown in the following table.

Name	Domain	Enabled	Default
Policy1	{Anonymous:CalendarSharingFreeBusySimple, fabrikam.com:CalendarSharingFreeBusyReviewer, ContactsSharing}	True	True
Policy2	{contoso.com:CalendarSharingFreeBusyDetail}	True	False
Policy3	{litware.com:CalendarSharingFreeBusyReviewer}	True	False

The subscription contains the mailboxes shown in the following table.

Name	Sharing policy
User1	Policy1
User2	Policy2
User3	Policy3

ADatum does business with the partner companies shown in the following table.

Name	SMTP domain	Email platform
Fabrikam, Inc.	Fabrikam.com	On-premises Exchange Server 2019
Contoso, Ltd.	Contoso.com	Third-party email server
Litware, Inc.	Litware.com	Exchange Online

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 127

- (Exam Topic 5)
You have a Microsoft 365 E5 tenant that contains two Azure Active Directory (Azure AD) security groups named Finance and Marketing. The tenant contains the users and devices shown in the following table.

Name	Azure AD group membership	Device
User1	Finance	Device1
User2	Marketing	Device2
User3	Finance	Device3

The devices are configured as shown in the following table.

Device	Azure AD-joined	Microsoft Intune-enrolled
Device1	No	No
Device2	Yes	Yes
Device3	Yes	Yes

A conditional access policy is configured as shown in the following exhibit.

Name *	Include	Exclude
Outlook on the Web Policy	<input type="radio"/> None	
Assignments	<input type="radio"/> All users	
Users and groups ⓘ	<input checked="" type="radio"/> Select users and groups	
Specific users included >	<input type="checkbox"/> All guest and external users ⓘ	
Cloud apps or actions ⓘ	<input type="checkbox"/> Directory roles ⓘ	
1 app included >	<input checked="" type="checkbox"/> Users and groups	
Conditions ⓘ	Select	
0 conditions selected >	1 group >	
Access controls	A Finance	...
Grant ⓘ		
0 controls selected >		
Session ⓘ		
Use app enforced restrictions >		

From Microsoft Exchange Online PowerShell, you run the following cmdlet. Set-OwaMailboxPolicy -Identity OwaMailboxPolicy-Default -ConditionalAccessPolicy ReadOnly

All the users connect to Exchange Online by using Outlook on the web.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 131

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant. You enable hierarchical address books (HABs).

You create a new distribution group named Contoso.

You need to configure the Contoso group as the root of the hierarchy. The members of the group must appear in the hierarchy.

How should you complete the PowerShell commands?

Cmdlets	Answer Area
Set-AddressList	Cmdlet -HierarchicalAddressBookRoot "Contoso"
Set-GlobalAddressList	Cmdlet -Identity "Contoso" -IsHierarchicalGroup \$true
Set-Group	
Set-OrganizationConfig	
Set-UnifiedGroup	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Set-OrganizationConfig Set-Group

<https://docs.microsoft.com/en-us/exchange/address-books/hierarchical-address-books/enable-or-disable-hierarch>

NEW QUESTION 135

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe links policy and apply the policy to finance department users. Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o3>

NEW QUESTION 137

- (Exam Topic 5)

Your company has a Microsoft 365 subscription. All users are assigned Microsoft 365 E5 licenses.

The users receive email messages that appear to come from managers at the company. However, the messages are not from the managers and often include links to malicious websites.

You need to provide a solution to protect the mailboxes of the managers and to inform the users when phishing occurs.

Which two settings should you modify in the anti-phishing policy? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Priority	1	
Status	On	
Last modified	December 10, 2018	
Policy setting	Policy name Description Applied to	Test If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect	<input type="text" value="Off"/>
	Protect all domains I own	<input type="text" value="Off"/>
	Protect specific domains	<input type="text" value="Off"/>
	Action > User impersonation	<input type="text" value="Don't apply any action"/>
	Action > Domain impersonation	<input type="text" value="Don't apply any action"/>
	Safety tips > User impersonation	<input type="text" value="Off"/>
	Safety tips > Domain impersonation	<input type="text" value="Off"/>
	Safety tips > Unusual characters	<input type="text" value="Off"/>
	Mailbox intelligence	<input type="text" value="On"/>
Spoof	Enable antispoofting protection	<input type="text" value="On"/>
	Action	<input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-anti-phishing-policies?view=>

NEW QUESTION 139

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with the other users in the tenant.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- > From the Microsoft 365 admin center dashboard, go to Admin > Exchange.
- > Go to organization > sharing.
- > Under Individual Sharing, select a sharing a policy. In the On column, clear the check box for the sharing policy you want to disable.

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/sharing-policies/modify-a-sharing-policy>

NEW QUESTION 142

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of User1.

- A. Yes
B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix>

NEW QUESTION 144

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains the Mailbox servers shown in the following table.

Name	Member of	Database
EX1	Site1	Mail1
EX2	Site2	Mail2
EX3	Site3	Mail3

The organization contains the mailboxes shown in the following table.

Name	Database
User1	Mail1
User2	Mail2
User3	Mail3

You create the public folder mailboxes shown in the following table.

Mailbox	Database	Hierarchy
PF1	Mail1	Primary
PF2	Mail2	Secondary
PF3	Mail3	Secondary

You set the DefaultPublicFolderMailbox property of each user mailbox to the public folder mailbox closest to the user.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User3 creates a public folder, the folder hierarchy will be updated first on EX3.	<input type="radio"/>	<input type="radio"/>
When User2 views the folder hierarchy, the user will use EX2.	<input type="radio"/>	<input type="radio"/>
If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with low confidence

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/public-folders?view=exchserver-2019>

NEW QUESTION 149

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

- A. Add User1 to the Discovery Management management role group.
B. Assign the Legal Hold and Mailbox Import Export management roles to User1.
C. Add User1 to the Records Management management role group.
D. Add User1 to the Compliance Management management role group.

Answer: A

Explanation:

Alternatively, assign the Mailbox Search and Legal Hold management roles to User1 Reference:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 150

- (Exam Topic 5)

You plan to use the Hybrid Agent to integrate your Microsoft Exchange Server 2016 organization and Exchange Online.

The installation of the Hybrid Agent fails.

You validate the following Exchange virtual directory settings.

```
Get-WebServicesVirtualDirectory | fl
```

```
ExternalAuthenticationMethods: {Ntlm, WindowsIntegrated, WSSecurity, OAuth}
InternalURL : https://mail.contoso.com/EWS/Exchange.asmx
ExternalURL: https://mail.contoso.com/EWS/Exchange.asmx
MRSProxyEnabled: False
Server : EX01
```

```
Get-MAPIVirtualDirectory | fl
```

```
InternalURL : https://autodiscover.contoso.com/mapi
ExternalURL: https://Autodiscover.contoso.com/mapid
Server: EX01
```

```
Get-OWAVirtualDirectory | fl
```

```
InternalURL : https://mail.contoso.com/owa
ExternalURL: https://mail.contoso.com/owa
Server: EX01
```

You need to install the Hybrid Agent successfully. What should you do first?

- A. Update the server parameter of WebServicesVirtualDirectory to the FQDN of Exchange instead of the host name.
- B. Set MRSProxyEnabled to True.
- C. Remove WindowsIntegrated from ExternalAuthenticationMethods.
- D. Change the ExternalURL parameter of MAPIVirtualDirectory to https://mail.contoso.com instead of https://autodiscover.contoso.com.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent#running-setup>

NEW QUESTION 153

- (Exam Topic 5)

Your company has an Exchange Server 2019 organization that has servers deployed in two Active Directory forests named adatum.com and contoso.com. The organization contains five Mailbox servers and two Edge Transport servers. You deploy Microsoft 365 and configure Exchange Online.

You plan to configure hybrid mail transport.

You need to identify the number of third-party CA certificates that must be used in the deployment. What is the minimum number of certificates?

- A. 1
- B. 2
- C. 4
- D. 5

Answer: A

NEW QUESTION 155

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the public folders shown in the following table.

Name	Structure	Mail-enabled
PF1	Hierarchical	Yes
PF2	Flat	No
PF3	Flat	Yes

You plan to migrate the public folders to Exchange Online to improve the collaboration options available to users.

Which public folders can be migrated to Office 365 groups without losing the folders' existing functionality?

- A. PF2 and PF3 only
- B. PF2 only
- C. PF1 and PF2 only
- D. PF1 only
- E. PF3 only

Answer: A

Explanation:

Not PF1. Office 365 groups are 'flat' so you would lose the folder hierarchy. Reference:
<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-microsoft-365-groups?view=>

NEW QUESTION 160

- (Exam Topic 5)
Your company has an Exchange Online tenant.
A partner company named Fourth Coffee also uses Exchange Online.
You need to ensure that the users at your company share free busy information with the users at Fourth Coffee. The solution must ensure that the meeting details included in the calendars of your company users remain hidden from the Fourth Coffee users.
How should you complete the command? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

New-SharingPolicy

New-AvailabilityConfig

New-OrganizationRelationship

-Name "Fourth Coffee" -DomainNames "fourthcoffee.com"

-FreeBusyAccessEnabled \$true -FreeBusyAccessLevel

None

LimitedDetails

AvailabilityOnly

-FreeBusyAccessScope "Executives"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powershell/module/exchange/new-organizationrelationship?view=exchange-ps>

NEW QUESTION 162

- (Exam Topic 5)
You have a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. All user mailboxes are in Microsoft 365.
A user named User1 leaves your company.
You delete the user account of User1 from the on-premises Active Directory domain. Two weeks later, User1 returns to the company.
You need to ensure that User1 can connect to his mailbox and access all his old email messages.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From the on-premises Active Directory Recycle Bin, recover the user account

Run the New-MailboxRestoreRequest cmdlet

Assign a Microsoft 365 license to User1

From the on-premises Active Directory domain, create a new user named User1

Run the New-Mailbox -InactiveMailbox cmdlet

Run the Restore-MsolUser cmdlet

Force a synchronization from Azure AD Connect

Answer Area

>

<

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated
Reference:
<https://techcommunity.microsoft.com/t5/exchange-team-blog/common-mailbox-recovery-scenarios-for-hybrid-e>

NEW QUESTION 164

- (Exam Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application.

You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application.

What should you do?

- A. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- B. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.
- C. Convert the service account mailboxes into shared mailboxes.
- D. Convert the service account mailboxes into mail-enabled users.

Answer: C

NEW QUESTION 165

- (Exam Topic 5)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com. You create a connector in Exchange Online that is configured as shown in the following exhibit.

Name	: Contoso
Enabled	: True
UseMXRecord	: True
ConnectorType	: Partner
RecipientDomains	: {Contoso.com}
SmartHosts	: {}
TlsDomain	: Contoso.com
TlsSettings	: DomainValidation
IsTransportRuleScoped	: False
RouteAllMessagesViaOnPremises	: False
CloudServiceMailEnabled	: False
AllAcceptedDomains	: False

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

NEW QUESTION 169

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

A user named User1 has an Exchange Online mailbox. User1 leaves your company.

You need to configure the user account of User1 to meet the following requirements:

- The Microsoft 365 license assigned to User1 must be available for another user.
- Manager1 must be able to manage all the contents in the mailbox of User1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From the Azure Active Directory admin center, delete the account of User1.	
From the Azure Active Directory admin center, disable the account of User1.	
From the Microsoft 365 admin center, remove the license from User1.	
From the Security & Compliance admin center, place the mailbox of User1 on In-Place Hold.	
From the Exchange admin center, delete the mailbox of User1.	
From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.	
From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
From the Azure Active Directory admin center, delete the account of User1.	From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.
From the Azure Active Directory admin center, disable the account of User1.	
From the Microsoft 365 admin center, remove the license from User1.	From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.
From the Security & Compliance admin center, place the mailbox of User1 on In-Place Hold.	
From the Exchange admin center, delete the mailbox of User1.	From the Microsoft 365 admin center, remove the license from User1.
From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.	
From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.	

NEW QUESTION 173

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam. You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a remote domain. Does this meet the goal?

- A. Yes

B. No

Answer: B

NEW QUESTION 177

- (Exam Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019 and Microsoft 365 that contains three servers.

All email received from the Internet is sent directly to the servers. You run the following command.

Get-MalwareFilterPolicy | FL Name,BypassInboundMessages,BypassOutboundMessages,Action,IsDefault You receive the output shown in the following exhibit.

```
Name : Default
BypassInboundMessages : False
BypassOutboundMessages : False
Action : DeleteAttachmentAndUseDefaultAlertText
IsDeafault : True
EnableInternalSenderNotifications : True
EnableExternalSenderNotifications : True
```

You run the Get-TransportAgent cmdlet and receive the output shown in the following exhibit.

Identity	Enabled	Priority
-----	-----	-----
Transport Rule Agent	True	1
DLP Policy Agent	True	2
Retention Policy Agent	True	3
Supervisory Review Agent	True	4
Malware Agent	False	5
Text Messaging Routing Agent	True	6
Text Messaging Delivery Agent	True	7
System Probe Drop Smtip Agent	True	8
System Probe Drop Routing Agent	True	9

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If an email message sent from the Internet contains malware, the message will be delivered successfully to the recipient's mailbox	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the default antimalware policy must be modified	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the priority of the malware agent must be modified	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

NEW QUESTION 180

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- > Adatum.com
- > Contoso.com
- > Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: You modify the properties of the fabrikam.com accepted

domain.
Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow/accepted-domains/accepted-domains?view=exchserver-20>

NEW QUESTION 181

- (Exam Topic 5)

You have a Microsoft 365 environment that contains 1,000 mobile devices.

You need to recommend a solution to prevent all the mobile devices that use the Exchange ActiveSync protocol from authenticating by using Basic authentication.

Which two solutions should you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Configure the CAS mailbox settings for each mailbox.
- B. Implement Azure Multi-Factor Authentication (MFA).
- C. Create an authentication policy.
- D. Create a conditional access policy.
- E. Create a device access rule.

Answer: CD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/disable-basicauthentication-i>

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

NEW QUESTION 185

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Email messages from a remote domain named fabrikam.com are received from a server that uses a wildcard certificate for fabrikam.com and are encrypted by using TLS.

Fabrikam.com is switching to a third-party cloud filtering service for inbound and outbound email. The IP address used by the third-party service is 131.107.200.10.

You need to reconfigure the connector to only accept messages from fabrikam.com that are encrypted and received from the third-party service.

Which two settings should you modify for the connector? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Edit Connector

What security restrictions do you want to apply?

☒ Reject email messages if they aren't sent over TLS.

☒ And require that the subject name on the certificate that the partner uses to authenticate with Office 365 matches this domain name

*.fabrikam.com

☒ Reject email messages if they aren't sent from within this IP address range

+

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 187

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Several users report that email messages sent to the users at another company named fabrikam.com contain a Winmail.dat attachment.

You need to prevent the fabrikam.com users from receiving Winmail.dat attachments. What should you do?

- A. Configure a remote domain that has the TNEFEnabled parameter set to \$False.
- B. Create an Outbound connector that has the validationRecipients parameter set to contoso.com.
- C. Create an Outbound connector that has the validationRecipients parameter set to fabrikam.com.
- D. Configure a remote domain that has the TrustedMailoutboundEnabled parameter set to \$False.

Answer: A

Explanation:

Reference:

<https://gcits.com/knowledge-base/how-to-fix-the-winmail-dat-attachment-issue/>

NEW QUESTION 188

- (Exam Topic 5)

Your network contains an Active Directory domain and an Azure Active Directory (Azure AD) tenant in a hybrid deployment.

You implement a Microsoft Exchange Online tenant.

You plan to deploy a new on-premises app named App1 to a Windows server. The solution must meet the following requirements:

- Use an Active Directory user account named App1service as a service account.
- Be able to receive email requests by using an email address of app1@contoso.com.
- Use App1service to sign in to the mailbox of App1 to view the requests.

In the domain, you create App1service.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create a shared mailbox for App1service

In Azure AD, register an enterprise application for App1

Sync the App1service account to Azure AD

Create a user mailbox for App1service

Assign a license to App1service

Assign app1@contoso.com as an email address to App1service

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

NEW QUESTION 189

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

The tenant has the following Exchange ActiveSync configurations.


```
[PS] C:\> Get-ActiveSyncDeviceAccessRule | f1 Name, QueryString, AccessLevel, Characteristic
```

```
Name           : Outlook for iOS and Android (DeviceModel)
QueryString    : Outlook for iOS and Android
AccessLevel    : Allow
Characteristic  : DeviceModel
```

```
[PS] C:\> Get-ActiveSyncOrganizationSettings | f1 Name, DefaultAccessLevel, IsIntuneManaged,
HasAzurePremiumSubscription, DeviceFiltering
```

```
Name           : Mobile Mailbox Settings
DefaultAccessLevel : False
IsIntuneManaged  : False
HasAzurePremiumSubscription : False
DeviceFiltering   :
```

Which mail client can Android device users use?

- A. both native Exchange ActiveSync clients and Microsoft Outlook for Android
- B. Microsoft Outlook for iOS and Android only
- C. native Exchange ActiveSync clients only
- D. neither native Exchange ActiveSync clients nor Microsoft Outlook for Android

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-activesyncdeviceaccessrule?view=exchange>

NEW QUESTION 190

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that has Office 365 Advanced Threat Protection (ATP) enabled.

The tenant contains a user named Ben Smith who has a UPN of ben.smith@fabrikam.com. Ben Smith is protected by using an ATP anti-phishing policy.

Ben Smith reports that emails sent from his personal account of ben.smith@relecloud.com are not delivered to his work email account.

You need to ensure that personal emails are delivered to the ben.smith@fabrikam.com What should you do?

- A. Create a transport rule to assign the MS-Exchange-Organization-PhishThresholdLevel header a value of 2 for the message received from ben.smith@relecloud.com
- B. Add ben.smith@fabrikam.com as a trusted sender to the ATP anti-phishing policy.
- C. Add ben.smith@relecloud.com as a trusted sender to the ATP anti phishing.
- D. Add relecloud.com to the ATP anti-phishing list of misted domains.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-atp-anti-phishing-policies>

NEW QUESTION 191

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a resource mailbox named ConferenceRoom1. ConferenceRoom1 is configured as shown in the following exhibit.

ConferenceRoom1

general	Booking requests:
• booking delegates	<input checked="" type="checkbox"/> Use customized setting to accept or decline booking requests
booking options	<input type="checkbox"/> Accept or decline booking requests automatically
contact information	<input type="checkbox"/> Select delegates who can accept or decline booking requests
email address	
MailTip	Delegates:
mailbox delegation	+ -
	User4
	Save Cancel

You need to review the customized setting for booking requests. Which cmdlet should you run?

- A. Get-ResourceConfig
- B. Get-Mailbox
- C. Get-MailboxCalendarFolder
- D. Get-CalendarProcessing

Answer: D

Explanation:

Reference:

<https://itpro.outsidesys.com/2017/11/06/exchange-configuring-the-resource-booking-attendant-with-powershell/> <https://docs.microsoft.com/en-us/powershell/module/exchange/get-calendarprocessing?view=exchange-ps>

NEW QUESTION 194

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named CustomerSupport. You need to access CustomerSupport by using Outlook on the web. Which section in Outlook on the web should you add CustomerSupport?

- A. Favorites
- B. Folders
- C. Groups

Answer: C

NEW QUESTION 197

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam. You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You enable a DKIM signature. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 201

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You purchase a Microsoft Office 365 E5 subscription.

You plan to implement Exchange Modern Hybrid and free/busy sharing.

Which two components should you configure for the planned implementations? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a sharing policy
- B. a federation trust
- C. a relying party trust
- D. Active Directory Lightweight Directory Services (AD LDS)
- E. an organization relationship

Answer: BE

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION 202

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to identify which accounts in Active Directory are assigned permissions to dismount mailbox databases.

How should you complete the command? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

Answer Area

- Get-ManagementRole
- Get-ManagementRoleAssignment
- Get-ManagementRoleEntry
- Get-ManagementScope

\$Perms = -Cmdlet Dismount-Database

\$Perms | foreach { -Role \$_.Name -Delegating \$false |

Format-Table -Auto Role,RoleAssigneeType,RoleAssigneeName}

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/exchange/find-exchange-cmdlet-permissions?view=exchange-ps>

NEW QUESTION 205

- (Exam Topic 5)

You have a Microsoft Exchange Online subscription for an email domain named contoso.com.

A partner company has an Exchange Online subscription for an email domain named fabrikam.com. You need to prevent out-of-office messages sent by users in contoso.com from being sent to users in fabrikam.com.

What is the best way to achieve the goal from the Exchange admin center? More than one answer choice may achieve the goal. (Choose the best answer.)

- A. Create a connector
B. Create a mail flow rule
C. Create a remote domain
D. Create an accepted domain

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 207

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You discover that a virus has infected the mailboxes of several users. The users are currently spreading the virus by emailing attachments that contain the virus.

You need to temporarily prevent all users from emailing attachments while you remove the virus from all the mailboxes.

What should you configure?

- A. a connection filter
B. a mail flow rule
C. a connector
D. a spam filter

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocki>

NEW QUESTION 209

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam. Solution: You migrate all the mailboxes of the sales department to Exchange Online.

Does this meet the goal?

- A. yes
B. No

Answer: A

Explanation:

Exchange Online Protection (EOP) will scan outbound messages from Exchange Online mailboxes.

NEW QUESTION 213

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. Users report that emails sent from Exchange Online mailboxes to the on-premises Exchange Server mailboxes are undelivered. You need to review the non-delivery report (NDR) for each undelivered email. What should you use?

- A. message trace in the Exchange admin center
- B. auditing in the Exchange admin center
- C. the SMTP protocol logs in Exchange Server
- D. the transport logs in Exchange Server

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

NEW QUESTION 218

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You need to perform an In-Place eDiscovery search. The solution must meet the following requirements: ➤ Minimize administrative effort.

- Search both public folders and mailboxes.
- Use an In-Place Hold to place the search results on hold. What should you do in the Microsoft 365 compliance center?

- A. Search the public folders and the mailboxes in a single search, and then place the results on In-Place Hold.
- B. Search the public folders first, and then place the results on In-Place Hold
- C. Search the mailboxes second, and then place the results on In-Place Hold.
- D. Search the public folders and the mailboxes in a single search
- E. Once the search completes, place only the mailboxes that contain results and the public folders on In-Place Hold.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/ediscovery/search-public-folders?view=exchserver-2019>

NEW QUESTION 221

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You create a mail flow rule. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachment-block>

NEW QUESTION 225

- (Exam Topic 5)

Your on-premises network contains a proxy server and a firewall. The proxy server is configured to inspect the contents of HTTP and HTTPS sessions to identify disallowed content. Only the proxy server can connect to the internet through the firewall.

You implement Microsoft Exchange Online.

Users report that they receive an error message when they attempt to connect to their mailbox by using Microsoft Outlook.

From the internal network, you connect to <https://outlookoffice.com/mail> and discover a certificate error. You discover that the certificate error contains information about a certificate issued by your company's internal certification authority (CA).

You need to ensure that all the users can connect successfully to their mailbox. What should you do?

- A. Install a new root CA certificate on the client computer of each user.
- B. Configure client computers to bypass the proxy server when they access https://*.microsoft.com.
- C. Disable HTTPS content inspection on the proxy server.
- D. Install a new root CA certificate on the proxy server.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/outlook/troubleshoot/connectivity/error-when-outlook-uses-rpc-https-connects>

NEW QUESTION 230

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has two departments that have the mailboxes configured as shown in the following table.

Department	Mailbox location	License
Accounting	On-premises	Exchange Server 2019 Standard CAL
Marketing	Exchange Online	Microsoft 365 E5

All the accounting department mailboxes reside in a database named ACCT-DB01. You create the mailboxes shown in the following table.

Name	Location
JRNL-MBX01	On-premises
JRNL-MBX02	Exchange Online

You need to record all the email communication of the users in each department. The solution must minimize costs.

What should you use for each department? To answer, drag the appropriate options to the correct departments. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options

Answer Area

- Database journaling
- A journal rule that uses JRNL-MBX01
- A journal rule that uses JRNL-MBX02

Accounting:

Marketing:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://www.microsoft.com/en-gb/microsoft-365/exchange/microsoft-exchange-server-licensing-licensing-overv>

NEW QUESTION 231

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You run the following commands.

New-Management-Scope -Name "VIP Mailboxes" -RecipientRoot "Contoso.com/ Executives"

-RecipientRestrictionFilter (ReceipientType -eq "UserMailbox")

New-ManagementRoleAssignment -SecurityGroup "VIP Admins" -Role "Mail Recipients"

-CustomRecipientWriteScope "VIP Mailboxes" You have a user named Admin1.

You need to ensure that Admin1 can manage the mailboxes of users in the Executives organizational unit (OU) only.

What should you do?

- A. Modify the membership of VIP Admins.
- B. Create a custom role group.
- C. Add Admin1 to the Recipient Management management role group.
- D. Move Admin1 to the Executives OU.

Answer: A

Explanation:

References:

<https://social.technet.microsoft.com/Forums/exchange/en-US/b316a841-c39d-483a-ac8e-64d5904c42e6/howto-limit-recipient-management-rights-to-users-in-a-ou-in-exchange-2010-sp1?forum=exchangesvradmlegacy>

NEW QUESTION 232

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You implement hybrid connectivity to Microsoft 365.

You need to ensure that users can use the Microsoft Outlook mobile app on their device to access their onpremises mailbox.

What should you do?

- A. Run Azure AD Connect.
- B. Run Set-CASMailbox -OutlookMobileEnabled for each user.

- C. Enable Hybrid Modern Authentication (HMA).
- D. Configure Active Directory Federation Services (AD FS).

Answer: C

Explanation:

Reference:

<https://techcommunity.microsoft.com/t5/exchange-team-blog/announcing-hybrid-modern-authentication-forexch>

NEW QUESTION 235

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege. To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Global Admin	
Exchange Administrator	Microsoft Office 365
Service Administrator	
Organization Management	Exchange Server 2019
Server Management	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent>

NEW QUESTION 236

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses a namespace of contoso.com. Email address policies for contoso.com are configured as shown in the Address Policies exhibit.

rules delivery reports accepted domains **email address policies**
receive connectors

+ ✎ 🗑 ↑ ↓ ↺		
NAME	PRIORITY	STATUS
Marketing	1	Applied
Sales	2	Applied
Default Policy	Lowest	Applied

The Marketing email address policy is shown in the Marketing Policy exhibit.

Marketing

Email Address Format

SMTP

Primary: John.Smith@contoso.com

Address 2: John.Smith@marketing.contoso.com

Includes

Users with Exchange mailboxes,
in the following departments: Marketing

This email address policy has been applied.

The Sales email address policy is shown in the Sales Policy exhibit.

Sales

Email Address Format

SMTP

Primary: %1g.%s@contoso.com

Includes

Users with Exchange mailboxes,
in the following departments: Sales

This email address policy has been applied.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The user mailboxes of the marketing department will have an additional email address that uses a SMTP suffix of @marketing.contoso.com.	<input type="radio"/>	<input type="radio"/>
The user mailbox of a sales department user named Ben Smith will have an email address of b.smith@contoso.com.	<input type="radio"/>	<input type="radio"/>
All user mailboxes will have an email address in the firstname.lastname@contoso.com format.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

NEW QUESTION 239

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You need to remove the email addresses of your company's executives from the global address list (GAL). What are two possible ways to achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Run the Set-Mailbox cmdlet to modify the properties of each executive's mailbox.
- B. From the Exchange admin center, modify the properties of the GAL.
- C. From the Exchange admin center, modify the properties of each executive's mailbox.

D. Run the Set-GlobalAddressList cmdlet to modify the properties of the GAL.

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 240

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

The Exchange configuration contains the following public folder hierarchy:

- Support
- Messages
- Calendar

You create a distribution list named HelpDesk@contoso.com.

You need to add the Messages public folder to the HelpDesk distribution list. What should you do first?

- A. Mail-enable the Support public folder
- B. Create a new public folder mailbox
- C. Mail-enable the Messages public folder
- D. Upgrade HelpDesk to a Microsoft 365 group

Answer: C

Explanation:


Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserve>

NEW QUESTION 245

- (Exam Topic 5)

You are evaluating the email hygiene configuration of a Microsoft Exchange Server 2019 organization. You run the command shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

deleted silently
rejected with a response
sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

deleted silently
rejected with a response
sent to the spam quarantine mailbox

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/antispam-antimalware/set-contentfilterconfig?vie>

NEW QUESTION 248

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent email messages that contain attachments that have the .js file extension from being delivered to any recipients in your organization.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- Go to **Mail flow > Rules**.
- Create the rule by using one of the following options:
 - To create a rule from a template, click **Add** and select a template. +
 - To copy a rule, select the rule, and then select **Copy** .
 - To create a new rule from scratch, **Add** and then select **Create a new rule**. +
- In the **New rule** dialog box, name the rule, and then select the conditions and actions for this rule:
 - In **Apply this rule if...**, select the condition you want from the list of available conditions:

Some conditions require you to specify values. For example, if you select The sender is... condition, you must specify a sender address. If you're adding a word or phrase, note that trailing spaces are not allowed.

If the condition you want isn't listed, or if you need to add exceptions, select More options. Additional conditions and exceptions will be listed.

If you don't want to specify a condition, and want this rule to apply to every message in your organization, select [Apply to all messages] condition.

- In Do the following..., select the action you want the rule to take on messages matching the criteria from the list of available actions: Some of the actions will require you to specify values. For example, if you select the Forward the message for approval to... condition, you will need to select a recipient in your organization.
 - _ If the condition you want isn't listed, select More options. Additional conditions will be listed.
 - Specify how rule match data for this rule is displayed in the Data Loss Prevention (DLP) reports and the protection reports.
 - Set the mode for the rule. You can use one of the two test modes to test the rule without impacting mail flow. In both test modes, when the conditions are met, an entry is added to the message trace:
 - _ Enforce: This turns on the rule and it starts processing messages immediately. All actions on the rule will be performed.
 - _ Test with Policy Tips: This turns on the rule, and any Policy Tip actions (Notify the sender with a Policy Tip) will be sent, but no actions related to message delivery will be performed. Data Loss Prevention (DLP) is required in order to use this mode.
 - _ Test without Policy Tips: Only the Generate incident report action will be enforced. No actions related to message delivery are performed.
- Exchange Online admins can create mail flow rules in the Exchange admin center (EAC) at Mail flow >Rules. You need permissions to do this procedure. After you start to create a new rule, you can see the full list of attachment-related conditions by clicking More options >Any attachment under Apply this rule if. The attachment-related options are shown in the following diagram.
- Graphical user interface, application Description automatically generated with medium confidence

new rule

Name:

*Apply this rule if...

Select one	
Select one	
The sender...	
The recipient...	
The subject or body...	
Any attachment...	<ul style="list-style-type: none"> content includes any of these words content matches these text patterns content can't be inspected file name matches these text patterns file extension includes these words size is greater than or equal to didn't complete scanning has executable content is password protected has these properties, including any of these words
Any recipient...	
The message...	
The sender and the recipient...	
The message properties...	
A message header...	
[Apply to all messages]	

☒ Audit this rule with severity level: Not specified

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/manage-mail-flow-rules> <https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/inspect-message-attachmen>

NEW QUESTION 249

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your MS-203 Exam with Our Prep Materials Via below:

<https://www.certleader.com/MS-203-dumps.html>