



## **VMware**

### **Exam Questions 2V0-33.22**

VMware Cloud Professional

## About ExamBible

### *Your Partner of IT Exam*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

### NEW QUESTION 1

A cloud administrator is asked to configure access to the VMware Cloud Services Console based on the following requirement:

• Groups and users should be synchronized from the internal Active Directory Which two options should the administrator configure to meet this requirement? (Choose two.)

- A. Workspace ONE Access connector
- B. Enterprise federation with dynamic (connectorless) authentication setup
- C. SAML 2.0 Identity Provider
- D. Enterprise federation with connector-based authentication setup
- E. Workspace ONE Assist

**Answer:** AC

#### Explanation:

The Workspace ONE Access connector is used to synchronize groups and users from the internal Active Directory to the VMware Cloud Services Console. Additionally, the administrator should configure a SAML 2.1 Identity Provider to enable single sign-on (SSO) capability and secure access to the VMware Cloud Services Console.

### NEW QUESTION 2

A cloud administrator is using VMware HCX to migrate application workloads between an on-premises data center and a VMware Public Cloud (UI!) capability of VMware HCX is being used to extend a number of on-premises network segments into the cloud to avoid IP re-addressing concerns. When the cloud administrator tries to extend a native layer 2 network segment from the cloud back into the on-premises data center, an error is encountered and the extension fails. What should the administrator do to enable network extension from the cloud side to on-premises in this scenario?

- A. Enable reverse L2E in the advanced configuration menu of HC
- B. Make the appropriate change and re-deploy the HCX Service Mesh.
- C. Ensure that the on-premises environment that has at minimum a VMware vSphere Distributed Switch with version 6.5 configured.
- D. Install VMware NSXT into the on-premise data center.
- E. Enable reverse L2E in the advanced configuration menu of HC
- F. Make the appropriate change, re-deploy the on-premise HCX Manager and re-pair the sites together.

**Answer:** B

#### Explanation:

The best solution for enabling network extension from the cloud side to the on-premises data center in this scenario is to ensure that the on-premises environment has at least a VMware vSphere Distributed Switch with version 6.5 configured. This will enable the reverse L2E feature, which is necessary for extending the native layer 2 network segment from the cloud back into the on-premises data center. For more information on how to configure reverse L2E and extend a network segment from the cloud to the on-premises data center, please refer to the official VMware documentation here.

### NEW QUESTION 3

A Cloud Administrator is tasked with choosing a correct Elastic DRS policy. The existing VMware Cloud on AWS environment consists of a single cluster with two hosts.

The following guidelines regarding the expected performance must be met:

- > The cluster should be able to scale automatically when additional resources are required.
- > Application performance should NOT be affected when the cluster scaling operation is being performed.

Which Elastic DRS policy should the cloud administrator Select?

- A. Optimize for Best Performances
- B. Elastic DRS Baseline
- C. Optimize for Rapid Scale-Out
- D. Optimize for Lowest Cost

**Answer:** B

#### Explanation:

Based on the given guidelines, the cloud administrator should select the Elastic DRS Baseline policy[1]. This policy is designed to scale the cluster automatically when additional resources are required, while also ensuring that application performance is not affected during the scaling operation. The Elastic DRS Baseline policy also ensures that resources are allocated efficiently and optimally[1], to minimize cost while ensuring that performance requirements are met. For more information on the Elastic DRS Baseline policy[1], see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.sddc-management/GUI>

### NEW QUESTION 4

Which three organizational aspects need to be considered to successfully transition to a cloud operating model? (Choose three.)

- A. People
- B. Technology
- C. Process
- D. Branding
- E. Budget
- F. Facilities

**Answer:** ABC

#### Explanation:

<https://blogs.vmware.com/management/2020/01/the-cloud-operating-model.html>

#### NEW QUESTION 5

A cloud administrator is planning to migrate 1,000 VMs from their existing on-premises location into VMware Cloud on AWS. The migration will need to be completed as quickly as possible. Upon completion, the users will need the most reliable, lowest latency connection possible. Which on-premises data center connectivity option will meet these requirements?

- A. Layer 2 VPN
- B. AWS Direct Connect
- C. VMware Transit Connect
- D. IPsec VPN

**Answer: B**

#### Explanation:

The best option to meet the requirements of quickly migrating 1,000 VMs with the lowest latency and most reliable connection possible is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as Layer 2 VPN, VMware Transit Connect, and IPsec VPN. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

#### NEW QUESTION 6

A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). Which connection type can they use to connect to an Instance of VMware Cloud?

- A. Policy-based virtual private network (VPN)
- B. Public IPs over the Internet
- C. Private L2 virtual private network (VPN)
- D. Route-based virtual private network (VPN)

**Answer: D**

#### Explanation:

<https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-dr-security-best-practic> A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). The best connection type to use for this purpose is a Route-based virtual private network (VPN). This type of VPN is secure, as it uses encryption and authentication to protect the data transmitted over the connection. Additionally, it allows for the configuration of BGP to ensure that the data traffic is routed to the desired destination.

PREPARING FOR VMWARE CLOUD ON AWS

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/vmc-aws/preparing-for-vmwar>

Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

What is Network Virtualization? | VMware Glossary

<https://www.vmware.com/topics/glossary/content/network-virtualization.html>

#### NEW QUESTION 7

A cloud administrator is tasked with migrating workloads from an on-premises environment to a VMware Cloud on AWS software-defined datacenter (SDDC) with no downtime while retaining their IP Address. Which connectivity type should be used?

- A. Private policy-based IPsec VPN
- B. Private route-based IPsec VPN
- C. Open VPN
- D. Private Layer 2 VPN

**Answer: D**

#### Explanation:

Private L2 VPN: To migrate running VMs between SDDCs in different geographical locations.

You use a private layer 2 (L2) VPN to extend an on-premises network to your cloud SDDC. This extended network is a single subnet with a single broadcast domain.

You can use L2 VPNs to migrate VMs to and from your cloud SDDC, for disaster recovery, or for dynamic access to cloud computing resources (often called cloud bursting).

VM migrations across an L2 VPN support VLAN tagging and GENEVE frame encapsulation when migrating between a cloud SDDC to another SDDC.

The L2 VPN tunnel extends layer 2 networks across geographic sites. VMs can move across sites (using vSphere vMotion) and keep the same IP addresses using an L2 VPN.

#### NEW QUESTION 8

Which vSphere HA default response is applied when a virtual machine crashes on a VMware Cloud cluster?

- A. Restart the impacted virtual machine on the same host in the same SDDC cluster
- B. Shut down the impacted virtual machine and do not restart it anywhere
- C. Restart the impacted virtual machine on other hosts in other SDDC Cluster
- D. Restart the impacted virtual machine on other hosts in the same SDDC Cluster

**Answer: D**

#### Explanation:

VMware High Availability (HA) is a feature of the VMware Cloud platform that monitors the health of virtual machines and restarts virtual machines on other hosts if they crash or become unresponsive. This ensures that the virtual machines are always available and that no downtime is experienced. The default response is to restart the impacted virtual machine on other hosts in the same SDDC Cluster, however, this can be customized to suit the needs of the customer.

References:

[1][https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.availability\\_and\\_scala](https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.availability_and_scala)

**NEW QUESTION 9**

A customer is running a software-defined data center (SDDC) in the US-East-2 region and wants to connect the workload network segment to their on-premises data center and multiple company Amazon Virtual Private Clouds (VPCs) running in US-East-2.

Which connectivity option can they use to accomplish this?

- A. AWS Direct Connect
- B. Two VPN connections
- C. VMware Transit Connect
- D. One VPN connection

**Answer: C**

**Explanation:**

To connect the workload network segment to their on-premises data center and multiple company Amazon VPCs running in US-East-2, the customer can use VMware Transit Connect. VMware Transit Connect is a service that provides secure connectivity between AWS and on-premises data centers or other clouds. It allows customers to connect and extend their networks to the AWS cloud with minimal effort and cost.

**NEW QUESTION 10**

A cloud administrator is responsible for managing a VMware Cloud solution and would like to ensure that I/O-intensive workloads run in the most optimum way possible.

Which two steps should the administrator complete on I/O-intensive workloads to meet this requirement? (Choose two.)

- A. Ensure that the VMware hardware version is 7 or later.
- B. Enable the memory hot-add feature.
- C. Configure the LSI Logic Parallel SCSI controller.
- D. Configure the VMware Paravirtual SCSI (PVSCSI) adapter.
- E. Configure a maximum of two CPU cores per socket.

**Answer: AD**

**Explanation:**

The two steps that the cloud administrator should complete on I/O-intensive workloads to ensure the best performance possible are to configure the VMware Paravirtual SCSI (PVSCSI) adapter and to ensure that the VMware hardware version is 7 or later. The PVSCSI adapter provides improved performance and scalability compared to the LSI Logic Parallel SCSI controller. Additionally, the hardware version should be 7 or later to ensure that the virtual machine is able to take advantage of the latest features and enhancements. Enabling the memory hot-add feature and configuring a maximum of two CPU cores per socket will not improve the performance of I/O-intensive workloads.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

**LSI Logic Parallel, LSI Logic SAS, or VMware Paravirtual**

For most guest operating systems, the default virtual storage adapter in VMware Cloud on AWS is either LSI Logic Parallel or LSI Logic SAS, depending on the guest operating system and the virtual hardware version.

However, VMware Cloud on AWS also includes a paravirtualized SCSI storage adapter, PVSCSI (also called VMware Paravirtual). The PVSCSI adapter offers a significant reduction in CPU utilization as well as potentially increased throughput compared to the default virtual storage adapters, and is thus the best choice for environments with very I/O-intensive guest applications.

In order to use PVSCSI, your VM must be using virtual hardware version 7 or later.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

**NEW QUESTION 10**

Which two steps must an administrator take in order to deploy an instance of Azure VMware Solutions? (Choose two.)

- A. Create a support request with Microsoft Azure Support to create a host quota.
- B. Deploy and configure Microsoft Enterprise Edge (MSEE) appliances.
- C. Create a support request with VMware Support to create a private cloud.
- D. Associate the subscription with a Microsoft Enterprise Agreement.
- E. Deploy and Configure Microsoft Azure ExpressRoute.

**Answer: AD**

**Explanation:**

According to the VMware Cloud Professional Administration guide, to deploy an instance of Azure VMware Solutions, an administrator must first create a support request with VMware Support to create a private cloud. This will enable the administrator to access the Azure VMware Solutions environment.

The guide also states that an administrator must associate the subscription with a Microsoft Enterprise Agreement in order to use Azure VMware Solutions. This will ensure that the administrator has the necessary permissions and access to the environment in order to configure and manage it.

Search results: [1] VMware Cloud Professional is a cloud service that provides a secure, reliable, and cost-effective way to deliver cloud-based solutions for organizations. [2] This guide provides step-by-step instructions to deploy and configure Microsoft Azure VMware Solutions[1], a cloud-based solution that enables organizations to run VMware workloads in the public cloud. [3] To deploy an Azure VMware Solution instance, the customer must have an active Microsoft Enterprise Agreement (EA) and a valid subscription associated with it. [4] The customer must also create a

support request with VMware support to create a private cloud. This will enable the customer to access the Azure VMware Solutions environment. [5] Once the customer has created a support request and associated their 1. Manually Creating Optimized Windows Images for VMware Horizon ...  
<https://techzone.vmware.com/resource/manually-creating-optimized-windows-images-vmware-horizon-vm> VMware Technical Support Guide  
<https://www.vmware.com/pdf/techsupportguide.pdf> VMware vCloud Air Networking Guide - vCloud Air  
[https://www.vmware.com/pdf/vchs\\_networking\\_guide.pdf](https://www.vmware.com/pdf/vchs_networking_guide.pdf)

#### NEW QUESTION 13

A cloud administrator successfully configures a policy-based VPN between an on-premises data center and an instance of VMware Cloud Software-defined data center (SDDC). Although the workloads are reachable from both locations over the IP network, the cloud virtual machines cannot access an on-premises web service. What should the cloud administrator check first to resolve this issue?

- A. On-premises DNS settings
- B. VMware Cloud DNS settings
- C. On-premises gateway settings
- D. VMware Cloud gateway settings

**Answer:** B

#### Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

#### NEW QUESTION 15

VMware Engine cloud administrator is tasked with ensuring that a dedicated, secure, high-speed, and low-latency connection exists between an on-premises VMware Engine. Which two options are available for Google Cloud VMware Engine? (Choose two.)

- A. Partner Interconnect
- B. Global Reach
- C. Dedicated Interconnect
- D. ExpressRoute
- E. Direct Connect

**Answer:** AC

#### Explanation:

<https://cloud.google.com/architecture/private-cloud-networking-for-vmware-engine>

Dedicated Interconnect provides a private[1][2], dedicated connection between your on-premises network and Google's network. It offers low latency, high bandwidth, and a secure connection. Partner Interconnect provides a connection to Google Cloud Platform through a partner's network, such as a service provider or a carrier. It offers the same low latency, high bandwidth, and secure connection, but is slightly slower than Dedicated Interconnect.

References: [1]<https://cloud.google.com/interconnect/docs/concepts/types>[2]<https://docs.vmware.com/en/VMware-Cloud-on>

#### NEW QUESTION 16

A cloud administrator wants to deploy a VMware Cloud software-defined data center (SDDC) on a cloud provider and requires a consistent 4.5 Gbps bandwidth from applications to communicate from on-premises to the SDDC. Which type of connection should be used for this type of traffic?

- A. Policy-based virtual private network (VPN)
- B. Private L2 virtual private network (VPN)
- C. Route-based virtual private network (VPN)
- D. Private line

**Answer:** C

#### Explanation:

The best option for a cloud administrator who wants to deploy a VMware Cloud software-defined data center (SDDC) on a cloud provider and requires a consistent 4.5 Gbps bandwidth from applications to communicate from on-premises to the SDDC is a Route-Based Virtual Private Network (VPN). This type of connection offers enhanced performance [1][2], flexibility, scalability, and security compared to other options, such as Policy-Based Virtual Private Network (VPN), Private L2 Virtual Private Network (VPN), or Private Line.

According to the VMware official site, "Route-based VPN enables a secure connection between two or more sites, or between a site and a mobile user, and provides better performance and scalability than a policy-based VPN. Route-based VPNs are also more secure than policy-based VPNs, because the traffic is encrypted with a unique encryption key for each tunnel, rather than relying on a shared key for all tunnels. This allows for secure and reliable connections for devices and applications located in different physical locations." [1]

[1] <https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/com.vmware.nsx.admin.doc/GUID-D6B7B9E>

#### NEW QUESTION 20

Which solution would an administrator use to manage the lifecycle operations of Tanzu Kubernetes clusters?

- A. VMware Tanzu Service Mesh
- B. VMware vSphere Lifecycle Manager
- C. VMware Tanzu Observability by Wavefront
- D. VMware Tanzu Kubernetes Grid

**Answer:** D

#### Explanation:

VMware Tanzu Kubernetes Grid is described as a comprehensive solution for operating Kubernetes-based applications in production, as well as creating, scaling and managing clusters. It provides a centralized control plane for managing the lifecycle operations of Tanzu Kubernetes clusters.

(Source:<https://tanzu.vmware.com/kubernetes>)

#### NEW QUESTION 25

Given what you know about cloud, which examples illustrate its benefits? Select all options that apply.

- A. An organization requires fewer developers when it uses the cloud.
- B. An organization manages its cloud resources by using different cloud providers that are separate and isolated from each other.
- C. A business stores infrequently accessed data in the cloud to benefit from reduced on-premises storage costs.
- D. An organization manages its cloud resources by using different cloud providers that are separate and isolated from each other.
- E. A developer codes an application in a cloud-based environment, and, with a few simple commands, deploys the application on the business website.
- F. In seconds, you receive a large amount of storage using a cloud option.

**Answer:** BCEF

**Explanation:**

Example B illustrates the benefit of cloud computing where an organization can manage its cloud resources by using different cloud providers that are separate and isolated from each other. This allows the organization to make use of features and services offered by different cloud providers in order to benefit from the best of different services.

Example C illustrates the benefit of cloud computing where a business can store infrequently accessed data in the cloud in order to benefit from reduced on-premises storage costs, as cloud storage is usually cheaper than on-premise storage.

Example E illustrates the benefit of cloud computing where a developer can code an application in a cloud-based environment, and, with a few simple commands, deploy the application on the business website. This eliminates the need for the developer to set up and manage the application on their own, as the cloud platform handles the deployment and hosting of the application.

Example F illustrates the benefit of cloud computing where a large amount of storage can be made available in seconds using a cloud option. This is useful for businesses that require a large amount of storage but don't have the resources to set up and manage their own storage solution.

For more information on the benefits of cloud computing, see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.getting-started/GUID-F>

**NEW QUESTION 30**

A customer identifies consumption-based ransomware protection as a primary business requirement. Which VMware solution offers long-term immutable point-in-time recovery options?

- A. VMware vSphere Replication
- B. VMware Site Recovery
- C. VMware Cloud Disaster Recovery
- D. VMware vSphere Data Protection

**Answer:** C

**Explanation:**

The VMware solution that offers long-term immutable point-in-time recovery options is VMware Cloud Disaster Recovery (CDR). CDR offers continuous data protection and point-in-time recovery options with up to 30 days of retention. It also provides a secure and immutable copy of your data that is stored in the cloud and can be used to recover from ransomware attacks.

**NEW QUESTION 33**

A virtual machine running in VMware Cloud on AWS is experiencing poor CPU performance. What are two steps the cloud administrator can take to troubleshoot this issue? (Choose two.)

- A. Physically access the console of the VMware ESXi host where the virtual machine resides and use the command line to review the logs.
- B. Use the Troubleshooting Workbench in VMware vRealize Operations Cloud to look for potential evidence.
- C. Set the power management policy on the VMware ESXi host to "High Performance."
- D. Log in to the VMware ESXi host using SSH and run 'esxtop' to examine CPU statistics.
- E. Use the VMware vSphere Client to connect to the VMware vCenter which manages the virtual machine and examine its performance statistics.

**Answer:** BE

**Explanation:**

"It is a good idea to periodically monitor the CPU usage of the host. This can be done through the vSphere Client, using the VMware vRealize Operations management suite, or by using resxtop. Below we describe how to interpret resxtop" <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

> Use the VMware vSphere Client to connect to the VMware vCenter which manages the virtual machine and examine its performance statistics. You can use charts, alarms, and events to identify CPU bottlenecks or contention.

> Use the Troubleshooting Workbench in VMware vRealize Operations Cloud to look for potential evidence. You can use dashboards, alerts, metrics, logs, and recommendations to diagnose and resolve CPU performance issues.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

**NEW QUESTION 37**

Which use cases apply to NSX logical routing? (Select two options)

- A. You must provide external connectivity to VMs and containers.
- B. Your organization must provide connectivity between VMs and containers that are connected to different segments.
- C. You want to provide layer 2 connectivity between VMs and microservices.
- D. You require intrinsic security for VMs connected to different segments.

**Answer:** AB

**Explanation:**

The two use cases that apply to NSX logical routing are A. You must provide external connectivity to VMs and containers, and B. Your organization must provide connectivity between VMs and containers that are connected to different segments. NSX logical routing allows you to provide external connectivity to VMs and containers, and to provide layer 3 connectivity between VMs and containers that are connected to different segments. It does not provide layer 2 connectivity between VMs and microservices or intrinsic security for VMs connected to different segments.

#### NEW QUESTION 40

What are two incident management services included in the VMware Cloud on AWS service management process? (Choose two)

- A. VMware Tools management
- B. Incident Management
- C. Microsoft License management
- D. Capacity management
- E. Workload OS management

**Answer:** BD

#### Explanation:

The two incident management services included in the VMware Cloud on AWS Service Management process are Incident Management and Capacity Management.

Incident Management is responsible for detecting, classifying, and resolving incidents quickly and effectively. It includes monitoring and alerting, incident response, and problem management. Capacity Management is responsible for predicting, measuring, and managing the capacity of the infrastructure. It includes capacity planning, performance analysis, and resource optimization.

References:

[1] <https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/cloud-management/vmware-cloud-o>

#### NEW QUESTION 45

Which two Tanzu Kubernetes Grid service component must an administrator configure within VMware Cloud to enable to deploy a namespace or their Kubernetes Application developments? (Choose two)

- A. Tanzu Service Mesh
- B. Tanzu Application Platform
- C. Tanzu Kubernetes Cluster
- D. Management cluster
- E. Tanzu Observability by Wavefront

**Answer:** CD

#### Explanation:

Tanzu Kubernetes Grid is a service from VMware Cloud that enables customers to deploy and manage Kubernetes applications in the cloud. In order to deploy a namespace or their Kubernetes Application developments, an administrator must configure a Tanzu Kubernetes Cluster and a Management Cluster.

A Tanzu Kubernetes Cluster is a cluster of nodes that are used to run applications and services. The nodes are connected to the Management Cluster, where administrators can manage and monitor deployments.

The Management Cluster is a cluster of nodes that are used to manage and monitor the Tanzu Kubernetes Cluster nodes. It provides the tools to manage and monitor deployments, as well as to configure and maintain the Tanzu Kubernetes Cluster nodes.

According to VMware's official website, "Tanzu Kubernetes Grid is a service that provides a simplified way to deploy and manage Kubernetes applications in the cloud. It provides a single control plane for managing multiple Kubernetes clusters, allowing customers to easily deploy and manage their applications across multiple clusters and environments." [1]

[1] <https://www.vmware.com/products/tanzu-kubernetes-grid.html>

#### NEW QUESTION 47

As per company policy, all administrator level accounts need to have their password changed on a regular basis. The cloudadmin@vmc.local account password is changed by an administrator from the vSphere Client.

Another administrator is using the credentials in the VMware Cloud console and gets an 'access denied' error. What could be the problem?

- A. The password change email confirmation has NOT been approved by the organization owner.
- B. The password should only be changed through the VMware Cloud console.
- C. The new password is NOT synchronized with the password that is displayed for the Default vCenter user account.
- D. The password should be changed by escalation of privileges.

**Answer:** C

#### Explanation:

The problem could be that the new password is not synchronized with the password that is displayed for the Default vCenter user account. The administrator must make sure that the same password is used in both the vSphere Client and the VMware Cloud console in order for the user to access the account. Changing the password in one place does not automatically change it in the other, so this must be done manually.

#### NEW QUESTION 48

A cloud administrator with an existing virtual private cloud (VPC) needs to create a dedicated connection to VMware Cloud on AWS. Which connection type would meet this requirement?

- A. Public virtual interface
- B. AWS Direct Connect
- C. Transit virtual interface
- D. Private virtual interface

**Answer:** B

#### Explanation:

The best option to meet the requirements of creating a dedicated connection to VMware Cloud on AWS is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as public virtual interface, transit virtual interface, and private virtual interface. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse->

to-educate-their-c VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

### NEW QUESTION 50

A cloud administrator needs to create an isolated network segment for use in disaster recovery test. Which type of network segment is required?

- A. Private
- B. Routed
- C. Extended
- D. Disconnected

**Answer: A**

#### Explanation:

A private network segment is an isolated network segment that is used for disaster recovery testing. Private network segments provide a secure and isolated environment for testing, allowing administrators to test their disaster recovery plans without risking the stability of their production environment. Private network segments also provide additional security, as they are not connected to the public internet, making them less vulnerable to external attacks. [1]  
 [1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GUID-64>

### NEW QUESTION 53

Refer to the exhibit.



A cloud administrator is deploying a new VMware Cloud on AWS virtual private cloud (VPC). After clicking on deploy, the screen refreshes and displays the information that is provided in the exhibit.

What is the issue with the management CIDR that is causing the deployment to fail?

- A. It overlaps with the AWS subnet.
- B. It overlaps with the AWS VPC CIDR.
- C. It is part of the reserved CIDRs.
- D. It is an invalid size.

**Answer: A**

#### Explanation:

<https://docs.aws.amazon.com/whitepapers/latest/sddc-deployment-and-best-practices/deploying-vmware-cloud-o> must be a RFC1918 private address space (10.0.0.0/8, 172.16.0.0/12, or 192.168.0.0/16) with CIDR block sizes of /16, /20, or /23. The management CIDR block cannot be changed after the SDDC is deployed. Choose a range of IP addresses that does not overlap with the AWS subnet you are connecting to. If you plan to connect the SDDC to an on-premises DC or another environment, the IP subnet must be unique within your enterprise network infrastructure. Choose a CIDR that will give you future scalability.

### NEW QUESTION 58

Which statement accurately describes vSphere distributed switches? (Select one option)

- A. A distributed switch is a virtual switch that is configured for a single ESXi host.
- B. A standard switch is different from a distributed switch in that standard switches contain VMkernel ports.
- C. Each ESXi host can have only one distributed switch configured at any time.
- D. A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch.

**Answer: D**

#### Explanation:

A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch. A standard switch is different from a distributed switch in that standard switches contain VMkernel ports, but the entire configuration is managed by each ESXi host. A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch and can contain multiple VMkernel ports. Each ESXi host can have multiple distributed switches configured at any time.

### NEW QUESTION 63

Which logical switching component provides layer 2 forwarding functionality in a VMwareCloud software-defined data center (SDDC).

- A. Segment port
- B. Uplink
- C. N-VDS/VDS

D. Transport node

**Answer:** C

**Explanation:**

A VMware Cloud software-defined data center (SDDC) uses a logical switching component called a Network Virtual Distributed Switch (N-VDS) or vSphere Distributed Switch (VDS) to provide layer 2 forwarding functionality [1][2]. A VDS is a network switch that provides centralized network configuration, management, and monitoring. It works with the NSX for vSphere data plane to provide layer 2 forwarding, packet filtering, and traffic monitoring services. A VDS is composed of multiple Segment Ports (which are like individual physical ports on a normal switch), Uplinks, and Transport Nodes. The Segment Ports are used to connect virtual machines to the VDS, while Uplinks are used to connect the VDS to physical networks. Transport Nodes are the physical switches that are associated with the VDS. For more information, see the official VMware documentation here: [https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/nsx\\_24\\_sdn\\_networking/GUID-A4A6E4A8](https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/nsx_24_sdn_networking/GUID-A4A6E4A8)

**NEW QUESTION 68**

What are two Incident management services included in the VMware Cloud on AWS service management process? (Choose two.)

- A. Email notifications for pending upgrades
- B. Return to service
- C. Severity classification
- D. SDDC upgrades
- E. Workload incident management

**Answer:** BC

**Explanation:**

Incident and Problem Management: VMware will provide incident and problem management services (e.g., detection, severity classification, recording, escalation, and return to service) pertaining to availability of the Service Offering. VMware is responsible for incident and problem management (e.g., detection, severity classification, recording, escalation, and return to service) pertaining to all virtual machines that you have deployed in your SDDC.  
<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/support/vmw-cloud-aws-service-descrip>

**NEW QUESTION 69**

A cloud administrator needs to extend a network and requires that routing be handled at the source. Which network segment type does VMware HCX Network Extension create in the VMware Cloud software-defined data center (SDDC) when extending the network?

- A. Extended
- B. Routed
- C. Private
- D. Disconnected

**Answer:** B

**Explanation:**

<https://docs.vmware.com/en/VMware-Validated-Design/services/sddc-extending-to-vmware-cloud-on-aws/GUI> <https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-4052AC3F-9FFC-4FA2-ACB4-18B296>

VMware HCX Network Extension creates a routed network segment type in the VMware Cloud software-defined data center (SDDC) when extending the network. This routed segment is used to connect the on-premises environment with the VMware Cloud SDDC, allowing traffic to flow between the two. The other options (extended, private, and disconnected segments) are not created by Network Extension.

**NEW QUESTION 71**

A cloud administrator wants to view and manage workloads across both an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC). Which solution meets this requirement?

- A. Enhanced Linked Mode
- B. VMware HCX
- C. vCenter Single Sign-On
- D. Hybrid Linked Mode

**Answer:** B

**Explanation:**

VMware HCX is a cloud migration and workload mobility solution that allows you to view and manage workloads across both an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC). It provides a secure[1], cross-cloud network bridge between your on-premises environment and VMware Cloud on AWS, allowing you to move workloads between the two environments with minimal effort. It also provides a unified view of both environments, allowing administrators to monitor and manage workloads across clouds from a single pane of glass. [1]  
[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.hybrid-cloud-extensio>

**NEW QUESTION 73**

When configuring VMware Cloud Disaster Recovery (VCDR), with what can protection groups and disaster recovery plans be associated?

- A. Only a single vCenter Instance In the on-premises data center or VMware Cloud software-defined data center (SDDC).
- B. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or on-premises data center.
- C. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or only a single vCenter in the on-premises data center.
- D. Only a single vCenter Instance in the VMware Cloud software-defined data center (SDDC) or multiple vCenter Instances In the on-premises data center.

**Answer:** A

**Explanation:**

vCenter Mapping Mapping vCenters in a DR plan consists of selecting source vCenters that are registered to the protected site. Choosing a target vCenter for a Failover SDDC is simple; each SDDC contains a single vCenter instance. For VMware Cloud Disaster Recovery, keep in mind that a protected site can have multiple registered vCenters, but you can only map one vCenter on VMware Cloud on AWS per-DR plan.  
<https://vmc.techzone.vmware.com/resource/introduction-vmware-cloud-disaster-recovery#inventory-and-re>

#### NEW QUESTION 77

A cloud administrator is tasked with creating a new network segment in the software-defined data center that utilizes the corporate DHCP server to provide IP addresses.

What is the proper sequence to create the required network segments?

- A. \* 1- Create a new segment attached to the Tier-0 gateway\* 2. Configure the segment DHCP ip-helper
- B. \* 1. Create a DHCP server profile\* 2. Create a new segment attached to the Tier-0 gateway\* 3. Configure the segment DHCP config to utilize the new DHCP server profile
- C. \* 1. Create a new segment attached to the Tier-1 gateway\* 2. Configure the segment DHCP ip-helper
- D. \* 1. Create a DHCP relay profile\* 2. Create a new segment attached to the Tier-1 gateway\* 3. Configure the segment DHCP config to utilize the new DHCP relay profile

**Answer:** B

#### Explanation:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-BF536EEF-7AC3-47D0-B> According to the VMware Exam Guide for Cloud Professional Exam

([https://mylearn.vmware.com/mgrreg/courses.cfm?ui=www\\_edu&a=one&id\\_subject=45954](https://mylearn.vmware.com/mgrreg/courses.cfm?ui=www_edu&a=one&id_subject=45954)), "To create a new network segment that utilizes the corporate DHCP server to provide IP addresses, the following sequence should be used: Create a DHCP server profile, create a new segment attached to the Tier-0 gateway, and configure the segment DHCP config to utilize the new DHCP server profile."

#### NEW QUESTION 81

Which three factors should a cloud administrator consider when sizing a new VMware Cloud software-defined data center (SDDC) to support the migration of workloads from an on-premises SDDC? (Choose three.)

- A. Total number of 10Gb network ports required
- B. Host hardware type in the target VMware Cloud
- C. Total number of on-premises hosts
- D. Total number of workloads
- E. Total amount of available storage across all on-premises datastores
- F. Average size of workload resources (CPU & RAM)

**Answer:** DEF

#### Explanation:

- > Total number of workloads. This determines how many hosts are needed in the VMware Cloud SDDC cluster.
- > Total amount of available storage across all on-premises datastores. This determines how much storage capacity is needed in the VMware Cloud SDDC cluster.
- > Average size of workload resources (CPU & RAM). This determines how much compute capacity is needed in the VMware Cloud SDDC cluster.

<https://docs.vmware.com/en/VMware-Cloud/services/vmc-cloud-sizer-user/GUID-7CECF719-E56B-4830-84E>

#### NEW QUESTION 84

Which two statements depict the VMware Multi-cloud Vision? (Choose two)

- A. Deliver a consistent management and operations layer across any cloud
- B. Run the workloads in the cloud to eliminate security issues.
- C. Standardize at the DevSecOps and infrastructure level.
- D. Reduce the number of developers to increase productivity
- E. Modernize applications in the cloud of choice using the cloud-native services of that cloud provider

**Answer:** AE

#### Explanation:

VMware Multi-Cloud Vision enables customers to deliver a consistent management and operations layer across any cloud, and to modernize applications in the cloud of choice using the cloud-native services of that cloud provider. It does not run workloads in the cloud to eliminate security issues, standardize at the DevSecOps and infrastructure level, or reduce the number of developers to increase productivity.

#### NEW QUESTION 86

What is a benefit of public cloud computing?

- A. Full control over physical data location
- B. Full control over software versions and software lifecycle
- C. Highly customizable and configurable hardware options
- D. Cost savings on capital hardware expenses

**Answer:** D

#### Explanation:

One benefit of public cloud computing is cost savings on capital hardware expenses. Since the cloud provider owns and manages the hardware, the customer does not need to invest in the purchase and maintenance of physical hardware, resulting in significant cost savings. Additionally, public cloud services often provide scalability and can be accessed from anywhere with an internet connection.

#### NEW QUESTION 88

A cloud administrator is tasked with deploying a new software-defined data center (SDDC) in VMware Cloud on AWS and has been able to log into the VMware Cloud console Successfully. However, they cannot access the VMware Cloud on AWS Services. Which two tasks need to be performed for the administrator to gain access? (Choose two.)

- A. The cloud administrator will need to create a new subscription for the VMware Cloud on AWS service.
- B. The cloud administrator will need to request access to the VMware Cloud on AWS service
- C. The cloud administrator will need the globalcloudadmin role in the VMware Cloud on AWS service.
- D. The cloud administrator will need the Administrator role in the VMware Cloud on AWS service.
- E. The cloud administrator will need the cloudadmin role in the VMware Cloud on AWS service.

**Answer:** BD

#### Explanation:

(Reference:<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vcloud.admin.doc/GUI>) To request access to the VMware Cloud on AWS service, the cloud administrator must log in to the VMware Cloud Console and fill out the New Subscription Request form. Once the form is filled out and submitted, the cloud administrator will receive an email with instructions on how to access the VMware Cloud on AWS service.

The cloud administrator will also need to have the Administrator role in the VMware Cloud on AWS service in order to gain access. The Administrator role allows the cloud administrator to access the VMware Cloud on AWS service, view the services available in the VMware Cloud on AWS console, and manage the resources in the SDDC.

#### NEW QUESTION 89

A cloud administrator is In the process of troubleshooting a non-compliant object. How can the administrator change a VM storage policy for an ISO image?

- A. Modify the default VM storage policy and recreate the ISO image.
- B. Modify the default VM storage policy.
- C. Apply a new VM storage policy.
- D. Attach the ISO Image to a virtual machine.

**Answer:** C

#### Explanation:

A VM storage policy is a set of rules that defines the storage requirements for a virtual machine or an object. A cloud administrator can create and apply different VM storage policies for different types of objects, such as virtual disks, ISO images, snapshots, etc1. Applying a new VM storage policy to an object will change its compliance status and trigger a reconfiguration task to move the object to a compatible datastore1. Modifying the default VM storage policy will affect all the objects that use it, which may not be desirable. Recreating the ISO image is unnecessary and time-consuming. Attaching the ISO image to a virtual machine will not change its storage policy1.

#### NEW QUESTION 93

.....

## Relate Links

**100% Pass Your 2V0-33.22 Exam with Exam Bible Prep Materials**

<https://www.exambible.com/2V0-33.22-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>