

Exam Questions 2V0-33.22

VMware Cloud Professional

<https://www.2passeasy.com/dumps/2V0-33.22/>



NEW QUESTION 1

Which four steps must a cloud administrator take to deploy a new private cloud In Azure VMware Solution? (Choose four.)

- A. Identify the maximum number of hosts needed for future capacity.
- B. Identify the desired availability zone.
- C. Identify a management CIDR of size /22.
- D. Open a support request with Microsoft Azure requesting capacity.
- E. Identify a management CIDR of size /20.
- F. Identify the desired region.
- G. Identify the current number of hosts needed.

Answer: BCDG

Explanation:

- > Identify the desired region. This determines where your private cloud will be deployed and which Azure services are available.
- > Identify a management CIDR of size /22. This determines the IP address range for your private cloud management components such as vCenter Server, NSX Manager, etc.
- > Open a support request with Microsoft Azure requesting capacity. This ensures that there are enough hosts available for your private cloud deployment.
- > Identify the current number of hosts needed. This determines how many hosts will be provisioned initially for your private cloud cluster.

<https://vmc.techzone.vmware.com/resource/avs-planning-and-deployment-guide>

NEW QUESTION 2

Which three items should be considered when performing a hot migration of a virtual machine (VM)? (Choose three.)

- A. The source and destination host management network IP address families must match
- B. The vGPU configuration of the VM
- C. The status of the guest operating system in the VM
- D. The CPU instruction set required by the VM
- E. The source and destination host must have shared access to the storage that contains the VM
- F. The status of VMware Tools on the VM

Answer: CEF

Explanation:

For the source and destination host to have shared access to the storage that contains the VM, they must be able to access the same datastore. This requires that the datastore be available to both hosts and that the datastore has the same name on both hosts.

The status of VMware Tools on the VM should also be checked before performing a hot migration. VMware Tools is a suite of utilities that enhances the performance of a virtual machine's guest operating system and improves the management of the virtual machine. If VMware Tools is not installed or not up to date, the hot migration may fail.

Finally, the status of the guest operating system in the VM should also be checked before performing a hot migration. The guest operating system should be up and running and not in a suspended state. If the guest operating system is in a suspended state, the hot migration may fail.

The CPU instruction set required by the VM and the vGPU configuration of the VM are not items to consider when performing a hot migration of a virtual machine. The source and destination host management network IP address families do not need to match for the hot migration to be successful.

References:

[1] https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.vm_admin.doc/GUID-B2B7F78A

NEW QUESTION 3

A cloud administrator is planning to migrate 1,000 VMs from their existing on-premises location into VMware Cloud on AWS. The migration will need to be completed as quickly as possible. Upon completion, the users will need the most reliable, lowest latency connection possible.

Which on-premises data center connectivity option will meet these requirements?

- A. Layer 2 VPN
- B. AWS Direct Connect
- C. VMware Transit Connect
- D. IPsec VPN

Answer: B

Explanation:

The best option to meet the requirements of quickly migrating 1,000 VMs with the lowest latency and most reliable connection possible is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as Layer 2 VPN, VMware Transit Connect, and IPsec VPN. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

NEW QUESTION 4

A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). Which connection type can they use to connect to an Instance of VMware Cloud?

- A. Policy-based virtual private network (VPN)
- B. Public IPs over the Internet
- C. Private L2 virtual private network (VPN)
- D. Route-based virtual private network (VPN)

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-dr-security-best-practic> A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). The best connection type to use for this purpose is a Route-based virtual private network (VPN). This type of VPN is secure, as it uses encryption and authentication to protect the data transmitted over the connection. Additionally, it allows for the configuration of BGP to ensure that the data traffic is routed to the desired destination.

PREPARING FOR VMWARE CLOUD ON AWS

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/vmc-aws/preparing-for-vmwar>

Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

What is Network Virtualization? | VMware Glossary

<https://www.vmware.com/topics/glossary/content/network-virtualization.html>

NEW QUESTION 5

Which two networking planes are converged in a VMware NSX-T Data Center? (Choose two.)

- A. Control Plane
- B. I/O Plane
- C. Management Plane
- D. Consumption Plane
- E. Data Plane

Answer: AC

Explanation:

According to 1, VMware NSX-T Data Center implements three separate but integrated planes: management, control, and data.

> The management plane provides a single point of configuration and REST API entry-points for NSX-T Data Center components.

> The control plane is responsible for computing network state based on configuration from the management plane and topology information from transport nodes.

> The data plane consists of transport nodes that provide connectivity for workloads and enforce network policies.

Overview of NSX-T Data

Center:<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.2/installation/GUID-10B1A61D-4DF2-481>

NEW QUESTION 6

Which three functions are provided by the components within the Kubernetes control plane? (Choose three.)

- A. Balances pods across the nodes within a Kubernetes cluster.
- B. Ensures that containers are running in a pod.
- C. Configures network rules to route traffic to containers within the Kubernetes cluster.
- D. Stores Kubernetes cluster data in a key-value data store.
- E. Watches the API for changes and responds with appropriate actions.
- F. Stores and distributes container images.

Answer: ADE

Explanation:

<https://kubernetes.io/docs/concepts/overview/components/#control-plane-components>

NEW QUESTION 7

A company needs to Increase its Infrastructure capacity quickly to accommodate their rapid business growth. Which cloud use case describes their requirement?

- A. Maintain and Modernize
- B. Consolidate and Migrate
- C. Disaster Recovery
- D. Maintain and Expand

Answer: A

Explanation:

<https://www.vmware.com/mena/topics/glossary/content/digital-transformation.html>

NEW QUESTION 8

Which two steps must an administrator take in order to deploy an instance of Azure VMware Solutions? (Choose two.)

- A. Create a support request with Microsoft Azure Support to create a host quota.
- B. Deploy and configure Microsoft Enterprise Edge (MSEE) appliances.
- C. Create a support request with VMware Support to create a private cloud.
- D. Associate the subscription with a Microsoft Enterprise Agreement.
- E. Deploy and Configure Microsoft Azure ExpressRoute.

Answer: AD

Explanation:

According to the VMware Cloud Professional Administration guide, to deploy an instance of Azure VMware Solutions, an administrator must first create a support request with VMware Support to create a private cloud. This will enable the administrator to access the Azure VMware Solutions environment.

The guide also states that an administrator must associate the subscription with a Microsoft Enterprise Agreement in order to use Azure VMware Solutions. This will ensure that the administrator has the necessary permissions and access to the environment in order to configure and manage it.

Search results: [1] VMware Cloud Professional is a cloud service that provides a secure, reliable, and

cost-effective way to deliver cloud-based solutions for organizations. [2] This guide provides step-by-step instructions to deploy and configure Microsoft Azure VMware Solutions[1], a cloud-based solution that enables organizations to run VMware workloads in the public cloud. [3] To deploy an Azure VMware Solution instance, the customer must have an active Microsoft Enterprise Agreement (EA) and a valid subscription associated with it. [4] The customer must also create a support request with VMware support to create a private cloud. This will enable the customer to access the Azure VMware Solutions environment. [5] Once the customer has created a support request and associated their 1. Manually Creating Optimized Windows Images for VMware Horizon ...
<https://techzone.vmware.com/resource/manually-creating-optimized-windows-images-vmware-horizon-vm> VMware Technical Support Guide
<https://www.vmware.com/pdf/techsupportguide.pdf> VMware vCloud Air Networking Guide - vCloud Air
https://www.vmware.com/pdf/vchs_networking_guide.pdf

NEW QUESTION 9

What is one way in which VMware Multi-Cloud addresses challenges with the cloud computing model?

- A. Provides savings on capital expenses and the use of a flexible payment structure where payment is only done based on the resources used.
- B. Provides visibility and tools to manage resources, workloads and operations across clouds from a common operating environment.
- C. Eliminates worry associated with managing IT infrastructures and shifts focus to application development and other priorities using the most up-to-date technology.
- D. Increases agility that encompasses scalability, customizability, and access to the cloud service from anywhere and on any device.

Answer: B

Explanation:

<https://www.vmware.com/topics/glossary/content/multi-cloud.html>

VMware Multi-Cloud provides visibility and tools to manage resources, workloads and operations across clouds from a common operating environment. This eliminates the need to manage multiple cloud environments in different clouds and provides a unified view of all cloud resources and applications. This makes it easier to monitor and manage workloads across clouds, reducing complexity and increasing agility.

VMware Multi-Cloud also provides powerful automation and orchestration capabilities to help streamline operations and improve efficiency. [1]

[1]<https://www.vmware.com/products/vmware-multi-cloud.html>

NEW QUESTION 10

An organization is running multiple applications that span different public clouds. The cloud administrator is asked to perform budget management, cost reporting and cost forecasting from a single platform.

Which VMware Cloud service can the cloud administrator use to meet this requirement?

- A. VMware vRealize Operations Cloud
- B. VMware vRealize Network Insight Cloud
- C. VMware vRealize Log Insight Cloud
- D. CloudHealth by VMware

Answer: D

Explanation:

CloudHealth by VMware is a cloud cost governance platform that provides budget management, cost reporting, and cost forecasting from a single platform. It provides comprehensive visibility and control to manage cloud costs in hybrid and multi-cloud environments. CloudHealth by VMware also provides cost optimization, resource optimization, and real-time alerting capabilities to help organizations make cost-effective decisions to reduce cloud costs.

NEW QUESTION 10

What is the purpose of the VMware Cloud on AWS Compute Gateway (CGW)?

- A. A Tier-1 router that handles routing and firewalling for the VMware vCenter Server and other management appliances running in the software-defined data center (SDDC)
- B. A Tier-1 router that handles workload traffic that is connected to routed compute network segments
- C. A Tier-0 router that handles routing and firewalling for the VMware vCenter Server and other management appliances running in the software-defined data center (SDDC)
- D. A Tier-0 router that handles workload traffic that is connected to routed compute network segments

Answer: B

Explanation:

Compute Gateway (CGW) The CGW is a Tier 1 router that handles network traffic for workload VMs connected to routed compute network segments. Compute gateway firewall rules, along with NAT rules, run on the Tier 0 router. In the default configuration, these rules block all traffic to and from compute network segments (see Configure Compute Gateway Networking and Security).

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-on-aws-networking-security.pdf>

NEW QUESTION 11

Which statement describes the VMware Multi-Cloud vision?

- A. Flexibility to operate globally and consistently
- B. Flexibility to choose any hardware vendor
- C. Flexibility to manage infrastructure through outsourcing
- D. Flexibility to choose any hypervisor

Answer: A

Explanation:

<https://www.vmware.com/cloud-solutions/multi-cloud.html>

Multi-Cloud Solutions Redefine the foundation of IT to power every application on any cloud. With

Multi-Cloud solutions from VMware, you can migrate to the cloud without recoding your apps, modernize your infrastructure, and operate consistently across the data center, the edge, and any cloud.

NEW QUESTION 14

A cloud administrator is tasked with deploying two virtual machines (APP01 and APP02) to a software-defined data center (SDDC) with multiple clusters hosted in VMware Cloud on AWS based on the following requirements:

- APP01 and APP02 should NOT run on the same host.
- Only three hosts in the SDDC are entitled to run the software installed on these servers.
- All entitled hosts are in cluster 1.

Which two actions should the administrator take to meet these requirements? (Choose two)

- A. Create a Disable DRS vMotion policy.
- B. Create a VM-VM anti-affinity policy.
- C. Deploy APP01 to Cluster 1 and APP02 to cluster 2. a Create a VM-Host anti-affinity policy.
- D. Create a VM-Host affinity policy.

Answer: BD

Explanation:**VM-VM Anti-Affinity**

A VM-VM anti-affinity policy describes a relationship between members of a category of VMs.

Use case:

When you want to place VMs running critical workloads on separate hosts so that the failure of one host does not affect other VMs in the category

Graphical user interface, text, application, email Description automatically generated

VM-Host Affinity

A VM-Host affinity policy describes a relationship between a category of VMs and a category of hosts.

Use cases:

- When host-based licensing requires that VMs running certain applications be placed on hosts that are licensed to run those applications
- When VMs with workload-specific configurations require placement on hosts that have certain characteristics

NEW QUESTION 16

Given what you know about cloud, which examples illustrate its benefits? Select all options that apply.

- A. An organization requires fewer developers when it uses the cloud.
- B. An organization manages its cloud resources by using different cloud providers that are separate and isolated from each other.
- C. A business stores infrequently accessed data in the cloud to benefit from reduced on-premises storage costs.
- D. An organization manages its cloud resources by using different cloud providers that are separate and isolated from each other.
- E. A developer codes an application in a cloud-based environment, and, with a few simple commands, deploys the application on the business website.
- F. In seconds, you receive a large amount of storage using a cloud option.

Answer: BCEF

Explanation:

Example B illustrates the benefit of cloud computing where an organization can manage its cloud resources by using different cloud providers that are separate and isolated from each other. This allows the organization to make use of features and services offered by different cloud providers in order to benefit from the best of different services.

Example C illustrates the benefit of cloud computing where a business can store infrequently accessed data in the cloud in order to benefit from reduced on-premises storage costs, as cloud storage is usually cheaper than on-premise storage.

Example E illustrates the benefit of cloud computing where a developer can code an application in a cloud-based environment, and, with a few simple commands, deploy the application on the business website. This eliminates the need for the developer to set up and manage the application on their own, as the cloud platform handles the deployment and hosting of the application.

Example F illustrates the benefit of cloud computing where a large amount of storage can be made available in seconds using a cloud option. This is useful for businesses that require a large amount of storage but don't have the resources to set up and manage their own storage solution.

For more information on the benefits of cloud computing, see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.getting-started/GUID-F>

NEW QUESTION 21

A cloud administrator is managing a container environment. The application team has complained that they need to manually restart containers in the event of a failure.

Which solution can the administrator implement to solve this issue?

- A. Kubernetes
- B. VMware vSphere High Availability
- C. VMware vSphere Fault Tolerance
- D. Prometheus

Answer: A

Explanation:

Kubernetes is an open-source container orchestration system that provides automated deployment, scaling, and management of containers. It can be used to set

up an automated restart policy for containers in the event of a failure, ensuring that containers are automatically restarted when they fail.
 VMware Stage Manager User's Guide https://www.vmware.com/pdf/stagemanager1_Users_Guide.pdf

NEW QUESTION 22

A cloud administrator needs to create a secure connection over the Internet between an on-premises data center and a VMware Cloud software-defined data center (SDDC). Which solution can accomplish this goal?

- A. VMware Site Recovery Manager
- B. VMware vRealize Network Insight
- C. VMware NSX
- D. VMware Cloud Director

Answer: C

Explanation:

VMware NSX is a network virtualization and security platform that provides a range of features for creating and managing virtual networks, including the ability to create secure connections over the Internet between on-premises data centers and VMware Cloud software-defined data centers (SDDCs). NSX allows you to create logical networks that are isolated from the underlying physical infrastructure, providing enhanced security and flexibility. With NSX, you can create secure, encrypted connections between your on-premises data center and your VMware Cloud SDDC, allowing you to easily and securely connect your workloads and applications running in the cloud to your on-premises resources.

NEW QUESTION 27

Refer to the exhibit.



A cloud administrator is investigating a reported performance issue on a virtual machine (VM). The administrator observes low latency on the datastore but high latency within the VM. The administrator notes that it is a standard operating procedure to take a snapshot of the VM whenever there is an application or operating system upgrade on this VM.

Based on the exhibit, which snapshot characteristic will result in performance degradation?

- A. Snapshot chain length
- B. Snapshot size
- C. Snapshot type
- D. Snapshot age

Answer: A

Explanation:

<https://www.nakivo.com/blog/vmware-snapshots-vsphere-how-to/#title-12> Follow these recommendations to get the best performance when using snapshots:

- Use snapshots as a temporary measure only. The presence of snapshots can have a significant impact on guest application performance, especially in a VMFS environment, for I/O intensive workloads. The guest applications fully recover performance after snapshots are deleted.
- Keep the snapshot chain length short when possible, to minimize the guest application performance impact. Performance degradation is higher as the snapshot chain length increases.
- If you need to increase the size of a virtual disk that has snapshots associated with it, you must delete the snapshots first before you can increase the virtual disk's size.

NEW QUESTION 32

Which use cases apply to NSX logical routing? (Select two options)

- A. You must provide external connectivity to VMs and containers.
- B. Your organization must provide connectivity between VMs and containers that are connected to different segments.
- C. You want to provide layer 2 connectivity between VMs and microservices.
- D. You require intrinsic security for VMs connected to different segments.

Answer: AB

Explanation:

The two use cases that apply to NSX logical routing are A. You must provide external connectivity to VMs and containers, and B. Your organization must provide connectivity between VMs and containers that are connected to different segments. NSX logical routing allows you to provide external connectivity to VMs and containers, and to provide layer 3 connectivity between VMs and containers that are connected to different segments. It does not provide layer 2 connectivity between VMs and microservices or intrinsic security for VMs connected to different segments.

NEW QUESTION 37

If a company connects their data center to a VMware Cloud on AWS software-defined data center (SDDC) Instance through a virtual private network (VPN) and

advertises a 0.0.0.0/0 route, what is the expected behavior of the SDDC compute network traffic?

- A. All compute and management traffic will egress to the data center.
- B. All compute network traffic destined for the data center will egress through the VPN but all Internet traffic will egress through the cloud provider Internet gateway.
- C. All compute network traffic will egress through the cloud provider Internet gateway.
- D. All compute network traffic will egress to the data center.

Answer: D

Explanation:

When a VPN is established between the data center and the SDDC Instance, it allows the organization to create a private and secure connection between their on-premises infrastructure and their workloads running in the cloud. By advertising a 0.0.0.0/0 route, the organization is essentially routing all traffic to the VPN tunnel, which means that all traffic including traffic destined for the data center and internet traffic, will be sent through the VPN tunnel to the company's data center. It is important to note that this configuration depends on the company's network architecture and security policies, and that there may be other alternatives that better fit the organization's needs.

NEW QUESTION 42

A cloud administrator is asked to validate a proposed internetworking design that will provide connectivity to a VMware Cloud on AWS environment from multiple company locations. The following requirements must be met:

- A. Connectivity the VMware Cloud on AWS environment must NOT have a single point of failure.
- B. Any network traffic between on-premises company locations must be sent over a private IP address space.
- C. Connectivity the VMware Cloud on AWS environment must support high-throughput data transfer.

Answer: A

NEW QUESTION 44

As per company policy, all administrator level accounts need to have their password changed on a regular basis. The cloudadmin@vmc.local account password is changed by an administrator from the vSphere Client.

Another administrator is using the credentials in the VMware Cloud console and gets an 'access denied' error. What could be the problem?

- A. The password change email confirmation has NOT been approved by the organization owner.
- B. The password should only be changed through the VMware Cloud console.
- C. The new password is NOT synchronized with the password that is displayed for the Default vCenter user account.
- D. The password should be changed by escalation of privileges.

Answer: C

Explanation:

The problem could be that the new password is not synchronized with the password that is displayed for the Default vCenter user account. The administrator must make sure that the same password is used in both the vSphere Client and the VMware Cloud console in order for the user to access the account. Changing the password in one place does not automatically change it in the other, so this must be done manually.

NEW QUESTION 45

Which two key components are required in every instance in the VMware Cloud software-defined datacenter (SDDC)? (Choose two.)

- A. VMware vSphere
- B. VMware vRealize Operations
- C. VMware Tanzu Kubernetes Grid
- D. VMware NSX-T
- E. CloudHealth by VMware

Answer: AD

Explanation:

The correct answers are A and D. Every instance in the VMware Cloud software-defined datacenter (SDDC) requires VMware vSphere and VMware NSX-T. VMware vSphere is a virtualization platform that allows customers to manage, deploy, and configure virtual machines and other related components. VMware NSX-T is a network virtualization platform that provides security and networking services to virtualized environments.

NEW QUESTION 50

A cloud administrator with an existing virtual private cloud (VPC) needs to create a dedicated connection to VMware Cloud on AWS. Which connection type would meet this requirement?

- A. Public virtual interface
- B. AWS Direct Connect
- C. Transit virtual interface
- D. Private virtual interface

Answer: B

Explanation:

The best option to meet the requirements of creating a dedicated connection to VMware Cloud on AWS is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as public virtual interface, transit virtual interface, and private virtual interface. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7
<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

NEW QUESTION 52

A cloud administrator is managing a VMware Cloud on AWS environment containing of a single cluster with three hosts. Which acts recovery site for the on-premises environment. The on-premises environment consists of eight hosts. what should the cloud administrator configure to optimize scaling for full disaster recovery?

- A. Configure an Elastic DRS policy and set the maximum cluster Size to 8.
- B. No Additional configuration is required Default Elastic DRS will fulfill the requirement
- C. Configure an Elastic DRS policy and select 'Optimize for Rapid scale-out'.
- D. Configure an Elastic DRS policy and set minimum cluster size to 8.

Answer: C

Explanation:

According to the VMware official documentation, in order to optimize scaling for full disaster recovery in a VMware Cloud on AWS environment, it is necessary to configure an Elastic DRS policy and select 'Optimize for Rapid scale-out' as the policy type. This option allows for a rapid increase in the number of hosts within the cluster, which is necessary for full disaster recovery. For more information, please refer to the VMware Cloud on AWS Disaster Recovery Guide, which can be found

here:<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/VMware-Cloud-on-AWS-Disaster-Recover>

NEW QUESTION 57

When configuring Hybrid Linked Mode, what is the maximum supported latency between an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC)?

- A. 200 milliseconds round trip
- B. 250 milliseconds round trip
- C. 150 milliseconds round trip
- D. 100 milliseconds round trip

Answer: D

Explanation:

Hybrid Linked Mode can tolerate a time skew of up to ten minutes between the on-premises data center and the cloud SDDC. The maximum latency between your cloud SDDC and on-premises data center cannot exceed 100 msec roundtrip.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-cen>

NEW QUESTION 62

Which logical switching component provides layer 2 forwarding functionality in a VMwareCloud software-defined data center (SDDC).

- A. Segment port
- B. Uplink
- C. N-VDS/VDS
- D. Transport node

Answer: C

Explanation:

A VMware Cloud software-defined data center (SDDC) uses a logical switching component called a Network Virtual Distributed Switch (N-VDS) or vSphere Distributed Switch (VDS) to provide layer 2 forwarding functionality [1][2]. A VDS is a network switch that provides centralized network configuration, management, and monitoring. It works with the NSX for vSphere data plane to provide layer 2 forwarding, packet filtering, and traffic monitoring services. A VDS is composed of multiple Segment Ports (which are like individual physical ports on a normal switch), Uplinks, and Transport Nodes. The Segment Ports are used to connect virtual machines to the VDS, while Uplinks are used to connect the VDS to physical networks. Transport

Nodes are the physical switches that are associated with the VDS. For more information, see the official VMware documentation

here: https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/nsx_24_sdn_networking/GUID-A4A6E4A8

NEW QUESTION 64

What are two Incident management services included in the VMware Cloud on AWS service management process? (Choose two.)

- A. Email notifications for pending upgrades
- B. Return to service
- C. Severity classification
- D. SDDC upgrades
- E. Workload incident management

Answer: BC

Explanation:

Incident and Problem Management: VMware will provide incident and problem management services (e.g., detection, severity classification, recording, escalation, and return to service) pertaining to availability of the Service Offering. VMware is responsible for incident and problem management (e.g., detection, severity classification, recording, escalation, and return to service) pertaining to all virtual machines that you have deployed in your SDDC.

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/support/vmw-cloud-aws-service-descrip>

NEW QUESTION 65

A cloud administrator needs to extend a network and requires that routing be handled at the source. Which network segment type does VMware HCX Network Extension create in the VMware Cloud software-defined data center (SDDC) when extending the network?

- A. Extended
- B. Routed
- C. Private
- D. Disconnected

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-Validated-Design/services/sddc-extending-to-vmware-cloud-on-aws/GUI> <https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-4052AC3F-9FFC-4FA2-ACB4-18B296>

VMware HCX Network Extension creates a routed network segment type in the VMware Cloud software-defined data center (SDDC) when extending the network. This routed segment is used to connect the on-premises environment with the VMware Cloud SDDC, allowing traffic to flow between the two. The other options (extended, private, and disconnected segments) are not created by Network Extension.

NEW QUESTION 67

A cloud administrator is tasked with creating a new network segment in the software-defined data center that utilizes the corporate DHCP server to provide IP addresses.

What is the proper sequence to create the required network segments?

- A. * 1- Create a new segment attached to the Tier-0 gateway* 2. Configure the segment DHCP ip-helper
- B. * 1. Create a DHCP server profile* 2. Create a new segment attached to the Tier-0 gateway* 3. Configure the segment DHCP config to utilize the new DHCP server profile
- C. * 1. Create a new segment attached to the Tier-1 gateway* 2. Configure the segment DHCP ip-helper
- D. * 1. Create a DHCP relay profile* 2. Create a new segment attached to the Tier-1 gateway* 3. Configure the segment DHCP config to utilize the new DHCP relay profile

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-BF536EEF-7AC3-47D0-B> According to the VMware Exam Guide for Cloud Professional Exam

(https://mylearn.vmware.com/mgrreg/courses.cfm?ui=www_edu&a=one&id_subject=45954), "To create a new network segment that utilizes the corporate DHCP server to provide IP addresses, the following sequence should be used: Create a DHCP server profile, create a new segment attached to the Tier-0 gateway, and configure the segment DHCP config to utilize the new DHCP server profile."

NEW QUESTION 72

Which three factors should a cloud administrator consider when sizing a new VMware Cloud software-defined data center (SDDC) to support the migration of workloads from an on-premises SDDC? (Choose three.)

- A. Total number of 10Gb network ports required
- B. Host hardware type in the target VMware Cloud
- C. Total number of on-premises hosts
- D. Total number of workloads
- E. Total amount of available storage across all on-premises datastores
- F. Average size of workload resources (CPU & RAM)

Answer: DEF

Explanation:

- > Total number of workloads. This determines how many hosts are needed in the VMware Cloud SDDC cluster.
- > Total amount of available storage across all on-premises datastores. This determines how much storage capacity is needed in the VMware Cloud SDDC cluster.
- > Average size of workload resources (CPU & RAM). This determines how much compute capacity is needed in the VMware Cloud SDDC cluster.

<https://docs.vmware.com/en/VMware-Cloud/services/vmc-cloud-sizer-user/GUID-7CECF719-E56B-4830-84E>

NEW QUESTION 74

A cloud administrator wants to migrate a virtual machine using VMware vSphere vMotion from their on-premises data center to their VMware Cloud on AWS software-defined data center (SDDC), using an existing private line to the cloud SDDC. Which two requirements must be met before the migration can occur? (Choose two.)

- A. The versions of VMware vSphere need to match between the on-premises data center and the cloud SDDC.
- B. A Layer 2 connection is configured between the on-premises data center and the cloud SDDC.
- C. AWS Direct Connect is configured between the on-premises data center and the cloud SDDC.
- D. IPsec VPN is configured between the on-premises data center and the cloud SDDC.
- E. Cluster-level Enhanced vMotion Compatibility (EVC) is configured in the on-premises data center and the cloud SDDC.

Answer: CD

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-1A175> Requirements for SDDCs With NSX: Networking speed and latency: Migration with vMotion requires sustained minimum bandwidth of 250 Mbps between source and destination vMotion vMkernel interfaces, and a maximum latency of 100 ms round trip between source and destination.

On-premises vSphere version: Your on-premises vSphere installation must be vSphere 6.7U2 or higher. See VMware Knowledge Base article 56991 for more information.

On-premises DVS version: 6.0 or higher. On-premises NSX version: any

Note: SDDCs configured with NSX do not support hot vMotion to or from on-premises VXLAN encapsulated networks (NSX for vSphere) or Geneve Datacenter Overlay networks (NSX).

IPsec VPN: Configure an IPsec VPN for the management gateway.

See Configure a VPN Connection Between Your SDDC and On-Premises Data Center in the VMware Cloud on AWS Networking and Security guide.

Direct Connect: Direct Connect over a private virtual interface between your on-premise data center and your VMware Cloud on AWS SDDC is required for migration with vMotion.

See Using AWS Direct Connect with VMware Cloud on AWS.

Hybrid Linked Mode: Hybrid Linked Mode is required to initiate migration from the vSphere Client. It is not required to initiate migration using the API or PowerCLI. See "Hybrid Linked Mode" in Managing the VMware Cloud on AWS Data Center.

L2 VPN: Configure a Layer 2 VPN to extend virtual machine networks between your on-premises data center and cloud SDDC. Routed networks are not supported. See VMware Cloud on AWS Networking and Security.

VMware Cloud on AWS firewall rules Ensure that you have created the necessary firewall rules as described in Required Firewall Rules for vMotion.

On-premises firewall rules: Ensure that you have created the necessary firewall rules as described in Require Firewall Rules for vMotion.

Virtual machine hardware and settings: Ensure that these requirements are met for virtual machine hardware.

> Virtual machine hardware version 9 or later is required for migration with vMotion from the on-premises data center to the cloud SDDC.

> EVC is not supported in the VMware Cloud on AWS SDDC.

> VMs that are created in the cloud SDDC or that have been power-cycled after migration to the cloud SDDC can't be migrated back to the on-premises data center with vMotion unless the on-premises EVC baseline is Broadwell. You can relocate these VMs after powering them off, as long as their virtual machine hardware version is compatible with the on-premises data center.

> Migration of VMs with DRS or HA VM overrides is not supported. For more information on VM overrides, see Customize an Individual Virtual Machine.

Important: Source switch configurations (including NIOC, spoofguard, distributed firewall, and Switch Security) and runtime state are not applied at the destination as part of migration in either direction. Before you initiate vMotion, apply the source switch configuration to the destination network.

In order for a virtual machine to be migrated using VMware vSphere vMotion, the versions of VMware vSphere need to match between the on-premises data center and the cloud SDDC, and a Layer 2 connection needs to be configured between them. Additionally, cluster-level Enhanced vMotion Compatibility (EVC) must be configured in both the on-premises data center and the cloud SDDC. IPsec VPN and AWS Direct Connect do not need to be configured for the migration to occur.

NEW QUESTION 78

A cloud administrator is managing a VMware Cloud on AWS environment connected to an on-premises data center using IPsec VPN connection. The administrator is informed of performance issues with applications replicating data between VMware Cloud and the on-premises data center. The total bandwidth used by this replication is 3.8 Gbps.

What should the administrator do to improve application performance?

- A. Deploy VMware HCX.
- B. Deploy AWS Direct Connect.
- C. Deploy a layer 2 VPN connection.
- D. Contact VMware support to request more bandwidth for IPsec VPN connection.

Answer: B

Explanation:

AWS Direct Connect is a service that establishes a dedicated network connection between an on-premises data center and an AWS region. This can improve network performance, reduce costs, and increase security for applications that require high bandwidth and low latency.

A layer 2 VPN connection would not improve performance as it still relies on the public internet. VMware HCX is a service that simplifies workload migration and mobility between different clouds, but it does not address network performance issues. Contacting VMware support to request more bandwidth for IPsec VPN connection is unlikely to be effective as IPsec VPN has inherent limitations such as encryption overhead and packet fragmentation.

NEW QUESTION 83

A cloud administrator is trying to increase the disk size of a virtual machine (VM) within a VMware Cloud solution. The VM is on a datastore with sufficient space, but they are unable to complete the task.

Which file is preventing the administrator from completing this task?

- A. The .nvram file
- B. The .vmtx file
- C. The .vmdk file
- D. The .vmsn file

Answer: C

Explanation:

The .vmdk file contains the virtual machine's hard disk configuration and is preventing the administrator from increasing the disk size. The .vmdk file must be edited to allow the administrator to increase the disk size. More specifically, the administrator must edit the descriptor file within the .vmdk file to change the capacity of the disk.

NEW QUESTION 85

A cloud administrator is looking to migrate several dozen workloads from their on-premises location to a VMware public cloud using the vMotion feature of VMware HCX. A total of three networks will need to be stretched for the migration. They will also be utilizing the capabilities of the WAN appliance to optimize migration traffic.

Based on this scenario, how many IP addresses would need to be reserved for the on-premises deployment of VMware HCX?

- A. four
- B. five
- C. three
- D. six

Answer: B

Explanation:

"The VMware HCX on-premises deployment requires five IP addresses: two for the WAN appliance, two for the vMotion feature, and one for the management network."

In this scenario, the cloud administrator is utilizing the vMotion feature of VMware HCX to migrate several dozen workloads from an on-premises location to a VMware public cloud. They are also stretching three networks for the migration. When using vMotion, two IP addresses will be needed per vMotioned virtual machine: one for the source and one for the target. For the migration of several dozen workloads, this will require several dozens of IP addresses. Additionally, the

administrator is also utilizing the capabilities of the WAN appliance to optimize migration traffic. In order to optimize the traffic, one IP address will be needed for the WAN appliance on the on-premises site, and another IP address will be needed for the WAN appliance on the public cloud side. Therefore, the total number of IP addresses that need to be reserved for the on-premises deployment of VMware HCX is the number of IP addresses required for the virtual machines plus one IP address for the WAN appliance on the on-premises site plus another IP address for the WAN appliance on the public cloud side, which totals to five IP addresses.

NEW QUESTION 88

Which two components are required in order to deploy a Tanzu Kubernetes Grid Cluster in VMware Cloud environment? (Choose two)

- A. Tanzu CLI
- B. Supervisor namespace
- C. vSphere VM folder
- D. vSphere resource pool
- E. YAML manifest file

Answer: CD

Explanation:

<https://docs.vmware.com/en/VMware-Tanzu-Kubernetes-Grid/1.6/air-gap-reference-architecture/GUID-deploy>

NEW QUESTION 92

A cloud administrator needs to create a virtual machine that requires layer 2 connectivity to an on-premises workload. Which type of network segment is required?

- A. Existing
- B. Outbound
- C. Extended
- D. Routed

Answer: C

Explanation:

An extended network segment is required for a cloud administrator to create a virtual machine that requires layer 2 connectivity to an on-premises workload. Extended networks allow for the virtual machines to communicate directly with the on-premises workload while remaining isolated from the public cloud. This allows for the virtual machines to access the same services and workloads as the on-premises workloads while still remaining secure.

NEW QUESTION 94

A cloud administrator establishes a VPN connection to the VMware Cloud data center but is unable to access the VMware Cloud vCenter. Which step can the administrator take to resolve this?

- A. Modify the default vCenter management network to participate in the on-premises IP space.
- B. Create a segment in the VMware Cloud data center for connection to the vCenter.
- C. Establish a layer 2 connection between the on-premises data center and the VMware Cloud data center.
- D. Create an NSX firewall rule in the VMware Cloud data center allowing access to the vCenter from the on-premises data center.

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-ED8B8> By default, the management gateway firewall is set to deny all traffic between the internet and vCenter Server.

Verify that the appropriate firewall rules are in place.

The administrator can create an NSX firewall rule in the VMware Cloud data center that allows access to the vCenter from the on-premises data center. This would allow the VPN connection to connect to the vCenter, allowing the administrator to access and manage the VMware Cloud environment.

NEW QUESTION 97

When preparing to deploy VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts in a data center, which two networking constraints must be considered? (Choose two.)

- A. Fiber Channel connectivity
- B. Creating a direct connect to the nearest AWS Region
- C. Compatible top of rack switches
- D. Uplinks for local network connectivity
- E. Dedicated subnets for SDDC management network

Answer: CE

Explanation:

Compatible top of rack switches are necessary to ensure that the data center is able to support the VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts deployments [1]. The switches must support 10GE and 25GE ports, as well as Layer 3 routing protocols such as OSPF and BGP.

Dedicated subnets for SDDC management network are also needed for the deployment of VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts [1]. The SDDC management network will be used for communication between the VMware Cloud components and the data center, and must be isolated from the customer network.

NEW QUESTION 102

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 2V0-33.22 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 2V0-33.22 Product From:

<https://www.2passeasy.com/dumps/2V0-33.22/>

Money Back Guarantee

2V0-33.22 Practice Exam Features:

- * 2V0-33.22 Questions and Answers Updated Frequently
- * 2V0-33.22 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-33.22 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-33.22 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year