

Exam Questions HPE0-S60

Delta - HPE Compute Solutions

<https://www.2passeasy.com/dumps/HPE0-S60/>



NEW QUESTION 1

Your customer has an HPE Synergy frame equipped with a D3940 Storage Module. Each of the compute nodes has an appropriate storage controller installed and two 12Gb SAS switches installed in the first fabric.

The customer reports that compute nodes cannot access the storage module. What should you verify first when troubleshooting this problem?

- A. If the D3940 module is imported in managed state that allows volume provisioning.
- B. If there is a logical interconnect created based on the 12Gb SAS switches.
- C. If the D3940 storage module is properly licensed through HPE OneView interface.
- D. If there is at least one iSCSI network configured that will provide access to the module.

Answer: A

NEW QUESTION 2

Which statement about HPE Apollo 2000 Gen10 Plus platform is true?

- A. It is equipped with HPE Persistent memory by default
- B. It can support a single processor only and up to 4 per chassis
- C. It is fully managed using HPE OneView including all connections
- D. It offers servers with AMD EPYC and Intel Xeon Scalable CPUs

Answer: B

NEW QUESTION 3

Your customer has the following HPE Synergy setup

- 3 HPE Synergy 12000 Frames
- 4 HPE Virtual Connect SE 100 Gb F32 Modules
- 2 HPE Synergy 50 GO Interconnect Link Modules
- 36 HPE Synergy 480 Gen10 Plus compute modules
- 2 HPE Composer 2 modules

Which statement about this setup is true?

- A. To use all compute nodes, the customer must create at least two logical enclosures
- B. To manage all frames, the customer must buy two additional HPE Composer 2 modules
- C. The customer must buy 36 HPE OneView Advanced licenses to manage compute modules
- D. The customer can add one D3940 storage Module to each of the frames

Answer: C

NEW QUESTION 4

Which statement about a new HPE SimpliVity deployment is true?

- A. New HPE SimpliVity deployments give customer flexible choice of hypervisor
- B. A new HPE SimpliVity node can be a member of multiple clusters
- C. All new HPE SimpliVity models are software optimized
- D. All new HPE SimpliVity models are based on mid CPUs

Answer: C

NEW QUESTION 5

Your customer has experience with utilization sampling for HPE Virtual Connect SE 100 Gb F32 Module for HPE Synergy. They have recently purchased HPE VC FC modules.

What must you be aware of regarding utilization sampling for the new modules?

- A. Utilization sampling for HPE VC FC modules must be enabled manually using CLI.
- B. For HPE VC FC modules, utilization sampling is always enabled and cannot be disabled
- C. For HPE VC FC modules, utilization sampling can be enabled once appropriate license is applied
- D. Utilization sampling works the same way for any type of HPE Synergy interconnect modules

Answer: D

NEW QUESTION 6

Which statement about HPE Superdome nPars is true?

- A. Chassis in the same nPar can have different CPU configuration
- B. Rack Management Controller is required for nPar configuration
- C. Chassis in the same nPar can have different memory configuration
- D. nPars are supported only with 3rd Generation Intel Xeon Scalable Processors

Answer: C

NEW QUESTION 7

Your customer plans to setup an HPE Synergy solution based on SY480 Gen10 compute nodes with the following connectivity options - SAS connectivity installed in the first fabric - FC connectivity installed in the second fabric - Ethernet connectivity installed in the third fabric.

Which statement regarding this setup is true?

- A. Each compute node must have at least 768GB of memory installed
- B. Interconnect modules that provide SAS connectivity should be moved to the third fabric
- C. Each interconnect module in each fabric must be properly licensed in HPE OneView
- D. Compute nodes must have a second CPU installed to access the second fabric.

Answer: A

NEW QUESTION 8


Your customer needs to move an application from an HPE Synergy 480 Gen10 Compute Module to an HPE Synergy 660 Gen 10 Compute Module. The 480 has a switch that has been manually zoned outside of HPE OneView.
 What must the customer do before migrating the application?

- A. Migrate the application to a Logical JBOD and connect it to the new server
- B. Copy the server profile and assign the clone to the new hardware
- C. Edit the server profile and change server hardware type
- D. Create a new server profile template and apply to the new hardware

Answer: C

NEW QUESTION 9


Click the area within the iLO management interface that will allow you to access workload Advisor.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 10

Your customer plans to deploy HPE Superdome Flex and configure two nPars, each based on two chassis. Which components must be included in the proposal to meet the customer's needs?

- A. Rack Management Controller for nPar management
- B. HPE Superdome Flex Grid licenses enabling connectivity between chassis
- C. At least four HPE Persistent Memory DIMMs per nPar
- D. One base chassis and three expansion chassis with licenses

Answer: D

NEW QUESTION 10

Refer to the exhibit.

Create Logical Interconnect Group

General

?

General

Name

LIG-ETH

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 100Gb F32 Module for Synergy

Enclosure count

3

Interconnect bay set

3

Redundancy

Redundant

Downlink speed

25 Gb/s

Select interconnects

2

Changed: Name to "LIG-ETH"

Create

Create +

Cancel

Which statement about this logical interconnect group is true?

- A. The master modules are located in the interconnect bays 2 and 5
- B. For the given downlink speed, the maximum number of frames is reached
- C. Both master modules are located in the same HPE Synergy frame
- D. To use interconnect bay set 3, all compute nodes must be half-height

Answer: C

NEW QUESTION 15

Which statement about HPE Superdome Flex 280 is true?

- A. It supports 2 to 8 sockets in 2-socket increments.
- B. it cannot be managed using HPE OneView.
- C. It must be equipped with at least 768 GB of memory.
- D. It can support up to two nPars with an external RMC.

Answer: C

NEW QUESTION 18

Your customer plans to deploy ESXi systems to HPE Synergy and HPE ProLiant servers using HPE OneView for VMware vCenter Server. Which statement about HPE OneView for VMware vCenter Server functionality is true for this environment?

- A. HPE ProLiant servers need an HPE OneView for VMware vCenter Server license for full functionality
- B. Individual systems can be added to HPE OneView for VMware vCenter Server through an ILO management processor
- C. HPE Synergy requires HPE Composer 2 for full functionality of HPE OneView for VMware vCenter Server
- D. Only systems managed using HPE Oneview can use HPE Oneview for VMware vCenter Server functionalities

Answer: A

NEW QUESTION 23

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView.

Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

A. Mastered
B. Not Mastered

Explanation:

NEW QUESTION 24

Which statement about a new HPE SimpliVity deployment is true?

- A. New HPE SimpliVity deployments give customer flexible choice of hypervisor
B. All new HPE SimpliVity models are based on AMD CPUs
C. All new HPE SimpliVity models support deduplication and compression
D. New HPE SimpliVity deployments are licensed per node not per physical socket

Answer: C

NEW QUESTION 27

NEW QUESTION 1:
Your customer plans to deploy VMware ESXi 7.0 U2 and they are looking for a hardware platform that will allow them to use up to 24 TB of physical memory. Which HPE compute system meets this customer's requirements?

- A. HPE ProLiant DL380 Gen 10 Plus
B. HPE Synergy 480 Gen10 Plus
C. HPE ProLiant DL560 Gen10
D. HPE Superdome Flex 280

Answer: A

NEW QUESTION 29

Your customer used to manage their HPE 3PAR arrays using HPE OneView. Now they have replaced these arrays with HPE Primera. How does managing the new arrays compare to managing their old arrays?

- A. HPE OneView offers additional functionalities for HPE Primera like CPG management
B. HPE OneView offers limited support for HPE Primera because of the firmware differences
C. To manage HPE Primera using HPE OneView
D. a dedicated license is required
E. Management procedures and features are the same for both types of the array

Answer: C

NEW QUESTION 33

You configured a vVol datastore using HPE Storage integration Pack for VMware vCenter.
Which storage object should you check using SSMC to verify whether vVol datastore is configured properly?

- A. App Volume Set
B. Storage Container
C. Virtual Volume Set
D. virtual Volume

Answer: C

NEW QUESTION 37

What is one of me benefits of using HPE Composer 2?

- A. HPE Composer 2 has 128GB of memory and 4 AMD CPUs to improve performance of me management system
- B. HPE Composer 2 modules are required to manage HPE virtual Connect SE 100GD F32 Modules for Synergy
- C. The administrator can access an HPE Synergy Composer 2 appliance remotely to perform First Time Setup
- D. A pair of HPE Composer 2 modules can manage 42 frames, compared to 21 frames managed by HPE Composer

Answer: A

NEW QUESTION 41

After HPE Superdome Flex deployment and nPar setup, you need to verify health status of HPE Superdome Flex components. Put the steps on the left into the coned order on the right to perform this task.

Enter show health command

Confirm health status

Open SSH client

Open session to RMC

1

2

3

4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Enter show health command.

Confirm health status.

Open SSH client.

Open session to RMC.

1 Open SSH client.

2 Open session to RMC.

3 Enter show health command.

4 Confirm health status.

NEW QUESTION 46

Your customer is trying to grow a VMware duster using HPE OneView for VMware vCenter Server. They get an error and cannot proceed Which tool should you use to troubleshoot the problem?

- A. HPE One View for VMware vCenter Server to verify if server profile template s property imported and registered
- B. vCenter Server to verify if an OS Bund Plans property defined and has ESXi image uploaded
- C. HPE OneView interface to import an existing cluster using the hypervisor cluster profile functionality.
- D. ILO interlace of a given HPE Synergy compute node to verify whether this node is registered within HPE Oneview.

Answer: A

NEW QUESTION 50


Match HPE SimpliVity team with the definition.

Term	Definition
Arbiter	Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes.
Compute node	Provides centralized management and events end-point for vCenter.
Intelligent Workload Optimizer	Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources.
Management Virtual Controller	Facilitates communication between nodes and resolves state conflicts to ensure service continuity

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 52

Your customer experienced some problems caused by outdated HPE Superdome Flex firmware. Which update method should they use to avoid these issues in the future?

- A. HPE OneView method for I/O firmware update procedure
- B. RMC CLI to update I/O and HPE Persistent Memory firmware
- C. HPE OneView IT HPE Persistent Memory firmware must be updated.
- D. HPE SUM if HPE Persistent Memory firmware must be updated

Answer: B

NEW QUESTION 56

You are troubleshooting an HPE OneView server profile that presents a critical state. The server profile was configured with a Link Aggregation Group. What should you check to fix the issue?

- A. if both FiexNICs are configured with the same speed
- B. If the logical enclosure is built on at least three HPE Synergy frames
- C. if both FiexNICs are connected to different networks
- D. if the logical enclosure is configured with redundant master modules

Answer: A

NEW QUESTION 57

Your customer plans to manage HPE Primera using HPE Oneview. Which storage management tasks can be completed using HPE OneView for this environment?

- A. CPG management
- B. Volume provisioning
- C. Cache management
- D. Replication setup

Answer: B

NEW QUESTION 62

Which statement about login redistribution is true?

- A. Login redistribution is available only if HPE Primera or HPE Alletra is connected directly to the HPE Synergy frame
- B. Login redistribution is a licensed feature and the number of licenses required depends on the number of active ports
- C. Login redistribution is supported only on the HPE Synergy Virtual Connect SE 32Gb FC Modules
- D. Login redistribution is used for login balancing when they are not distributed evenly over the FC links

Answer: C

NEW QUESTION 67

You need to configure a RoCE network to enable lossless networking for HPE J2000 Flash Enclosure support. Which interconnects are required to support this connection? (Select two.)

- A. HPE Virtual Connect SE 40Gb F8 Module for HPE Synergy
- B. HPE Virtual Connect SE 16Gb FC Module for HPE Synergy
- C. HPE Virtual Connect SE 100Gb F32 Module for HPE Synergy
- D. HPE Virtual Connect SE 32Gb FC Module for HPE Synergy
- E. Brocade 16Gb Fibre Channel SAN Switch Module for HPE Synergy
- F. Brocade 32Gb Fibre Channel SAN Switch Module for HPE Synergy

Answer: BD

NEW QUESTION 70

Your customer reports that they cannot deploy HPE Synergy compute nodes using HPE OneView for VMware vCenter Server (HPE OV4VC). What should you check during troubleshooting process?

- A. If HPE OneView credentials are added in vCenter Server
- B. If an compute nodes are added to the vCenter Server
- C. If the HPE Oneview instance is integrated with HPE OV4VC.
- D. If vCenter Server is licensed in the HPE Oneview interface

Answer: B

NEW QUESTION 72

Which compute node parameters are captured within server hardware type?

- A. Number of the CPUs
- B. installed operating system
- C. Mezzanine card configuration
- D. Size of the memory Installed

Answer: B

NEW QUESTION 73

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual HPE0-S60 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the HPE0-S60 Product From:

<https://www.2passeasy.com/dumps/HPE0-S60/>

Money Back Guarantee

HPE0-S60 Practice Exam Features:

- * HPE0-S60 Questions and Answers Updated Frequently
- * HPE0-S60 Practice Questions Verified by Expert Senior Certified Staff
- * HPE0-S60 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE0-S60 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year