



## **VMware**

### **Exam Questions 2V0-21.23**

VMware vSphere 8.x Professional

### NEW QUESTION 1

An administrator wants to create virtual machine (VM) templates and store them in a content library. The administrator would like to use the content library to manage different versions of these templates so that reverting to an earlier version is an option. How should the administrator create these templates?

- A. Select a VM in the vCenter inventory. Clone the VM to the content library as a VM template type.
- B. Select a VM template in the vCenter inventory
- C. Clone the template to the content library.
- D. Export a VM in the vCenter inventory to an OVF template
- E. Import the OVF template into the content library.
- F. Convert a VM to a template in the vCenter inventory. Clone the template to the content library.

**Answer:** A

#### Explanation:

Option A is correct because it allows the administrator to clone a VM to the content library as a VM template type, which can be used to create and manage different versions of these templates in the content library. Option B is incorrect because it requires the administrator to convert a VM to a template in the vCenter inventory first, which is an extra step. Option C is incorrect because it requires the administrator to export a VM to an OVF template and import it into the content library, which are extra steps. Option D is incorrect because it requires the administrator to convert a VM to a template in the vCenter inventory and clone it to the content library, which are extra steps. References:

[https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm\\_admin.doc/GUID-9F9E3F8C-0E2](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-9F9E3F8C-0E2)

### NEW QUESTION 2

What are two use cases for VMware Tools? (Choose two.)

- A. Time synchronization with an NTP server
- B. Direct deployment of the Aria Automation Config minion
- C. Share folders between ESXi hosts and guest OS file systems
- D. Ability to shut down a virtual machine remotely
- E. Support for unsupported network device drivers

**Answer:** CD

#### Explanation:

<https://www.stevenbright.com/2022/03/deploy-salt-minions-automatically-using-vmware-tools/>

Two use cases for VMware Tools are direct deployment of the Aria Automation Config minion and ability to shut down a virtual machine remotely. Direct deployment of the Aria Automation Config minion is a feature that allows the administrator to deploy a configuration management agent to a virtual machine using VMware Tools. This feature enables automation and orchestration of virtual machine configuration tasks. Ability to shut down a virtual machine remotely is a feature that allows the administrator to gracefully power off a virtual machine from the vSphere Client or other VMware products. This feature requires VMware Tools to be installed and running on the guest operating system. References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vmwtools.doc/GUID-28C39A00-74>

### NEW QUESTION 3

An administrator is tasked with installing VMware vCenter. The vCenter Server Appliance must support an environment of:

- 400 hosts
- 4000 virtual machines

Which two resources must be allocated, at a minimum, to meet the requirements? (Choose two.)

- A. 16 vCPUs
- B. 30 GB Memory
- C. 4 vCPUs
- D. 8 vCPUs
- E. 20 GB Memory

**Answer:** BD

#### Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.install.doc/GUID-88571D8A-46E1-464>

### NEW QUESTION 4

An administrator creates a virtual machine that contains the latest company-approved software, tools and security updates. Company policy requires that only full clones are allowed for server workloads.

A combination of which two tasks should the administrator complete to prepare for the deployment of this virtual machine for multiple users? (Choose two.)

- A. Set appropriate permissions on the virtual machine.
- B. Create a virtual machine customization specification.
- C. Upgrade the virtual hardware.
- D. Convert the virtual machine to a template.
- E. Take a snapshot of the virtual machine.

**Answer:** BD

#### Explanation:

Option B and D are correct because they allow the administrator to create a virtual machine customization specification, which can be used to customize guest operating system settings for multiple virtual machines, and convert the virtual machine to a template, which can be used to create full clones of server workloads. Option A is incorrect because assigning appropriate permissions on the virtual machine does not prepare it for deployment for multiple users. Option C is incorrect because upgrading the virtual hardware does not prepare it for deployment for multiple users. Option E is incorrect because taking a snapshot of the virtual machine does not prepare it for deployment for multiple users. References:

[https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm\\_admin.doc/GUID-9F9E3F8C-0E2](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-9F9E3F8C-0E2)

#### NEW QUESTION 5

During the staging of a patch on a vCenter Server Appliance, an error was encountered and the process stopped. An administrator resolved the root cause and is ready to continue with the staging of the patch.

From the vCenter Management Interface, which action should the administrator take to continue the process from the point at which the error occurred?

- A. Use the Stage and Install option to resume the staging.
- B. Use the Resume option to resume the staging.
- C. Use the Unstage option to restart the staging.
- D. Use the Stage Only option to restart the staging.

**Answer: B**

#### Explanation:

[docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.upgrade.doc/GUID-FF533442-66F0-4797-976](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.upgrade.doc/GUID-FF533442-66F0-4797-976)

#### NEW QUESTION 6

An administrator notices a performance issue in VMware vCenter. To try and understand more about the performance issue, the administrator needs to gather more information about the vCenter database to eliminate a potential disk space issue.

Which two tools can the administrator use? (Choose two.)

- A. vCenter Management Interface (VAMI)
- B. Perfmon
- C. df
- D. esxtop
- E. vSphere Client

**Answer: AC**

#### Explanation:

<https://kb.vmware.com/s/article/76563>

#### NEW QUESTION 7

An administrator runs a two-node vSphere cluster, which contains two domain controller virtual machines (VMs). The administrator wants to ensure that VMs run on separate hosts without interfering with normal maintenance operations.

How should the administrator configure Distributed Resource Scheduler (DRS)?

- A. Create a 'Must run Virtual Machines to Hosts' anti-affinity rule.
- B. Create a 'Virtual Machines to Virtual Machines' anti-affinity rule.
- C. Create a 'Virtual Machines to Virtual Machines' dependency rule.
- D. Create a 'Should run Virtual Machines to Hosts' anti-affinity rule.

**Answer: D**

#### Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.resmgmt.doc/GUID-793013E2-0976-4>

#### NEW QUESTION 8

A group of new virtual machines have been deployed using thin-provisioned disks due to the limited storage space available in an environment. The storage team has expressed concern about extensive use of this type of provisioning.

An administrator is tasked with creating a custom alarm to notify the storage team when thin provisioning reaches a certain capacity threshold.

Where must the administrator define this alarm?

- A. Datastore
- B. Data center
- C. Datastore cluster
- D. Virtual machine

**Answer: A**

#### Explanation:

To create a custom alarm to notify when thin provisioning reaches a certain capacity threshold, the administrator must define this alarm at the datastore level, as it is related to datastore usage.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.monitoring.doc/GUID-B8DC03CB-EF>

#### NEW QUESTION 9

Which four elements can a vSphere Lifecycle Manager image contain? (Choose four.)

- A. ESXi base image
- B. ESXi configuration
- C. Vendor agents
- D. Vendor add-ons
- E. BIOS updates
- F. Firmware and drivers add-on
- G. Independent components

**Answer:** ADFG

**Explanation:**

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-lifecycle-manager/GUID-9A20C2DA-F45F-4C9B-9> A vSphere Lifecycle Manager image can consist of the following four elements:

ESXi base image

The base image contains an image of VMware ESXi Server and additional components, such as drivers and adapters that are necessary to boot a server. The base image is the only mandatory element in a vSphere Lifecycle Manager image. All other elements are optional.

Vendor add-on

The vendor add-on is a collection of software components that OEMs create and distribute. The vendor add-on can contain drivers, patches, and solutions.

Firmware and drivers add-on

The firmware and drivers add-on is a special type of vendor add-on designed to assist in the firmware update process. The firmware and drivers add-on contains firmware for a specific server type and corresponding drivers. To add a firmware and drivers add-on to your image, you must install the hardware support manager plug-in provided by the hardware vendor for the hosts in the respective cluster.

Independent components

The component is the smallest discrete unit in an image. The independent components that you add to an image contain third-party software, for example drivers or adapters.

**NEW QUESTION 10**

Which two datastore types store the components of a virtual machine as a set of objects? (Choose two.)

- A. VMware Virtual Machine File System (VMFS)
- B. VMware vSAN
- C. Network File System (NFS) 3
- D. vSphere Virtual Volumes (vVols)
- E. Network File System (NFS) 4.1

**Answer:** BD

**Explanation:**

Option B and D are correct because they are the datastore types that store the components of a virtual machine as a set of objects, which are logical containers that abstract physical storage resources. Option A, C and E are incorrect because they are the datastore types that store the components of a virtual machine as a set of files, which are stored on a file system that resides on a physical storage device. References: <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.storage.doc/GUID-9F9E3F8C-0E2B-4>

**NEW QUESTION 10**

An administrator plans to bring VMware vCenter offline in order to perform hardware maintenance on the host where the vCenter Server Appliance is running. Which vSphere feature must be configured to ensure that vCenter users experience minimal downtime?

- A. vSphere Distributed Resource Scheduler
- B. Hybrid Linked Mode
- C. vCenter Server High Availability
- D. Enhanced Linked Mode

**Answer:** C

**Explanation:**

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-4A626993-A829-495>

**NEW QUESTION 11**

An administrator is tasked with looking into the disaster recovery (DR) options for a software-defined data center (SDDC).

The following requirements must be met:

- All virtual machines (VMs) must be protected to a secondary site.
- The source VMs must remain online until the failover.
- When failing over to the secondary site, application downtime is allowed
- The DR failover must be managed from the vSphere Client.
- Costs must remain as low as possible.

How can the administrator accomplish this task?

- A. Configure VMware Cloud Disaster Recovery (VCDR) and combine it with array-based storage replication
- B. Configure VMware Site Recovery Manager and combine it with vSphere Replication.
- C. Configure a subscribed content library on the secondary site.
- D. Configure VMware Site Recovery Manager and combine it with array-based storage replication.


**Answer:** B

**Explanation:**

<https://blogs.vmware.com/virtualblocks/2017/11/29/vsr-technicaloverview/>

**NEW QUESTION 15**

Refer to the exhibit.



After removing an ESXi host from a cluster for maintenance, a number of virtual machines have encountered the warning seen in the exhibit. After re-adding the ESXi, the issue is resolved. Which step should the administrator take to move the triggered alarm to its normal state?

- A. Ignore
- B. Reset to Green
- C. Acknowledge
- D. Disable

**Answer: B**

**Explanation:**

<https://communities.vmware.com/t5/ESXi-Discussions/Alert-on-virtual-machine-that-i-cant-quot-clear-quot-or-r>

**NEW QUESTION 17**

A vSphere cluster has the following vSphere Distributed Resource Scheduler (DRS) group configuration:

- \* Virtual machine (VM) group named DB
- \* Host groups named PROD11 and PROD55

The administrator wants to force the VMs in the DB group to run on the hosts in the PROD11 group. However, if all the hosts in PROD55. Which VM/Host rule must the administrator create to ensure that these requirements are met?

- A. A preferential rule between the DB group and PROD11 group
- B. A preferential rule between the DB group and the PROD55 group
- C. A preferential rule between the DB group and the PROD55 group
- D. A required rule between the DB group and the PROD11 group

**Answer: A**

**Explanation:**

Option A is correct because it allows the administrator to create a preferential rule between the DB group and PROD11 group, which will force the VMs in the DB group to run on the hosts in the PROD11 group if possible, but will allow them to run on the hosts in PROD55 group if necessary. Option B is incorrect because it will create a preferential rule between the DB group and PROD55 group, which will force the VMs in the DB group to run on the hosts in PROD55 group if possible, which is not what the administrator wants. Option C is incorrect because it is the same as option B. Option D is incorrect because it will create a required rule between the DB group and PROD11 group, which will force the VMs in the DB group to run only on the hosts in PROD11 group and not allow them to run on the hosts in PROD55 group if needed. References: <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.resmgmt.doc/GUID-60077B40-66FF-4>

**NEW QUESTION 18**

An administrator is tasked with implementing a backup solution capable of backing up the Supervisor cluster, vSphere Pods, and persistent volumes. Which two solutions must be used to meet this requirement? (Choose two.)

- A. VMware vCenter
- B. Standalone Velero and Restic
- C. NSX-T Manager
- D. vSphere Host Client
- E. Velero Plugin for vSphere

**Answer: BE**

**Explanation:**

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-9816E07A-466C-451D-A>

**NEW QUESTION 20**

An administrator wants to allow a DevOps engineer the ability to delete Tanzu Kubernetes Grid (TKG) cluster objects in a vSphere Namespace. Which role would provide the minimum required permissions to perform this operation?

- A. Administrator
- B. Can View
- C. Owner
- D. Can Edit

**Answer: D**

**Explanation:**

The Can Edit role would provide the minimum required permissions to delete Tanzu Kubernetes Grid (TKG) cluster objects in a vSphere Namespace, as it allows creating, updating, and deleting objects within a namespace.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-C2E9B5C1-D6F1-4E9B>

#### NEW QUESTION 24

What is the role of vSphere Distributed Services Engine?

- A. Provide a live shadow Instance of a virtual machine (VM) that mirror, the primary VM to prevent data loss and downtime during outages
- B. Implement Quality of Service (QoS) on network traffic within a vSphere Distributed Switch
- C. Provide hardware accelerated data processing to boost infrastructure performance
- D. Redistribute virtual machines across vSphere cluster host affinity rules following host failures or during maintenance operations

**Answer:** C

#### Explanation:

The role of vSphere Distributed Services Engine is to provide hardware accelerated data processing to boost infrastructure performance by offloading network services from the CPU to the DPU.

References: <https://core.vmware.com/resource/whats-new-vsphere-8>

#### NEW QUESTION 25

An administrator decides to restore VMware vCenter from a file-based backup following a failed upgrade. Which interface should the administrator use to complete the restore?

- A. Direct Console User Interface (DCUI)
- B. vCenter Management Interface (VAMI)
- C. vSphere Client
- D. vCenter GUI Installer

**Answer:** D

#### Explanation:

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-vcenter-installation/GUID-F02AF073-7CFD-45B2> - You can use the vCenter Server appliance GUI installer to restore a vCenter Server to an ESXi host or a vCenter Server instance. The restore procedure has two stages. The first stage deploys a new vCenter Server appliance. The second stage populates the newly deployed vCenter Server appliance with the data stored in the file-based backup.

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-vcenter-installation/GUID-F02AF073-7CFD-45B2>

#### NEW QUESTION 28

administrator successfully installs VMware ESXi onto the first host of a new vSphere cluster but makes no additional configuration changes. When attempting to log into the vSphere Host Client using the Fully Qualified Domain Name (FQDN) of the host, the administrator receives the following error message:

“server Not Found –we can’t connect to the server at esxi101.corp.local.”

- Host FQDN: esxi 101. Corp. local
- Management VLAN ID: 10
- DHCP: No
- Management IP Address: 172.16.10.101/24
- Management IP Gateway: 172.16.10.1
- Corporate DNS Servers: 172.16.10.5, 172.16.10.6
- DNS Domain: corp.local

Which three high level tasks should the administrator complete, at a minimum, in order to successfully log into the the vSphere Host Client using the FQDN for the esxi101 and complete the configuration (Choose three.)

- A. Ensure a DNS A Record is created for the VMware ESXi host on the corporate DNS servers,
- B. Update the VMware ESXi Management Network DNS configuration to use the corporate DNS servers for name, resolution,
- C. Update the VMware ESXi Management Network IPv4 configuration to use a static IPv4 address.
- D. Configure at least two network adapters for the VMware ESXi Management Network.
- E. Set the value of the VMware ESXi Management Network VLAN ID to 10.
- F. Disable IPv6 for the VMware ESXi Management Network.

**Answer:** AB

#### Explanation:

To successfully log into the vSphere Host Client using the FQDN for the ESXi host, the administrator needs to ensure a DNS A Record is created for the VMware ESXi host on the corporate DNS servers, which maps its FQDN to its IP address; and update the VMware ESXi Management Network DNS configuration to use the corporate DNS servers for name resolution, which allows resolving its FQDN.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.networking.doc/GUID-D2F9C9A9-5F2> <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.networking.doc/GUID-9F1D4E96-339>

#### NEW QUESTION 33

An administrator is responsible for the management of a VMware vCenter instance that is currently experiencing performance issues. The administrator quickly identifies that the CPU and memory utilization of vCenter is consistently over 80%. Upon further analysis, it seems that the vpxd process is contributing significantly to the performance issue.

A combination of which four steps should the administrator take to resolve the performance issues and ensure that a similar issue can be rectified without requiring downtime to vCenter moving forward? (Choose four.)

- A. Gracefully shut down vCenter using the vSphere Client.
- B. Enable CPU Hot Add on the vCenter virtual machine.
- C. Power on the vCenter Server Appliance using the vSphere Host Client.
- D. Enable CPU and Memory Hot Add on the vCenter virtual machine.
- E. Add additional CPU to the vCenter Server Appliance.
- F. Power on the vCenter Server Appliance using the vSphere Client.
- G. Enable Memory Not Add on the vCenter virtual machine.
- H. Add additional memory resources to the vCenter Server Appliance.

**Answer:** ACDE

**Explanation:**

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-8E7C1D6D-8E> <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-3B41119A-127> [https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm\\_admin.doc/GUID-38F4D574-ADE](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-38F4D574-ADE)

**NEW QUESTION 34**

An administrator is working with VMware Support and is asked to provide log bundles for the ESXi hosts in an environment. Which three options does the administrator have? (Choose three.)

- A. Generate a combined log bundle for all ESXi hosts using the vCenter Management Interface.
- B. Generate a separate log bundle for each ESXi host using the vSphere Host Client.
- C. Generate a combined log bundle for all ESXi hosts using the vSphere Client.
- D. Generate a separate log bundle for each ESXi host using the vSphere Client.
- E. Generate a separate log bundle for each ESXi host using the vCenter Management Interface.
- F. Generate a combined log bundle for all ESXi hosts using the vSphere Host Client.

**Answer:** BCD

**Explanation:**

Option B, C and D are correct because they are valid methods to generate log bundles for individual or multiple ESXi hosts using different interfaces. Option A and E are incorrect because they are not possible options to generate log bundles for all ESXi hosts using the vCenter Management Interface. Option F is incorrect because it is not possible to generate a combined log bundle for all ESXi hosts using the vSphere Host Client. References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.troubleshooting.doc/GUID-9A94C3D1>

**NEW QUESTION 39**

An administrator is tasked with configuring an appropriate Single Sign-On (SSO) solution for VMware vCenter based on the following criteria:

- The solution should support the creation of Enhanced Link Mode groups.
- All user accounts are stored within a single Active Directory domain and the solution must support only this Active Directory domain as the identity source.
- All user account password and account lockout policies must be managed within the Active Directory domain.
- The solution should support token-based authentication.

Which SSO solution should the administrator choose based on the criteria?

- A. vCenter Identity Provider Federation with Active Directory Federation Services as the identity provider
- B. vCenter Single Sign-On with Active Directory over LDAP as the identity source
- C. vCenter Single Sign-On with Active Directory (Windows Integrated Authentication) as the identity source
- D. vCenter Identity Provider Federation with Active Directory over LDAP as the identity provider

**Answer:** A

**Explanation:**

„ In vCenter Server Identity Provider Federation, vCenter Server uses the OpenID Connect (OIDC) protocol to receive an identity token that authenticates the user with vCenter Server.“ Integrated Windows Authentication is deprecated since vSphere 7.0

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.authentication.doc/GUID-157188E3-53>

**NEW QUESTION 42**

An administrator needs to configure a content library solution based on the following information:

- A new corporate virtual machine (VM) template is created every month to include all of the latest patches.
- The new VM template should be downloaded from the primary data center site (London) to two secondary data center sites (Tokyo and New York) as soon as possible.
- There is limited disk space available at one of the secondary data center sites (Tokyo) due to an ongoing data center consolidation project.

Which four steps should the administrator take to configure the content library solution before adding a VM template? (Choose four.)

- A. Create a new published content library in each secondary site
- B. Configure the New York subscribed content library to download content immediately.
- C. Configure the Tokyo subscribed content library to download content immediately
- D. Configure the Tokyo subscribed content library to download content when needed
- E. Create a new published content library at the primary site
- F. Configure the New York subscribed content library to download content when needed.
- G. Create a new subscribed content library in each secondary site

**Answer:** BDEG

**Explanation:**

The administrator should take these four steps to configure the content library solution before adding a VM template:

- Create a new published content library at the primary site, which allows the administrator to share the VM template with other sites.
- Configure the New York subscribed content library to download content immediately, which ensures that the new VM template is downloaded from the primary site as soon as possible.
- Configure the Tokyo subscribed content library to download content when needed, which saves disk space at the secondary site by downloading only the metadata of the VM template until it is deployed.
- Create a new subscribed content library in each secondary site, which allows the administrator to subscribe to the published content library at the primary site and synchronize the VM template. References:

[https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm\\_admin.doc/GUID-E8E854D](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-E8E854D)

**NEW QUESTION 47**

An administrator has mapped three vSphere zones to three vSphere clusters.

Which two statements are true for this vSphere with Tanzu zonal Supervisor enablement? (Choose two.)

- A. One Supervisor will be created in a specific zone.
- B. One Supervisor will be created across all zones.
- C. Three Supervisors will be created in Linked Mode.
- D. Individual vSphere Namespaces will be placed into a specific zone.
- E. Individual vSphere Namespaces will be spread across all zones.

**Answer:** BE

**Explanation:**

For a vSphere with Tanzu zonal Supervisor enablement where three vSphere zones are mapped to three vSphere clusters, the following two statements are true:

- B. One Supervisor will be created across all zones. In a three-zone deployment, all three vSphere clusters become one Supervisor.
- E. Individual vSphere Namespaces will be spread across all zones. You can distribute the nodes of your Tanzu Kubernetes Grid clusters across all three vSphere zones, thus providing HA for your Kubernetes workloads at a vSphere cluster level.

**NEW QUESTION 51**

An administrator is looking to deploy a new VMware vCenter Instance. The current environment consists of 75 hosts and is expected to grow up to 100 hosts over the next three years.

Which deployment size should the administrator select?

- A. Medium
- B. Tiny
- C. Large
- D. Small

**Answer:** D

**Explanation:**

VMware: Small environment (up to 100 hosts or 1,000 virtual machines) Medium environment (up to 400 hosts or 4,000 virtual machine)

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.install.doc/GUID-88571D8A-46E1-464> The administrator should select the small deployment size for the new vCenter Server instance, which is suitable for an environment with up to 100 hosts or 1,000 virtual machines. The small deployment size has 4 vCPUs and 19 GB of memory, which can handle the current and expected growth of the environment. The other deployment sizes are either too large or too small for the environment. References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.install.doc/GUID-88571D8A-46E1-464>

**NEW QUESTION 52**

An administrator needs to update a VMware vCenter instance to a newer minor release version. Due to restrictions within the environment, the vCenter instance does not have access to the Internet. As a first step, the administrator downloads the required update on another machine.

What are the next steps the administrator must perform to complete the update? A Place the update ISO file in a Virtual Machine File System (VMFS) datastore. ' Use the vSphere Client to select the update ISO file as the source for the update.

- A. Place the update ISO file in a Virtual Machine File System (VMFS) datastore. Use the vSphere Client to select the update ISO file as the source for the update
- B. Mount the ISO update file to the CD-ROM drive of the vCenter instance. Use the vCenter Management Interface to select the CD-ROM as the source for the update
- C. Place the ISO update file in a folder accessible to the vCenter instance over HTTPS. Use the vCenter Management Interface to select the update file as the source for the update
- D. Place the ZIP update file in a folder accessible to the vCenter instance over HTTPS. Use the vSphere Client to select the update file as the source for the update.

**Answer:** B

**Explanation:**

<https://4sysops.com/archives/three-ways-to-update-vmware-vcenter-server-appliance-vcsa/>

**NEW QUESTION 53**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 2V0-21.23 Practice Exam Features:

- \* 2V0-21.23 Questions and Answers Updated Frequently
- \* 2V0-21.23 Practice Questions Verified by Expert Senior Certified Staff
- \* 2V0-21.23 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 2V0-21.23 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
[Order The 2V0-21.23 Practice Test Here](#)