

Exam Questions AWS-Certified-Solutions-Architect-Professional

Amazon AWS Certified Solutions Architect Professional

<https://www.2passeasy.com/dumps/AWS-Certified-Solutions-Architect-Professional/>



NEW QUESTION 1

By default, Amazon Cognito maintains the last-written version of the data. You can override this behavior and resolve data conflicts programmatically. In addition, push synchronization allows you to use Amazon Cognito to send a silent notification to all devices associated with an identity to notify them that new data is available.

- A. get
- B. post
- C. pull
- D. push

Answer: D

Explanation:

By default, Amazon Cognito maintains the last-written version of the data. You can override this behavior and resolve data conflicts programmatically. In addition, push synchronization allows you to use Amazon Cognito to send a silent push notification to all devices associated with an identity to notify them that new data is available.

Reference: <http://aws.amazon.com/cognito/faqs/>

NEW QUESTION 2

An organization is planning to extend their data center by connecting their DC with the AWS VPC using the VPN gateway. The organization is setting up a dynamically routed VPN connection. Which of the below mentioned answers is not required to setup this configuration?

- A. The type of customer gateway, such as Cisco ASA, Juniper J-Series, Juniper SSG, Yamaha.
- B. Elastic IP ranges that the organization wants to advertise over the VPN connection to the VPC.
- C. Internet-routable IP address (static) of the customer gateway's external interface.
- D. Border Gateway Protocol (BGP) Autonomous System Number (ASN) of the customer gateway

Answer: B

Explanation:

The Amazon Virtual Private Cloud (Amazon VPC) allows the user to define a virtual networking environment in a private, isolated section of the Amazon Web Services (AWS) cloud. The user has complete control over the virtual networking environment. The organization wants to extend their network into the cloud and also directly access the internet from their AWS VPC. Thus, the organization should setup a Virtual Private Cloud (VPC) with a public subnet and a private subnet, and a virtual private gateway to enable communication with their data center network over an IPsec VPN tunnel. To setup this configuration the organization needs to use the Amazon VPC with a VPN connection. The organization network administrator must designate a physical appliance as a customer gateway and configure it. The organization would need the below mentioned information to setup this configuration:

The type of customer gateway, such as Cisco ASA, Juniper J-Series, Juniper SSG, Yamaha Internet-routable IP address (static) of the customer gateway's external interface

Border Gateway Protocol (BGP) Autonomous System Number (ASN) of the customer gateway, if the organization is creating a dynamically routed VPN connection.

Internal network IP ranges that the user wants to advertise over the VPN connection to the VPC. Reference:

http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_VPN.html

NEW QUESTION 3

What is the default maximum number of VPCs allowed per region?

- A. 5
- B. 10
- C. 100
- D. 15

Answer: A

Explanation:

The maximum number of VPCs allowed per region is 5.

Reference: http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Appendix_Limits.html

NEW QUESTION 4

An organization is setting a website on the AWS VPC. The organization has blocked a few IPs to avoid a D-DOS attack. How can the organization configure that a request from the above mentioned IPs does not access the application instances?

- A. Create an IAM policy for VPC which has a condition to disallow traffic from that IP address.
- B. Configure a security group at the subnet level which denies traffic from the selected IP.
- C. Configure the security group with the EC2 instance which denies access from that IP address.
- D. Configure an ACL at the subnet which denies the traffic from that IP address

Answer: D

Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. It enables the user to launch AWS resources into a virtual network that the user has defined. AWS provides two features that the user can use to increase security in VPC: security groups and network ACLs. Security group works at the instance level while ACL works at the subnet level. ACL allows both allow and deny rules.

Thus, when the user wants to reject traffic from the selected IPs it is recommended to use ACL with subnets.

Reference: http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_ACLs.html

NEW QUESTION 5

While implementing the policy keys in AWS Direct Connect, if you use and the request comes from

an Amazon EC2 instance, the instance's public IP address is evaluated to determine if access is allowed.

- A. aws:SecureTransport
- B. aws:EpochIP
- C. aws:SourceIp
- D. aws:CurrentTime

Answer: C

Explanation:

While implementing the policy keys in Amazon RDS, if you use aws:SourceIp and the request comes from an Amazon EC2 instance, the instance's public IP address is evaluated to determine if access is allowed. Reference: http://docs.aws.amazon.com/directconnect/latest/UserGuide/using_iam.html

NEW QUESTION 6

A user has created a MySQL RDS instance with PIOPS. Which of the below mentioned statements will help user understand the advantage of PIOPS?

- A. The user can achieve additional dedicated capacity for the EBS I/O with an enhanced RDS option
- B. It uses a standard EBS volume with optimized configuration the stacks
- C. It uses optimized EBS volumes and optimized configuration stacks
- D. It provides a dedicated network bandwidth between EBS and RDS

Answer: C

Explanation:

RDS DB instance storage comes in two types: standard and provisioned IOPS. Standard storage is allocated on the Amazon EBS volumes and connected to the user's DB instance. Provisioned IOPS uses optimized EBS volumes and an optimized configuration stack. It provides additional, dedicated capacity for the EBS I/O. Reference: <http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/Welcome.html>

NEW QUESTION 7

A user authenticating with Amazon Cognito will go through a multi-step process to bootstrap their credentials. Amazon Cognito has two different flows for authentication with public providers. Which of the following are the two flows?

- A. Authenticated and non-authenticated
- B. Public and private
- C. Enhanced and basic
- D. Single step and multistep

Answer: C

Explanation:

A user authenticating with Amazon Cognito will go through a multi-step process to bootstrap their credentials. Amazon Cognito has two different flows for authentication with public providers: enhanced and basic. Reference: <http://docs.aws.amazon.com/cognito/devguide/identity/concepts/authentication-flow/>

NEW QUESTION 8

An organization is creating a VPC for their application hosting. The organization has created two private subnets in the same AZ and created one subnet in a separate zone. The organization wants to make a HA system with the internal ELB. Which of these statements is true with respect to an internal ELB in this scenario?

- A. ELB can support only one subnet in each availability zone.
- B. ELB does not allow subnet selection; instead it will automatically select all the available subnets of the VPC.
- C. If the user is creating an internal ELB, he should use only private subnets.
- D. ELB can support all the subnets irrespective of their zone

Answer: A

Explanation:

The Amazon Virtual Private Cloud (Amazon VPC) allows the user to define a virtual networking environment in a private, isolated section of the Amazon Web Services (AWS) cloud. The user has complete control over the virtual networking environment. Within this virtual private cloud, the user can launch AWS resources, such as an ELB, and EC2 instances.

There are two ELBs available with VPC: internet facing and internal (private) ELB. For internal servers, such as App servers the organization can create an internal load balancer in their VPC and then place back-end application instances behind the internal load balancer. The internal load balancer will route requests to the back-end application instances, which are also using private IP addresses and only accept requests from the internal load balancer.

The Internal ELB supports only one subnet in each AZ and asks the user to select a subnet while configuring internal ELB.

Reference: http://docs.aws.amazon.com/ElasticLoadBalancing/latest/DeveloperGuide/USVPC_creating_basic_lb.html

NEW QUESTION 9

IV|apMySite is setting up a web application in the AWS VPC. The organization has decided to use an AWS RDS instead of using its own DB instance for HA and DR requirements.

The organization also wants to secure RDS access. How should the web application be setup with RDS?

- A. Create a VPC with one public and one private subne
- B. Launch an application instance in the public subnet while RDS is launched in the private subnet.
- C. Setup a public and two private subnets in different AZs within a VPC and create a subnet grou
- D. Launch RDS with that subnet group.
- E. Create a network interface and attach two subnets to i
- F. Attach that network interface with RDS while launching a DB instance.
- G. Create two separate VPCs and launch a Web app in one VPC and RDS in a separate VPC and connect them with VPC peering.

Answer: B

Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. It enables the user to launch AWS resources, such as RDS into a virtual network that the user has defined. Subnets are segments of a VPC's IP address range that the user can designate to a group of VPC resources based on the security and operational needs.

A DB subnet group is a collection of subnets (generally private) that a user can create in a VPC and assign to the RDS DB instances. A DB subnet group allows the user to specify a particular VPC when creating the DB instances. Each DB subnet group should have subnets in at least two Availability Zones in a given region.

Reference: http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_VPC.html

NEW QUESTION 10

The Principal element of an IAM policy refers to the specific entity that should be allowed or denied permission, whereas the translates to everyone except the specified entity.

- A. NotPrincipal
- B. Vendor
- C. Principal
- D. Action

Answer: A

Explanation:

The element NotPrincipal that is included within your IAM policy statements allows you to specify an exception to a list of principals to whom the access to a specific resource is either allowed or denied. Use the NotPrincipal element to specify an exception to a list of principals. For example, you can deny access to all principals except the one named in the NotPrincipal element.

Reference: http://docs.aws.amazon.com/IAM/latest/UserGuide/reference_policies_elements.html#Principal

NEW QUESTION 10

Doug has created a VPC with CIDR 10.201.0.0/16 in his AWS account. In this VPC he has created a public subnet with CIDR block 10.201.31.0/24. While launching a new EC2 from the console, he is not able to assign the private IP address 10.201.31.6 to this instance. Which is the most likely reason for this issue?

- A. Private address IP 10.201.31.6 is currently assigned to another interface.
- B. Private IP address 10.201.31.6 is reserved by Amazon for IP networking purposes.
- C. Private IP address 10.201.31.6 is blocked via ACLs in Amazon infrastructure as a part of platform security.
- D. Private IP address 10.201.31.6 is not part of the associated subnet's IP address rang

Answer: A

Explanation:

In Amazon VPC, you can assign any Private IP address to your instance as long as it is: Part of the associated subnet's IP address range

Not reserved by Amazon for IP networking purposes Not currently assigned to another interface Reference: <http://aws.amazon.com/vpc/faqs/>

NEW QUESTION 11

One of your AWS Data Pipeline actMties has failed consequently and has entered a hard failure state after retrying thrice. You want to try it again. Is it possible to increase the number of automatic retries to more than thrice?

- A. Yes, you can increase the number of automatic retries to 6.
- B. Yes, you can increase the number of automatic retries to indefinite number.
- C. No, you cannot increase the number of automatic retries.
- D. Yes, you can increase the number of automatic retries to 10.

Answer: D

Explanation:

In AWS Data Pipeline, an actMty fails if all of its actMty attempts return with a failed state. By default, an actMty retries three times before entering a hard failure state. You can increase the number of automatic retries to 10. However, the system does not allow indefinite retries.

Reference: <https://aws.amazon.com/datapipeline/faqs/>

NEW QUESTION 15

True or False: In Amazon ElastiCache replication groups of Redis, for performance tuning reasons, you can change the roles of the cache nodes within the replication group, with the primary and one of the replicas exchanging roles.

- A. True, however, you get lower performance.
- B. FALSE
- C. TRUE
- D. False, you must recreate the replication group to improve performance tunin

Answer: C

Explanation:

In Amazon ElastiCache, a replication group is a collection of Redis Cache Clusters, with one primary read-write cluster and up to five secondary, read-only clusters, which are called read replicas. You can change the roles of the cache clusters within the replication group, with the primary cluster and one of the replicas exchanging roles. You might decide to do this for performance tuning reasons.

Reference: <http://docs.aws.amazon.com/AmazonElastiCache/latest/UserGuide/Replication.Redis.Groups.html>

NEW QUESTION 18

How many cg1.4xlarge on-demand instances can a user run in one region without taking any limit increase approval from AWS?

- A. 20
- B. 2
- C. 5
- D. 10

Answer: B

Explanation:

Generally AWS EC2 allows running 20 on-demand instances and 100 spot instances at a time. This limit can be increased by requesting at <https://aws.amazon.com/contact-us/ec2-request>. Excluding certain types of instances, the limit is lower than mentioned above. For cg1.4xlarge, the user can run only 2

on-demand instances at a time.

Reference: http://docs.aws.amazon.com/general/latest/gr/aws_service_limits.html#limits_ec2

NEW QUESTION 22

Regarding Amazon SNS, you can send notification messages to mobile devices through any of the following supported push notification services, EXCEPT:

- A. Microsoft Windows Mobile Messaging (MWMM)
- B. Google Cloud Messaging for Android (GCM)
- C. Amazon Device Messaging (ADM)
- D. Apple Push Notification Service (APNS)

Answer: A

Explanation:

In Amazon SNS, you have the ability to send notification messages directly to apps on mobile devices. Notification messages sent to a mobile endpoint can appear in the mobile app as message alerts, badge updates, or even sound alerts. Microsoft Windows Mobile Messaging (MWMM) doesn't exist and is not supported by Amazon SNS.

Reference: <http://docs.aws.amazon.com/sns/latest/dg/SNSMobilePush.html>

NEW QUESTION 23

You want to define permissions for a role in an IAM policy. Which of the following configuration formats should you use?

- A. An XML document written in the IAM Policy Language
- B. An XML document written in a language of your choice
- C. A JSON document written in the IAM Policy Language
- D. A JSON document written in a language of your choice

Answer: C

Explanation:

You define the permissions for a role in an IAM policy. An IAM policy is a JSON document written in the IAM Policy Language.

Reference: http://docs.aws.amazon.com/IAM/latest/UserGuide/id_roles_terms-and-concepts.html

NEW QUESTION 25

IAM Secure And Scalable is an organization which provides scalable and secure SAAS to its clients. They are planning to host a web server and App server on AWS VPC as separate tiers. The organization wants to implement the scalability by configuring Auto Scaling and load balancer with their app servers (middle tier) too. Which of the below mentioned options suits their requirements?

- A. Since ELB is internet facing, it is recommended to setup HAProxy as the Load balancer within the VPC.
- B. Create an Internet facing ELB with VPC and configure all the App servers with it.
- C. The user should make ELB with EC2-CLASSIC and enable SSH with it for security.
- D. Create an Internal Load balancer with VPC and register all the App servers with it

Answer: D

Explanation:

The Amazon Virtual Private Cloud (Amazon VPC) allows the user to define a virtual networking environment in a private, isolated section of the Amazon Web Services (AWS) cloud. The user has complete control over the virtual networking environment. Within this virtual private cloud, the user can launch AWS resources, such as an ELB, and EC2 instances.

There are two ELBs available with VPC: internet facing and internal (private) ELB. For internal servers, such as App servers the organization can create an internal load balancer in their VPC and then place back-end application instances behind the internal load balancer. The internal load balancer will route requests to the back-end application instances, which are also using private IP addresses and only accept requests from the internal load balancer.

Reference:

<http://docs.aws.amazon.com/ElasticLoadBalancing/latest/DeveloperGuide/vpc-loadbalancer-types.html>

NEW QUESTION 26

True or False: Amazon ElastiCache supports the Redis key-value store.

- A. True, ElastiCache supports the Redis key-value store, but with limited functionalities.
- B. False, ElastiCache does not support the Redis key-value store.
- C. True, ElastiCache supports the Redis key-value store.
- D. False, ElastiCache supports the Redis key-value store only if you are in a VPC environment

Answer: C

Explanation:

This is true. ElastiCache supports two open-source in-memory caching engines: 1. Memcached - a widely adopted memory object caching system. ElastiCache is protocol compliant with Memcached, so popular tools that you use today with existing Memcached environments will work seamlessly with the service. 2. Redis - a popular open-source in-memory key-value store that supports data structures such as sorted sets and lists. ElastiCache supports Master / Slave replication and Multi-AZ which can be used to achieve cross AZ redundancy.
Reference: <https://aws.amazon.com/elasticache/>

NEW QUESTION 28

An organization is setting up an application on AWS to have both High Availability (HA) and Disaster Recovery (DR). The organization wants to have both Recovery point objective (RPO) and Recovery time objective (RTO) of 10 minutes. Which of the below mentioned service configurations does not help the organization achieve the said RPO and RTO?

- A. Take a snapshot of the data every 10 minutes and copy it to the other region.
- B. Use an elastic IP to assign to a running instance and use Route 53 to map the user's domain with that IP.
- C. Create ELB with multi-region routing to allow automated failover when required.
- D. Use an AMI copy to keep the AMI available in other region

Answer: C

Explanation:

AWS provides an on demand, scalable infrastructure. AWS EC2 allows the user to launch On-Demand instances and the organization should create an AMI of the running instance. Copy the AMI to another region to enable Disaster Recovery (DR) in case of region failure. The organization should also use EBS for persistent storage and take a snapshot every 10 minutes to meet Recovery time objective (RTO). They should also setup an elastic IP and use it with Route 53 to route requests to the same IP.

When one of the instances fails the organization can launch new instances and assign the same EIP to a new instance to achieve High Availability (HA). The ELB works only for a particular region and does not route requests across regions.

Reference: http://d36cz9buwru1tt.cloudfront.net/AWS_Disaster_Recovery.pdf

NEW QUESTION 33

Does Amazon RDS API provide actions to modify DB instances inside a VPC and associate them with DB Security Groups?

- A. Yes, Amazon does this but only for MySQL RDS.
- B. Yes
- C. No
- D. Yes, Amazon does this but only for Oracle RD

Answer: B

Explanation:

You can use the action Modify DB Instance, available in the Amazon RDS API, to pass values for the parameters DB Instance Identifier and DB Security Groups specifying the instance ID and the DB Security Groups you want your instance to be part of.

Reference: http://docs.aws.amazon.com/AmazonRDS/latest/APIReference/API_ModifyDBInstance.html

NEW QUESTION 36

An organization is setting up a backup and restore system in AWS of their in premise system. The organization needs High Availability(HA) and Disaster Recovery(DR) but is okay to have a longer recovery time to save costs. Which of the below mentioned setup options helps achieve the objective of cost saving as well as DR in the most effective way?

- A. Setup pre-configured servers and create AMIs.. Use EIP and Route 53 to quickly switch over to AWS from in premise.
- B. Setup the backup data on S3 and transfer data to S3 regularly using the storage gateway.
- C. Setup a small instance with AutoScaling; in case of DR start diverting all the load to AWS from on premise.
- D. Replicate on premise DB to EC2 at regular intervals and setup a scenario similar to the pilot light

Answer: B

Explanation:

AWS has many solutions for Disaster Recovery(DR) and High Availability(HA). When the organization wants to have HA and DR but are okay to have a longer recovery time they should select the option backup and restore with S3. The data can be sent to S3 using either Direct Connect, Storage Gateway or over the internet.

The EC2 instance will pick the data from the S3 bucket when started and setup the environment. This process takes longer but is very cost effective due to the low pricing of S3. In all the other options, the EC2 instance might be running or there will be AMI storage costs.

Thus, it will be a costlier option. In this scenario the organization should plan appropriate tools to take a backup, plan the retention policy for data and setup security of the data.

Reference: http://d36cz9buwru1tt.cloudfront.net/AWS_Disaster_Recovery.pdf

NEW QUESTION 38

Does an AWS Direct Connect location provide access to Amazon Web Services in the region it is associated with as well as access to other US regions?

- A. No, it provides access only to the region it is associated with.
- B. No, it provides access only to the US regions other than the region it is associated with.
- C. Yes, it provides access.
- D. Yes, it provides access but only when there's just one Availability Zone in the region

Answer: C

Explanation:

An AWS Direct Connect location provides access to Amazon Web Services in the region it is associated with, as well as access to other US regions. For example, you can provision a single connection to any AWS Direct Connect location in the US and use it to access public AWS services in all US Regions and AWS GovCloud (US).

Reference: <http://docs.aws.amazon.com/directconnect/latest/UserGuide/Welcome.html>

NEW QUESTION 41

What types of identities do Amazon Cognito identity pools support?

- A. They support both authenticated and unauthenticated identities.
- B. They support only unauthenticated identities.
- C. They support neither authenticated nor unauthenticated identities.
- D. They support only authenticated identities.

Answer: A

Explanation:

Amazon Cognito identity pools support both authenticated and unauthenticated identities. Authenticated identities belong to users who are authenticated by a public login provider or your own backend authentication process. Unauthenticated identities typically belong to guest users. Reference: <http://docs.aws.amazon.com/cognito/devguide/identity/identity-pools/>

NEW QUESTION 46

The CFO of a company wants to allow one of his employees to view only the AWS usage report page. Which of the below mentioned IAM policy statements allows the user to have access to the AWS usage report page?

- A. "Effect": "Allow", "Action": ["Describe"], "Resource": "Billing"
- B. "Effect": "Allow", "Action": ["aws-portal:ViewBilling"], "Resource": "**"
- C. "Effect": "Allow", "Action": ["aws-portal:ViewUsage"], "Resource": "**"
- D. "Effect": "Allow", "Action": ["AccountUsage"], "Resource": "**"

Answer: C

Explanation:

AWS Identity and Access Management is a web service which allows organizations to manage users and user permissions for various AWS services. If the CFO wants to allow only AWS usage report page access, the policy for that IAM user will be as given below:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow", "Action": [
        "aws-portal:ViewUsage"
      ],
      "Resource": "**"
    }
  ]
}
```

Reference: <http://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/billing-permissions-ref.html>

NEW QUESTION 50

A user is trying to create a vault in AWS Glacier. The user wants to enable notifications. In which of the below mentioned options can the user enable the notifications from the AWS console?

- A. Glacier does not support the AWS console
- B. Archival Upload Complete
- C. Vault Upload Job Complete
- D. Vault Inventory Retrieval Job Complete

Answer: D

Explanation:

From AWS console the user can configure to have notifications sent to Amazon Simple Notifications Service (SNS). The user can select specific jobs that, on completion, will trigger the notifications such as Vault Inventory Retrieval Job Complete and Archive Retrieval Job Complete.

Reference: <http://docs.aws.amazon.com/amazonglacier/latest/dev/configuring-notifications-console.html>

NEW QUESTION 54

An organization is purchasing licensed software. The software license can be registered only to a specific MAC Address. The organization is going to host the software in the AWS environment. How can the organization fulfil the license requirement as the MAC address changes every time an instance is started/stopped/terminated?

- A. It is not possible to have a fixed MAC address with AWS.
- B. The organization should use VPC with the private subnet and configure the MAC address with that subnet
- C. The organization should use VPC with an elastic network interface which will have a fixed MAC Address.
- D. The organization should use VPC since VPC allows to configure the MAC address for each EC2 instance.

Answer: C

Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. It enables the user to launch AWS resources into a virtual network that the user has defined. An Elastic Network Interface (ENI) is a virtual network interface that the user can attach to an instance in a VPC. An ENI can include attributes such as: a primary private IP address, one or more secondary private IP addresses, one elastic IP address per private IP address, one public IP address, one or more security groups, a MAC address, a source/destination check flag, and a description.

The user can create a network interface, attach it to an instance, detach it from an instance, and attach it to another instance. The attributes of a network interface follow the network interface as it is attached or detached from an instance and reattached to another instance. Thus, the user can maintain a fixed MAC using the network interface.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/using-eni.html>

NEW QUESTION 57

An organization is undergoing a security audit. The auditor wants to view the AWS VPC configurations as the organization has hosted all the applications in the AWS VPC. The auditor is from a remote place and wants to have access to AWS to view all the VPC records.

How can the organization meet the expectations of the auditor without compromising on the security of their AWS infrastructure?

- A. The organization should not accept the request as sharing the credentials means compromising on security.
- B. Create an IAM role which will have read only access to all EC2 services including VPC and assign that role to the auditor.
- C. Create an IAM user who will have read only access to the AWS VPC and share those credentials with the auditor.
- D. The organization should create an IAM user with VPC full access but set a condition that will not allow to modify anything if the request is from any IP other than the organization's data center.

Answer: C

Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. The user can create subnets as per the requirement within a VPC. The VPC also works with IAM and the organization can create IAM users who have access to various VPC services.

If an auditor wants to have access to the AWS VPC to verify the rules, the organization should be careful before sharing any data which can allow making updates to the AWS infrastructure. In this scenario it is recommended that the organization creates an IAM user who will have read only access to the VPC. Share the above mentioned credentials with the auditor as it cannot harm the organization. The sample policy is given below:

```
{
  "Effect": "Allow",
  "Action": [ "ec2:DescribeVpcs", "ec2:DescribeSubnets",
    "ec2:DescribeInternetGateways", "ec2:DescribeCustomerGateways", "ec2:DescribeVpnGateways", "ec2:DescribeVpnConnections", "ec2:DescribeRouteTables",
    "ec2:DescribeAddresses", "ec2:DescribeSecurityGroups", "ec2:DescribeNetworkAcls", "ec2:DescribeDhcpOptions", "ec2:DescribeTags", "ec2:DescribeInstances"
  ],
  "Resource": "*"
}
```

Reference: http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_IAM.html

NEW QUESTION 58

What is the maximum length for an instance profile name in AWS IAM?

- A. 512 characters
- B. 128 characters
- C. 1024 characters
- D. 64 characters

Answer: B

Explanation:

The maximum length for an instance profile name is 128 characters.

Reference: <http://docs.aws.amazon.com/IAM/latest/UserGuide/LimitationsOnEntities.html>

NEW QUESTION 63

Cognito Sync is an AWS service that you can use to synchronize user profile data across mobile devices without requiring your own backend. When the device is online, you can synchronize data. If you also set up push sync, what does it allow you to do?

- A. Notify other devices that a user profile is available across multiple devices
- B. Synchronize user profile data with less latency
- C. Notify other devices immediately that an update is available
- D. Synchronize online data faster

Answer: C

Explanation:

Cognito Sync is an AWS service that you can use to synchronize user profile data across mobile devices without requiring your own backend. When the device is online, you can synchronize data, and if you have

also set up push sync, notify other devices immediately that an update is available. Reference: <http://docs.aws.amazon.com/cognito/devguide/sync/>

NEW QUESTION 67

An organization is planning to create a secure scalable application with AWS VPC and ELB. The organization has two instances already running and each instance has an ENI attached to it in addition to a primary network interface. The primary network interface and additional ENI both have an elastic IP attached to it.

If those instances are registered with ELB and the organization wants ELB to send data to a particular EIP of the instance, how can they achieve this?

- A. The organization should ensure that the IP which is required to receive the ELB traffic is attached to a primary network interface.
- B. It is not possible to attach an instance with two ENIs with ELB as it will give an IP conflict error.
- C. The organization should ensure that the IP which is required to receive the ELB traffic is attached to an additional ENI.
- D. It is not possible to send data to a particular IP as ELB will send to any one EI

Answer: A

Explanation:

Amazon Virtual Private Cloud (Amazon VPC) allows the user to define a virtual networking environment in a private, isolated section of the Amazon Web Services (AWS) cloud. The user has complete control over the virtual networking environment. Within this virtual private cloud, the user can launch AWS resources, such as an ELB, and EC2 instances. There are two ELBs available with VPC: internet facing and internal (private) ELB. For the internet facing ELB it is required that the ELB should be in a public subnet.

When the user registers a multi-homed instance (an instance that has an Elastic Network Interface (ENI) attached) with a load balancer, the load balancer will route the traffic to the IP address of the primary network interface (eth0).

Reference: <http://docs.aws.amazon.com/ElasticLoadBalancing/latest/DeveloperGuide/gs-ec2VPC.html>

NEW QUESTION 68

In Amazon Cognito, your mobile app authenticates with the Identity Provider (IdP) using the provider's SDK. Once the end user is authenticated with the IdP, the OAuth or OpenID Connect token returned from the IdP is passed by your app to Amazon Cognito, which returns a new for the user and a set of temporary, limited-prMlege AWS credentials.

- A. Cognito Key Pair
- B. Cognito API
- C. Cognito ID
- D. Cognito SDK

Answer: C

Explanation:

Your mobile app authenticates with the identity provider (IdP) using the provider's SDK. Once the end user is authenticated with the IdP, the OAuth or OpenID Connect token returned from the IdP is passed by your app to Amazon Cognito, which returns a new Cognito ID for the user and a set of temporary, limited-prMlege AWS credentials.

Reference: <http://aws.amazon.com/cognito/faqs/>

NEW QUESTION 71

What is the maximum length for a certificate ID in AWS IAM?

- A. 1024 characters
- B. 512 characters
- C. 64 characters
- D. 128 characters

Answer: D

Explanation:

The maximum length for a certificate ID is 128 characters.

Reference: <http://docs.aws.amazon.com/IAM/latest/UserGuide/LimitationsOnEntities.html>

NEW QUESTION 75

You have been given the task to define multiple AWS Data Pipeline schedules for different actMties in the same pipeline. Which of the following would successfully accomplish this task?

- A. Creating multiple pipeline definition files
- B. Defining multiple pipeline definitions in your schedule objects file and associating the desired schedule to the correct actMty via its schedule field
- C. Defining multiple schedule objects in your pipeline definition file and associating the desired schedule to the correct actMty via its schedule field
- D. Defining multiple schedule objects in the schedule field

Answer: C

Explanation:

To define multiple schedules for different actMties in the same pipeline, in AWS Data Pipeline, you should define multiple schedule objects in your pipeline definition file and associate the desired schedule to the correct actMty via its schedule field. As an example of this, it could allow you to define a pipeline in which log files are stored in Amazon S3 each hour to drive generation of an aggregate report once a day. Reference: <https://aws.amazon.com/datapipeline/faqs/>

NEW QUESTION 76

In a VPC, can you modify a set of DHCP options after you create them?

- A. Yes, you can modify a set of DHCP options within 48 hours after creation and there are no VPCs associated with them.
- B. Yes, you can modify a set of DHCP options any time after you create them.
- C. No, you can't modify a set of DHCP options after you create them.
- D. Yes, you can modify a set of DHCP options within 24 hours after creatio

Answer: C

Explanation:

After you create a set of DHCP options, you can't modify them. If you want your VPC to use a different set of DHCP options, you must create a new set and associate them with your VPC. You can also set up your VPC to use no DHCP options at all.

Reference: http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_DHCP_Options.html

NEW QUESTION 79

A bucket owner has allowed another account's IAM users to upload or access objects in his bucket. The IAM user of Account A is trying to access an object created by the IAM user of account B. What will happen in this scenario?

- A. It is not possible to give permission to multiple IAM users
- B. AWS S3 will verify proper rights given by the owner of Account A, the bucket owner as well as by the IAM user B to the object
- C. The bucket policy may not be created as S3 will give error due to conflict of Access Rights
- D. It is not possible that the IAM user of one account accesses objects of the other IAM user

Answer: B

Explanation:

If a IAM user is trying to perform some action on an object belonging to another AWS user's bucket, S3 will verify whether the owner of the IAM user has given sufficient permission to him. It also verifies the policy for the bucket as well as the policy defined by the object owner.

Reference:

<http://docs.aws.amazon.com/AmazonS3/latest/dev/access-control-auth-workflow-object-operation.html>

NEW QUESTION 84

Which statement is NOT true about a stack which has been created in a Virtual Private Cloud (VPC) in AWS OpsWorks?

- A. Subnets whose instances cannot communicate with the Internet are referred to as public subnets.
- B. Subnets whose instances can communicate only with other instances in the VPC and cannot communicate directly with the Internet are referred to as private subnets.
- C. All instances in the stack should have access to any package repositories that your operating system depends on, such as the Amazon Linux or Ubuntu Linux repositories.
- D. Your app and custom cookbook repositories should be accessible for all instances in the stack.

Answer: A

Explanation:

In AWS OpsWorks, you can control user access to a stack's instances by creating it in a virtual private cloud (VPC). For example, you might not want users to have direct access to your stack's app servers or databases and instead require that all public traffic be channeled through an Elastic Load Balancer.

A VPC consists of one or more subnets, each of which contains one or more instances. Each subnet has an associated routing table that directs outbound traffic based on its destination IP address.

Instances within a VPC can generally communicate with each other, regardless of their subnet. Subnets whose instances can communicate with the Internet are referred to as public subnets. Subnets whose instances can communicate only with other instances in the VPC and cannot communicate directly with the Internet are referred to as private subnets.

AWS OpsWorks requires the VPC to be configured so that every instance in the stack, including instances in private subnets, has access to the following endpoints:

The AWS OpsWorks service, <https://opsworks-instance-service.us-east-1.amazonaws.com> . Amazon S3

The package repositories for Amazon Linux or Ubuntu 12.04 LTS, depending on which operating system you specify.

Your app and custom cookbook repositories. Reference:

<http://docs.aws.amazon.com/opsworks/latest/userguide/workingstacks-vpc.html#workingstacks-vpc-basics>

NEW QUESTION 88

By default, temporary security credentials for an IAM user are valid for a maximum of 12 hours, but you can request a duration as long as hours.

- A. 24
- B. 36
- C. 10
- D. 48

Answer: B

Explanation:

By default, temporary security credentials for an IAM user are valid for a maximum of 12 hours, but you can request a duration as short as 15 minutes or as long as 36 hours.

Reference: <http://docs.aws.amazon.com/STS/latest/UsingSTS/CreatingSessionTokens.html>

NEW QUESTION 90

How does in-memory caching improve the performance of applications in ElastiCache?

- A. It improves application performance by deleting the requests that do not contain frequently accessed data.
- B. It improves application performance by implementing good database indexing strategies.
- C. It improves application performance by using a part of instance RAM for caching important data.
- D. It improves application performance by storing critical pieces of data in memory for low-latency access.

Answer: D

Explanation:

In Amazon ElastiCache, in-memory caching improves application performance by storing critical pieces of data in memory for low-latency access. Cached information may include the results of I/O-intensive database queries or the results of computationally intensive calculations.

Reference: <http://aws.amazon.com/elasticache/faqs/#g4>

NEW QUESTION 95

Which of the following cannot be done using AWS Data Pipeline?

- A. Create complex data processing workloads that are fault tolerant, repeatable, and highly available.
- B. Regularly access your data where it's stored, transform and process it at scale, and efficiently transfer the results to another AWS service.
- C. Generate reports over data that has been stored.
- D. Move data between different AWS compute and storage services as well as on-premise data sources at specified intervals.

Answer: C

Explanation:

AWS Data Pipeline is a web service that helps you reliably process and move data between different AWS compute and storage services as well as on-premise data sources at specified intervals. With AWS Data Pipeline, you can regularly access your data where it's stored, transform and process it at scale, and efficiently transfer the results to another AWS.

AWS Data Pipeline helps you easily create complex data processing workloads that are fault tolerant, repeatable, and highly available. AWS Data Pipeline also allows you to move and process data that was

previously locked up in on-premise data silos. Reference: <http://aws.amazon.com/datapipeline/>

NEW QUESTION 99

With respect to AWS Lambda permissions model, at the time you create a Lambda function, you specify an IAM role that AWS Lambda can assume to execute your Lambda function on your behalf. This role is also referred to as the role.

- A. configuration
- B. execution
- C. delegation
- D. dependency

Answer: B

Explanation:

Regardless of how your Lambda function is invoked, AWS Lambda always executes the function. At the time you create a Lambda function, you specify an IAM role that AWS Lambda can assume to execute your Lambda function on your behalf. This role is also referred to as the execution role.

Reference: <http://docs.aws.amazon.com/lambda/latest/dg/lambda-dg.pdf>

NEW QUESTION 104

Within an IAM policy, can you add an IfExists condition at the end of a Null condition?

- A. Yes, you can add an IfExists condition at the end of a Null condition but not in all Regions.
- B. Yes, you can add an IfExists condition at the end of a Null condition depending on the condition.
- C. No, you cannot add an IfExists condition at the end of a Null condition.
- D. Yes, you can add an IfExists condition at the end of a Null conditio

Answer: C

Explanation:

Within an IAM policy, IfExists can be added to the end of any condition operator except the Null condition. It can be used to indicate that conditional comparison needs to happen if the policy key is present in the context of a request; otherwise, it can be ignored.

Reference: http://docs.aws.amazon.com/IAM/latest/UserGuide/reference_policies_elements.html

NEW QUESTION 109

Regarding Identity and Access Management (IAM), Which type of special account belonging to your application allows your code to access Google services programmatically?

- A. Service account
- B. Simple Key
- C. OAuth
- D. Code account

Answer: A

Explanation:

A service account is a special Google account that can be used by applications to access Google services programmatically. This account belongs to your application or a virtual machine (VM), instead of to an individual end user. Your application uses the service account to call the Google API of a service, so that the users aren't directly involved.

A service account can have zero or more pairs of service account keys, which are used to authenticate to Google. A service account key is a public/private keypair generated by Google. Google retains the public key, while the user is given the private key.

Reference: <https://cloud.google.com/iam/docs/service-accounts>

NEW QUESTION 113

IAM users do not have permission to create Temporary Security Credentials for federated users and roles by default. In contrast, IAM users can call without the need of any special permissions

- A. GetSessionName
- B. GetFederationToken
- C. GetSessionToken
- D. GetFederationName

Answer: C

Explanation:

Currently the STS API command GetSessionToken is available to every IAM user in your account without previous permission. In contrast, the GetFederationToken command is restricted and explicit permissions need to be granted so a user can issue calls to this particular Action

Reference: <http://docs.aws.amazon.com/STS/latest/UsingSTS/STSPermission.html>

NEW QUESTION 118

An organization is setting up RDS for their applications. The organization wants to secure RDS access with VPC. Which of the following options is not required while designing the RDS with VPC?

- A. The organization must create a subnet group with public and private subnet
- B. Both the subnets can be in the same or separate AZ.
- C. The organization should keep minimum of one IP address in each subnet reserved for RDS failover.
- D. If the organization is connecting RDS from the internet it must enable the VPC attributes DNS hostnames and DNS resolution.
- E. The organization must create a subnet group with VPC using more than one subnet which are a part of separate AZs.

Answer: A

Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. It enables the user to launch AWS resources, such as RDS into a virtual network that the user has defined. Subnets are segments of a VPC's IP address range that the user can designate to a group of VPC resources based on security and operational needs. A DB subnet group is a collection of subnets (generally private) that the user can create in a VPC and assign to the RDS DB instances. A DB subnet group allows the user to specify a particular VPC when creating the DB instances.

Each DB subnet group should have subnets in at least two Availability Zones in a given region. If the RDS instance is required to be accessible from the internet the organization must enable the VPC attributes, DNS hostnames and DNS resolution. For each RDS DB instance that the user runs in a VPC, he should reserve at least one address in each subnet in the DB subnet group for use by Amazon RDS for recovery actions.

Reference: http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_VPC.html

NEW QUESTION 121

You create a VPN connection, and your VPN device supports Border Gateway Protocol (BGP). Which of the following should be specified to configure the VPN connection?

- A. Classless routing
- B. Classfull routing
- C. Dynamic routing
- D. Static routing

Answer: C

Explanation:

If you create a VPN connection, you must specify the type of routing that you plan to use, which will depend upon on the make and model of your VPN devices. If your VPN device supports Border Gateway Protocol (BGP), you need to specify dynamic routing when you configure your VPN connection. If your device does not support BGP, you should specify static routing.

Reference: http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_VPN.html

NEW QUESTION 124

ExamKiller has created a multi-tenant Learning Management System (LMS). The application is hosted for five different tenants (clients) in the VPCs of the respective AWS accounts of the tenant. ExamKiller wants to setup a centralized server which can connect with the LMS of each tenant upgrade if required. ExamKiller also wants to ensure that one tenant VPC should not be able to connect to the other tenant VPC for security reasons. How can ExamKiller setup this scenario?

- A. ExamKiller has to setup one centralized VPC which will peer in to all the other VPCs of the tenants.
- B. ExamKiller should setup VPC peering with all the VPCs peering each other but block the IPs from CIDR of the tenant VPCs to deny them.
- C. ExamKiller should setup all the VPCs with the same CIDR but have a centralized VP
- D. This way only the centralized VPC can talk to the other VPCs using VPC peering.
- E. ExamKiller should setup all the VPCs meshed together with VPC peering for all VPC

Answer: A

Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. It enables the user to launch AWS resources into a virtual network that the user has defined. A VPC peering connection allows the user to route traffic between the peer VPCs using private IP addresses as if they are a part of the same network.

This is helpful when one VPC from the same or different AWS account wants to connect with resources of the other VPC. The organization wants to setup that one VPC can connect with all the other VPCs but all other VPCs cannot connect among each other. This can be achieved by configuring VPC peering where one VPC is peered with all the other VPCs, but the other VPCs are not peered to each other. The VPCs are in the same or a separate AWS account and should not have overlapping CIDR blocks.

Reference:

<http://docs.aws.amazon.com/AmazonVPC/latest/PeeringGuide/peering-configurations-full-access.html# many-vpcs-full-acces>

NEW QUESTION 127

Identify a true statement about using an IAM role to grant permissions to applications running on Amazon EC2 instances.

- A. When AWS credentials are rotated, developers have to update only the root Amazon EC2 instance that uses their credentials.
- B. When AWS credentials are rotated, developers have to update only the Amazon EC2 instance on which the password policy was applied and which uses their credentials.
- C. When AWS credentials are rotated, you don't have to manage credentials and you don't have to worry about long-term security risks.
- D. When AWS credentials are rotated, you must manage credentials and you should consider precautions for long-term security risks.

Answer: C

Explanation:

Using IAM roles to grant permissions to applications that run on EC2 instances requires a bit of extra configuration. Because role credentials are temporary and rotated automatically, you don't have to manage credentials, and you don't have to worry about long-term security risks.

Reference: <http://docs.aws.amazon.com/IAM/latest/UserGuide/role-usecase-ec2app.html>

NEW QUESTION 129

Out of the striping options available for the EBS volumes, which one has the following disadvantage: 'Doubles the amount of I/O required from the instance to EBS compared to RAID 0, because you're mirroring all writes to a pair of volumes, limiting how much you can stripe.'?

- A. Raid 1
- B. Raid 0
- C. RAID 1+0 (RAID 10)
- D. Raid 2

Answer: C

Explanation:

RAID 1+0 (RAID 10) doubles the amount of I/O required from the instance to EBS compared to RAID 0, because you're mirroring all writes to a pair of volumes, limiting how much you can stripe.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/raid-config.html>

NEW QUESTION 130

In Amazon Cognito what is a silent push notification?

- A. It is a push message that is received by your application on a user's device that will not be seen by the user
- B. It is a push message that is received by your application on a user's device that will return the user's geolocation.
- C. It is a push message that is received by your application on a user's device that will not be heard by the user
- D. It is a push message that is received by your application on a user's device that will return the user's authentication credentials.

Answer: A

Explanation:

Amazon Cognito uses the Amazon Simple Notification Service (SNS) to send silent push notifications to devices. A silent push notification is a push message that is received by your application on a user's device that will not be seen by the user.

Reference: <http://aws.amazon.com/cognito/faqs/>

NEW QUESTION 132

Which of the following IAM policy elements lets you specify an exception to a list of actions?

- A. NotException
- B. ExceptionAction
- C. Exception
- D. NotAction

Answer: D

Explanation:

The NotAction element lets you specify an exception to a list of actions. Reference:

http://docs.aws.amazon.com/IAM/latest/UserGuide/AccessPolicyLanguage_ElementDescriptions.html

NEW QUESTION 136

Who is responsible for modifying the routing tables and networking ACLs in a VPC to ensure that a DB instance is reachable from other instances in the VPC?

- A. AWS administrators
- B. The owner of the AWS account
- C. Amazon
- D. The DB engine vendor

Answer: B

Explanation:

You are in charge of configuring the routing tables of your VPC as well as the network ACLs rules needed to make your DB instances accessible from all the instances of your VPC that need to communicate with it.

Reference: <http://aws.amazon.com/rds/faqs/>

NEW QUESTION 138

An organization is planning to host a web application in the AWS VPC. The organization does not want to host a database in the public cloud due to statutory requirements. How can the organization setup in this scenario?

- A. The organization should plan the app server on the public subnet and database in the organization's data center and connect them with the VPN gateway.
- B. The organization should plan the app server on the public subnet and use RDS with the private subnet for a secure data operation.
- C. The organization should use the public subnet for the app server and use RDS with a storage gateway to access as well as sync the data securely from the local data center.
- D. The organization should plan the app server on the public subnet and database in a private subnet so it will not be in the public cloud.

Answer: A

Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account.

The user can create subnets as per the requirement within a VPC. If the user wants to connect VPC from his own data centre, he can setup a public and VPN only subnet which uses hardware VPN access to

connect with his data centre. When the user has configured this setup with Wizard, it will create a virtual private gateway to route all the traffic of the VPN subnet.

If the virtual private gateway is attached with VPC and the user deletes the VPC from the console it will first automatically detach the gateway and only then delete the VPC.

Reference: http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Subnets.html

NEW QUESTION 142

A user is trying to create a PIOPS EBS volume with 4000 IOPS and 100 GB size. AWS does not allow the user to create this volume. What is the possible root cause for this?

- A. PIOPS is supported for EBS higher than 500 GB size
- B. The maximum IOPS supported by EBS is 3000
- C. The ratio between IOPS and the EBS volume is higher than 30

D. The ratio between IOPS and the EBS volume is lower than 50

Answer: C

Explanation:

A Provisioned IOPS (SSD) volume can range in size from 4 GiB to 16 TiB and you can provision up to 20,000 IOPS per volume. The ratio of IOPS provisioned to the volume size requested should be a maximum of 30; for example, a volume with 3000 IOPS must be at least 100 GB.

Reference: http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSVolumeTypes.html#EBSVolumeTypes_piops

NEW QUESTION 145

A user is creating a PIOPS volume. What is the maximum ratio the user should configure between PIOPS and the volume size?

- A. 5
- B. 10
- C. 20
- D. 30

Answer: D

Explanation:

Provisioned IOPS volumes are designed to meet the needs of I/O-intensive workloads, particularly database workloads that are sensitive to storage performance and consistency in random access I/O throughput. A provisioned IOPS volume can range in size from 10 GB to 1 TB and the user can provision up to 4000 IOPS per volume.

The ratio of IOPS provisioned to the volume size requested can be a maximum of 30; for example, a volume with 3000 IOPS must be at least 100 GB.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSVolumeTypes.html>

NEW QUESTION 149

What is a possible reason you would need to edit claims issued in a SAML token?

- A. The NameIdentifier claim cannot be the same as the username stored in AD.
- B. Authentication fails consistently.
- C. The NameIdentifier claim cannot be the same as the claim URI.
- D. The NameIdentifier claim must be the same as the username stored in A

Answer: A

Explanation:

The two reasons you would need to edit claims issued in a SAML token are: The NameIdentifier claim cannot be the same as the username stored in AD, and The app requires a different set of claim URIs.

Reference:

<https://azure.microsoft.com/en-us/documentation/articles/active-directory-saml-claims-customization/>

NEW QUESTION 151

Which of the following AWS services can be used to define alarms to trigger on a certain actMty, such as actMty success, failure, or delay in AWS Data Pipeline?

- A. Amazon SES
- B. Amazon CodeDeploy
- C. Amazon SNS
- D. Amazon SQS

Answer: C

Explanation:

In AWS Data Pipeline, you can define Amazon SNS alarms to trigger on actMties such as success, failure, or delay by creating an alarm object and referencing it in the onFail, onSuccess, or onLate slots of the actMty object.

Reference: <https://aws.amazon.com/datapipeline/faqs/>

NEW QUESTION 156

You want to use Amazon Redshift and you are planning to deploy dw1.8xlarge nodes. What is the minimum amount of nodes that you need to deploy with this kind of configuration?

- A. 1
- B. 4
- C. 3
- D. 2

Answer: D

Explanation:

For a single-node configuration in Amazon Redshift, the only option available is the smallest of the two options. The 8XL extra-large nodes are only available in a multi-node configuration

Reference: <http://docs.aws.amazon.com/redshift/latest/mgmt/working-with-clusters.html>

NEW QUESTION 158

To get started using AWS Direct Connect, in which of the following steps do you configure Border Gateway Protocol (BGP)?

- A. Complete the Cross Connect

- B. Configure Redundant Connections with AWS Direct Connect
- C. Create a Virtual Interface
- D. Download Router Configuration

Answer: C

Explanation:

In AWS Direct Connect, your network must support Border Gateway Protocol (BGP) and BGP MD5 authentication, and you need to provide a private Autonomous System Number (ASN) for that to connect to Amazon Virtual Private Cloud (VPC). To connect to public AWS products such as Amazon EC2 and Amazon S3, you will also need to provide a public ASN that you own (preferred) or a private ASN. You have to configure BGP in the Create a Virtual Interface step.

Reference: <http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#createvirtualinterface>

NEW QUESTION 161

A user is hosting a public website on AWS. The user wants to have the database and the app server on the AWS VPC. The user wants to setup a database that can connect to the Internet for any patch upgrade but cannot receive any request from the internet. How can the user set this up?

- A. Setup DB in a private subnet with the security group allowing only outbound traffic.
- B. Setup DB in a public subnet with the security group allowing only inbound data.
- C. Setup DB in a local data center and use a private gateway to connect the application with DB.
- D. Setup DB in a private subnet which is connected to the internet via NAT for outbound.

Answer: D

Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. It enables the user to launch AWS resources into a virtual network that the user has defined. AWS provides two features that the user can use to increase security in VPC: security groups and network ACLs. When the user wants to setup both the DB and App on VPC, the user should make one public and one private subnet. The DB should be hosted in a private subnet and instances in that subnet cannot reach the internet. The user can allow an instance in his VPC to initiate outbound connections to the internet but prevent unsolicited inbound connections from the internet by using a Network Address Translation (NAT) instance.

Reference: http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Subnets.html

NEW QUESTION 163

A user has created a VPC with public and private subnets using the VPC wizard. The VPC has CIDR 20.0.0.0/16. The private subnet uses CIDR 20.0.0.0/24 . The NAT instance ID is i-a12345. Which of the below mentioned entries are required in the main route table attached with the private subnet to allow instances to connect with the internet?

- A. Destination: 20.0.0.0/0 and Target: 80
- B. Destination: 20.0.0.0/0 and Target: i-a12345
- C. Destination: 20.0.0.0/24 and Target: i-a12345
- D. Destination: 0.0.0.0/0 and Target: i-a12345

Answer: D

Explanation:

A user can create a subnet with VPC and launch instances inside that subnet. If the user has created a public private subnet, the instances in the public subnet can receive inbound traffic directly from the Internet, whereas the instances in the private subnet cannot. If these subnets are created with Wizard, AWS will create two route tables and attach to the subnets. The main route table will have the entry "Destination: 0.0.0.0/0 and Target: i-a12345", which allows all the instances in the private subnet to connect to the internet using NAT.

Reference: http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Scenario2.html

NEW QUESTION 164

An organization is hosting a scalable web application using AWS. The organization has configured internet facing ELB and Auto Scaling to make the application scalable. Which of the below mentioned statements is required to be followed when the application is planning to host a web application on VPC?

- A. The ELB can be in a public or a private subnet but should have the ENI which is attached to an elastic IP.
- B. The ELB must not be in any subnet; instead it should face the internet directly.
- C. The ELB must be in a public subnet of the VPC to face the internet traffic.
- D. The ELB can be in a public or a private subnet but must have routing tables attached to divert the internet traffic to it.

Answer: C

Explanation:

The Amazon Virtual Private Cloud (Amazon VPC) allows the user to define a virtual networking environment in a private, isolated section of the Amazon Web Services (AWS) cloud. The user has complete control over the virtual networking environment. Within this virtual private cloud, the user can launch AWS resources, such as an ELB, and EC2 instances. There are two ELBs available with VPC: internet facing and internal (private) ELB. For internet facing ELB it is required that ELB should be in a public subnet.

After the user creates the public subnet, he should ensure to associate the route table of the public subnet with the internet gateway to enable the load balancer in the subnet to connect with the internet. Reference: <http://docs.aws.amazon.com/ElasticLoadBalancing/latest/DeveloperGuide/CreateVPCForELB.html>

NEW QUESTION 166

Identify a true statement about the statement ID (Sid) in IAM.

- A. You cannot expose the Sid in the IAM API.
- B. You cannot use a Sid value as a sub-ID for a policy document's ID for services provided by SQS and SNS.
- C. You can expose the Sid in the IAM API.
- D. You cannot assign a Sid value to each statement in a statement arra

Answer: A

Explanation:

The Sid(statement ID) is an optional identifier that you provide for the policy statement. You can assign a Sid a value to each statement in a statement array. In IAM, the Sid is not exposed in the IAM API. You can't retrieve a particular statement based on this ID.

Reference: http://docs.aws.amazon.com/IAM/latest/UserGuide/reference_policies_elements.html#Sid

NEW QUESTION 167

Your startup wants to implement an order fulfillment process for selling a personalized gadget that needs an average of 3-4 days to produce with some orders taking up to 6 months you expect 10 orders per day on your first day. 1000 orders per day after 6 months and 10,000 orders after 12 months.

Orders coming in are checked for consistency then dispatched to your manufacturing plant for production quality control packaging shipment and payment processing. If the product does not meet the quality standards at any stage of the process employees may force the process to repeat a step. Customers are notified via email about order status and any critical issues with their orders such as payment failure.

Your case architecture includes AWS Elastic Beanstalk for your website with an RDS MySQL instance for customer data and orders.

How can you implement the order fulfillment process while making sure that the emails are delivered reliably?

- A. Add a business process management application to your Elastic Beanstalk app servers and re-use the RDS database for tracking order status use one of the Elastic Beanstalk instances to send emails to customers.
- B. Use SWF with an Auto Scaling group of actMty workers and a decider instance in another Auto Scaling group with min/max=1 Use the decider instance to send emails to customers.
- C. Use SWF with an Auto Scaling group of actMty workers and a decider instance in another Auto Scaling group with min/max=1 use SES to send emails to customers.
- D. Use an SQS queue to manage all process tasks Use an Auto Scaling group of EC2 Instances that poll the tasks and execute the
- E. Use SES to send emails to customers.

Answer: C

NEW QUESTION 168

You are designing a photo-sharing mobile app. The application will store all pictures in a single Amazon S3 bucket. Users will upload pictures from their mobile device directly to Amazon S3 and will be able to view and download their own pictures directly from Amazon S3.

You want to configure security to handle potentially millions of users in the most secure manner possible. What should your server-side application do when a new user registers on the photo-sharing mobile application?

- A. Create an IAM user
- B. Update the bucket policy with appropriate permissions for the IAM user
- C. Generate an access key and secret key for the IAM user, store them in the mobile app and use these credentials to access Amazon S3.
- D. Create an IAM user
- E. Assign appropriate permissions to the IAM user
- F. Generate an access key and secret key for the IAM user, store them in the mobile app and use these credentials to access Amazon S3.
- G. Create a set of long-term credentials using AWS Security Token Service with appropriate permission
- H. Store these credentials in the mobile app and use them to access Amazon S3.
- I. Record the user's information in Amazon RDS and create a role in IAM with appropriate permission
- J. When the user uses their mobile app, create temporary credentials using the AWS Security Token Service "AssumeRole" function
- K. Store these credentials in the mobile app's memory and use them to access Amazon S3. Generate new credentials the next time the user runs the mobile app.
- L. Record the user's information in Amazon DynamoDB
- M. When the user uses their mobile app, create temporary credentials using AWS Security Token Service with appropriate permission
- N. Store these credentials in the mobile app's memory and use them to access Amazon S3. Generate new credentials the next time the user runs the mobile app.

Answer: D

NEW QUESTION 173

You are tasked with moving a legacy application from a virtual machine running inside your datacenter to an Amazon VPC. Unfortunately this app requires access to a number of on-premises services and no one who configured the app still works for your company. Even worse there's no documentation for it.

What will allow the application running inside the VPC to reach back and access its internal dependencies without being reconfigured? (Choose 3 answers)

- A. An AWS Direct Connect link between the VPC and the network housing the internal services.
- B. An Internet Gateway to allow a VPN connection.
- C. An Elastic IP address on the VPC instance
- D. An IP address space that does not conflict with the one on-premises
- E. Entries in Amazon Route 53 that allow the Instance to resolve its dependencies' IP addresses
- F. A VM Import of the current virtual machine

Answer: ADF

NEW QUESTION 177

You are the new IT architect in a company that operates a mobile sleep tracking application.

When activated at night, the mobile app is sending collected data points of 1 kilobyte every 5 minutes to your backend.

The backend takes care of authenticating the user and writing the data points into an Amazon DynamoDB table.

Every morning, you scan the table to extract and aggregate last night's data on a per user basis, and store the results in Amazon S3. Users are notified via Amazon SNS mobile push notifications that new data is available, which is parsed and visualized by the mobile app.

Currently you have around 100k users who are mostly based out of North America. You have been tasked to optimize the architecture of the backend system to lower cost. What would you recommend? Choose 2 answers

- A. Have the mobile app access Amazon DynamoDB directly Instead of JSON files stored on Amazon S3.
- B. Write data directly into an Amazon Redshift cluster replacing both Amazon DynamoDB and Amazon S3.
- C. Introduce an Amazon SQS queue to buffer writes to the Amazon DynamoDB table and reduce provisioned write throughput.
- D. Introduce Amazon ElastiCache to cache reads from the Amazon DynamoDB table and reduce provisioned read throughput.
- E. Create a new Amazon DynamoDB table each day and drop the one for the previous day after its data is on Amazon S3.

Answer: AD

NEW QUESTION 180

A large real-estate brokerage is exploring the option of adding a cost-effective location based alert to their existing mobile application. The application backend infrastructure currently runs on AWS. Users who opt in to this service will receive alerts on their mobile device regarding real-estate offers in proximity to their location. For the alerts to be relevant, delivery time needs to be in the low minute count. The existing mobile app has 5 million users across the US. Which one of the following architectural suggestions would you make to the customer?

- A. The mobile application will submit its location to a web service endpoint utilizing Elastic Load Balancing and EC2 instances. DynamoDB will be used to store and retrieve relevant offers. EC2 instances will communicate with mobile carriers/device providers to push alerts back to mobile application.
- B. Use AWS DirectConnect or VPN to establish connectivity with mobile carriers. EC2 instances will receive the mobile applications' location through carrier connection. RDS will be used to store and relevant offers. EC2 instances will communicate with mobile carriers to push alerts back to the mobile application.
- C. The mobile application will send device location using SQS.
- D. EC2 instances will retrieve the relevant offers from DynamoDB. AWS Mobile Push will be used to send offers to the mobile application.
- E. The mobile application will send device location using AWS Mobile Push. EC2 instances will retrieve the relevant offers from DynamoDB. EC2 instances will communicate with mobile carriers/device providers to push alerts back to the mobile application.

Answer: A

NEW QUESTION 184

You currently operate a web application in the AWS US-East region. The application runs on an auto-scaled layer of EC2 instances and an RDS Multi-AZ database. Your IT security compliance officer has tasked you to develop a reliable and durable logging solution to track changes made to your EC2, IAM, and RDS resources. The solution must ensure the integrity and confidentiality of your log data. Which of these solutions would you recommend?

- A. Create a new CloudTrail trail with one new S3 bucket to store the logs and with the global services option selected. Use IAM roles, S3 bucket policies, and Multi Factor Authentication (MFA) Delete on the S3 bucket that stores your logs.
- B. Create a new CloudTrail with one new S3 bucket to store the logs. Configure SNS to send log file delivery notifications to your management system. Use IAM roles and S3 bucket policies on the S3 bucket that stores your logs.
- C. Create a new CloudTrail trail with an existing S3 bucket to store the logs and with the global services option selected. Use S3 ACLs and Multi Factor Authentication (MFA) Delete on the S3 bucket that stores your logs.
- D. Create three new CloudTrail trails with three new S3 buckets to store the logs: one for the AWS Management console, one for AWS SDKs, and one for command line tools. Use IAM roles and S3 bucket policies on the S3 buckets that store your logs.

Answer: A

NEW QUESTION 185

You require the ability to analyze a large amount of data, which is stored on Amazon S3, using Amazon Elastic MapReduce. You are using the cc2.8xlarge instance type, whose CPUs are mostly idle during processing. Which of the below would be the most cost efficient way to reduce the runtime of the job?

- A. Create more smaller files on Amazon S3.
- B. Add additional cc2.8xlarge instances by introducing a task group.
- C. Use smaller instances that have higher aggregate I/O performance.
- D. Create fewer, larger files on Amazon S3.

Answer: C

NEW QUESTION 189

Your company runs a customer-facing event registration site. This site is built with a 3-tier architecture with web and application tier servers and a MySQL database. The application requires 6 web tier servers and 6 application tier servers for normal operation, but can run on a minimum of 65% server capacity and a single MySQL database. When deploying this application in a region with three availability zones (AZs), which architecture provides high availability?

- A. A web tier deployed across 2 AZs with 3 EC2 (Elastic Compute Cloud) instances in each AZ inside an Auto Scaling Group behind an ELB (elastic load balancer), and an application tier deployed across 2 AZs with 3 EC2 instances in each AZ inside an Auto Scaling Group behind an ELB and one RDS (Relational Database Service) instance deployed with read replicas in the other AZ.
- B. A web tier deployed across 3 AZs with 2 EC2 (Elastic Compute Cloud) instances in each AZ inside an Auto Scaling Group behind an ELB (elastic load balancer) and an application tier deployed across 3 AZs with 2 EC2 instances in each AZ inside an Auto Scaling Group behind an ELB and one RDS (Relational Database Service) instance deployed with read replicas in the two other AZs.
- C. A web tier deployed across 2 AZs with 3 EC2 (Elastic Compute Cloud) instances in each AZ inside an Auto Scaling Group behind an ELB (elastic load balancer) and an application tier deployed across 2 AZs with 3 EC2 instances in each AZ inside an Auto Scaling Group behind an ELB and a Multi-AZ RDS (Relational Database Service) deployment.
- D. A web tier deployed across 3 AZs with 2 EC2 (Elastic Compute Cloud) instances in each AZ inside an Auto Scaling Group behind an ELB (elastic load balancer). And an application tier deployed across 3 AZs with 2 EC2 instances in each AZ inside an Auto Scaling Group behind an ELB and a Multi-AZ RDS (Relational Database services) deployment.

Answer: D

NEW QUESTION 192

Your company has HQ in Tokyo and branch offices all over the world and is using a logistics software with a multi-regional deployment on AWS in Japan, Europe, and US.

- A. The logistic software has a 3-tier architecture and currently uses MySQL 5.6 for data persistence.
- B. Each region has deployed its own database. In the HQ region, you run an hourly batch process reading data from every region to compute cross-regional reports that are sent by email to all offices. This batch process must be completed as fast as possible to quickly optimize logistics. How do you build the database architecture in order to meet the requirements?
- C. For each regional deployment, use RDS MySQL with a master in the region and a read replica in the HQ region.
- D. For each regional deployment, use MySQL on EC2 with a master in the region and send hourly EBS snapshots to the HQ region.
- E. For each regional deployment, use RDS MySQL with a master in the region and send hourly RDS snapshots to the HQ region.
- F. For each regional deployment, use MySQL on EC2 with a master in the region and use S3 to copy data files hourly to the HQ region.
- G. Use Direct Connect to connect all regional MySQL deployments to the HQ region and reduce network latency for the batch process.

Answer: A

NEW QUESTION 195

A web design company currently runs several FTP servers that their 250 customers use to upload and download large graphic files. They wish to move this system to AWS to make it more scalable, but they wish to maintain customer privacy and keep costs to a minimum. What AWS architecture would you recommend?

- A. ASK their customers to use an S3 client instead of an FTP client
- B. Create a single S3 bucket. Create an IAM user for each customer. Put the IAM Users in a Group that has an IAM policy that permits access to sub-directories within the bucket via use of the 'username' Policy variable.
- C. Create a single S3 bucket with Reduced Redundancy Storage turned on and ask their customers to use an S3 client instead of an FTP client. Create a bucket for each customer with a Bucket Policy that permits access only to that one customer.
- D. Create an auto-scaling group of FTP servers with a scaling policy to automatically scale-in when minimum network traffic on the auto-scaling group is below a given threshold.
- E. Load a central list of ftp users from S3 as part of the user Data startup script on each Instance.
- F. Create a single S3 bucket with Requester Pays turned on and ask their customers to use an S3 client instead of an FTP client. Create a bucket for each customer with a Bucket Policy that permits access only to that one customer.

Answer: A

NEW QUESTION 198

You would like to create a mirror image of your production environment in another region for disaster recovery purposes. Which of the following AWS resources do not need to be recreated in the second region? (Choose 2 answers)

- A. Route 53 Record Sets
- B. IAM Roles
- C. Elastic IP Addresses (EIP)
- D. EC2 Key Pairs
- E. Launch configurations
- F. Security Groups

Answer: AC

NEW QUESTION 202

Your company currently has a 2-tier web application running in an on-premises data center. You have experienced several infrastructure failures in the past two months resulting in significant financial losses. Your CIO is strongly agreeing to move the application to AWS. While working on achieving buy-in from the other company executives, he asks you to develop a disaster recovery plan to help improve Business continuity in the short term. He specifies a target Recovery Time Objective (RTO) of 4 hours and a Recovery Point Objective (RPO) of 1 hour or less. He also asks you to implement the solution within 2 weeks. Your database is 200GB in size and you have a 20Mbps Internet connection. How would you do this while minimizing costs?

- A. Create an EBS backed private AMI which includes a fresh install of your application
- B. Develop a CloudFormation template which includes your AMI and the required EC2, AutoScaling, and ELB resources to support deploying the application across Multiple- Availability-Zone
- C. Asynchronously replicate transactions from your on-premises database to a database instance in AWS across a secure VPN connection.
- D. Deploy your application on EC2 instances within an Auto Scaling group across multiple availability zone
- E. Asynchronously replicate transactions from your on-premises database to a database instance in AWS across a secure VPN connection.
- F. Create an EBS backed private AMI which includes a fresh install of your application
- G. Setup a script in your data center to backup the local database every 1 hour and to encrypt and copy the resulting file to an S3 bucket using multi-part upload.
- H. Install your application on a compute-optimized EC2 instance capable of supporting the application's average load
- I. Synchronously replicate transactions from your on-premises database to a database instance in AWS across a secure Direct Connect connection.

Answer: A

NEW QUESTION 203

You are responsible for a legacy web application whose server environment is approaching end of life. You would like to migrate this application to AWS as quickly as possible, since the application environment currently has the following limitations:

The VM's single 10GB VNIC is almost full; The virtual network interface still uses the 10Gb/s driver, which leaves your 100Mbps WAN connection completely underutilized;

It is currently running on a highly customized Windows VM within a VMware environment; You do not have the installation media;

This is a mission critical application with an RTO (Recovery Time Objective) of 8 hours. RPO (Recovery Point Objective) of 1 hour. How could you best migrate this application to AWS while meeting your business continuity requirements?

- A. Use the EC2 VM Import Connector for vCenter to import the VNI into EC2.
- B. Use Import/Export to import the VNI as an ESS snapshot and attach to EC2.
- C. Use S3 to create a backup of the VM and restore the data into EC2.
- D. Use the ec2-bundle-instance API to Import an Image of the VNI into EC2

Answer: A

NEW QUESTION 205

Your company is getting ready to do a major public announcement of a social media site on AWS. The website is running on EC2 instances deployed across multiple Availability Zones with a Multi-AZ RDS MySQL Extra Large DB Instance. The site performs a high number of small reads and writes per second and relies on an eventual consistency model. After comprehensive tests you discover that there is read contention on RDS MySQL. Which are the best approaches to meet these requirements? (Choose 2 answers)

- A. Deploy ElastiCache in-memory cache running in each availability zone
- B. Implement sharding to distribute load to multiple RDS MySQL instances
- C. Increase the RDS MySQL Instance size and Implement provisioned IOPS

D. Add an RDS MySQL read replica in each availability zone

Answer: AC

NEW QUESTION 208

You are designing an intrusion detection prevention (IDS/IPS) solution for a customer web application in a single VPC. You are considering the options for implementing IOS IPS protection for traffic coming from the Internet.

Which of the following options would you consider? (Choose 2 answers)

- A. Implement IDS/IPS agents on each Instance running In VPC
- B. Configure an instance in each subnet to switch its network interface card to promiscuous mode and analyze network traffic.
- C. Implement Elastic Load Balancing with SSL listeners In front of the web applications
- D. Implement a reverse proxy layer in front of web servers and configure IDS/IPS agents on each reverse proxy server.

Answer: BD

NEW QUESTION 209

An International company has deployed a multi-tier web application that relies on DynamoDB in a single region For regulatory reasons they need disaster recovery capability In a separate region with a Recovery Time Objective of 2 hours and a Recovery Point Objective of 24 hours. They should synchronize their data on a regular basis and be able to provision me web application rapidly using CloudFormation.

The objective is to minimize changes to the existing web application, control the throughput of DynamoDB used for the synchronization of data and synchronize only the modified elements.

Which design would you choose to meet these requirements?

- A. Use AWS data Pipeline to schedule a DynamoDB cross region copy once a day, create a "Lastupdated" attribute in your DynamoDB table that would represent the timestamp of the last update and use it as a filter.
- B. Use EMR and write a custom script to retrieve data from DynamoDB in the current region using a SCAN operation and push it to DynamoDB in the second region.
- C. Use AWS data Pipeline to schedule an export of the DynamoDB table to S3 in the current region once a day then schedule another task immediately after it that will import data from S3 to DynamoDB in the other region.
- D. Send also each Ante into an SQS queue in me second region; use an auto-scaling group behind the SQS queue to replay the write in the second region.

Answer: A

NEW QUESTION 214

You are designing a social media site and are considering how to mitigate distributed denial-of-service (DDoS) attacks. Which of the below are viable mitigation techniques? (Choose 3 answers)

- A. Add multiple elastic network interfaces (ENIs) to each EC2 instance to increase the network bandwidth.
- B. Use dedicated instances to ensure that each instance has the maximum performance possible.
- C. Use an Amazon C|oudFront distribution for both static and dynamic content.
- D. Use an Elastic Load Balancer with auto scaling groups at the we
- E. App and Amazon Relational Database Service (RDS) tiers
- F. Add alert Amazon CloudWatch to look for high Network in and CPU utilization.
- G. Create processes and capabilities to quickly add and remove rules to the instance OS firewall

Answer: CEF

NEW QUESTION 219

You must architect the migration of a web application to AWS. The application consists of Linux web servers running a custom web server. You are required to save the logs generated from the application to a durable location.

What options could you select to migrate the application to AWS? (Choose 2)

- A. Create an AWS Elastic Beanstalk application using the custom web server platfor
- B. Specify the web server executable and the application project and source file
- C. Enable log file rotation to Amazon Simple Storage Service (S3).
- D. Create Dockerfile for the applicatio
- E. Create an AWS OpsWorks stack consisting of a custom laye
- F. Create custom recipes to install Docker and to deploy your Docker container using the Dockerfil
- G. Create customer recipes to install and configure the application to publish the logs to Amazon CloudWatch Logs.
- H. Create Dockerfile for the applicatio
- I. Create an AWS OpsWorks stack consisting of a Docker layer that uses the Dockerfil
- J. Create custom recipes to install and configure Amazon Kineses to publish the logs into Amazon CloudWatch.
- K. Create a Dockerfile for the applicatio
- L. Create an AWS Elastic Beanstalk application using the Docker platform and the Dockerfil
- M. Enable logging the Docker configuration to automatically publish the application log
- N. Enable log file rotation to Amazon S3.
- O. Use VM import/Export to import a virtual machine image of the server into AWS as an AM
- P. Create an Amazon Elastic Compute Cloud (EC2) instance from AMI, and install and configure the Amazon C|oudWatch Logs agen
- Q. Create a new AMI from the instanc
- R. Create an AWS Elastic Beanstalk application using the AMI platform and the new AMI.

Answer: AD

NEW QUESTION 223

A web company is looking to implement an external payment service into their highly available application deployed in a VPC Their application EC2 instances are behind a public lacing ELB Auto scaling is used to add additional instances as traffic increases under normal load the application runs 2 instances in the Auto Scaling group but at peak it can scale 3x in size. The application instances need to communicate with the payment service over the Internet which requires

whitelisting of all public IP addresses used to communicate with it. A maximum of 4 whitelisting IP addresses are allowed at a time and can be added through an API.

How should they architect their solution?

- A. Route payment requests through two NAT instances setup for High Availability and whitelist the Elastic IP addresses attached to the NAT instances.
- B. Whitelist the VPC Internet Gateway Public IP and route payment requests through the Internet Gateway.
- C. Whitelist the ELB IP addresses and route payment requests from the Application servers through the ELB.
- D. Automatically assign public IP addresses to the application instances in the Auto Scaling group and run a script on boot that adds each instance's public IP address to the payment validation whitelist API.

Answer: D

NEW QUESTION 225

A customer has established an AWS Direct Connect connection to AWS. The link is up and routes are being advertised from the customer's end, however the customer is unable to connect from EC2 instances inside its VPC to servers residing in its datacenter.

Which of the following options provide a viable solution to remedy this situation? (Choose 2 answers)

- A. Add a route to the route table with an IPsec VPN connection as the target.
- B. Enable route propagation to the virtual private gateway (VGW).
- C. Enable route propagation to the customer gateway (CGW).
- D. Modify the route table of all instances using the 'route' command.
- E. Modify the instances VPC subnet route table by adding a route back to the customer's on-premises environment.

Answer: AC

NEW QUESTION 228

Your company hosts a social media website for storing and sharing documents. The web application allows user to upload large files while resuming and pausing the upload as needed. Currently, files are uploaded to your PHP front end backed by Elastic Load Balancing and an autoscaling fleet of Amazon Elastic Compute Cloud (EC2) instances that scale upon average of bytes received (NetworkIn). After a file has been uploaded, it is copied to Amazon Simple Storage Service (S3). Amazon EC2 instances use an AWS Identity and Access Management (IAM) role that allows Amazon S3 uploads. Over the last six months, your user base and scale have increased significantly, forcing you to increase the Auto Scaling group's Max parameter a few times. Your CFO is concerned about rising costs and has asked you to adjust the architecture where needed to better optimize costs.

Which architecture change could you introduce to reduce costs and still keep your web application secure and scalable?

- A. Replace the Auto Scaling launch configuration to include c3.8xlarge instances; those instances can potentially yield a network throughput of 10Gbps.
- B. Re-architect your ingest pattern, have the app authenticate against your identity provider, and use your identity provider as a broker fetching temporary AWS credentials from AWS Secure Token Service (GetFederationToken). Securely pass the credentials and S3 endpoint/prefix to your app.
- C. Implement client-side logic to directly upload the file to Amazon S3 using the given credentials and S3 prefix.
- D. Re-architect your ingest pattern, and move your web application instances into a VPC public subnet.
- E. Attach a public IP address for each EC2 instance (using the Auto Scaling launch configuration settings). Use Amazon Route 53 Round Robin records set and HTTP health check to DNS load balance the app requests; this approach will significantly reduce the cost by bypassing Elastic Load Balancing.
- F. Re-architect your ingest pattern, have the app authenticate against your identity provider, and use your identity provider as a broker fetching temporary AWS credentials from AWS Secure Token Service (GetFederationToken). Securely pass the credentials and S3 endpoint/prefix to your app.
- G. Implement client-side logic that used the S3 multipart upload API to directly upload the file to Amazon S3 using the given credentials and S3 prefix.

Answer: C

NEW QUESTION 233

Your company produces customer commissioned one-of-a-kind skiing helmets combining high fashion with custom technical enhancements. Customers can show off their individuality on the ski slopes and have access to head-up-displays. GPS rear-view cams and any other technical innovation they wish to embed in the helmet.

The current manufacturing process is data rich and complex including assessments to ensure that the custom electronics and materials used to assemble the helmets are to the highest standards. Assessments are a mixture of human and automated assessments; you need to add a new set of assessment to model the failure modes of the custom electronics using GPUs with CUDA, across a cluster of servers with low latency networking.

What architecture would allow you to automate the existing process using a hybrid approach and ensure that the architecture can support the evolution of processes over time?

- A. Use AWS Data Pipeline to manage movement of data & meta-data and assessments. Use an auto-scaling group of G2 instances in a placement group.
- B. Use Amazon Simple Workflow (SWF) to manage assessments, movement of data & meta-data. Use an auto-scaling group of G2 instances in a placement group.
- C. Use Amazon Simple Workflow (SWF) to manage assessments, movement of data & meta-data. Use an auto-scaling group of C3 instances with SR-IOV (Single Root I/O Virtualization).
- D. Use AWS Data Pipeline to manage movement of data & meta-data and assessments. Use an auto-scaling group of C3 with SR-IOV (Single Root I/O virtualization).

Answer: B

NEW QUESTION 236

You are migrating a legacy client-server application to AWS. The application responds to a specific DNS domain (e.g. www.example.com) and has a 2-tier architecture, with multiple application servers and a database server. Remote clients use TCP to connect to the application servers. The application servers need to know the IP address of the clients in order to function properly and are currently taking that information from the TCP socket. A Multi-AZ RDS MySQL instance will be used for the database. During the migration you can change the application code, but you have to file a change request.

How would you implement the architecture on AWS in order to maximize scalability and high availability?

- A. File a change request to implement Alias Resource support in the application.
- B. Use Route 53 Alias Resource Record to distribute load on two application servers in different AZs.
- C. File a change request to implement Latency Based Routing support in the application.
- D. Use Route 53 with Latency Based Routing enabled to distribute load on two application servers in different AZs.
- E. File a change request to implement Cross-Zone support in the application.
- F. Use an ELB with a TCP Listener and Cross-Zone Load Balancing enabled, two application servers in different AZs.

- G. File a change request to implement Proxy Protocol support in the applicatio
- H. Use an ELB with a TCP Listener and Proxy Protocol enabled to distribute load on two application servers in different Azs.

Answer: D

NEW QUESTION 240

A company is building a voting system for a popular TV show, viewers win watch the performances then visit the show's website to vote for their favorite performer. It is expected that in a short period of time after the show has finished the site will receive millions of visitors. The visitors will first login to the site using their Amazon.com credentials and then submit their vote. After the voting is completed the page will display the vote totals. The company needs to build the site such that can handle the rapid influx of traffic while maintaining good performance but also wants to keep costs to a minimum. Which of the design patterns below should they use?

- A. Use CloudFront and an Elastic Load balancer in front of an auto-scaled set of web servers, the web servers will first call the Login With Amazon service to authenticate the user then process the users vote and store the result into a multi-AZ Relational Database Service instance.
- B. Use CloudFront and the static website hosting feature of S3 with the Javascript SDK to call the Login With Amazon service to authenticate the user, use IAM Roles to gain permissions to a DynamoDB table to store the users vote.
- C. Use CloudFront and an Elastic Load Balancer in front of an auto-scaled set of web servers, the web servers will first call the Login with Amazon service to authenticate the user, the web servers will process the users vote and store the result into a DynamoDB table using IAM Roles for EC2 instances to gain permissions to the DynamoDB table.
- D. Use CloudFront and an Elastic Load Balancer in front of an auto-scaled set of web servers, the web servers will first call the Login With Amazon service to authenticate the user, the web servers will process the users vote and store the result into an SQS queue using IAM Roles for EC2 Instances to gain permissions to the SQS queue
- E. A set of application servers will then retrieve the items from the queue and store the result into a DynamoDB table.

Answer: D

NEW QUESTION 241

Your fortune 500 company has undertaken a TCO analysis evaluating the use of Amazon S3 versus acquiring more hardware. The outcome was that all employees would be granted access to use Amazon S3 for storage of their personal documents. Which of the following will you need to consider so you can set up a solution that incorporates single sign-on from your corporate AD or LDAP directory and restricts access for each user to a designated user folder in a bucket? (Choose 3 Answers)

- A. Setting up a federation proxy or identity provider
- B. Using AWS Security Token Service to generate temporary tokens
- C. Tagging each folder in the bucket
- D. Configuring IAM role
- E. Setting up a matching IAM user for every user in your corporate directory that needs access to a folder in the bucket

Answer: ABD

NEW QUESTION 243

You are running a successful multi-tier web application on AWS and your marketing department has asked you to add a reporting tier to the application. The reporting tier will aggregate and publish status reports every 30 minutes from user-generated information that is being stored in your web application's database. You are currently running a Multi-AZ RDS MySQL instance for the database tier. You also have implemented ElastiCache as a database caching layer between the application tier and database tier. Please select the answer that will allow you to successfully implement the reporting tier with as little impact as possible to your database.

- A. Continually send transaction logs from your master database to an S3 bucket and generate the reports off the S3 bucket using S3 byte range requests.
- B. Generate the reports by querying the synchronously replicated standby RDS MySQL instance maintained through Multi-AZ.
- C. Launch a RDS Read Replica connected to your Multi-AZ master database and generate reports by querying the Read Replica.
- D. Generate the reports by querying the ElastiCache database caching tier

Answer: C

NEW QUESTION 244

You are designing a data leak prevention solution for your VPC environment. You want your VPC instances to be able to access software depots and distributions on the Internet for product updates. The depots and distributions are accessible via third-party CDNs by their URLs. You want to explicitly deny any other outbound connections from your VPC instances to hosts on the Internet. Which of the following options would you consider?

- A. Configure a web proxy server in your VPC and enforce URL-based rules for outbound access. Remove default routes.
- B. Implement security groups and configure outbound rules to only permit traffic to software depots.
- C. Move all your instances into private VPC subnets, remove default routes from all routing tables and add specific routes to the software depots and distributions only.
- D. Implement network access control lists to all specific destinations, with an implicit deny as a rule.

Answer: A

NEW QUESTION 248

A 3-tier e-commerce web application is currently deployed on-premises and will be migrated to AWS for greater scalability and elasticity. The web server currently shares read-only data using a network distributed file system. The app server tier uses a clustering mechanism for discovery and shared session state that depends on IP multicast. The database tier uses shared-storage clustering to provide database fail-over capability, and uses several read slaves for scaling. Data on all servers and the distributed file system directory is backed up weekly to off-site tapes. Which AWS storage and database architecture meets the requirements of the application?

- A. Web servers: store read-only data in S3, and copy from S3 to root volume at boot time
- B. App servers: share state using a combination of DynamoDB and IP unicast
- C. Database: use RDS with multi-AZ deployment and one or more read replicas

- D. Backup: web sewers, app sewers, and database backed up weekly to Glacier using snapshots.
- E. Web sewers: store read-only data in an EC2 NFS sewer; mount to each web server at boot tim
- F. App servers: share state using a combination of DynamoDB and IP multicas
- G. Database: use RDS with multi-AZ deployment and one or more Read Replica
- H. Backup: web and app servers backed up weekly via AMIs, database backed up via DB snapshots.
- I. Web sewers: store read-only data in S3, and copy from S3 to root volume at boot tim
- J. App sewers: share state using a combination of DynamoDB and IP unicas
- K. Database: use RDS with multi-AZ deployment and one or more Read Replica
- L. Backup: web and app sewers backed up weekly via AMIs, database backed up via DB snapshots.
- M. Web sewers: store read-only data in S3, and copy from S3 to root volume at boot tim
- N. App sewers: share state using a combination of DynamoDB and IP unicas
- O. Database: use RDS with multi-AZ deploymen
- P. Backup: web and app servers backed up weekly via AMIs, database backed up via DB snapshots.

Answer: C

NEW QUESTION 252

Your company plans to host a large donation website on Amazon Web Sewices (AWS). You anticipate a large and undetermined amount of traffic that will create many database writes. To be certain that you do not drop any writes to a database hosted on AWS. Which sewice should you use?

- A. Amazon RDS with provisioned IOPS up to the anticipated peak write throughput.
- B. Amazon Simple Queue Service (SQS) for capturing the writes and draining the queue to write to the database.
- C. Amazon ElastiCache to store the writes until the writes are committed to the database.
- D. Amazon DynamoDB with provisioned write throughput up to the anticipated peak write throughpu

Answer: B

NEW QUESTION 255

Your company hosts a social media site supporting users in multiple countries. You have been asked to provide a highly available design tor the application that leverages multiple regions tor the most recently accessed content and latency sensitive portions of the wet) site The most latency sensitive component of the application involves reading user preferences to support web site personalization and ad selection. In addition to running your application in multiple regions, which option will support this application's requirements?

- A. Serve user content from S3. CloudFront and use Route53 latency-based routing between ELBs in each region Retrieve user preferences from a local DynamoDB table in each region and leverage SQS to capture changes to user preferences with SOS workers for propagating updates to each table.
- B. Use the S3 Copy API to copy recently accessed content to multiple regions and serve user content from S3. C|oudFront with dynamic content and an ELB in each region Retrieve user preferences from an ElasticCache cluster in each region and leverage SNS notifications to propagate user preference changes to a worker node in each region.
- C. Use the S3 Copy API to copy recently accessed content to multiple regions and serve user content from S3 CloudFront and Route53 latency-based routing Between ELBs In each region Retrieve user preferences from a DynamoDB table and leverage SQS to capture changes to user preferences with SOS workers for propagating DynamoDB updates.
- D. Serve user content from S3. C|oudFront with dynamic content, and an ELB in each region Retrieve user preferences from an ElastiCache cluster in each region and leverage Simple Workflow (SWF) to manage the propagation of user preferences from a centralized OB to each ElastiCache cluster.

Answer: A

NEW QUESTION 259

You are designing a multi-platform web application for AWS The application will run on EC2 instances and will be accessed from PCs. tablets and smart phones Supported accessing platforms are Windows, MacOS, IOS and Android Separate sticky session and SSL certificate setups are required for different platform types which of the following describes the most cost effective and performance efficient architecture setup?

- A. Setup a hybrid architecture to handle session state and SSL certificates on-prem and separate EC2 Instance groups running web applications for different platform types running in a VPC.
- B. Set up one ELB for all platforms to distribute load among multiple instance under it Each EC2 instance implements ail functionality for a particular platform.
- C. Set up two ELBs The first ELB handles SSL certificates for all platforms and the second ELB handles session stickiness for all platforms for each ELB run separate EC2 instance groups to handle the web application for each platform.
- D. Assign multiple ELBS to an EC2 instance or group of EC2 instances running the common components of the web application, one ELB for each platform type Session stickiness and SSL termination are done at the ELBs.

Answer: D

NEW QUESTION 261

An administrator is using Amazon CloudFormation to deploy a three tier web application that consists of a web tier and application tier that will utilize Amazon DynamoDB for storage when creating the CloudFormation template which of the following would allow the application instance access to the DynamoDB tables without exposing API credentials?

- A. Create an Identity and Access Management Role that has the required permissions to read and write from the required DynamoDB table and associate the Role to the application instances by referencing an instance profile.
- B. Use the Parameter section in the Cloud Formation template to nave the user input Access and Secret Keys from an already created IAM user that has me permissions required to read and write from the required DynamoDB table.
- C. Create an Identity and Access Management Role that has the required permissions to read and write from the required DynamoDB table and reference the Role in the instance profile property of the application instance.
- D. Create an identity and Access Management user in the CloudFormation template that has permissions to read and write from the required DynamoDB table, use the GetAtt function to retrieve the Access and secret keys and pass them to the application instance through user-data.

Answer: C

NEW QUESTION 265

You deployed your company website using Elastic Beanstalk and you enabled log file rotation to S3. An Elastic Map Reduce job is periodically analyzing the logs on S3 to build a usage dashboard that you share with your CIO. You recently improved overall performance of the website using Cloud Front for dynamic content delivery and your website as the origin. After this architectural change, the usage dashboard shows that the traffic on your website dropped by an order of magnitude. How do you fix your usage dashboard'?

- A. Enable Cloud Front to deliver access logs to S3 and use them as input of the Elastic Map Reduce job.
- B. Turn on Cloud Trail and use trail log tiles on S3 as input of the Elastic Map Reduce job
- C. Change your log collection process to use Cloud Watch ELB metrics as input of the Elastic MapReduce job
- D. Use Elastic Beanstalk "Rebuild Environment" option to update log delivery to the Elastic IV|ap Reduce job.
- E. Use Elastic Beanstalk 'Restart App server(s)' option to update log delivery to the Elastic Map Reduce job.

Answer: D

NEW QUESTION 267

A web-startup runs its very successful social news application on Amazon EC2 with an Elastic Load Balancer, an Auto-Scaling group of Java/Tomcat application-servers, and DynamoDB as data store. The main web-application best runs on m2 x large instances since it is highly memory- bound Each new deployment requires semi-automated creation and testing of a new AMI for the application servers which takes quite a while ana is therefore only done once per week. Recently, a new chat feature has been implemented in nodejs and wails to be integrated in the architecture. First tests show that the new component is CPU bound Because the company has some experience with using Chef, they decided to streamline the deployment process and use AWS Ops Works as an application life cycle tool to simplify management of the application and reduce the deployment cycles. What configuration in AWS Ops Works is necessary to integrate the new chat module in the most cost-efficient and filexible way?

- A. Create one AWS OpsWorks stack, create one AWS Ops Works layer, create one custom recipe
- B. Create one AWS OpsWorks stack create two AWS Ops Works layers, create one custom recipe
- C. Create two AWS OpsWorks stacks create two AWS Ops Works layers, create one custom recipe
- D. Create two AWS OpsWorks stacks create two AWS Ops Works layers, create two custom recipe

Answer: C

NEW QUESTION 270

How can an EBS volume that is currently attached to an EC2 instance be migrated from one Availability Zone to another?

- A. Detach the volume and attach it to another EC2 instance in the other AZ.
- B. Simply create a new volume in the other AZ and specify the original volume as the source.
- C. Create a snapshot of the volume, and create a new volume from the snapshot in the other AZ.
- D. Detach the volume, then use the ec2-migrate-volume command to move it to another AZ.

Answer: C

NEW QUESTION 273

When you put objects in Amazon S3, what is the indication that an object was successfully stored?

- A. A HTTP 200 result code and MD5 checksum, taken together, indicate that the operation was successful.
- B. Amazon S3 is engineered for 99.999999999% durabilit
- C. Therefore there is no need to confirm that data was inserted.
- D. A success code is inserted into the S3 object metadata.
- E. Each S3 account has a special bucket named _s3_log
- F. Success codes are written to this bucket witha timestamp and checksum.

Answer: A

NEW QUESTION 277

A customer is deploying an SSL enabled web application to AWS and would like to implement a separation of roles between the EC2 service administrators that are entitled to login to instances as well as making API calls and the security officers who will maintain and have exclusive access to the application's X.509 certificate that contains the private key.

- A. Upload the certificate on an S3 bucket owned by the security officers and accessible only by EC2 Role of the web servers.
- B. Configure the web servers to retrieve the certificate upon boot from an CloudHSM is managed by the security officers.
- C. Configure system permissions on the web servers to restrict access to the certificate only to the authority security officers
- D. Configure IAM policies authorizing access to the certificate store only to the security officers and terminate SSL on an ELB.

Answer: D

NEW QUESTION 278

A web company is looking to implement an intrusion detection and prevention system into their deployed VPC. This platform should have the ability to scale to thousands of instances running inside of the VPC. How should they architect their solution to achieve these goals?

- A. Configure an instance with monitoring software and the elastic network interface (ENI) set to promiscuous mode packet sniffing to see an traffic across the VPC.
- B. Create a second VPC and route all traffic from the primary application VPC through the second VPC where the scalable virtualized IDS/IPS platform resides.
- C. Configure sewers running in the VPC using the host-based 'route' commands to send all traffic through the platform to a scalable virtualized IDS/IPS.
- D. Configure each host with an agent that collects all network traffic and sends that traffic to the IDS/IPS platform for inspection.

Answer: C

NEW QUESTION 279

A company is storing data on Amazon Simple Storage Service (S3). The company's security policy mandates that data is encrypted at rest. Which of the following

methods can achieve this?
Choose 3 answers

- A. Use Amazon S3 server-side encryption with AWS Key Management Service managed keys.
- B. Use Amazon S3 server-side encryption with customer-provided keys.
- C. Use Amazon S3 server-side encryption with EC2 key pair.
- D. Use Amazon S3 bucket policies to restrict access to the data at rest.
- E. Encrypt the data on the client-side before ingesting to Amazon S3 using their own master key.
- F. Use SSL to encrypt the data while in transit to Amazon S3.

Answer: ABE

NEW QUESTION 284

Your firm has uploaded a large amount of aerial image data to S3. In the past, in your on-premises environment, you used a dedicated group of servers to process this data and used Rabbit MQ - An open source messaging system to get job information to the servers. Once processed the data would go to tape and be shipped offsite. Your manager told you to stay with the current design, and leverage AWS archival storage and messaging services to minimize cost. Which is correct?

- A. Use SQS for passing job messages use Cloud Watch alarms to terminate EC2 worker instances when they become idle
- B. Once data is processed, change the storage class of the S3 objects to Reduced Redundancy Storage.
- C. Setup Auto-Scaled workers triggered by queue depth that use spot instances to process messages in SQS. Once data is processed,
- D. Change the storage class of the S3 objects to Reduced Redundancy Storage
- E. Setup Auto-Scaled workers triggered by queue depth that use spot instances to process messages in SQS. Once data is processed, change the storage class of the S3 objects to Glacier.
- F. Use SNS to pass job messages use Cloud Watch alarms to terminate spot worker instances when they become idle
- G. Once data is processed, change the storage class of the S3 object to Glacier.

Answer: D

NEW QUESTION 287

Your team has a tomcat-based Java application you need to deploy into development, test and production environments. After some research, you opt to use Elastic Beanstalk due to its tight integration with your developer tools and RDS due to its ease of management. Your QA team lead points out that you need to roll a sanitized set of production data into your environment on a nightly basis.

Similarly, other software teams in your org want access to that same restored data via their EC2 instances in your VPC. The optimal setup for persistence and security that meets the above requirements would be the following.

- A. Create your RDS instance as part of your Elastic Beanstalk definition and alter its security group to allow access to it from hosts in your application subnets.
- B. Create your RDS instance separately and add its IP address to your application's DB connection strings in your code. Alter its security group to allow access to it from hosts within your VPC's IP address block.
- C. Create your RDS instance separately and pass its DNS name to your app's DB connection string as an environment variable
- D. Create a security group for client machines and add it as a valid source for DB traffic to the security group of the RDS instance itself.
- E. Create your RDS instance separately and pass its DNS name to your app's DB connection string as an environment variable. Alter its security group to allow access to it from hosts in your application subnets.

Answer: A

NEW QUESTION 289

Your company has an on-premises multi-tier PHP web application, which recently experienced downtime due to a large burst in web traffic due to a company announcement. Over the coming days, you are expecting similar announcements to drive similar unpredictable bursts, and are looking to find ways to quickly improve your infrastructure's ability to handle unexpected increases in traffic.

The application currently consists of 2 tiers: a web tier which consists of a load balancer and several Linux Apache web servers as well as a database tier which hosts a Linux server hosting a MySQL database. Which scenario below will provide full site functionality, while helping to improve the ability of your application in the short timeframe required?

- A. Failover environment: Create an S3 bucket and configure it for website hosting
- B. Migrate your DNS to Route53 using zone file import, and leverage Route53 DNS failover to failover to the S3 hosted website.
- C. Hybrid environment: Create an AMI, which can be used to launch web servers in EC2. Create an Auto Scaling group, which uses the AMI to scale the web tier based on incoming traffic
- D. Leverage Elastic Load Balancing to balance traffic between on-premises web servers and those hosted in AWS.
- E. Offload traffic from on-premises environment: Setup a CloudFront distribution, and configure CloudFront to cache objects from a custom origin
- F. Choose to customize your object cache behavior, and select a TTL that objects should exist in cache.
- G. Migrate to AWS: Use VM Import/Export to quickly convert an on-premises web server to an AMI
- H. Create an Auto Scaling group, which uses the imported AMI to scale the web tier based on incoming traffic
- I. Create an RDS read replica and setup replication between the RDS instance and on-premises MySQL server to migrate the database.

Answer: C

NEW QUESTION 290

You control access to S3 buckets and objects with:

- A. Identity and Access Management (IAM) Policies.
- B. Access Control Lists (ACLs).
- C. Bucket Policies.
- D. All of the above

Answer: D

NEW QUESTION 292

The AWS IT infrastructure that AWS provides, complies with the following IT security standards, including:

- A. SOC 1/SSAE 16/ISAE 3402 (formerly SAS 70 Type II), SOC 2 and SOC 3
- B. FISMA, DIACAP, and FedRA|V|P
- C. PCI DSS Level 1, ISO 27001, ITAR and FIPS 140-2
- D. HIPAA, Cloud Security Alliance (CSA) and Motion Picture Association of America (NIPAA)
- E. All of the above

Answer: ABC

NEW QUESTION 293

Auto Scaling requests are signed with a signature calculated from the request and the user's private key.

- A. SSL
- B. AES-256
- C. HMAC-SHA1
- D. X.509

Answer: C

NEW QUESTION 295

The following policy can be attached to an IAM group. It lets an IAM user in that group access a "home directory" in AWS S3 that matches their user name using the console.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Action": ["s3:*"], "Effect": "A|low",
      "Resource": ["arn:aws:s3:::zbucket-name"], "Condition":{"StringLike":{"s3:prefix":["home/${aws:username}/*"]}}
    }!
    {
      "Action":["s3:*"], "Effect":"A|ow",
      "Resource": ["arn:aws:s3:::bucket-name/home/${aws:username}/*"]
    }
  ]
}
```

- A. True
- B. False

Answer: B

NEW QUESTION 300

How is AWS readily distinguished from other vendors in the traditional IT computing landscape?

- A. Experience
- B. Scalable and elasti
- C. Secur
- D. Cost-effectiv
- E. Reliable
- F. Secur
- G. Flexibl
- H. Cost-effectiv
- I. Scalable and elasti
- J. Global
- K. Secur
- L. Flexibl
- M. Cost-effectiv
- N. Scalable and elasti
- O. Experienced
- P. Flexibl
- Q. Cost-effectiv
- R. Dynami
- S. Secur
- T. Experience

Answer: C

NEW QUESTION 303

A newspaper organization has a on-premises application which allows the public to search its back catalogue and retrieve individual newspaper pages via a website written in Java. They have scanned the old newspapers into JPEGs (approx 17TB) and used Optical Character Recognition (OCR) to populate a commercial search product. The hosting platform and software are now end of life and the organization wants to migrate its archive to AWS and produce a cost efficient architecture and still be designed for availability and durability. Which is the most appropriate?

- A. Use S3 with reduced redundancy to store and serve the scanned files, install the commercial search application on EC2 Instances and configure with auto-scaling and an Elastic Load Balancer.
- B. Model the environment using CloudFormation use an EC2 instance running Apache webserver and an open source search application, stripe multiple standard EBS volumes together to store the JPEGs and search index.
- C. Use S3 with standard redundancy to store and serve the scanned files, use CloudSearch for query processing, and use Elastic Beanstalk to host the website across multiple availability zones.

- D. Use a single-AZ RDS MySQL instance to store the search index and the JPEG images use an EC2 instance to serve the website and translate user queries into SQL.
- E. Use a CloudFront download distribution to serve the JPEGs to the end users and install the current commercial search product, along with a Java container for the website on EC2 instances and use Route53 with DNS round-robin.

Answer: C

NEW QUESTION 305

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AWS-Certified-Solutions-Architect-Professional Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AWS-Certified-Solutions-Architect-Professional Product From:

<https://www.2passeasy.com/dumps/AWS-Certified-Solutions-Architect-Professional/>

Money Back Guarantee

AWS-Certified-Solutions-Architect-Professional Practice Exam Features:

- * AWS-Certified-Solutions-Architect-Professional Questions and Answers Updated Frequently
- * AWS-Certified-Solutions-Architect-Professional Practice Questions Verified by Expert Senior Certified Staff
- * AWS-Certified-Solutions-Architect-Professional Most Realistic Questions that Guarantee you a Pass on Your First Try
- * AWS-Certified-Solutions-Architect-Professional Practice Test Questions in Multiple Choice Formats and Updates for 1 Year